

影印版

PLASTICS TECHNOLOGY
HANDBOOK

塑料技术手册

VOLUME 1
BLOW MOLDING

吹塑成型

EDITED BY
DONALD V. ROSATO
MARLENE G. ROSATO
NICK R. SCHOTT



哈爾濱工業大學出版社
HARBIN INSTITUTE OF TECHNOLOGY PRESS

影印版

**PLASTICS TECHNOLOGY
HANDBOOK**

塑料技术手册

VOLUME 1

BLOW MOLDING

吹塑成型

EDITED BY

DONALD V. ROSATO

MARLENE G. ROSATO

NICK R. SCHOTT



哈尔滨工业大学出版社
HARBIN INSTITUTE OF TECHNOLOGY PRESS

黑版贸审字08-2014-092号

Donald V.Rosato,Marlene G.Rosato,Nick R.Schott

Plastics Technology Handbook Volume 1

9781606500798

Copyright © 2010 by Momentum Press, LLC

All rights reserved.

Originally published by Momentum Press, LLC

English reprint rights arranged with Momentum Press, LLC through McGraw-Hill Education (Asia)

This edition is authorized for sale in the People's Republic of China only, excluding Hong Kong, Macao SAR and Taiwan.

本书封面贴有McGraw-Hill Education公司防伪标签,无标签者不得销售。

版权所有,侵权必究。

图书在版编目(CIP)数据

塑料技术手册.第1卷.吹塑成型=Plastics technology handbook volume 1 blow molding:英文/(美)罗萨多(Rosato, D. V.)等主编. —影印本. —哈尔滨:哈尔滨工业大学出版社,2015.6

ISBN 978-7-5603-5044-8

I. ①塑… II. ①罗… III. ①塑料-技术手册-英文 ②塑料成型-吹塑-技术手册-英文 IV. ①TQ320.6-62

中国版本图书馆CIP数据核字(2014)第280071号



责任编辑 许雅莹 张秀华 杨 桦

出版发行 哈尔滨工业大学出版社

社 址 哈尔滨市南岗区复华四道街10号 邮编 150006

传 真 0451-86414749

网 址 <http://hitpress.hit.edu.cn>

印 刷 哈尔滨市石桥印务有限公司

开 本 787mm×960mm 1/16 印张 10

版 次 2015年6月第1版 2015年6月第1次印刷

书 号 ISBN 978-7-5603-5044-8

定 价 50.00元

(如因印刷质量问题影响阅读,我社负责调换)

影印版说明

MOMENTUM PRESS 出版的 *Plastics Technology Handbook* (2 卷) 是介绍塑料知识与技术的大型综合性手册, 内容涵盖了从高分子基本原理, 到塑料的合成、种类、性能、配料、加工、制品, 以及模具、二次加工等各个方面。通过阅读、学习本手册, 无论是专业人员还是非专业人员, 都会很快熟悉和掌握塑料制品的设计和制造方法。可以说一册在手, 别无他求。

原版 2 卷影印时分为 11 册, 第 1 卷分为 :

塑料基础知识·塑料性能

塑料制品生产

注射成型

挤压成型

吹塑成型

热成型

发泡成型·压延成型

第 2 卷分为 :

涂层·浇注成型·反应注射成型·旋转成型

压缩成型·增强塑料·其他工艺

模具

辅机与二次加工设备

唐纳德 V·罗萨多, 波士顿大学化学学士学位, 美国东北大学 MBA 学位, 马萨诸塞大学洛厄尔分校工程塑料和加州大学工商管理博士学位(伯克利)。著有诸多论文及著作, 包括《塑料简明百科全书》、《注塑手册(第三版)》以及塑料产品材料和工艺选择手册等。活跃于塑料界几十年, 现任著名的 Plasti Source Inc. 公司总裁, 并是美国塑料工业协会(SPI)、美国塑料学会(PIA)和 SAMPE(The Society for the Advancement of Material and Process Engineering)的重要成员。

材料科学与工程图书工作室

联系电话 0451-86412421

0451-86414559

邮 箱 yh_bj@aliyun.com

xuyaying81823@gmail.com

zhxh6414559@aliyun.com

PLASTICS TECHNOLOGY HANDBOOK

VOLUME 1

EDITED BY

Donald V. Rosato, PhD, MBA, MS, BS, PE

Plastisource Inc.

Society of Plastics Engineers

Plastics Pioneers Association

University of Massachusetts—Lowell Plastics Advisory Board

Marlene G. Rosato, BAsC (ChE) P Eng

Gander International Inc.

Canadian Society of Chemical Engineers

Association of Professional Engineers of Ontario

Product Development and Management Association

Nick R. Schott, PhD, MS, BS (ChE), PE

University of Massachusetts—Lowell Professor of Plastics Engineering & Plastics Department Head (Retired)

Plastics Institute of America

Secretary & Director for Educational and Research Programs



MOMENTUM PRESS

Momentum Press, LLC, New York

PREFACE

This book, as a four-volume set, offers a simplified, practical, and innovative approach to understanding the design and manufacture of products in the world of plastics. Its unique review will expand and enhance your knowledge of plastic technology by defining and focusing on past, current, and future technical trends. Plastics behavior is presented to enhance one's capability when fabricating products to meet performance requirements, reduce costs, and generally be profitable. Important aspects are also presented for example to gain understanding of the advantages of different materials and product shapes. Information provided is concise and comprehensive.

Prepared with the plastics technologist in mind, this book will be useful to many others. The practical and scientific information contained in this book is of value to both the novice including trainees and students, and the most experienced fabricators, designers, and engineering personnel wishing to extend their knowledge and capability in plastics manufacturing including related parameters that influence the behavior and characteristics of plastics. The tool maker (mold, die, etc.), fabricator, designer, plant manager, material supplier, equipment supplier, testing and quality control personnel, cost estimator, accountant, sales and marketing personnel, new venture type, buyer, vendor, educator/trainer, workshop leader, librarian, industry information provider, lawyer, and consultant can all benefit from this book. The intent is to provide a review of the many aspects of plastics that range from the elementary to practical to the advanced and more theoretical approaches. People with different interests can focus on and interrelate across subjects in order to expand their knowledge within the world of plastics.

Over 20000 subjects covering useful pertinent information are reviewed in different chapters contained in the four volumes of this book, as summarized in the expanded table of contents and index. Subjects include reviews on materials, processes, product designs, and so on. From a pragmatic standpoint, any theoretical aspect that is presented has been prepared so that the practical person will understand it and put it to use. The theorist, in turn will gain an insight into

the practical limitations that exist in plastics as they exist in other materials such as steel, wood, and so on. There is no material that is "perfect." The four volumes of this book together contain 1800 plus figures and 1400 plus tables providing extensive details to supplement the different subjects.

In working with any material (plastics, metal, wood, etc.), it is important to know its behavior in order to maximize product performance relative to cost/efficiency. Examples of different plastic materials and associated products are reviewed with their behavior patterns. Applications span toys, medical devices, cars, boats, underwater devices, containers, springs, pipes, buildings, aircraft, and spacecraft. The reader's product to be designed and/or fabricated can directly or indirectly be related to products reviewed in this book. Important are behaviors associated with and interrelated with the many different plastics materials (thermoplastics, thermosets, elastomers, reinforced plastics) and the many fabricating processes (extrusion, injection molding, blow molding, forming, foaming, reaction injection molding, and rotational molding). They are presented so that the technical or nontechnical reader can readily understand the interrelationships of materials to processes.

This book has been prepared with the awareness that its usefulness will depend on its simplicity and its ability to provide essential information. An endless amount of data exists worldwide for the many plastic materials that total about 35000 different types. Unfortunately, as with other materials, a single plastic material does not exist that will meet all performance requirements. However, more so than with any other materials, there is a plastic that can be used to meet practically any product requirement(s). Examples are provided of different plastic products relative to critical factors ranging from meeting performance requirements in different environments to reducing costs and targeting for zero defects. These reviews span small to large and simple to complex shaped products. The data included provide examples that span what is commercially available. For instance, static physical properties (tensile, flexural, etc.), dynamic physical properties (creep, fatigue, impact, etc.), chemical properties, and so on, can range from near zero to extremely high values, with some having the highest of any material. These plastics can be applied in different environments ranging from below and on the earth's surface, to outer space.

Pitfalls to be avoided are reviewed in this book. When qualified people recognize the potential problems that can exist, these problems can be designed around or eliminated so that they do not affect the product's performance. In this way, costly pitfalls that result in poor product performance or failure can be reduced or eliminated. Potential problems or failures are reviewed with solutions also presented. This failure/solution review will enhance the intuitive skills of people new to plastics as well as those who are already working in plastics. Plastic materials have been produced worldwide over many years for use in the design and fabrication of all kinds of plastic products that profitably and successfully meet high quality, consistency, and long-life standards. All that is needed is to understand the behavior of plastics and properly apply these behaviors.

Patents or trademarks may cover certain of the materials, products, or processes presented. They are discussed for information purposes only and no authorization to use these patents or trademarks is given or implied. Likewise, the use of general descriptive names, proprietary names, trade names, commercial designations, and so on does not in any way imply that they may be used freely. While the information presented represents useful information that can be studied or

analyzed and is believed to be true and accurate, neither the authors, contributors, reviewers, nor the publisher can accept any legal responsibility for any errors, omissions, inaccuracies, or other factors. Information is provided without warranty of any kind. No representation as to accuracy, usability, or results should be inferred.

Preparation for this book drew on information from participating industry personnel, global industry and trade associations, and the authors' worldwide personal, industrial, and teaching experiences.

DON & MARLENE ROSATO AND NICK SCHOTT, 2010

ABOUT THE EDITORS

Dr. Donald V. Rosato, president of PlastiSource, Inc., a prototype manufacturing, technology development, and marketing advisory firm in Massachusetts, United States, is internationally recognized as a leader in plastics technology, business, and marketing. He has extensive technical, marketing, and plastics industry business experience ranging from laboratory testing to production to marketing, having worked for Northrop Grumman, Owens-Illinois, DuPont/Conoco, Hoechst Celanese/Ticona, and Borg Warner/G.E. Plastics. He has developed numerous polymer-related patents and is a participating member of many trade and industry groups. Relying on his unrivaled knowledge of the industry plus high-level international contacts, Dr. Rosato is also uniquely positioned to provide an expert, inside view of a range of advanced plastics materials, processes, and applications through a series of seminars and webinars. Among his many accolades, Dr. Rosato has been named Engineer of the Year by the Society of Plastics Engineers. Dr. Rosato has written extensively, authoring or editing numerous papers, including articles published in the *Encyclopedia of Polymer Science and Engineering*, and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, *Plastic Product Material and Process Selection Handbook*, *Designing with Plastics and Advanced Composites*, and *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. Dr. Rosato holds a BS in chemistry from Boston College, MBA at Northeastern University, MS in plastics engineering from University of Massachusetts Lowell, and PhD in business administration at University of California, Berkeley.

Marlene G. Rosato, with stints in France, China, and South Korea, has very comprehensive international plastics and elastomer business experience in technical support, plant start-up and troubleshooting, manufacturing and engineering management, business development and strategic planning with Bayer/Polysar and DuPont and does extensive international technical, manufacturing, and management consulting as president of Gander International Inc. She also has an extensive

writing background authoring or editing numerous papers and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, and the *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. A senior member of the Canadian Society of Chemical Engineering and the Association of Professional Engineers of Canada, Ms. Rosato is a licensed professional engineer of Ontario, Canada. She received a Bachelor of Applied Science in chemical engineering from the University of British Columbia with continuing education at McGill University in Quebec, Queens University and the University of Western Ontario both in Ontario, Canada, and also has extensive executive management training.

Professor Nick Schott, a long-time member of the world-renowned University of Massachusetts Lowell Plastics Engineering Department faculty, served as its department head for a quarter of a century. Additionally, he founded the Institute for Plastics Innovation, a research consortium affiliated with the university that conducts research related to plastics manufacturing, with a current emphasis on bioplastics, and served as its director from 1989 to 1994. Dr. Schott has received numerous plastics industry accolades from the SPE, SPI, PPA, PIA, as well as other global industry associations and is renowned for the depth of his plastics technology experience, particularly in processing-related areas. Moreover, he is a quite prolific and requested industry presenter, author, patent holder, and product/process developer, in addition to his quite extensive and continuing academic responsibilities at the undergraduate to postdoctoral level. Among America's internationally recognized plastics professors, Dr. Nick R. Schott most certainly heads everyone's list not only within the 2500 plus global UMASS Lowell Plastics Engineering alumni family, which he has helped grow, but also in broad global plastics and industrial circles. Professor Schott holds a BS in ChE from UC Berkeley, and an MS and PhD from the University of Arizona.

CONTENTS

LIST OF FIGURES	9
LIST OF TABLES	15
PREFACE	17
ABOUT THE EDITORS	20
6. BLOW MOLDING	1005
INTRODUCTION	1005
Container	1009
Industry Size	1015
BLOW MOLDING PROCESS	1016
Blowing Requirements	1016
Airflow Control	1017
Extrusion versus Injection Blow Molding	1021
BASICS IN PROCESSING	1021
EXTRUSION BLOW MOLDING	1022
Extruder	1022
Melt Flow	1023
Parison Sag	1029
Parison Head	1034
Parison Wall Thickness	1035
Machine Design	1039
Single-Stage Design	1043
Two-Stage Design	1043
Continuous Extrusion Design	1044
Intermittent Extrusion Design	1046
INJECTION BLOW MOLDING	1063

STRETCH BLOW MOLDING	1071
Injection Stretch Blow Molding	1072
Special Machines	1084
Extrusion Stretch Blow Molding	1084
Dip Blow Molding	1085
Multibloc Blow Molding	1086
Other Blow-Molding Processes	1086
Blow Molding with Rotation	1095
MOLD	1097
Basic Features	1100
Materials of Construction	1101
Pinch-Off Zone	1101
Flash Control	1105
Blowing and Calibrating Device	1107
Venting and Surface Finish	1107
Cooling	1108
PLASTIC MATERIAL	1113
Blow Molding and Plastic	1120
Behavior of Plastics	1123
Barrier Plastic	1125
Barrier Material Type	1130
Blow Molding Reinforced Plastic	1130
DESIGN	1131
Bottle Design	1132
Industrial Products	1132
Complex Irregular Shape	1133
Oriented 3-D Parison	1135
Other Design Approaches	1136
SUMMARY	1136
History	1136

FIGURES

Figure 6.1	Examples of extrusion, injection, and stretch blow-molding techniques	1006
Figure 6.2	Examples of the different forms of blow molding	1006
Figure 6.3	Montage of commercial and industrial blow-molded products	1007
Figure 6.4	Examples of blow-molded foodstuff containers	1008
Figure 6.5	Example of longneck blow-molded products	1008
Figure 6.6	Blow-molded containers for potato chips	1009
Figure 6.7	Examples of two sizes of blow-molded containers	1009
Figure 6.8	Blow-molded ribbed-panel automotive floor	1010
Figure 6.9	Complex 3-D blow-molded products	1010
Figure 6.10	Plastic blow-molded fuel tank (left) compared to a metal fuel tank	1011
Figure 6.11	Blow-molded aerodynamic truck wind spoiler	1012
Figure 6.12	Blow-molded 52-gallon hot-water heater that is jacketed by filament winding (chapter 15) to meet UL burst strength requirements	1012
Figure 6.13	Blow-molded water flotation wheels	1013
Figure 6.14	Blow-molded swimming pool (courtesy of Vogue Pool Products, La Salle, Quebec, Canada)	1013
Figure 6.15	Blow-molded bellow boots for automotive and other markets	1014
Figure 6.16	Sequential extruded blow-molded polypropylene automotive air duct	1014
Figure 6.17	Three locations for air to enter extrusion blow molds	1018
Figure 6.18	Blow-molding pin with escape channel for the blown air	1020

Figure 6.19	Basic processing steps in extrusion blow molding: (a) extruded heated plastic parison, mold open; (b) mold closed and bottle blown; and (c) finished bottle removed from mold	1022
Figure 6.20	Schematic of extrusion blow molding a single parison	1023
Figure 6.21	Schematic of the plastic melting action in an extruder that has two exiting parisons	1024
Figure 6.22	Relating thicknesses of swell ratio of parison and BM product	1027
Figure 6.23	Problems encountered in “countering” high-weight swell	1028
Figure 6.24	Effect of land length on swell	1029
Figure 6.25	Parison length vs. time curves for three different situations	1031
Figure 6.26	Oscillating melt flow rate near slip discontinuity of flow curve	1032
Figure 6.27	Simplified view of a heart-shaped parison die head	1034
Figure 6.28	Details of a heart-shaped parison die head	1035
Figure 6.29	Side view of center-fed die with spider supports for its core; top view: examples of four-spider support system or use of a perforated screen	1036
Figure 6.30	Examples of a grooved-core parison die head	1037
Figure 6.31	Example of double-sided parison feedhead so that a double-layered parison is produced that overlaps weld lines 180° apart (courtesy of Graham Machinery Group)	1038
Figure 6.32	Explanations of a parison die head	1039
Figure 6.33	Examples of parison wall thickness control by axial movement of the mandrel	1040
Figure 6.34	Examples of convergent and divergent die-head tooling	1040
Figure 6.35	Examples of programmed parisons	1041
Figure 6.36	Example of rectangular parison shapes where (a) die opening had a uniform thickness resulting in weak corners and (b) die opening was designed to meet the thickness requirements required	1042
Figure 6.37	Simplified schematic showing parts of a blow-molding machine	1042
Figure 6.38	Examples of preparing cut-to-size parisons for a two-stage extrusion blow-molding process (courtesy of SIG Plastics International)	1043
Figure 6.39	Introduction to a continuous extruded blow-molding system with its accumulator die head	1044
Figure 6.40	Examples of continuous extruded blow-molding systems with calibrated necks	1045
Figure 6.41	Schematics of continuous two-mold and multimold shuttle systems	1046
Figure 6.42	View of a three-milk bottle mold shuttle system	1046

Figure 6.43	Schematic of dual-sided shuttle with six parisons (courtesy of Graham Machinery Group)	1047
Figure 6.44	Closeup of dual-sided shuttle with six parisons (courtesy of Graham Machinery Group)	1048
Figure 6.45	Dual-sided shuttle with six parisons with safety doors opened (courtesy of Graham Machinery Group)	1049
Figure 6.46	Dual-sided shuttle with six parisons with safety doors closed (courtesy of Graham Machinery Group)	1049
Figure 6.47	Overcoming shuttle machine limitations (courtesy of Graham Machinery Group)	1050–1052
Figure 6.48	Schematics of continuous horizontal or vertical wheel machines	1053
Figure 6.49	Schematics of vertical wheel machine in a production line (courtesy of Graham Machinery Group)	1053
Figure 6.50	Rotary machine with closeup of rotary wheel (courtesy of Graham Machinery Group)	1054
Figure 6.51	Schematic side view of five-station rotary wheel (courtesy of Graham Machinery Group)	1055
Figure 6.52	Rotary shuttle advantages (courtesy of Graham Machinery Group)	1056–1060
Figure 6.53	Example of a reciprocating screw intermittent extrusion blow-molding machine	1061
Figure 6.54	Series of conventional horizontal injection-molding machines with appropriate blow-molding dies	1062
Figure 6.55	Example of an intermittent accumulator head extrusion blow-molding machine	1062
Figure 6.56	Example of an intermittent ram-accumulator extrusion blow-molding machine	1063
Figure 6.57	Example of the extrusion blow-molding cycle with an accumulator	1063
Figure 6.58	Schematic of an assembled intermittent accumulator parison head (courtesy of Graham Machinery Group)	1064–1065
Figure 6.59	Example of intermittent accumulator parison head (courtesy of Bekum)	1066
Figure 6.60	Example of intermittent accumulator parison head with a calibrated neck finish	1066
Figure 6.61	Example of intermittent accumulator parison head with overflow melts in the parison to eliminate weld lines	1067
Figure 6.62	Schematic of an EBM with an intermittent accumulator that	

	is fully automatic; insert is an example of a 20-liter (5-gallon) PC plastic bottle fabricated in this machine (courtesy of SIG Blowtec 2-20/30 of SIG Plastics)	1068
Figure 6.63	Intermittent extrusion blow-molding machine with accumulator molding large tanks (courtesy of Graham Machinery Group)	1069
Figure 6.64	Left view shows an injection-molded preform designed to obtain a uniform wall thickness when blow molded (right view)	1070
Figure 6.65	Example of the injection blow-molding cycle	1070
Figure 6.66	Three-station injection blow-molding system	1071
Figure 6.67	Example of ejecting blown containers using a stripper plate	1072
Figure 6.68	Examples of three-station and four-station injection blow-molding machines	1073
Figure 6.69	View of a shuttle mold to fabricate injection-molded containers	1074
Figure 6.70	Schematic of injection blow mold with a solid handle	1075
Figure 6.71	Simple handles (ring, strap, etc.) can be molded with blow-molded bottles and other products	1075
Figure 6.72	Single-stage injection stretch-blow process	1076
Figure 6.73	Schematic of the steps taken for injection stretch blow molding	1076
Figure 6.74	Schematic and internal view of a fast-operating reheat preform for stretched IBM (courtesy of SIG Plastics International)	1077
Figure 6.75	Easy-to-operate and control in-line stretch IBM (courtesy of Milacron)	1078
Figure 6.76	Example of a single-stage injection stretch blow-molding production line	1079
Figure 6.77	Temperature range for stretch blow molding polypropylene	1080
Figure 6.78	Example of stretched injection blow molding using a rod	1080
Figure 6.79	Example of stretched injection blow molding by gripping and stretching the preform	1081
Figure 6.80	Schematic of a two-step injection stretch blow-molding process (courtesy of Milacron)	1081
Figure 6.81	Example of a bottling plant using the two-step injection stretch blow-molding process	1082
Figure 6.82	Example of a two-stage injection stretch blow-molding production line	1083
Figure 6.83	Stages in the dip blow-molding process	1085
Figure 6.84	Multibloc blow-molding process	1086
Figure 6.85	Example of a six-layer coextruded blow-molded bottle	1087

Figure 6.86	Example of a five-layer coinjection blow-molded bottle	1088
Figure 6.87	Example of a five-layer coinjection blow-molded ketchup bottle	1088
Figure 6.88	Example of a three-layer coextrusion parison blow-molded head with die profiling	1089
Figure 6.89	Example of a five-layer coextrusion parison blow-molded head with die profiling (courtesy of Graham Machinery Group)	1090
Figure 6.90	Example of hot-filling PET bottle at 80° to 95°C (courtesy of SIG Plastics International)	1091
Figure 6.91	Examples of different shaped sequential extrusion blow-molding products	1093
Figure 6.92	Example of container-filling steps in the blow/fill/seal extrusion blow-molding process	1094
Figure 6.93	Example of a 3-D extrusion blow molding process (courtesy of Placo)	1094
Figure 6.94	Examples of multiple side action 3-D extrusion blow-molding molds	1095
Figure 6.95	Example of six-axis robotic control to manipulate a parison in a 3-D mold cavity to extrusion blow mold products (courtesy of SIG Plastics International)	1096
Figure 6.96	Example of a suction 3-D extrusion blow-molding process (courtesy of SIG Plastics International)	1097
Figure 6.97	Example of sequential 3-D coextrusion blow-molding machine (courtesy of SIG Plastics International)	1098
Figure 6.98	Examples of 3-D extrusion blow-molded products in their mold cavities (courtesy of SIG Plastics International)	1099
Figure 6.99	Schematic for molding with rotation using a two-stage blow-molding procedure	1099
Figure 6.100	Example of an extrusion blow mold	1101
Figure 6.101	Blow-molded corrugated bellow part between its mold halves	1102
Figure 6.102	Examples of parting line locations and other parts of a mold	1103
Figure 6.103	Example of a three-part mold to fabricate a complex threaded lid	1104
Figure 6.104	Examples of pinch-off zones in an extrusion blow mold	1105
Figure 6.105	Examples of pinch-off designs to meet requirements for different plastics and contours	1106
Figure 6.106	Example of a trapezoidal cross-section insert at the parting line	1107
Figure 6.107	Example of a calibrating blow pin	1108
Figure 6.108	Example of blow needle	1109
Figure 6.109	Example of air vent slots in an injection molding of a preform mold	1110