

INTERNATIONAL **N**ONPROPRIETARY **N**AMES

FOR PHARMACEUTICAL SUBSTANCES

Cumulative List No. 3

1971



WORLD HEALTH ORGANIZATION
GENEVA
1971

CUMULATIVE LIST OF
PROPOSED INTERNATIONAL
NONPROPRIETARY NAMES
FOR PHARMACEUTICAL
SUBSTANCES

LISTS 1-25

PUBLISHED IN THE WHO CHRONICLE

1953-1971



WORLD HEALTH ORGANIZATION

GENEVA

1971

The World Health Organization (WHO) is one of the specialized agencies in relationship with the United Nations. Through this organization, which came into being in 1948, the public health and medical professions of more than 130 countries exchange their knowledge and experience, and collaborate in an effort to achieve the highest possible level of health throughout the world. WHO is not concerned with problems that individual countries or territories can solve with their own resources. It deals, rather, with problems that can be satisfactorily solved only through the co-operation of all or several countries—for example, the eradication or control of malaria, schistosomiasis, small-pox, and other communicable diseases, as well as some cardiovascular diseases and cancer. Progress towards better health throughout the world also demands international co-operation in many other activities : for example, setting up international standards for biological substances, for pesticides and for pesticide spraying equipment ; compiling an international pharmacopoeia ; drawing up and administering the International Sanitary Regulations ; revising the international lists of diseases and causes of death ; assembling and disseminating epidemiological information ; recommending nonproprietary names for drugs ; and promoting the exchange of scientific knowledge. In many parts of the world, there is need for improvement in maternal and child health, nutrition, nursing, mental health, dental health, social and occupational health, environmental health, public health administration, professional education and training, and health education of the public. Thus a large share of the Organization's resources is devoted to giving assistance and advice in these fields and to making available—often through publications—the latest information on these subjects. Since 1958 an extensive international programme of collaborative research and research co-ordination has added substantially to the knowledge in many fields of medicine and public health. This programme is constantly developing and its many facets are reflected in WHO publications.

WHO publications may be obtained, directly or through booksellers, from :

ALGERIA	Société Nationale d'Édition et de Diffusion, 3 Bd Zirout Youcef, ALGIERS.
ARGENTINA	Librería de las Naciones, Cooperativa Ltda, Alsina 500, BUENOS AIRES — Editorial Sudamericana S.A., Humberto 1° 545, BUENOS AIRES.
AUSTRALIA	Australian Government Publishing Service, Sales and Distribution, P.O. Box 84, CANBERRA, A.C.T. 2600 (mail orders); AGPS Book Centre, 113-115 London Circuit, CANBERRA CITY; 347 Swanston St., MELBOURNE; Commonwealth Centre, 1-3 St George's Terrace, PERTH; Bank House, 315 George St., SYDNEY—Hunter Publications, 58A Gipps Street, COLLINGWOOD, Vic. 3066.
AUSTRIA	Gerold & Co., 1, Graben 31, VIENNA 1.
BELGIUM	Office international de Librairie, 30 av. Marnix, BRUSSELS.
BURMA	<i>see</i> India, WHO Regional Office.
CANADA	Information Canada Bookstore, 171 Slater Street, OTTAWA, Ontario K1A 0S9; 1735 Barrington Street, HALIFAX, N.S.; Edifice Aeterna-Vie, 1182 ouest, rue Ste-Catherine, MONTREAL 110 (Qué.); 221 Yonge Street, TORONTO 205, Ontario; 657 Granville Street, VANCOUVER 2, B.C.; 393 Portage Avenue, WINNIPEG, Manitoba.
CEYLON	<i>see</i> India, WHO Regional Office.
COLOMBIA	Distrilibros Ltd, Pío Alfonso García, Carrera 4a, Nos 36-119, CARTAGENA.
COSTA RICA	Imprenta y Librería Trejos S.A., Apartado 1313, SAN JOSÉ.
CYPRUS	MAM, P.O. Box 1674, NICOSIA.
DENMARK	Ejnar Munksgaard, Ltd, Nørregade 6, COPENHAGEN.
ECUADOR	Librería Científica S.A., P.O. Box 362, Luque 223, GUAYAQUIL.
EGYPT	Al Ahram Bookshop, 10 Avenue el Horreya, ALEXANDRIA.
FEDERAL REPUBLIC OF GERMANY	Govi-Verlag GmbH, Beethovenplatz 1-3, FRANKFURT A. M. 6 — W. E. Saabach, Postfach 1510, Follerstrasse 2, 5 COLOGNE 1 — Alex. Horn, Spiegelgasse 9, 62 WIESBADEN.
FIJI	The WHO Representative, P.O. Box 113, SUVA.
FINLAND	Akateeminen Kirjakauppa, Keskuskatu 2, HELSINKI 10.
FRANCE	Librairie Arnette, 2 rue Casimir-Delavigne, PARIS 6 ^e .
GREECE	G. C. Eleftheroudakis S.A., Librairie internationale, rue Nikis 4, ATHENS (T. 126).
HAITI	Max Bouchereau, Librairie "A la Caravelle", Boîte postale 111-B, PORT-AU-PRINCE.
HUNGARY	Kultura, P.O.B. 149, BUDAPEST 62 — Akadémiai Könyvesbolt, Váci utca 22, BUDAPEST V.
ICELAND	Snaebjörn Jonsson & Co., P.O. Box 1131, Hafnarstraeti 9, REYKJAVIK.
INDIA	WHO Regional Office for South-East Asia, World Health House, Indraprastha Estate, Ring Road, NEW DELHI 1 — Oxford Book & Stationery Co., Scindia House, NEW DELHI; 17 Park Street, CALCUTTA 16 (Sub-agent).
INDONESIA	<i>see</i> India, WHO Regional Office.
IRAN	Mesrob Grigorian, Naderi Avenue (Arbab-Guiv Building), TEHRAN.
IRELAND	The Stationery Office, DUBLIN.
ISRAEL	Heiliger & Co., 3 Nathan Strauss Street, JERUSALEM.
ITALY	Edizioni Minerva Medica, Corso Bramante 83-85, TURIN; Via Lamarmora 3, MILAN.
JAPAN	Maruzen Co., Ltd, P.O. Box 5050, Tokyo International, 100-31 Japan.
KENYA	The Caxton Press Ltd, Head Office: Gathani House, Huddersfield Road, P.O. Box 1742, NAIROBI.
KHMER REPUBLIC	The WHO Representative, P.O. Box 111, PHNOM-PENH.
LAOS	The WHO Representative, P.O. Box 343, VIENTIANE.
LEBANON	Librairie Au Papyrus, Immeuble Abdel Baki, rue Cinéma Colisée, Hamra, BEIRUT.
LUXEMBOURG	Librairie Trausch-Schummer, place du Théâtre, LUXEMBOURG.
MALAYSIA	The WHO Representative, P.O. Box 2550, KUALA LUMPUR — Jubilee (Book) Store Ltd, 97 Jalan Tuanku Abdul Rahman, P.O. Box 629, KUALA LUMPUR.
MEXICO	La Prensa Médica Mexicana, Ediciones Científicas, Paseo de las Facultades, 26, MEXICO CITY 20, D.F.
MONGOLIA	<i>see</i> India, WHO Regional Office.

Price: £2.40 \$6.00 Sw. fr. 24.—
Prices are subject to change without notice.

CONTENTS

	Page
Introduction	5
Explanatory notes	5
Cumulative list of proposed international non- proprietary names	7
Annex 1 : Procedure for the selection of recommen- ded international nonproprietary names for phar- maceutical substances	141
Annex 2: Molecular formula index	144

CUMULATIVE LIST OF
PROPOSED INTERNATIONAL
NONPROPRIETARY NAMES
FOR PHARMACEUTICAL
SUBSTANCES

LISTS 1-25

PUBLISHED IN THE WHO CHRONICLE

1953-1971



WORLD HEALTH ORGANIZATION

GENEVA

1971

PRINTED IN SWITZERLAND

CONTENTS

	Page
Introduction	5
Explanatory notes	5
Cumulative list of proposed international non- proprietary names	7
Annex 1 : Procedure for the selection of recommen- ded international nonproprietary names for phar- maceutical substances	141
Annex 2 : Molecular formula index	144

INTRODUCTION

Lists of proposed international nonproprietary names for pharmaceutical substances are published at intervals in the *WHO Chronicle* (see Explanatory Note No. 1 below). This third cumulative list groups together the names in lists 1 - 25 with their chemical name or description and molecular formulae. Graphic formulae are contained in the lists published in the *WHO Chronicle* from List 18 onwards.

This cumulative list is intended to assist national authorities and other national or international bodies interested in the selection of international non-proprietary names, as well as pharmaceutical manufacturers. For easy reference a molecular formula index has been added at the end of the list (Annex 2).

EXPLANATORY NOTES

1. The number in brackets after the Latin name of the substance is the number of the list in which the name was first published in the *WHO Chronicle*. The references to the various lists are as follows:

List No.	Reference	List No.	Reference
1	<i>Chron. Wld Hlth Org.</i> , 1953, 7 , 299	14	<i>WHO Chronicle</i> 1964, 18 , 433
2	" " " " 1954, 8 , 216	15	" " " " 1965, 19 , 446
3	" " " " 1954, 8 , 313	16	" " " " 1966, 20 , 216
4	" " " " 1956, 10 , 28	17	" " " " 1967, 21 , 70
5	" " " " 1957, 11 , 231	18	" " " " 1967, 21 , 478
6	" " " " 1958, 12 , 102	19	" " " " 1968, 22 , 112
7	<i>WHO Chronicle</i> 1959, 13 , 105	20	" " " " 1968, 22 , 407
8	" " " " 1959, 13 , 152	21	" " " " 1969, 23 , 183
9	" " " " 1960, 14 , 168	22	" " " " 1969, 23 , 418
10	" " " " 1960, 14 , 244	23	" " " " 1970, 24 , 119
11	" " " " 1961, 15 , 314	24	" " " " 1970, 24 , 413
12	" " " " 1962, 16 , 385	25	" " " " 1971, 25 , 123
13	" " " " 1963, 17 , 389		

2. International nonproprietary names are intended for use in all countries. An asterisk beside a name signifies that an objection has been raised to the proposed name in at least one Member State, in accordance with the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Substances (see Annex 1). Before such a name is taken into use in a given country, it should be ascertained that there is no objection to it in the country concerned.

CUMULATIVE LIST OF PROPOSED INTERNATIONAL NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
acebrocholum (1) acebrochol	5,6- β -dibromo-5 α -cholestan-3 β -ol acetate C ₂₉ H ₄₈ Br ₂ O ₂
acecarbromalum (14) acecarbromal	1-acetyl-3-(α -bromo- α -ethylbutyryl)urea C ₉ H ₁₅ BrN ₂ O ₃
aceclidinum (13) aceclidine	3-quinuclidinol acetate (ester) C ₉ H ₁₅ NO ₂
acedapsonum (22) acedapson	4', 4'''-sulfonylbis[acetanilide] C ₁₆ H ₁₆ N ₂ O ₄ S
acediasulfonum natricum (1) acediasulfone sodium	<i>N</i> - <i>p</i> -sulfanilylphenylglycine sodium C ₁₄ H ₁₃ N ₂ NaO ₄ S
acefurtiaminum (17) acefurtiamine	<i>S</i> -ester of thio-2-furoic acid with <i>N</i> -[(4-amino-2-methyl-5-pyrimidinyl)methyl]- <i>N</i> -(4-hydroxy-2-mercapto-1-methyl-1-butenyl) formamide <i>O</i> -glycolate acetate C ₂₁ H ₂₄ N ₄ O ₇ S
acefyllinum piperazinum (14) acefylline piperazine	piperazine 7-theophyllineacetate (C ₉ H ₁₀ N ₄ O ₄) ₂ · C ₄ H ₁₀ N ₂ or C ₂₂ H ₃₀ N ₁₀ O ₈
aceglutamidum (15) aceglutamide	<i>N</i> ² -acetyl-L-glutamine C ₇ H ₁₂ N ₂ O ₄
acenocoumarolum (6) acenocoumarol	3-(α -acetyl- <i>p</i> -nitrobenzyl-4-hydroxycoumarin C ₁₉ H ₁₅ NO ₆
aceperonum (14) aceperone	4-[4-(acetamidomethyl)-4-phenylpiperidino]-4'-fluorobutyrophenone C ₂₄ H ₂₉ FN ₂ O ₂
acepromazinum (6) acepromazine	10-[3-(dimethylamino)propyl]phenothiazin-3-yl methyl ketone C ₁₉ H ₂₂ N ₂ OS
aceprometazinum (15) aceprometazine	10-[2-(dimethylamino)propyl]phenothiazin-3-yl methyl ketone C ₁₉ H ₂₂ N ₂ OS
acequinolinum (22) acequinoline	7-methoxy-2,4-dimethyl-3-quinolyl methyl ketone C ₁₄ H ₁₅ NO ₂
acetaminosalolum (1) acetaminosalol	4'-hydroxyacetanilide salicylate C ₁₅ H ₁₃ NO ₄
acetarsolum (4) acetarsol	<i>N</i> -acetyl-4-hydroxy- <i>m</i> -arsanilic acid C ₈ H ₁₀ AsNO ₅
acetazolamidum (6) acetazolamide	5-acetamido-1,3,4-thiadiazole-2-sulfonamide C ₄ H ₆ N ₄ O ₃ S ₂
acetergaminum (18) acetergamine	(+)- <i>N</i> -acetyl-9,10-dihydrolysergamine C ₁₈ H ₂₃ N ₃ O
acetiaminum (13) acetiamine	<i>N</i> -[(4-amino-2-methyl-5-pyrimidinyl)methyl]- <i>N</i> -(4-hydroxy-2-mercapto-1-methyl-1-butenyl)formamide <i>O</i> , <i>S</i> -diacetate C ₁₆ H ₂₂ N ₄ O ₄ S

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
acetoexamidum (12) acetoexamide	1-[(<i>p</i> -acetylphenyl)sulfonyl]-3-cyclohexylurea C ₁₅ H ₂₀ N ₂ O ₄ S
acetophenazinum (11) acetophenazine	10-[3-[4-(2-hydroxyethyl)-1-piperazinyl]propyl]pheno- thiazin-2-yl methyl ketone C ₂₃ H ₂₉ N ₃ O ₂ S
acetorphanum * (17) acetorphine	6,7,8,14-tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine 3-acetate C ₂₇ H ₃₅ NO ₅
acetryptinum (13) acetryptine	3-(2-aminoethyl)indol-5-yl methyl ketone C ₁₂ H ₁₄ N ₂ O
acetylcholini chloridum (4) acetylcholine chloride	(2-hydroxyethyl)trimethylammonium chloride acetate C ₇ H ₁₆ ClNO ₂
acetylcysteinum (13) acetylcysteine	<i>N</i> -acetyl-L-cysteine C ₅ H ₉ NO ₃ S
acetyldigitoxinum (8) acetyldigitoxin	α -acetyldigitoxin C ₄₃ H ₆₆ O ₁₄
acetylmethadolum (5) acetylmethadol	3-acetoxy-6-dimethylamino-4,4-diphenylheptane C ₂₃ H ₃₁ NO ₂
acevaltratum (17) acevaltrate	1,7a-dihydro-1,6-dihydroxyspiro[cyclopenta[<i>c</i>]pyran- 7(6 <i>H</i>), 2'-oxirane]-4-methanol 4-acetate 1 (or 6)- isovalerate 6(or 1)-(3-hydroxy-3-methylbutyrate, acetate) C ₂₄ H ₃₂ O ₁₀
acexamic acid	see acidum acexamicum
acidum acexamicum (18) acexamic acid	6-acetamidohexanoic acid C ₈ H ₁₅ NO ₃
acidum amfonelicum (18) amfonelic acid	7-benzyl-1-ethyl-1,4-dihydro-4-oxo-1,8-naphthyridine-3- carboxylic acid C ₁₈ H ₁₆ N ₂ O ₃
acidum aminoaceticum (1) aminoacetic acid	glycine C ₂ H ₅ NO ₂
acidum aminocaproicum (12) aminocaproic acid	6-aminohexanoic acid C ₆ H ₁₃ NO ₂
acidum arsanilicum (23) arsanilic acid	<i>p</i> -aminobenzeneearsonic acid C ₆ H ₈ AsNO ₃
acidum ascorbicum (4) ascorbic acid	3-oxo-L-gulofuranolactone (enolic form) C ₆ H ₈ O ₆
acidum asparticum * (14) aspartic acid	aminosuccinic acid C ₄ H ₇ NO ₄
acidum bensuldazicum (22) bensuldazic acid	5-benzylidihydro-6-thioxo-2 <i>H</i> -1,3,5-thiadiazine-3(4 <i>H</i>)- acetic acid C ₁₂ H ₁₄ N ₂ O ₂ S ₂
acidum bromebricum (25) bromebric acid	(<i>E</i>)-3- <i>p</i> -anisoyl-3-bromoacrylic acid C ₁₁ H ₉ BrO ₄
acidum canrenoicum (20) canrenoic acid	17-hydroxy-3-oxo-17 α -pregna-4,6-diene-21- carboxylic acid C ₂₂ H ₃₀ O ₄
acidum capobenicum (25) capobenic acid	6-(3,4,5-trimethoxybenzamido)hexanoic acid C ₁₆ H ₂₃ NO ₆
acidum cicrotoicum (20) cicrotoic acid	β -methylcyclohexaneacrylic acid C ₁₀ H ₁₆ O ₂
acidum cinameticum (25) cinametic acid	4-(2-hydroxyethoxy)-3-methoxycinnamic acid C ₁₂ H ₁₄ O ₅

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
acidum clamidoxicum (17) clamidoxic acid	[2-(3,4-dichlorobenzamido)phenoxy]acetic acid C ₁₅ H ₁₁ Cl ₂ NO ₄
acidum clofenamicum (13) clofenamic acid	<i>N</i> -(2,3-dichlorophenyl)anthranilic acid C ₁₃ H ₉ Cl ₂ NO ₂
acidum clofibricum (20) clofibric acid	2-(<i>p</i> -chlorophenoxy)-2-methylpropionic acid C ₁₀ H ₁₁ ClO ₃
acidum clorindanicum (20) clorindanic acid	7-chloro-4-hydroxy-5-indancarboxylic acid C ₁₀ H ₉ ClO ₃
acidum cromoglicicum (18) cromoglicic acid	5,5'-[(2-hydroxytrimethylene)dioxy]bis[4-oxo-4 <i>H</i> -1-benzopyran-2-carboxylic acid] C ₂₃ H ₁₆ O ₁₁
acidum cyclobutoicum (18) cyclobutoic acid	β -hydroxy- β -methylcyclohexanepropionic acid C ₁₀ H ₁₈ O ₃
acidum dehydrocholicum (1) dehydrocholic acid	3,7,12-trioxocholanic acid C ₂₄ H ₃₄ O ₅
acidum edeticum (6) edetic acid	(ethylenedinitrilo)tetraacetic acid C ₁₀ H ₁₆ N ₂ O ₈
acidum ellagicum (21) ellagic acid	2,3,7,8-tetrahydroxy[1]benzopyrano[5,4,3- <i>cde</i>]-[1]benzopyran-5,10-dione C ₁₄ H ₆ O ₈
acidum etacrynicum (14) etacrynic acid	[2,3-dichloro-4-(2-methylenebutyryl)phenoxy]acetic acid C ₁₃ H ₁₂ Cl ₂ O ₄
acidum etidronicum (22) etidronic acid	(1-hydroxyethylidene)diphosphonic acid C ₂ H ₈ O ₇ P ₂
acidum fenafticum (22) fenaftic acid	1-(diethylcarbamoyl)-1,2,3,4,5,6,7,8-octahydro-6,6-dimethyl-8-oxo-3-phenyl-2-naphthoic acid C ₂₄ H ₃₁ NO ₄
acidum fenclozicum (22) fenclozic acid	2-(<i>p</i> -chlorophenyl)-4-thiazoleacetic acid C ₁₁ H ₈ ClNO ₂ S
acidum fepentolicum (19) fepentolic acid	α -butyl- α -hydroxy-4,3-cresotic acid C ₁₂ H ₁₆ O ₄
acidum flavodicum (22) flavodic acid	[(4-oxo-2-phenyl-4 <i>H</i> -1-benzopyran-5,7-diyl)-dioxo]diacetic acid C ₁₉ H ₁₄ O ₈
acidum flufenamicum (13) flufenamic acid	<i>N</i> -(α,α,α -trifluoro- <i>m</i> -tolyl)anthranilic acid C ₁₄ H ₁₀ F ₃ NO ₂
acidum folicum (4) folic acid	<i>N</i> -[4'-[[[(2-amino-4-hydroxy-6-pteridyl)methyl]amino]-benzoyl]-L-(+)-glutamic acid C ₁₉ H ₁₉ N ₇ O ₆
acidum foscolicum (12) foscolic acid	2,2'-phosphinocodilactic acid C ₆ H ₁₁ O ₈ P
acidum fusidicum (13) fusidic acid	an antibiotic obtained from cultures of <i>Fusidium coccineum</i> , or the same substance produced by any other means
acidum fyticum * (13) fytic acid	phytic acid C ₆ H ₁₈ O ₂₄ P ₆
acidum gamolenicum (23) gamolenic acid	(<i>Z,Z,Z</i>)-6,9,12-octadecatrienoic acid C ₁₈ H ₃₀ O ₂
acidum gentisicum (1) gentisic acid	2,5-dihydroxybenzoic acid C ₇ H ₆ O ₄
acidum glutamicum (1) glutamic acid	2-aminoglutaric acid C ₅ H ₉ NO ₄

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
acidum hopantenicum (22) hopantenic acid	D-(+)-4-(2,4-dihydroxy-3,3-dimethylbutyramido)- butyric acid $C_{10}H_{19}NO_5$
acidum hydroxytoluicum (16) hydroxytoluic acid	2-hydroxy-3-methylbenzoic acid $C_8H_8O_3$
acidum iobenzamicum (14) iobenzamic acid	<i>N</i> -(3-amino-2,4,6-triiodobenzoyl)- <i>N</i> -phenyl- β -alanine $C_{16}H_{13}I_3N_2O_3$
acidum iobutoicum (20) iobutoic acid	4-[2,4,6-triiodo-3-(morpholinocarbonyl)phenoxy]- butyric acid $C_{15}H_{16}I_3NO_5$
acidum iocarmicum (22) iocarmic acid	5,5'-(adipoyldiimino)bis(2,4,6-triiodo- <i>N</i> - methylisophthalamic acid) $C_{24}H_{20}I_6N_4O_8$
acidum iocetamicum* (18) iocetamic acid	<i>N</i> -acetyl- <i>N</i> -(3-amino-2,4,6-triiodophenyl)-2-methyl- β - alanine $C_{12}H_{13}I_3N_2O_3$
acidum ioglycamicum (15) ioglycamic acid	3,3'-(diglycoloyldiimino)bis(2,4,6-triiodobenzoic acid) $C_{18}H_{10}I_6N_2O_7$
acidum iopanoicum (1) iopanoic acid	3-amino- α -ethyl-2,4,6-triiodohydrocinnamic acid $C_{11}H_{12}I_3NO_2$
acidum iophenoicum (4) iophenoic acid	α -ethyl-3-hydroxy-2,4,6-triiodohydrocinnamic acid $C_{11}H_{11}I_3O_3$
acidum iosefamicum (14) iosefamic acid	5,5'-(sebacyldiimino)bis(2,4,6-triiodo- <i>N</i> -methyliso- phthalamic acid) $C_{28}H_{28}I_6N_4O_8$
acidum itotalamicum (13) itotalamic acid	5-acetamido-2,4,6-triiodo- <i>N</i> -methylisophthalamic acid $C_{11}H_9I_3N_2O_4$
acidum iotrizoicum (22) iotrizoic acid	2,4,6-triiodo-3-[2-[2-[2-(2-methoxy)ethoxy]ethoxy]- ethoxy]acetamido]benzoic acid $C_{18}H_{24}I_3NO_8$
acidum ioxitalamicum (22) ioxitalamic acid	5-acetamido- <i>N</i> -(2-hydroxyethyl)-2,4,6-triiodoiso- phthalamic acid $C_{12}H_{11}I_3N_2O_5$
acidum iozomicum (24) iozomic acid	3,3'-(tetramethylenebis[oxy(2-hydroxytrimethylene)- (acetylimino)])bis[2,4,6-triiodo-5-(<i>N</i> -methylacetamido)- benzoic acid] $C_{34}H_{40}I_6N_4O_{12}$
acidum kainicum (13) kainic acid	2-carboxy-4-isopropenyl-3-pyrrolidineacetic acid $C_{10}H_{15}NO_4$
acidum meclofenamicum (17) meclofenamic acid	<i>N</i> -(2,6-dichloro- <i>m</i> -tolyl)anthranilic acid $C_{14}H_{11}Cl_2NO_2$
acidum mefenamicum * (13) mefenamic acid	<i>N</i> -(2,3-xylyl)anthranilic acid $C_{15}H_{15}NO_2$
acidum metiazinicum (20) metiazinic acid	10-methylphenothiazine-2-acetic acid $C_{15}H_{13}NO_2S$
acidum mycophenolicum (24) mycophenolic acid	(<i>E</i>)-6-(4-hydroxy-6-methoxy-7-methyl-3-oxo-5- phthalanyl)-4-methyl-4-hexenoic acid $C_{17}H_{20}O_6$
acidum nafcaproicum (16) nafcaproic acid	α , α -diethyl-1-naphthaleneacetic acid $C_{16}H_{18}O_2$
acidum nalidixicum (13) nalidixic acid	1-ethyl-1,4-dihydro-7-methyl-4-oxo-1,8-naphthyridine- 3-carboxylic acid $C_{12}H_{12}N_2O_3$

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
acidum nicotinicum (4) nicotinic acid	3-pyridinecarboxylic acid $C_6H_5NO_2$
acidum niflumicum (17) niflumic acid	2-[3-(trifluoromethyl)anilino]nicotinic acid $C_{13}H_9F_3N_2O_2$
acidum nixylicum (17) nixylic acid	2-(2,3-xylydino)nicotinic acid $C_{14}H_{14}N_2O_2$
acidum oxiniacicum (22) oxiniacic acid	nicotinic acid 1-oxide $C_6H_5NO_3$
acidum oxolinicum (15) oxolinic acid	5-ethyl-5,8-dihydro-8-oxo-1,3-dioxolo[4,5- <i>g</i>]- quinoline-7-carboxylic acid $C_{13}H_{11}NO_5$
acidum polyglycolicum (24) polyglycolic acid	poly(oxycarbonylmethylene) $(C_2H_2O_2)_n$
acidum sulfaloxicum (16) sulfaloxic acid	4'-[[(hydroxymethyl) carbamoyl] sulfamoyl]- phthalanilic acid $C_{16}H_{15}N_3O_7S$
acidum thyropropicum (10) thyropropic acid	4-(4-hydroxy-3-iodophenoxy)-3,5-diiodohydrocinnamic acid $C_{15}H_{11}I_3O_4$
acidum tienilicum (25) tienilic acid	[2,3-dichloro-4-(2-thenoyl)phenoxy]acetic acid $C_{13}H_8Cl_2O_4S$
acidum tolfenamicum (24) tolfenamic acid	<i>N</i> -(3-chloro- <i>o</i> -tolyl)anthranilic acid $C_{14}H_{12}ClNO_2$
acidum tranexamicum (16) tranexamic acid	<i>trans</i> -4-(aminomethyl)cyclohexanecarboxylic acid $C_8H_{15}NO_2$
acidum trethocanicum (8) trethocanic acid	3-hydroxy-3,7,11-trimethyldodecanoic acid $C_{15}H_{30}O_3$
acidum xenazoicum (11) xenazoic acid	<i>p</i> -[(<i>α</i> -ethoxy- <i>p</i> -phenylphenacyl)amino]benzoic acid $C_{23}H_{21}NO_4$
acidum xenyhexenicum (11) xenyhexenic acid	2-(4-biphenyl)-4-hexenoic acid $C_{18}H_{18}O_2$
acidum yohimbicum (21) yohimbic acid	17 α -hydroxy-yohimban-16 α -carboxylic acid $C_{20}H_{24}N_2O_3$
aconiazidum (12) aconiazide	isonicotinic acid [<i>o</i> -(carboxymethoxy)benzylidene] hydrazide $C_{15}H_{13}N_3O_4$
acoxatrinum (14) acoxatrine	($\pm$)- <i>N</i> -[[1-(1,4-benzodioxan-2-ylmethyl)-4-phenyl-4- piperidyl]methyl]acetamide $C_{23}H_{28}N_2O_3$
acridorexum (21) acridorex	9-[2-[(α -methylphenethyl)amino]ethyl]acridine $C_{24}H_{24}N_2$
acriflavinii chloridum (1) acriflavinium chloride	mixture of the hydrochlorides of 3,6-diamino-10- methylacridinium chloride and 3,6-diaminoacridine
acrisorcinum (13) acrisorcin	9-aminoacridine, compound with 4-hexylresorcinol (1 : 1) $C_{13}H_{10}N_2 \cdot C_{12}H_{18}O_2$ or $C_{25}H_{28}N_2O_2$
acroninum (22) acronine	3,12-dihydro-6-methoxy-3,3,12-trimethyl-7 <i>H</i> -pyrano- [2,3- <i>c</i>]acridin-7-one $C_{20}H_{19}NO_3$
actinoquinolum (15) actinoquinol	8-ethoxy-5-quinolinesulfonic acid $C_{11}H_{11}NO_4S$
adenosini phosphas (14) adenosine phosphate	5'-adenylic acid $C_{10}H_{14}N_5O_7P$

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
adicillinum (14) adicillin	(4-amino-4-carboxybutyl)penicillin <i>or</i> 6-(5-amino-5-carboxyvaleramido)-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid $C_{14}H_{21}N_3O_6S$
adipheninum (1) adiphenine	2-diethylaminoethyl diphenylacetate $C_{20}H_{25}NO_2$
adipiodonum (4) adipiodone	3,3'-(adipoyldiimino)bis(2,4,6-triiodobenzoic acid) $C_{20}H_{14}I_6N_2O_6$
adrenalonum * (1) adrenalone	3',4'-dihydroxy-2-methylaminoacetophenone $C_9H_{11}NO_3$
aklomidum (15) aklomite	2-chloro-4-nitrobenzamide $C_7H_5ClN_2O_3$
alazanini triclofenas (13) alazanine triclofenate	mixture of one molecule of 3-ethyl-2-[3-(3-ethyl-2-benzothiazolinyldiene)propenyl]benzothiazolium 2,4,5-trichlorophenate and two molecules of 2,4,5-trichlorophenol $C_{27}H_{23}Cl_3N_2OS_2 \cdot (C_6H_3Cl_3O)_2$ <i>or</i> $C_{39}H_{29}Cl_9N_2O_3S_2$
albutoinum (13) albutoin	3-allyl-5-isobutyl-2-thiohydantoin $C_{10}H_{16}N_2OS$
alclofenacum (23) alclofenac	[4-(allyloxy)-3-chlorophenyl]acetic acid $C_{11}H_{11}ClO_3$
alcloxum (14) alcloxa	chlorotetrahydroxy[(2-hydroxy-5-oxo-2-imidazolin-4-yl)-ureato]dialuminium $C_4H_9Al_2ClN_4O_7$
alcoholum benzylicum (1) benzyl alcohol	benzyl alcohol C_7H_8O
alcuronii chloridum (17) alcuronium chloride	<i>N,N'</i> -diallylnortoxiferinium dichloride $C_{44}H_{50}Cl_2N_4O_2$
aldesulfonum natricum (1) aldesulfone sodium	disodium salt of [sulfonylbis(<i>p</i> -phenyleneimino)]dimethanesulfinic acid $C_{14}H_{14}N_2Na_2O_6S_3$
aldioxum (14) aldioxa	dihydroxy[(2-hydroxy-5-oxo-2-imidazolin-4-yl)ureato]aluminium $C_4H_7AlN_4O_5$
aldosteronum (6) aldosterone	11 β ,21-dihydroxypregn-4-ene-3,18,20-trione $C_{21}H_{28}O_5$
alexidinum (21) alexidine	1,1'-hexamethylenebis[5-(2-ethylhexyl)biguanide] $C_{26}H_{56}N_{10}$
alfetaminum * (15) alfetamine	α -allylphenethylamine $C_{11}H_{15}N$
algeldratum * (15) algeldrate	a non-reactive powdered hydrated aluminium hydroxide of the general formula $Al(OH)_3 \cdot nH_2O$
algestonum (22) algestone	16 α ,17-dihydroxypregn-4-ene-3,20-dione $C_{21}H_{30}O_4$
alibendolum (25) alibendol	5-allyl- <i>N</i> -(2-hydroxyethyl)-3-methoxysalicylamide $C_{13}H_{17}NO_4$
alimemazinum (8) alimemazine	10-(3-dimethylaminopropyl-2-methyl)phenothiazine $C_{18}H_{22}N_2S$
alipamidum (18) alipamide	4-chloro-3-sulfamoylbenzoic acid 2,2-dimethylhydrazide $C_9H_{12}ClN_3O_3S$
alletorphanum (25) alletorphine	17-allyl-17-demethyl-7 α [(<i>R</i>)-1-hydroxy-1-methylbutyl]-6,14- <i>endo</i> -ethenotetrahydrooripavine $C_{27}H_{35}NO_4$