

微纳技术著作丛书（影印版）

# 纳米科学与技术

**Nanoscale Sci. & Tech.**

**Kelsall Robert  
Hamley Ian  
Geoghegan Mark**



科学出版社

[www.sciencep.com](http://www.sciencep.com)

71.2289

k29

微纳技术著作丛书（影印版）

# 纳 米 科 学 与 技 术

Kelsall Robert   Hamley Ian  
Geoghegan Mark

图字：01-2006-7269

## 内 容 简 介

本书覆盖了从电磁微纳结构到分子自组织以及生物微纳技术的整个微纳技术领域,由该领域内的专家组撰写,包括了微纳米科学技术的各个方面,互相紧密联系,并可前后对照。

本书保持了多学科性,涉及到物理、化学、生物学、材料科学、电子工程等多个学科,有以下特点:循序渐进的介绍了微纳米科学,覆盖面广,具有教科书的风格;采用举例的方式介绍了微纳米科学各个领域的研究结果,所用的例子都是非常有代表性的研究结果;讨论了微纳米科学技术今后发展的特点和主要突破口。

本书为刚刚进入微纳米技术领域的读者提供了非常有价值的资料,适合于微纳米技术相关专业的研究生、博士生参考,并可作为该专业博士后的参考书,还可以供毕业课题与微纳米技术相关的毕业生做参考。

Copyright © 2005 Wiley

All Rights Reserved. This reprint published under license.

## 图书在版编目(CIP)数据

纳米科学与技术:英文/(英)凯索尔(Kelsall, R. W.)等编著. —影印版. —北京:科学出版社,2007.1

(微纳技术著作丛书(影印版))

ISBN 978-7-03-018257-9

I. 纳… II. 凯… III. 纳米材料-英文 IV. TB383

中国版本图书馆 CIP 数据核字(2006)第 149501 号

责任编辑:王志欣 孙 芳/责任印制:安春生/封面设计:陈 敬

科 学 出 版 社 出 版

北京东黄城根北街 16 号

邮政编码:100717

<http://www.sciencep.com>

天竺彩色印刷有限公司印刷

科学出版社发行 各地新华书店经销

\*

2007 年 1 月第 一 版 开本: B5(720×1000)

2007 年 1 月第一次印刷 印张: 29 1/2

印数: 1—3 000 字数: 747 000

定价: 65.00 元

(如有印装质量问题,我社负责调换〈双青〉)

## 《微纳技术著作丛书》编委会

(按姓氏笔画排序)

王万军	教授	美国路易斯安娜大学
刘 明	教授	中国科学院微电子研究所
李昕欣	研究员	中国科学院上海微系统与 信息技术研究所
李家明	院士	清华大学/上海交通大学
周兆英	教授	清华大学
金国藩	院士	清华大学
唐一科	教授	重庆科技学院
彭练茅	教授	北京大学

## 序

科学出版社准备出版一套《微纳技术著作丛书》，包括原创作品和引进作品（影印或翻译）两种形式，并聘请专家组成编委会。这是一件大事，希望能坚持把它办好。

微纳米技术作为 21 世纪重要的一项技术，已成为国际科学界和工程技术界研究的热点。近年来，微米纳米技术进展迅速，已经发展成为一个包含机械、材料、电子、光学、化学、生物、基因工程、医学等基础学科的综合领域，而不仅仅属于任何单一的科学技术门类。就其产品而言，也早已超越了人们广为熟悉的微型加速度传感器和纳米碳管等，呈现出向各个科学技术领域全面渗透的趋势。

由于微纳米技术使得人们除了可以在同一基片上实现包括机械、流体、化学、生物、光学等器件外，也可以将信号处理和传输系统集成在同一基片上用以处理信息，决定计划，控制周围环境，从而大大提高最终产品的综合性能，实现高度智能化。在未来的航空航天、生物医学、环境监控、无线通信、汽车和交通、石油化工、能源、工农业、国家安全、食品和消费的各个领域都将有广泛应用，对国民经济、科学技术、社会发展与国家安全具有重要意义。今后的几十年里，随着微米纳米技术的迅速发展和向现代科学和技术的各个门类渗透，其对我们现代生活的各个方面带来的影响将是长期和深远的。从某种意义上来说，微米纳米技术的发展，可能改变人类的工作和生活方式，乃至基本概念，其潜在的影响有可能和以计算机技术为代表的微电子工业对世界的影响相提并论。

正是由于其诱人的应用前景和巨大的潜在市场，微米纳米技术目前已成为世界各国大力投资进行研究和发展的热点领域，其研究范围包括了材料、器件和系统，涉及的技术包含机理研究、设计分析、计算仿真、制造工艺、系统集成或组装、测控技术和应用研究等。随着微纳米技术的迅猛发展，近年来国外有大量这方面的专业书籍出版。

《微纳技术著作丛书》涵盖材料开发、系统设计、检测技术、集成技术、通信网络、传感系统、微加工技术等方面，它们都是本领域的研究热点。这套丛书的出版对促进我国微米纳米技术的发展将有很大的推动作用。

这套丛书中，原创作品收录的都是国内从事微纳技术的一线研究人员在本领域的研究成果与心得，具有很强的独立性、创造性和系统性。引进作品都是与国际知名的出版集团合作，经国内专家的甄别，挑选出能反映国外最新研究成果、对国内读者又有借鉴价值的作品，具有权威性、前瞻性和可读性。因为微纳米技

术是一个交叉学科领域，我们有意识的选择了一些由多人合写的专著。通常这类著作都是由相关领域的知名专家，各自在每一章节涵盖一个专题，既有进行综合性的论述，也有个人的具体独创性研究。这样的书籍，通常能帮助读者既获得某一领域的研究概况，又能从一个具体的应用专题中获得收益。

2007年初推出的第一批影印版图书，我和王万军教授进行了评读，此套丛书很实用，不少作者在该领域有很高的声望。我们建议致力于微米纳米技术的研究人员，包括研究生、技术人员，能够花些时间阅读。

总之，我们对科学出版社组织出版这套丛书的举措很赞赏，也希望他们能将这一工作认真、长期地做下去。同时，我们也希望国内的专家能够积极、踊跃地加盟，为我国微米纳米技术的推进做出贡献。

周兆英 王万军

2006年12月7日

# Contents

<b>1 Generic methodologies for nanotechnology: classification and fabrication</b>	<b>1</b>
1.1 Introduction and classification	1
1.1.1 What is nanotechnology?	1
1.1.2 Classification of nanostructures	1
1.1.3 Nanoscale architecture	4
1.2 Summary of the electronic properties of atoms and solids	5
1.2.1 The isolated atom	5
1.2.2 Bonding between atoms	8
1.2.3 Giant molecular solids	11
1.2.4 The free electron model and energy bands	12
1.2.5 Crystalline solids	14
1.2.6 Periodicity of crystal lattices	14
1.2.7 Electronic conduction	16
1.3 Effects of the nanometre length scale	19
1.3.1 Changes to the system total energy	20
1.3.2 Changes to the system structure	20
1.3.3 How nanoscale dimensions affect properties	24
1.4 Fabrication methods	32
1.4.1 Top-down processes	32
1.4.2 Bottom-up processes	37
1.4.3 Methods for templating the growth of nanomaterials	49
1.4.4 Ordering of nanosystems	51
1.5 Preparation, safety and storage issues	54
Bibliography	54
<b>2 Generic methodologies for nanotechnology: characterization</b>	<b>56</b>
2.1 General classification of characterization methods	56
2.1.1 Analytical and imaging techniques	57
2.1.2 Some scattering physics	58
2.2 Microscopy techniques	62
2.2.1 General considerations for imaging	64

---

2.2.2 Image magnification and resolution	65
2.2.3 Other considerations for imaging	67
2.2.4 Light microscopy	68
2.3 Electron microscopy	69
2.3.1 General aspects of electron optics	69
2.3.2 Electron beam generation	70
2.3.3 Electron-specimen interactions	70
2.3.4 Scanning electron microscopy	72
2.3.5 Transmission electron microscopy	76
2.3.6 Scanning transmission electron microscopy	82
2.4 Field ion microscopy	83
2.5 Scanning probe techniques	85
2.5.1 Scanning tunnelling microscopy	85
2.5.2 Atomic force microscopy	87
2.5.3 Other scanning probe techniques	92
2.6 Diffraction techniques	92
2.6.1 Bulk diffraction techniques	92
2.6.2 Surface diffraction techniques	96
2.7 Spectroscopy techniques	97
2.7.1 Photon spectroscopy	98
2.7.2 Radio frequency spectroscopy	105
2.7.3 Electron spectroscopy	108
2.8 Surface analysis and depth profiling	113
2.8.1 Electron spectroscopy of surfaces	114
2.8.2 Mass spectrometry of surfaces	117
2.8.3 Ion beam analysis	119
2.8.4 Reflectometry	120
2.9 Summary of techniques for property measurement	122
2.9.1 Mechanical properties	122
2.9.2 Electron transport properties	124
2.9.3 Magnetic properties	126
2.9.4 Thermal properties	127
Bibliography	128
<b>3 Inorganic semiconductor nanostructures</b>	<b>130</b>
3.1 Introduction	130
3.2 Overview of relevant semiconductor physics	131
3.2.1 What is a semiconductor?	131
3.2.2 Doping	132
3.2.3 The concept of effective mass	133
3.2.4 Carrier transport, mobility and electrical conductivity	133
3.2.5 Optical properties of semiconductors	134
3.2.6 Excitons	135
3.2.7 The pn junction	136
3.2.8 Phonons	137
3.2.9 Types of semiconductor	137



---

3.3 Quantum confinement in semiconductor nanostructures	138
3.3.1 Quantum confinement in one dimension: quantum wells	139
3.3.2 Quantum confinement in two dimensions: quantum wires	142
3.3.3 Quantum confinement in three dimensions: quantum dots	142
3.3.4 Superlattices	143
3.3.5 Band offsets	144
3.4 The electronic density of states	144
3.5 Fabrication techniques	145
3.5.1 Requirements for an ideal semiconductor nanostructure	146
3.5.2 The epitaxial growth of quantum wells	147
3.5.3 Lithography and etching	147
3.5.4 Cleaved-edge overgrowth	147
3.5.5 Growth on vicinal substrates	148
3.5.6 Strain-induced dots and wires	149
3.5.7 Electrostatically induced dots and wires	150
3.5.8 Quantum well width fluctuations	150
3.5.9 Thermally annealed quantum wells	151
3.5.10 Semiconductor nanocrystals	151
3.5.11 Colloidal quantum dots	151
3.5.12 Self-assembly techniques	152
3.5.13 Summary of fabrication techniques	158
3.6 Physical processes in semiconductor nanostructures	158
3.6.1 Modulation doping	158
3.6.2 The quantum Hall effect	161
3.6.3 Resonant tunnelling	162
3.6.4 Charging effects	164
3.6.5 Ballistic carrier transport	166
3.6.6 Interband absorption in semiconductor nanostructures	168
3.6.7 Intraband absorption in semiconductor nanostructures	170
3.6.8 Light emission processes in nanostructures	171
3.6.9 The phonon bottleneck in quantum dots	174
3.6.10 The quantum confined Stark effect	175
3.6.11 Non-linear effects	176
3.6.12 Coherence and dephasing processes	177
3.7 The characterisation of semiconductor nanostructures	177
3.7.1 Optical and electrical characterisation	178
3.7.2 Structural characterisation	182
3.8 Applications of semiconductor nanostructures	184
3.8.1 Injection lasers	184
3.8.2 Quantum cascade lasers	188
3.8.3 Single-photon sources	190
3.8.4 Biological tagging	191
3.8.5 Optical memories	191
3.8.6 Impact of nanotechnology on conventional electronics	192
3.8.7 Coulomb blockade devices	197
3.8.8 Photonic structures	198

---

3.9 Summary and outlook	200
Bibliography	201
<b>4 Nanomagnetic materials and devices</b>	<b>203</b>
4.1 Magnetism	203
4.1.1 Magnetostatics	203
4.1.2 Diamagnetism, paramagnetism and ferromagnetism	204
4.1.3 Magnetic anisotropy	206
4.1.4 Domains and domain walls	209
4.1.5 The magnetization process	212
4.2 Nanomagnetic materials	212
4.2.1 Particulate nanomagnets	213
4.2.2 Geometrical nanomagnets	219
4.3 Magnetoresistance	221
4.3.1 Contributions to resistivity in metals	221
4.3.2 Giant magnetoresistance	222
4.3.3 Spin valves	227
4.3.4 Tunnelling magnetoresistance	229
4.4 Probing nanomagnetic materials	231
4.5 Nanomagnetism in technology	233
4.6 The challenges facing nanomagnetism	234
Bibliography	235
<b>5 Processing and properties of inorganic nanomaterials</b>	<b>237</b>
5.1 Introduction	237
5.1.1 Classification	238
5.2 The thermodynamics and kinetics of phase transformations	238
5.2.1 Thermodynamics	238
5.2.2 Homogeneous nucleation	241
5.2.3 Heterogeneous nucleation	244
5.2.4 Growth	245
5.2.5 Overall transformation rate	246
5.3 Synthesis methods	246
5.3.1 Rapid solidification processing from the liquid state	247
5.3.2 Devitrification	247
5.3.3 Inert gas condensation	249
5.3.4 Electrodeposition	252
5.3.5 Mechanical methods	254
5.4 Structure	258
5.4.1 Microstructure	259
5.4.2 Grain boundary structure	260
5.4.3 Structural metastability	260
5.5 Microstructural stability	261
5.5.1 Diffusion	261
5.5.2 Grain growth	263

5.5.3 Zener pinning	264
5.5.4 Solute drag	265
5.6 Powder consolidation	266
5.6.1 Compaction of nanopowders	266
5.6.2 Sintering	267
5.6.3 Role of impurities	268
5.6.4 Porosity	269
5.6.5 Non-conventional processing	270
5.7 Mechanical properties	272
5.7.1 Hardness and strength	272
5.7.2 Ductility and toughness	274
5.7.3 Creep and superplasticity	275
5.8 Ferromagnetic properties	276
5.8.1 Fundamental magnetic properties	276
5.8.2 Nanocomposite soft magnetic materials	277
5.8.3 Hard magnetic materials	277
5.9 Catalytic properties	278
5.10 Present and potential applications for nanomaterials	278
5.10.1 Ultraviolet absorbers	278
5.10.2 Magnetic applications	279
5.10.3 Coatings	279
Bibliography	280
<b>6 Electronic and electro-optic molecular materials and devices</b>	<b>282</b>
6.1 Concepts and materials	282
6.1.1 The solid state: crystals and glasses	282
6.1.2 Chemistry of carbon	283
6.1.3 Examples of organic semiconductors	286
6.1.4 Excitations in organic semiconductors	286
6.1.5 Charge carrier injection and transport	293
6.1.6 Polymers versus small molecules	298
6.1.7 Organic metals?	301
6.2 Applications and devices	302
6.2.1 Synthetic metals	302
6.2.2 Organic field effect transistors	305
6.2.3 Organic light-emitting devices	312
6.2.4 Organic photovoltaics	320
6.3 Carbon nanotubes	323
6.3.1 Structure	323
6.3.2 Synthesis	326
6.3.3 Electronic properties	327
6.3.4 Vibrational properties	329
6.3.5 Mechanical properties	330
6.3.6 Applications	331
Appendix: Reference table of organic semiconductors	334
Bibliography	342

---

<b>7 Self-assembling nanostructured molecular materials and devices</b>	<b>343</b>
7.1 Introduction	343
7.2 Building blocks	344
7.2.1 Synthetic	344
7.2.2 Biological	345
7.3 Principles of self-assembly	348
7.3.1 Non-covalent interactions	349
7.3.2 Intermolecular packing	350
7.3.3 Biological self-assembly	353
7.3.4 Nanomotors	355
7.4 Self-assembly methods to prepare and pattern nanoparticles	356
7.4.1 Nanoparticles from micellar and vesicular polymerization	356
7.4.2 Functionalized nanoparticles	357
7.4.3 Colloidal nanoparticle crystals	358
7.4.4 Self-organizing inorganic nanoparticles	360
7.4.5 Liquid crystal nanodroplets	362
7.4.6 Bionanoparticles	363
7.4.7 Nano-objects	365
7.5 Templated nanostructures	365
7.5.1 Mesoporous silica	365
7.5.2 Biomineralization	366
7.5.3 Nanostructures templated by block copolymer self-assembly	368
7.6 Liquid crystal mesophases	368
7.6.1 Micelles and vesicles	368
7.6.2 Lamellar phase	369
7.6.3 ABC triblock structures	370
7.6.4 Smectic and nematic liquid crystals	370
7.6.5 Discotic liquid crystals	373
7.7 Summary and outlook	373
Bibliography	374
 <b>8 Macromolecules at interfaces and structured organic films</b>	 <b>377</b>
8.1 Macromolecules at interfaces	377
8.2 The principles of interface science	379
8.2.1 Surface and interface energies	379
8.3 The analysis of wet interfaces	381
8.4 Modifying interfaces	382
8.4.1 Adsorption and surfactancy	382
8.4.2 Polymer adsorption	383
8.4.3 The chemistry of grafting	384
8.4.4 Physical properties of grafted polymer layers	387
8.4.5 Nanostructured organic coatings by soft lithography and other techniques	390
8.5 Making thin organic films	391
8.5.1 Spin-coating of polymers and colloids	392
8.5.2 Making organic multilayers	393

---

8.6 Surface effects on phase separation	397
8.6.1 Polymer blends	397
8.6.2 Block copolymers	400
8.7 Nanopatterning surfaces by self-assembly	403
8.7.1 Patterns produced on heterogeneous substrates	405
8.7.2 Topographically patterned surfaces	406
8.7.3 Patterns produced by thin film dewetting	409
8.8 Practical nanoscale devices exploiting macromolecules at interfaces	411
8.8.1 Molecular and macromolecular electronics	411
8.8.2 Nanofluidics	413
8.8.3 Filtration and sorting	415
Bibliography	418
<b>9 Bionanotechnology</b>	<b>419</b>
9.1 New tools for investigating biological systems	419
9.1.1 Scanning probe microscopy for biomolecular imaging	419
9.1.2 Force measurement in biological systems	423
9.1.3 Miniaturisation and analysis	428
9.1.4 Organisation of biomolecular structure at the nanometre scale	432
9.2 Biomimetic nanotechnology	435
9.2.1 DNA as a nanotechnology building block	435
9.2.2 Molecular motors	439
9.2.3 Artificial photosynthesis	442
9.3 Conclusions	444
Bibliography	445
<b>Index</b>	<b>446</b>

# 1

## Generic methodologies for nanotechnology: classification and fabrication


### 1.1 INTRODUCTION AND CLASSIFICATION

#### 1.1.1 What is nanotechnology?

Nanotechnology is the term used to cover the design, construction and utilization of functional structures with at least one characteristic dimension measured in nanometres. Such materials and systems can be designed to exhibit novel and significantly improved physical, chemical and biological properties, phenomena and processes as a result of the limited size of their constituent particles or molecules. The reason for such interesting and very useful behaviour is that when characteristic structural features are intermediate in extent between isolated atoms and bulk macroscopic materials; i.e., in the range of about  $10^{-9}$  m to  $10^{-7}$  m (1 to 100 nm), the objects may display physical attributes substantially different from those displayed by either atoms or bulk materials. Ultimately this can lead to new technological opportunities as well as new challenges.

#### 1.1.2 Classification of nanostructures

As we have indicated above, a reduction in the spatial dimension, or confinement of particles or quasiparticles in a particular crystallographic direction within a structure generally leads to changes in physical properties of the system in that direction. Hence one classification of nanostructured materials and systems essentially depends on the number of dimensions which lie within the nanometre range, as shown in Figure 1.1: (a) systems confined in three dimensions, (b) systems confined in two dimensions, (c) systems confined in one dimension.



**Figure 1.1** Classification of nanostructures. (a) Nanoparticles and nanopores (nanosized in three dimensions): (i) high-resolution TEM image of magnetic iron oxide nanoparticle, (ii) TEM image of ferritin nanoparticles in a liver biopsy specimen, and (iii) high-resolution TEM image of nanoporosity in an activated carbon. (b) Nanotubes and nanofilaments (nanosized in two dimensions): (i) TEM image of single-walled carbon nanotubes prepared by chemical vapour deposition, (ii) TEM image of ordered block copolymer film, and (iii) SEM image of silica nanotube formed via templating on a tartaric acid crystal. (c) Nanolayers and nanofilms (nanosized in one dimension): (i) TEM image of a ferroelectric thin film on an electrode, (ii) TEM image of cementite (carbide) layers in a carbon steel, and (iii) high-resolution TEM image of glassy grain boundary film in an alumina polycrystal. Images courtesy of Andy Brown, Zabeada Aslam, Sarah Pan, Manoch Naksata and John Harrington, IMR, Leeds

Nanoparticles and nanopores exhibit three-dimensional confinement (note that historically pores below about 100 nm in dimension are often sometimes confusingly referred to as micropores). In semiconductor terminology such systems are often called quasi-zero dimensional, as the structure does not permit free particle motion in any dimension.

Nanoparticles may have a random arrangement of the constituent atoms or molecules (e.g., an amorphous or glassy material) or the individual atomic or molecular units may be ordered into a regular, periodic crystalline structure which may not necessarily be the same as that which is observed in a much larger system (Section 1.3.1). If crystalline, each nanoparticle may be either a single crystal or itself composed of a number of different crystalline regions or grains of differing crystallographic orientations (i.e., polycrystalline) giving rise to the presence of associated grain boundaries within the nanoparticle.




Figure 1.1 Continued



Nanoparticles may also be quasi-crystalline, the atoms being packed together in an icosahedral arrangement and showing non-crystalline symmetry characteristics. Such quasi-crystals are generally only stable at the nanometre or, at most, the micrometre scale.

Nanoparticles may be present within another medium, such as nanometre-sized precipitates in a surrounding matrix material. These nanoprecipitates will have a specific morphology (e.g., spherical, needle-shaped or plate-shaped) and may possess certain crystallographic orientation relationships with the atomic arrangement of the matrix depending on the nature (coherency) of the interface which may lead to coherency strains in the particle and the matrix. One such example is the case of self-assembled semiconductor quantum dots, which form due to lattice mismatch strain relative to the surrounding layers and whose geometry is determined by the details of the strain field (Chapter 3). Another feature which may be of importance for the overall transport properties of the composite system is the connectivity of such nanometre-sized regions or, in the case of a nanoporous material, nanopore connectivity.

In three dimensions we also have to consider collections of consolidated nanoparticles; e.g., a nanocrystalline solid consisting of nanometre-sized crystalline grains each in a specific crystallographic orientation. As the grain size  $d$  of the solid decreases the proportion of atoms located at or near grain boundaries, relative to those within the interior of a crystalline grain, scales as  $1/d$ . This has important implications for properties in ultrafine-grained materials which will be principally controlled by interfacial properties rather than those of the bulk.

Systems confined in two dimensions, or quasi-1D systems, include nanowires, nanorods, nanofilaments and nanotubes: again these could either be amorphous, single-crystalline or polycrystalline (with nanometre-sized grains). The term 'nanoropes' is often employed to describe bundles of nanowires or nanotubes.

Systems confined in one dimension, or quasi-2D systems, include discs or platelets, ultrathin films on a surface and multilayered materials; the films themselves could be amorphous, single-crystalline or nanocrystalline.

Table 1.1 gives examples of nanostructured systems which fall into each of the three categories described above. It can be argued that self-assembled monolayers and multilayered Langmuir-Blodgett films (Section 1.4.3.1) represent a special case in that they represent a quasi-2D system with a further nanodimensional scale within the surface film caused by the molecular self-organization.

### 1.1.3 Nanoscale architecture

Nanotechnology is the design, fabrication and use of nanostructured systems, and the growing, shaping or assembling of such systems either mechanically, chemically or biologically to form nanoscale architectures, systems and devices. The original vision of Richard Feynman<sup>1</sup> was of the 'bottom-up' approach of fabricating materials and devices at the atomic or molecular scale, possibly using methods of self-organization and self-assembly of the individual building blocks. An alternative 'top-down' approach is the

<sup>1</sup> R. Feynman, There's plenty of room at the bottom, *Eng. Sci.* **23**, 22 (1960) reprinted in *J. Micromech Systems* **1**, 60 (1992).