

世界维管植物

(第二版)

• 第九卷 •

种志初编

(*Bleekeria-Byttneria*)

傅德志



VASCULAR PLANTS OF THE WORLD

(Second Edition)

• **Volume 9** •

SPECIES

(*Bleekeria-Byttneria*)

De-Zhi Fu

青岛出版社
QINGDAO
PUBLISHING HOUSE



国家出版基金项目
NATIONAL PUBLICATION FOUNDATION

VASCULAR PLANTS OF THE WORLD

(Second Edition)

• **Volume 9** •

SPECIES

(*Bleekeria* – *Byttneria*)

De-Zhi Fu

世界维管植物

(第二版)

• 第九卷 •

种志初编

(*Bleekeria* – *Byttneria*)

傅德志

青岛出版社
QINGDAO
PUBLISHING HOUSE

本卷内容

卷	名称范围	名称数	种数	种下等级数	栽培数
9	<i>Bleekeria</i> - <i>Byttneria</i>	27296	7363	5718	773

Bleekeria Hassk. [3][1855; hm. (1) ~ Miq. (1859)] (~ *Alchornea*; *Eurya*, *Ochrosia*) Apocynaceae [MD - 477] rec. 18; sp. (4): 7; AS4, AU4, EU cf: 7, NA cf: 7[0/R - RT] [cit. (IPNI) **Retzia sive Observationes Botanicae quas in primis in horto botanico Bogoriensi mensibus Februario ad Julium 1** (1855)]

Bleekeria ackeringae Koidz. [2][1923] (~ *Ochrosia ackeringae*) Apocynaceae [MD - 477] dis. (1): AS; AR[1 - AS/S - RST] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52]

Bleekeria calocarpa C. Muell. [2][1855] (~ *Ochrosia calocarpa*; *Ochrosia elliptica*) Apocynaceae [MD - 477] dis. (1): AU[1 - AU/R] [cit. (IK) **Walp. Ann.** v. 492]

Bleekeria coccinea Koidz. [1923] (= *Ochrosia coccinea*) Apocynaceae [MD - 477] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52.]

Bleekeria compta (K. Schum.) Wilbur [1966] (= *Ochrosia compta*) Apocynaceae [MD - 477] [cit. (IK) **Pacific Sci.** xx. 260 (1966)]

Bleekeria elliptica Koidz. [2][1923] (> *Eurya elliptica*; *Ochrosia elliptica*) Apocynaceae [MD - 477] dis. (1): AU[1 - AU/R] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52]

Bleekeria hexandra Koidz. [1923] (= *Ochrosia hexandra*) Apocynaceae [MD - 477] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52.]

Bleekeria kalocarpa Hassk. [1855] (= *Ochrosia elliptica*) Apocynaceae [MD - 477] [cit. (IK) **Retzia** i. 40]

Bleekeria littoralis Koidz. [2][1923] (> *Eurya littoralis*; *Ochrosia littoralis*; *Ochrosia ackeringae*) Apocynaceae [MD - 477] dis. (1): AS; AR[1 - AS/S - RST] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52.]

Bleekeria marianensis Koidz. [1923] Apocynaceae [MD - 477] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52.]

Bleekeria mariannensis (A. DC.) Koidz. [1923] (< > *Ochrosia mariannensis*) Apocynaceae [MD - 477] [cit. (TPL) **Bot. Mag. (Tokyo)** 37: 52]

Bleekeria minima (Markgraf) Merrill & Perry [1943] (< > *Eurya minima*; *Ochrosia minima*) Apocynaceae [MD - 477] [cit. (IK) **Journ. Arn. Arb.** xxiv. 214 (1943)]

Bleekeria moorei Koidz. [2][1923] (~ *Ochrosia moorei*) Apocynaceae [MD - 477] dis. (1): AU[1 - AU/R] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52.]

Bleekeria salubris Hassk. [3][1855] (~ *Ochrosia oppositifolia*; *Ochrosia salubris*) Apocynaceae [MD - 477] dis. (2): AS, AU; AR[1/S - RST] [cit. (IK) **Retzia** i. 41]

Bleekeria sandwicensis Koidz. [1923] (= *Eurya sandwicensis*; *Rauwolfia sandwicensis*; *Ochrosia sandwicensis*) Apocynaceae [MD - 477] [cit. (IK) **Bot. Mag. Tokyo** 1923 xxxvii. 52.]

Bleekeria solomonensis Merrill & Perry [1943] (< > *Ochrosia solomonensis*) Apocynaceae [MD - 477] [cit. (IK) **Journ. Arn. Arb.** xxiv. 214 (1943)]

Bleekeria vitiensis (Markgraf) A. C. Smith [1943] (< > *Eurya vitiensis*; *Ochrosia vitiensis*) Apocynaceae [MD - 477] [cit. (IK) **Bull. Torr. Bot. Cl.** lxx. 549 (1943)]

Bleekeria zollingeri (Hassk.) Miq. [2][1859] (~ *Alchornea tiliifolia*; *Eurya zollingeri*; *Alchornea zollingeri*) Apocynaceae [MD - 477] dis. (1): AS; AH, AR[1 - AS/S - RST] [cit. (TPL) **Fl. Ned. Ind.** 1 (2): 407]

Bleekeria zollingerii Miq. [1859] Apocynaceae [MD - 477] [cit. (IK) **Fl. Ind. Bat.** i. II. 407 (1859)]

Bleekrodea Blume [3][1852] (~ *Streblus*; *Teonongia*) Moraceae [MD - 86] rec. 5; sp. (2): 3 (ifr. 1); AF1,

- AS2[12/S - RST] [cit. (IK) **Mus. Bot. Lugd. Bat.** ii. 87. t. 28 (1852) (1856)]
- Bleekrodea insignis* Blume [1852] (< > *Streblus insignis*) Moraceae [MD - 86] [cit. (IK) **Mus. Bot. Lugd. Bat.** ii. 88 (1852) (1856)]
- Bleekrodea madagascariensis* Blume [3] [1852 - 1873] (> *Streblus madagascariensis*) Moraceae [MD - 86] dis. (1); AF[2 - AF/R] [cit. (IK) **Mus. Bot. Lugd. Bat.** ii. 88 (1852) (1856)]
- Bleekrodea madagascariensis* Blume var. *longifolia* Bureau [1873] (= *B. madagascariensis*) Moraceae [MD - 86] [cit. (TPL) **Prodr.** 17: 255]
- Bleekrodea malayana* (Corner) C. C. Berg [3] [1988] Moraceae [MD - 86] dis. (1); AS; AR[1 - AS/S - RST] [cit. (IK) **Proc. Kon. Nederl. Akad. Wetensch.** C 91(4): 359 (1988)]
- Bleekrodea tonkinensis* Eberhardt & Dubard [3] [1907] (~ *Streblus tonkinensis*; *Teonongia tonkinensis*) Moraceae [MD - 86] dis. (1); AS[1 - AS/T] [cit. (IK) **Compt. Rend. Acad. Sci. Par.** cxlv. 631 (1907)]
- Blencocoes* Rafin. [1836] (= *Nierembergia*; *Blencocoes*) Solanaceae [MD - 486] rec. 2 [cit. (IK) **Fl. Tellur.** iii. 75 (1836)]
- Blencocoes filicaulis* Rafin. [1836] (< > *Nierembergia filicaulis*) Solanaceae [MD - 486] [cit. (IK) **Fl. Tellur.** iii. 76 (1836)]
- Blencocoes longiflora* Rafin. [1836] Solanaceae [MD - 486] [cit. (IK) **Fl. Tellur.** iii. 76 (1836)]
- Blennoderma* Spach [1835] (= *Oenothera*) Onagraceae [MD - 373] rec. 1 [cit. (IK) **Nouv. Ann. Mus. Par.** iv. (1835) 406]
- Blennoderma drummondii* Spach [1835] (= *Oenothera drummondii*) Onagraceae [MD - 373] [cit. (IK) **Nouv. Ann. Mus. Par.** iv. (1835) 407]
- Blennodia* R. Br. [3] [1849] (~ *Arabidella*; *Erysimum*, *Phlegmatospermum*) Brassicaceae [MD - 213] rec. 24; sp. (1); 15 (ifr. 3); AU15[1 - AU/R] [cit. (IK) **Sturt Exped.** ii. App. 67 (1849)]
- Blennodia alpestris* F. Muell. [2] [1855] (~ *Drabastrum alpestre*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Trans. Phil. Soc. Vict.** i. (1855) 100.]
- Blennodia blennodes* F. Muell. [2] [1855] Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Trans. Phil. Soc. Vict.** i. (1855) 100]
- Blennodia blennodioides* Druce [2] [1917] (~ *Erysimum blennodioides*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Rep. Bot. Exch. Cl. Brit Isles** 1916 609 (1917)]
- Blennodia brevipes* F. Muell. [2] [1855] (~ *Erysimum brevipes*; *Harmsiodoxa brevipes*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Trans. Phil. Soc. Vict.** i. (1855) 100]
- Blennodia canescens* R. Br. [3] [1849 - 1917] (~ *Erysimum canescens*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Sturt Exped.** ii. App. 67.]
- Blennodia canescens* R. Br. var. *pterosperma* J. M. Black [1917] (= *B. pterosperma*) Brassicaceae [MD - 213] [cit. (IPNI) **Transactions and Proceedings of the Royal Society of South Australia** 41 1917 in obs. t. XLI. (APNI)]
- Blennodia cardaminoides* Benth. [1863 - 1897] (< > *Erysimum cardaminoides*) Brassicaceae [MD - 213] [cit. (IK) **Fl. Austral.** i. 75.]
- Blennodia cardaminoides* Benth. var. *microcarpa* S. Moore [1897] Brassicaceae [MD - 213] [cit. (IPNI) **The Journal of Botany** 35 1897 (APNI)]
- Blennodia cunninghamii* Benth. [1863] (= *Erysimum cunninghamii*) Brassicaceae [MD - 213] [cit. (IK) **Fl. Austral.** i. 76.]
- Blennodia curvipes* F. Muell. [2] [1855] (~ *Erysimum curvipes*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Trans. Phil. Soc. Vict.** i. (1855) 100.]
- Blennodia drummondii* C. A. [2] [1930] (> *Erysimum drummondii*; *Phlegmatospermum drummondii*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Gardner Enum. Pl. Austr. - Occ.** 45 (1930)]
- Blennodia eremigena* (F. Muell.) Benth. [2] [1863] (~ *Arabidella eremigena*) Brassicaceae [MD - 213]

- dis. (1); AU[1 - AU/R] [cit. (TPL) **Fl. Austral.** 1: 74]
- Blennodia eremigera* Benth. [cf. 1849 - 1930] Brassicaceae [MD - 213] [cit. (IK) **Fl. Austral.** i. 74.]
- Blennodia filifolia* Benth. [2][1863] (~ *Arabidella filifolia*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Fl. Austral.** i. 73.]
- Blennodia lasiocarpa* F. Muell. [2][1855] Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Trans. Phil. Soc. Vict.** i. (1855) 100.]
- Blennodia lucae* (F. Mull.) Maiden & Betche [1916] (= *Erysimum lucae*; *Pachymitus cardaminoides*) Brassicaceae [MD - 213] [cit. (TPL) **Census N.** 83]
- Blennodia nasturtioides* Benth. [2][1863] (> *Erysimum nasturtioides*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Fl. Austral.** i. 74.]
- Blennodia nasturtioides* Benth. var. *pinnatifida* Benth. [1863] (= *Arabidella procumbens*) Brassicaceae [MD - 213] [cit. (IPNI) **Flora Australiensis** 1 1863 (APNI)]
- Blennodia nasturtium* Druce [2][1917] (~ *Arabidella nasturtium*; *Erysimum nasturtium*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Rep. Bot. Exch. Cl. Brit Isles** 1916 609 (1917)]
- Blennodia procumbens* J. M. Black [2][1924] (~ *Arabidella procumbens*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Fl. S.** 247 (1924)]
- Blennodia pterosperma* J. M. Black [3][1924] Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Fl. S.** 248 (1924) cf. in **Trans. & Proc. Roy. Soc. S. Austral.** 1925, xlix. 272]
- Blennodia richardsii* C. A. [1930] (= *Erysimum richardsii*; *Phlegmatospermum richardsii*) Brassicaceae [MD - 213] [cit. (IK) **Gardner Enum. Pl. Austr. - Occ.** 45 (1930)]
- Blennodia trisecta* Benth. [2][1863] (~ *Arabidella trisecta*) Brassicaceae [MD - 213] dis. (1); AU[1 - AU/R] [cit. (IK) **Fl. Austral.** i. 74]
- Blennodia trisecta* Benth. var. *brachycarpa* Benth. [1863] (= *Arabidella glaucescens*) Brassicaceae [MD - 213] [cit. (IPNI) **Flora Australiensis** 1 1863 (APNI)]
- Blennosperma* Less. [3][1832] (~ *Bidens*; *Soliva*, *Unxia*) Asteraceae [MD - 553] rec. 11; sp. (2): 2 - 4; NA2, SA2[3/S - RST] [cit. (IK) **Syn. Comp.** 267 (1832)]
- Blennosperma angustifolia* (Kunth) W. R. Anderson [1948] (< > *Bidens angustifolia*) Asteraceae [MD - 553] [cit. (TPL) **Leaflet. W.** 5: 108. 1948]
- Blennosperma bakeri* C. B. Heiser [2][1947] (~ *Bidens vulgata*) Asteraceae [MD - 553] dis. (1); NA[3 - NA/T] [cit. (IK) **Madroño** ix. 103 (1947)]
- Blennosperma cachimbensis* W. R. Anderson [2][1976] Asteraceae [MD - 553] dis. (1); SA[3 - SA/R] [cit. (TPL) **Bol. Mus. Bot. Munic.** no. 26; (1) (-3) fig. 1. 1976]
- Blennosperma californicum* Torr. & Gray [1842] Asteraceae [MD - 553] [cit. (IK) **Fl. N.** ii. 272.]
- Blennosperma chilense* Less. [1832] Asteraceae [MD - 553] [cit. (IK) **Syn. Comp.** 267.]
- Blennosperma cretacea* (Gleason) Steyererm. [1952] Asteraceae [MD - 553] [cit. (TPL) **Fieldiana Bot.** 28: 280. 1952]
- Blennosperma cretacea* (Gleason) Steyererm. var. *composita* Steyererm. [1952] Asteraceae [MD - 553] [cit. (IPNI) **Fieldiana Bot.** 28: 281. 1952]
- Blennosperma fimbriata* MacBryde [1974] Asteraceae [MD - 553] [cit. (TPL) **Canad. J.** 52 (11): 2437. 1974]
- Blennosperma heteropetala* W. R. Anderson [1981] Asteraceae [MD - 553] [cit. (TPL) **Mém. New York Bot. Gard.** 32: 57 (-58) fig. 1981]
- Blennosperma intermedia* W. R. Anderson [2][1981] (> *Bidens intermedia*) Asteraceae [MD - 553] dis. (1); SA[3 - SA/R] [cit. (TPL) **Mém. New York Bot. Gard.** 32: 58 (-59) fig. 1981]
- Blennosperma nanum* Blake [3][1926 - 1948] Asteraceae [MD - 553] dis. (1); NA[3 - NA/T] [cit. (IK) **Proc. Biol. Soc. Wash.** 1926 xxxix. 144.]

- Blennosperma nanum* Blake var. *robustum* J. T. Howell [1948] Asteraceae [MD – 553] [cit. (IPNI) **Leafl. W.** 5; 108. 1948]
- Blennosperma ptariana* Steyererm. [1952] Asteraceae [MD – 553] [cit. (TPL) **Fieldiana Bot.** 28; 282. 1952]
- Blennochoris** A. Gray [3][1851] (~ *Calocephalus*) Asteraceae [MD – 553] rec. 3; sp. (1); 2; AU2[1 – AU/R] [cit. (IK) **Hook. Kew Journ.** iii. (1851) 172]
- Blennochoris doliiformis* Keighery [2002] Asteraceae [MD – 553] [cit. (UN)]
- Blennochoris drummondii** A. Gray [3][1851] (~ *Calocephalus drummondii*) Asteraceae [MD – 553] dis. (1); AU[1 – AU/R] [cit. (IK) **Hook. Kew Journ.** iii. (1851) 173]
- Blennochoris phlegmatocarpa** (Diels) P. S. Short [3][1981] Asteraceae [MD – 553] dis. (1); AU[1 – AU/R] [cit. (IK) **Muelleria** 4(4): 413 (1981)]
- Blephetalon* Rafin. [1838] (= *Scutia*) Rhamnaceae [MD – 358] rec. 1 [cit. (IK) **Sylva Tellur.** 30 (1838)]
- Blephetalon aculeatum* Rafin. [1838] Rhamnaceae [MD – 358] [cit. (IK) **Sylva Tellur.** 30 (1838)]
- Blepharandra* Rafin. [1836] (= *Bulbine*) Asphodelaceae [MM – 637] rec. 2 [cit. (IK) **Fl. Tellur.** ii. 59 (1836)]
- Blepharandra depressa* Rafin. [1836] (= *Bulbine bulbosa*) Asphodelaceae [MM – 637] [cit. (IK) **Fl. Tellur.** ii. 59 (1836)]
- Blepharandra hookeri* Rafin. [1836] (= *Bulbine bulbosa*; *Bulbine hookeri*) Asphodelaceae [MM – 637] [cit. (IK) **Fl. Tellur.** ii. 59 (1836)]
- Blepharacanthus* Nees [1836] (= *Blepharis*) Acanthaceae [MD – 536] rec. 6 [cit. (IK) **Lindl. Introd. Nat. Syst.** ed. II. 444 (1836)]
- Blepharacanthus capensis* Nees [1836] (= *Blepharis capensis*) Acanthaceae [MD – 536] [cit. (IK) **Lindl. Introd. Nat. Syst.** ed. II. 444 (1836)]
- Blepharacanthus carduiifolius* Nees ex Steud. [cf. 1836] Acanthaceae [MD – 536] [cit. (IK) **Steud. Nom.** ed. II. i. 209]
- Blepharacanthus furcatus* Nees ex Steud. [cf. 1836] Acanthaceae [MD – 536] [cit. (IK) **Steud. Nom.** ed. II. i. 209]
- Blepharacanthus integrifolius* Nees ex Steud. [cf. 1836] Acanthaceae [MD – 536] [cit. (IK) **Steud. Nom.** ed. II. i. 209]
- Blepharacanthus procumbens* Nees [1836] (= *Blepharis procumbens*) Acanthaceae [MD – 536] [cit. (IK) **Lindl. Introd. Nat. Syst.** ed. II. 444]
- Blepharacanthus verticillata* Steud. [cf. 1836] (< > *Blepharis verticillata*) Acanthaceae [MD – 536] [cit. (IK) **Nom.** ed. II. i. 209]
- Blepharaden* Dulac [1867] (= *Swertia*) Gentianaceae [MD – 480] rec. 1 [cit. (IK) **Fl. Hautes – Pyr.** 449 (1867)]
- Blepharaden perennis* Dulac [1867] (= *Swertia perennis*) Gentianaceae [MD – 480] [cit. (IK) **Fl. Hautes – Pyr.** 449 (1867)]
- Blepharandra** Griseb. [3][1849] (~ *Byrsonima*; *Coleostachys*) Malpighiaceae [MD – 329] rec. 9; sp. (1); 3 – 6 (ifr. 1); SA6[3 – SA/R] [cit. (IK) **Linnaea** xxii. (1849) 7.]
- Blepharandra angustifolia** (H. B. & K.) W. R. Anderson [3][1981] (> *Byrsonima angustifolia*) Malpighiaceae [MD – 329] dis. (1); SA[3 – SA/R] [cit. (IK) **Mém. New York Bot. Gard.** 32; 55 (1981)]
- Blepharandra cachimbensis** W. R. Anderson [3][1976] Malpighiaceae [MD – 329] dis. (1); SA[3 – SA/R] [cit. (IK) **Bol. Mus. Bot. Mun. (Curitiba)** 26; 1 (1976)]
- Blepharandra cretacea* (Gleason) Steyererm. [1952] (= *B. hypoleuca*; *Byrsonima cretacea*) Malpighiaceae [MD – 329] [cit. (IK) **Fieldiana Bot.** xxviii. No. 2, 280 (1952)]
- Blepharandra cretacea* (Gleason) Steyererm. var. *composita* Steyererm. [1952] (= *B. hypoleuca*) Malpighiaceae [MD – 329] [cit. (IPNI) **Fieldiana Bot.** 28(2): 281 (281 – 282) 1952]

- Blepharandra fimbriata** B. MacBryde [3][1974] Malpighiaceae [MD-329] dis. (1); SA[3-SA/R] [cit. (IK) *Canad. J.* 52(11): 2437 (1974)]
- Blepharandra heteropetala** W. R. Anderson [3][1981] Malpighiaceae [MD-329] dis. (1); SA[3-SA/R] [cit. (IK) *Mém. New York Bot. Gard.* 32: 57 (1981)]
- Blepharandra hypoleuca** Griseb. [3][1849] (> *Byrsonima hypoleuca*; *Coleostachys hypoleuca*) Malpighiaceae [MD-329] dis. (1); SA[3-SA/R] [cit. (IK) *Linnaea* xxii. (1849) 7]
- Blepharandra intermedia** W. R. Anderson [3][1981] (> *Byrsonima intermedia*) Malpighiaceae [MD-329] dis. (1); SA[3-SA/R] [cit. (IK) *Mém. New York Bot. Gard.* 32: 58 (1981)]
- Blepharandra ptariana** Steyererm. [1952] (= *B. hypoleuca*) Malpighiaceae [MD-329] [cit. (IK) *Fieldiana Bot.* xxviii. No. 2, 282 (1952)]
- Blepharanthemum** Klotzsch [1841] (= *Plagianthus*) Malvaceae [MD-192] rec. 1 [cit. (IK) *Link Klotzsch & Otto Ic. Pl.* 20 (1841)]
- Blepharanthemum sidoides** Klotzsch [1841] (= *Plagianthus sidoides*) Malvaceae [MD-192] [cit. (IK) *Link Klotzsch & Otto Ic. Pl.* 20 (1841)]
- Blepharantthera** Schltr. [1913] (= *Brachystelma*) Asclepiadaceae [MD-464] rec. 2 [cit. (IK) *Engl. Jahrb.* li. 146 (1913)]
- Blepharantthera dinteri** Schlechter [1913] (= *Brachystelma dinteri*) Asclepiadaceae [MD-464] [cit. (IK) *Engl. Jahrb.* li. 146 (1913)]
- Blepharantthera edulis** Schlechter [1913] (= *Brachystelma edulis*) Asclepiadaceae [MD-464] [cit. (IK) *Engl. Jahrb.* li. 147 (1913)]
- Blepharidachne** Hack. [3][1887] (~ *Munroa*) Poaceae [MM-730] rec. 4; sp. (1):2; NA2[3-NA/T] [cit. (IK) *Engl. & Prantl Pflanzenf.* ii. II. 126 (1887)]
- Blepharidachne benthamiana** Hitchcock [1920] (< > *Munroa benthamiana*) Poaceae [MM-730] [cit. (IK) *U. S. Dept. Agric. Bull.* no. 772, 78 (1920); in obs.]
- Blepharidachne bigelovii** Hack. [3][1889] Poaceae [MM-730] dis. (1); NA[3-NA/T] [cit. (IK) *DC. Monog. Phan.* vi. 261]
- Blepharidachne hitchcockii** Lahitte [1939] Poaceae [MM-730] [cit. (IK) *Physis* xv. 305 (1939)]
- Blepharidachne kingii** Hack. [3][1889] Poaceae [MM-730] dis. (1); NA[3-NA/T] [cit. (IK) *DC. Monog. Phan.* vi. 261]
- Blepharidium** Standl. [3][1918] (~ *Tocoyena*) Rubiaceae [MD-513] rec. 2; sp. (1):1; NA1[3-NA/T] [cit. (IK) *Journ. Wash. Acad. Sc.* 1918 viii. 59.]
- Blepharidium guatemalense** Standley [1918] Rubiaceae [MD-513] [cit. (IK) *Journ. Wash. Acad. Sc.* 1918 viii. 59.]
- Blepharidium mexicanum** Standley [2][1940] (> *B. guatemalense*) Rubiaceae [MD-513] dis. (1); NA[3-NA/T] [cit. (IK) *Publ. Field Mus. Nat. Hist. Chicago Bot.* ser. xxii. 108 (1940)]
- Blephariglotis** Rafin. [1836] Orchidaceae [MM-715] rec. 14 [cit. (IK) *Fl. Tellur.* ii. 38 (1836)]
- Blephariglotis albiflora** Rafin. [1836] Orchidaceae [MM-715] [cit. (IK) *Fl. Tellur.* ii. 38 (1836)]
- Blephariglotis bicolor** Rafin. [1836] Orchidaceae [MM-715] [cit. (IK) *Fl. Tellur.* ii. 39 (1836)]
- Blephariglotis blephariglotis** Rydb. [cf. 1836] Orchidaceae [MM-715] [cit. (IK) *Britton Man. Fl. N. U. S.* 296]
- Blephariglotis chapmanii** Small [cf. 1836] Orchidaceae [MM-715] [cit. (IK) *Fl. S.* 314.]
- Blephariglotis ciliaris** Rydb. [cf. 1836] Orchidaceae [MM-715] [cit. (IK) *Britton Man. Fl. N. U. S.* 296]
- Blephariglotis conspicua** Small [cf. 1836] Orchidaceae [MM-715] [cit. (IK) *Fl. S.* 313]
- Blephariglotis cristata** Rafin. [1836] Orchidaceae [MM-715] [cit. (IK) *Fl. Tellur.* ii. 39 (1836)]
- Blephariglotis flaviflora** Rafin. [1836] Orchidaceae [MM-715] [cit. (IK) *Fl. Tellur.* ii. 39 (1836)]
- Blephariglotis grandiflora** Rydb. [cf. 1836] Orchidaceae [MM-715] [cit. (IK) *Britton Man. Fl. N. U. S.*

296]

Blephariglotis lacera Rydb. [cf. 1836] Orchidaceae [MM - 715] [cit. (IK) **Britton Man. Fl. N. U. S.** 296]

Blephariglotis leucophaea Rydb. [cf. 1836] Orchidaceae [MM - 715] [cit. (IK) **Britton Man. Fl. N. U. S.** 296]

Blephariglotis longicornis Rafin. [1836] Orchidaceae [MM - 715] [cit. (IK) **Fl. Tellur.** ii. 38 (1836)]

Blephariglotis peramoena Rydb. [cf. 1836] Orchidaceae [MM - 715] [cit. (IK) **Britton Man. Fl. N. U. S.** 297]

Blephariglotis psycodes Rydb. [cf. 1836] Orchidaceae [MM - 715] [cit. (IK) **Britton Man. Fl. N. U. S.** 296]

Blephariglotis Rafin. [2][1837] (~ *Habenaria*; *Pseudorchis*) Orchidaceae [MM - 715] rec. 50; sp. (1); 10 (ifr. 19); SA cf.; 10, (cult. 4) [3 - SA/R] [cit. (IK) **Fl. Tellur.** ii; 38. (1837)]

Blephariglotis alba House [1][1906 - 1977] (> *Platanthera blephariglotis*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (IK) **Muhlenbergia** i. 127 (1906)]

Blephariglotis alba House var. *conspicua* (Nash) W. J. Schrenk [1977] Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (IPNI) **Orchidee (Hamburg)** 28 (2); 69. 1977]

Blephariglotis albiflora Raf. [1][1837 - 2009] Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Fl. Tellur.** 2; 38]

Blephariglotis albiflora Raf. f. *holopetala* (Lindl.) Baumbach & P. M. Br. [2009] Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15 (2); 74. 2009 (22 Sep 2009)]

Blephariglotis andrewsii (M. White) H. D. House [×][1][1924] (> *Habenaria andrewsii*; *Platanthera andrewsii*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (IK) **N. Y. State Mus. Bull.** no. 254, 242 (1924)]

Blephariglotis apalachicola (P. M. Br. & S. L. Stewart) Baumbach & Lückel [×][1][2009] (> *Platanthera apalachicola*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60; 126]

Blephariglotis beckneri (P. M. Br.) Baumbach & Lückel [×][1][2009] (> *Platanthera beckneri*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60; 126]

Blephariglotis bicolor Raf. [×][1][1837] (> *Habenaria bicolor*; *Platanthera bicolor*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Fl. Tellur.** 2; 39]

Blephariglotis channellii (Folsom) Baumbach & Lückel [×][1][2009] (> *Platanthera channellii*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60; 126]

Blephariglotis chapmanii Small [1][1903] (> *Habenaria chapmanii*; *Platanthera chapmanii*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Fl. S.** 314]

Blephariglotis ciliaris (Linn.) Rydb. [1][1901] (> *Habenaria ciliaris*; *Platanthera ciliaris*) Orchidaceae [MM - 715] dis. (1); SA (cf.); (cult.) [3 - SA/R] [cit. (TPL) **Man. Fl. N. States** 296]

Blephariglotis conspicua (Nash) Small [1][1903] (> *Habenaria conspicua*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Fl. S.** 313]

Blephariglotis cristata (Michx.) Raf. [1][1837 - 2009] (> *Habenaria cristata*; *Platanthera cristata*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Fl. Tellur.** 2; 39]

Blephariglotis cristata (Michx.) Raf. f. *straminea* (P. M. Br.) Baumbach & P. M. Br. [2009] (= *Platanthera cristata*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15 (2); 74. 2009 (22 Sep 2009)]

Blephariglotis enigma (P. M. Br.) Baumbach & Lückel [×][1][2009] (> *Platanthera enigma*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60; 126]

Blephariglotis fissa (R. Br.) G. Keller & Soo [1][1935] (> *Habenaria fissa*; *Platanthera psycodes*) Orchidaceae [MM - 715] dis. (1); SA (cf.) [3 - SA/R] [cit. (IK) **Fedde Repert. Sonderbeih. A.** ii. 308]

(1935)]

Blephariglottis flaviflora Raf. [1][1837] (> *Platanthera ciliaris*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Fl. Tellur.** 2: 39]

Blephariglottis grandiflora (Bigelow) Rydb. [1][1901 – 2009] (> *Habenaria grandiflora*; *Platanthera grandiflora*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Man. Fl. N. States** 296]

Blephariglottis grandiflora (Bigelow) Rydb. f. *mentotonsa* (Fernald) Baumbach & P. M. Br. [2009] (< > *Platanthera grandiflora*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 74. 2009 (22 Sep 2009)]

Blephariglottis grandiflora (Bigelow) Rydb. f. *albiflora* (E. L. Rand & Redfield) Baumbach & P. M. Br. [2009] (< > *Platanthera grandiflora*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 74. 2009 (22 Sep 2009)]

Blephariglottis grandiflora (Bigelow) Rydb. f. *bicolor* (P. M. Br.) Baumbach & P. M. Br. [2009] (< > *Platanthera grandiflora*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 74. 2009 (22 Sep 2009)]

Blephariglottis grandiflora (Bigelow) Rydb. f. *carnea* (P. M. Br.) Baumbach & P. M. Br. [2009] (< > *Platanthera grandiflora*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 74. 2009 (22 Sep 2009)]

Blephariglottis hollandiae (Catling & Brownell) Baumbach & Lückel [×] [1][2009] (~ *Habenaria hollandiae*; *Platanthera hollandiae*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 126]

Blephariglottis integrilabia (Correll) W. J. Schrenk [1][1977] (~ *Platanthera integrilabia*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IK) **Orchidee** 28(2): 69 (1977)]

Blephariglottis keenanii (P. M. Br.) Baumbach & Lückel [×] [1][2009] (> *Platanthera keenanii*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 126]

Blephariglottis lacera (Michx.) Rydb. [1][1901 – 1976] (> *Habenaria lacera*; *Platanthera lacera*) Orchidaceae [MM – 715] dis. (1); SA (cf.) (cult.) [3 – SA/R] [cit. (TPL) **Man. Fl. N. States** 296]

Blephariglottis lacera (Michx.) Rydb. var. *terrae – novae* (Fernald) W. J. Schrenk [1976] (< > *Platanthera andrewsii*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IPNI) **Orchidee (Hamburg)** 27(4): 156, without basionym ref. 1976]

Blephariglottis lacera (Michx.) Rydb. f. *elongata* (Peck) House [1976] (< > *Platanthera lacera*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (IPNI) **Bull. New York State Mus. Nat. Hist.** 243 – 244; 15. 1923]

Blephariglottis leucophaea (Nutt.) Rydb. [1][1901] (> *Habenaria leucophaea*; *Platanthera leucophaea*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Man. Fl. N. States** 296]

Blephariglottis longicornis Raf. [1][1836] (> *Habenaria longicornis*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Fl. Tellur.** 2: 38]

Blephariglottis longicornu (Lindl.) Raf. [1][1837] (~ *Habenaria longicornu*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Fl. Tellur.** 2: 38]

Blephariglottis lueri (P. M. Br.) Baumbach & Lückel [×] [1][2009] (> *Platanthera lueri*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 127]

Blephariglottis osceola (P. M. Br. & S. L. Stewart) Baumbach & Lückel [×] [1][2009] (> *Platanthera osceola*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 127]

Blephariglottis pallida (P. M. Br.) Baumbach & Lückel [1][2009] (> *Platanthera pallida*) Orchidaceae [MM – 715] dis. (1); SA (cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 126]

Blephariglottis peramoena (A. Gray) Rydb. [1][1901 – 2009] (> *Habenaria peramoena*; *Platanthera*

- peramoena*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (TPL) **Man. Fl. N. States** 297]
- Blephariglottis peramoena* (A. Gray) Rydb. f. *doddsiae* (P. M. Br.) Baumbach & P. M. Br. [2009] (= *Platanthera peramoena*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 74. 2009 (22 Sep 2009)]
- Blephariglottis praeclara* (Sheviak & M. L. Bowles) Baumbach & Lückel [1] [2009] (~ *Platanthera praeclara*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 126]
- Blephariglottis psycodes* Rydb. [1] [1901 – 2009] (> *Habenaria psycodes*; *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.); (cult.) [3 – SA/R] [cit. (TPL) **Man. Fl. N. States** 296]
- Blephariglottis psycodes* Rydb. var. *grandiflora* (Bigelow) J. H. Schaffn. [2009] (< > *Platanthera grandiflora*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (TPL) **Cat. Ohio Vasc. Pl.** 161]
- Blephariglottis psycodes* Rydb. f. *albispicata* House [2009] (< > *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **Bull. New York State Mus. Nat. Hist.** 243 – 244; 19. 1923]
- Blephariglottis psycodes* Rydb. f. *albiflora* (Ralph Hoffm.) Baumbach & P. M. Br. [2009] (< > *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 75. 2009 (22 Sep 2009)]
- Blephariglottis psycodes* Rydb. f. *fernaldii* (J. Rousseau & Rouleau) Baumbach & P. M. Br. [2009] (< > *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 75. 2009 (22 Sep 2009)]
- Blephariglottis psycodes* Rydb. f. *rosea* (P. M. Br.) Baumbach & P. M. Br. [2009] (< > *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 75. 2009 (22 Sep 2009)]
- Blephariglottis psycodes* Rydb. f. *varians* (M. M. Bryan) Baumbach & P. M. Br. [2009] (< > *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 75. 2009 (22 Sep 2009)]
- Blephariglottis psycodes* Rydb. f. *ecalcarata* (M. M. Bryan) Baumbach & P. M. Br. [2009] (< > *Platanthera psycodes*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (IPNI) **N. Amer. Native Orchid J.** 15(2): 75. 2009 (22 Sep 2009)]
- Blephariglottis reznicekii* (Catling, Brownell & G. Allen) Baumbach & Lückel [1] [2009] (> *Platanthera reznicekii*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 127]
- Blephariglottis shriveri* (P. M. Br.) Baumbach & Lückel [1] [2009] (> *Platanthera shriveri*) Orchidaceae [MM – 715] dis. (1); SA(cf.) [3 – SA/R] [cit. (TPL) **Orchidee (Hamburg)** 60: 126]
- Blepharipappus* Hook. [3] [1833] (~ *Harmonia*; *Layia*) Asteraceae [MD – 553] rec. 30; sp. (1): 1 (ifr. 7); NA1 [3 – NA/T] [cit. (IK) **Fl. Bor. Am.** i. 316 (1833)]
- Blepharipappus bakeri* Greene ex C. F. Baker [1902] Asteraceae [MD – 553] [cit. (TPL) **West Amer. Pl.** (1): 7. 1902 Nomen]
- Blepharipappus carnosa* (Nutt.) Greene [1892] (= *Layia carnosa*) Asteraceae [MD – 553] [cit. (TPL) **Pittonia** 2 (11C): 246]
- Blepharipappus carnosus* Greene [1892] (= *Layia carnosa*) Asteraceae [MD – 553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus chrysanthemoides* Greene [1892] (< > *Layia chrysanthemoides*) Asteraceae [MD – 553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus douglasii* (Hook. & Arn.) Greene [1892 – 1894] (< > *Layia douglasii*) Asteraceae [MD – 553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus douglasii* (Hook. & Arn.) Greene var. *oligochaeta* Greene [1894] (< > *Layia douglasii*) As-

- teraceae [MD-553] [cit. (IPNI) **Man. Bot. San Francisco** 201. 1894 as oligochoeta]
- Blepharipappus elegans* Greene [1892] (< > *Layia elegans*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus fremontii* (Torr. & A. Gray) Greene [1892] (= *Layia fremontii*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2 (11C): 246-247]
- Blepharipappus gaillardoides* (Hook. & Arn.) Greene [1892] (= *Layia gaillardoides*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus glandulosus* Hook. [1833-1901] (= *Layia glandulosa*) Asteraceae [MD-553] [cit. (IK) **Fl. Bor. Am.** i. 316 (1833)]
- Blepharipappus glandulosus* Hook. var. *heterotrichus* (Hook. & Arn.) Jeps. [1901] (= *Layia heterotricha*) Asteraceae [MD-553] [cit. (IPNI) **Fl. W. Calif. (Jepson)** 536. 1901]
- Blepharipappus graveolens* (Greene) Greene [1892] (< > *Layia graveolens*; *Layia heterotricha*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus heterotrichus* Greene [1892] (= *Layia heterotricha*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus hieracioides* Greene [1892-1894] (= *Layia hieracioides*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus hieracioides* Greene var. *anomala* Bioletti [1894] (= *Layia hieracioides*) Asteraceae [MD-553] [cit. (IPNI) **Man. Bot. San Francisco** 200. 1894]
- Blepharipappus hieracioides* Greene f. *anomala* Bioletti [1894] (= *Layia hieracioides*) Asteraceae [MD-553] [cit. (IPNI) **Erythra** 1: 69. 1893]
- Blepharipappus hispidus* (Greene) Greene [1892] (< > *Layia hispida*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus jonesii* (A. Gray) Greene [1892] (= *Layia jonesii*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus laevis* (A. Gray) A. Gray [1888] (= *B. scaber*) Asteraceae [MD-553] [cit. (TPL) **Bot. Gaz.** 13]
- Blepharipappus nemorosus* Greene [1894] (< > *Layia nemorosa*) Asteraceae [MD-553] [cit. (cf.) **Pittonia** (UN)]
- Blepharipappus neomexicanus* Greene [cf. 1833-1958] (= *Layia glandulosa*) Asteraceae [MD-553] [cit. (IK) **Pittonia** iii. 168]
- Blepharipappus nudatus* Greene [cf. 1833-1958] Asteraceae [MD-553] [cit. (IK) **Pittonia** iii. 168]
- Blepharipappus nutans* (Greene) Greene [1892] (= *Harmonia nutans*; *Layia nutans*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus oreganus* Greene [1892] (< > *Layia douglasii*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus pentachaetus* (A. Gray) Greene [1892] (= *Layia pentachaeta*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus platyglossus* (Fisch. & C. A. Mey.) Greene [1892] (= *Layia platyglossa*) Asteraceae [MD-553] [cit. (TPL) **Pittonia** 2]
- Blepharipappus scaber*** Hook. [3] [1833-1958] Asteraceae [MD-553] dis. (1): NA[3-NA/T] [cit. (IK) **Fl. Bor. Am.** i. 316 (1833)]
- Blepharipappus scaber* Hook. var. *subcalvus* A. Gray [1958] (= *B. scaber*) Asteraceae [MD-553] [cit. (IPNI) **Proc. Amer. Acad. Arts** 9: 193. 1874]
- Blepharipappus scaber* Hook. var. *laevis* A. Gray [1958] (= *B. scaber*) Asteraceae [MD-553] [cit. (TPL) **Bot. California** 1]
- Blepharipappus scaber* Hook. subsp. *laevis* (A. Gray) D. D. Keck [1958] (= *B. scaber*) Asteraceae [MD-553]

- 553] [cit. (IPNI) **Aliso** 4: 114. 1958]
- Blepharippapus* <unassigned> [cf. 1753 – 1997] Asteraceae [MD – 553] [cit. (UN)]
- Blepharippapus carnosus* Greene [1892] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246]
- Blepharippapus chrysanthemoides* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 247 cf. Man. Bot. San Franc. Bay (1894) 201]
- Blepharippapus douglasii* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 247 cf. Man. Bot. San Franc. Bay (1894) 201]
- Blepharippapus elegans* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 201]
- Blepharippapus fremonti* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 201]
- Blepharippapus gaillardiioides* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 200]
- Blepharippapus graveolens* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 200]
- Blepharippapus heterotrichus* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 245 cf. Man. Bot. San Franc. Bay (1894) 200]
- Blepharippapus hieracioides* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 200]
- Blepharippapus hispidus* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 201]
- Blepharippapus jonesii* Greene [1892] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 247]
- Blepharippapus laevis* A. Gray [1888] Asteraceae [MD – 553] [cit. (IK) **Coult. Bot. Gaz.** xiii. (1888) 73.]
- Blepharippapus nemorosus* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Man. Bot. San Français Bay** (1894) 200.]
- Blepharippapus nutans* Greene [1892] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 247]
- Blepharippapus oreganus* Greene [1892] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246]
- Blepharippapus pentachaetus* Greene [1892] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246]
- Blepharippapus platyglossus* Greene [1894] Asteraceae [MD – 553] [cit. (IK) **Pittonia** ii. (July 1892) 246 cf. Man. Bot. San Franc. Bay (1894) 201]
- Blepharis** Juss. [3] [1789] (~ *Acanthus*; *Ruellia*) Acanthaceae [MD – 536] rec. 231; sp. (3); 58 (ifr. 24); AF57, AS2, EU cf.; 58, CN1 [12/R – RT] [cit. (IK) **Gen.** 103 (1789)]
- Blepharis ablephara* Nees [1847] (< > *B. exigua*) Acanthaceae [MD – 536] [cit. (IK) **DC. Prod.** xi. 267.]
- Blepharis abyssinica* Hochst. ex A. Rich. [1850] (= *B. maderaspatensis*) Acanthaceae [MD – 536] [cit. (IK) **Tent. Fl. Abyss.** ii. 150]
- Blepharis acanthodioides** S. Moore [3] [1880] (> *B. buchneri*) Acanthaceae [MD – 536] dis. (1); AF[2 – AF/R] [cit. (IK) **Journ. Bot.** 1880 229, partim]
- Blepharis acaulis* Lindau [1913] (= *Acanthopsis disperma*; *Ruellia acaulis*) Acanthaceae [MD – 536] [cit. (IK) **Engl. Jahrb.** xlix. 403 (1913)]
- Blepharis acuminata** Oberm. [3] [1937] (> *Ruellia acuminata*) Acanthaceae [MD – 536] dis. (1); AF[2 – AF/R] [cit. (IK) **Ann. Transvaal Mus.** xix. 121 (1937)]
- Blepharis aequisejala** Vollesen [3] [2000] Acanthaceae [MD – 536] dis. (1); AF[2 – AF/R] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 126]
- Blepharis affinis* Lindau [1895] (< > *Ruellia affinis*) Acanthaceae [MD – 536] [cit. (IK) **Engl. Pflanzenw. Ost – Afr.** C (1895) 369.]

- Blepharis angusta** T. Anders. [3][1864] (> *Ruellia angusta*) Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Journ. Linn. Soc.** vii. (1864) 35.]
- Blepharis arborea* Spreng. [1825] (< > *Acanthus arboreus*) Acanthaceae [MD - 536] [cit. (IK) **Syst.** ii. 819.]
- Blepharis aspera** Oberm. [3][1937] (~ *Ruellia aspera*) Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Ann. Transvaal Mus.** xix. 122 (1937)]
- Blepharis asperima* Nees [1847] (< > *Cynarospermum asperimum*) Acanthaceae [MD - 536] [cit. (IK) **DC. Prod.** xi. 267.]
- Blepharis asteracantha* C. B. Clarke [1899] Acanthaceae [MD - 536] [cit. (TPL) **Fl. Trop. Afr.** 5: 100]
- Blepharis asteracanthus* C. B. Clarke [cf. 1806 - 2002] Acanthaceae [MD - 536] [cit. (IK) **Dyer Fl. Trop. Afr.** v. 100.]
- Blepharis attenuata* Napper [1972] (< > *Ruellia attenuata*) Acanthaceae [MD - 536] [cit. (IK) **Israel J.** 21 (3): 164 (1972)]
- Blepharis baguirmiensis* Lindau [1908] (< > *B. involocrata*) Acanthaceae [MD - 536] [cit. (IK) **Bull. Soc. Bot. France** lv. Mem. VIII. 50 (1908)]
- Blepharis bainesii** S. Moore ex C. B. Clarke. [3][1899] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Dyer Fl. Trop. Afr.** v. 98.]
- Blepharis bequaerti* De Wild. [1914] Acanthaceae [MD - 536] [cit. (IK) **Fedde Repert.** xiii. 146 (1914)]
- Blepharis bequaertii* De Wild. [1914] (< > *B. asteracantha*) Acanthaceae [MD - 536] [cit. (TPL) **Repert. Spec. Nov. Regni Veg.** 13: 146]
- Blepharis boerhaaviaefolia* < unassigned > [cf. 1806 - 2002] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (CN) **Syn. Pl.** 2: 180]
- Blepharis boerhaviifolia* Roth [cf. 1806 - 2002] Acanthaceae [MD - 536] [cit. (IK) **Nov. Sp.** 320]
- Blepharis boerhaviaefolia* Pers. [cf. 1806 - 2002] Acanthaceae [MD - 536] [cit. (IK) **Syn.** ii. 180.]
- Blepharis boerhaviifolia* Pers. [1806 - 1899; hm. (2) ~ Pers.; Roth] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (TPL) **Syn. Pl.** 2: 180]
- Blepharis boerhaviifolia* Pers. var. *nigronevulosa* De Wild. & T. Durand [1899] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (TPL) **Ann. Mus. Congo Belge Bot.** ii 1 (1): 46]
- Blepharis boerhaviifolia* Pers. var. *micrantha* Sond. [1899] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (TPL) **Linnaea** 23: 92]
- Blepharis boranensis* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 110]
- Blepharis bossii* Oberm. [1937] (= *B. obmitrata*) Acanthaceae [MD - 536] [cit. (IK) **Ann. Transvaal Mus.** xix. 126 (1937)]
- Blepharis breijeri* Oberm. [1937] Acanthaceae [MD - 536] [cit. (IK) **Ann. Transvaal Mus.** xix. 129 (1937)]
- Blepharis breviciliata* Fiori [1911] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (TPL) **Boll. Soc. Bot. Ital.** 1911: 61]
- Blepharis breviciata* Fiori [1911] Acanthaceae [MD - 536] [cit. (IK) **Bull. Soc. Bot. Ital.** 1911 61.]
- Blepharis breyeri** Oberm. [3][1937] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (TPL) **Ann. Transvaal Mus.** 19: 129]
- Blepharis buchneri* Lindau [1894] Acanthaceae [MD - 536] [cit. (IK) **Bot. Jahrb.** xx. (1894) 30.]
- Blepharis burundiensis* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 180]
- Blepharis calamintaefolia* Pers. [cf. 1806 - 2002] Acanthaceae [MD - 536] [cit. (IK) **Syn.** ii. 180]
- Blepharis calaminthifolia* Pers. [1806] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (TPL) **Syn.**

Pl. 2: 180]

Blepharis calcitrapa Benoist [3] [1939] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Humbert Not. Syst.** viii. 147 (1939)]

Blepharis calcitrapa Benoist var. *velutina* Benoist [1939] (= *B. calcitrapa*) Acanthaceae [MD-536] [cit. (TPL) **Notul. Syst. (Paris)** 8: 149]

Blepharis calcitrapa Benoist var. *sinuosa* Benoist [1939] (= *B. calcitrapa*) Acanthaceae [MD-536] [cit. (TPL) **Notul. Syst. (Paris)** 8: 148]

Blepharis calcitrapa Benoist var. *ilicifolia* Benoist [1939] (= *B. calcitrapa*) Acanthaceae [MD-536] [cit. (TPL) **Notul. Syst. (Paris)** 8: 148]

Blepharis calcitrapa Benoist var. *decaryi* Benoist [1939] (= *B. calcitrapa*) Acanthaceae [MD-536] [cit. (TPL) **Notul. Syst. (Paris)** 8: 148]

Blepharis caloneura S. Moore [1918-1937] (= *B. tenuiramea*) Acanthaceae [MD-536] [cit. (IK) **Journ. Bot.** 1918 lvi. 37.]

Blepharis caloneura S. Moore var. *angustifolia* Oberm. [1937] (= *B. tenuiramea*) Acanthaceae [MD-536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 135]

Blepharis capensis Pers. [3] [1806-1937] (> *Acanthus capensis*) Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Syn.** ii. 180]

Blepharis capensis Pers. var. *latibracteata* Oberm. [1937] (= *B. capensis*) Acanthaceae [MD-536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 112]

Blepharis capensis Pers. var. *prostrata* Oberm. [1937] (= *B. capensis*) Acanthaceae [MD-536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 113]

Blepharis carduea Lindau [1902] (<> *B. grandis*) Acanthaceae [MD-536] [cit. (IK) **Engl. Jahrb.** xxx. 410.]

Blepharis carduifolia T. Anders. [1864] (= *Acanthopsis carduifolia*) Acanthaceae [MD-536] [cit. (IK) **Journ. Linn. Soc.** vii. (1864) 35.]

Blepharis cataractae S. Moore [1918] (= *B. bainesii*) Acanthaceae [MD-536] [cit. (IK) **Journ. Bot.** 1918 lvi. 37.]

Blepharis chrysotricha Lindau [1894] Acanthaceae [MD-536] [cit. (IK) **Bot. Jahrb.** xx. (1894) 32.]

Blepharis ciliaris (Linn.) B. L. Burt [1956] (<> *Acanthus ciliaris*; *Ruellia ciliaris*) Acanthaceae [MD-536] [cit. (IK) **Notes Bot. Gard. Edinb.** xxii. 94 (1956)]

Blepharis clarkei Schinz [1915] Acanthaceae [MD-536] [cit. (IK) **Vierteljahrsschr. Nat. Ges. Zürich** lx. 414 (1915)]

Blepharis crinita Benoist [3] [1939] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Humbert Not. Syst.** viii. 150 (1939)]

Blepharis cristata S. Moore [1905] (<> *B. stuhlmannii*; *Ruellia cristata*) Acanthaceae [MD-536] [cit. (IK) **Journ. Linn. Soc.** xxxvii. 194.]

Blepharis cuanzensis Welw. ex S. Moore [1880-2000] Acanthaceae [MD-536] [cit. (IK) **Journ. Bot.** xviii. (1880) 230.]

Blepharis cuanzensis Welw. ex S. Moore var. *parvispina* Vollesen [2000] Acanthaceae [MD-536] [cit. (IPNI) **Blepharis (Acanthac.) Taxon. Revis.** 216 (2000)]

Blepharis cuanzensis Welw. ex S. Moore subsp. *tanganyikensis* Napper [2000] (<> *B. tanganyikensis*) Acanthaceae [MD-536] [cit. (TPL) **Kew Bull.** 24: 326]

Blepharis cuanzensis Welw. ex S. Moore subsp. *tanganyihensis* Napper [2000] (<> *B. tanganyikensis*) Acanthaceae [MD-536] [cit. (TPL) **Kew Bull.** 24: 326]

Blepharis cuspidata Lindau [1896] (<> *Ruellia cuspidata*) Acanthaceae [MD-536] [cit. (IK) **Ann. Ist. Bot. Roma** vi. 76]

- Blepharis decussata* S. Moore [1911] Acanthaceae [MD - 536] [cit. (IK) **Journ. Bot.** 1911 xlix. 297]
- Blepharis dhofarensis* A. G. Miller [1988] Acanthaceae [MD - 536] [cit. (IK) **Notes Roy. Bot. Gard. Edinburgh** 45(1): 63 (1988)]
- Blepharis dichotoma* Engl. [1889] (= *B. grossa*; *Ruellia dichotoma*) Acanthaceae [MD - 536] [cit. (IK) **Bot. Jahrb.** x. (1889) 260.]
- Blepharis dilatata* C. B. Clarke [3] [1901] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Dyer Fl. Cap.** v. 31.]
- Blepharis dilatata* C. B. Clarke var. *explicator* C. B. Clarke [1901] (= *B. subvulvibilis*) Acanthaceae [MD - 536] [cit. (TPL) **Fl. Cap.** 5: 32]
- Blepharis diplodonta* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 153]
- Blepharis diversispina* C. B. Clarke [3] [1899] (~ *B. aspera*) Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Dyer Fl. Trop. Afr.** v. 104.]
- Blepharis drummondii* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 77]
- Blepharis dunensis* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 272]
- Blepharis dwigneaudii* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 283]
- Blepharis ecklonii* C. B. Clarke [1901] (= *B. hirtinervia*) Acanthaceae [MD - 536] [cit. (IK) **Dyer Fl. Cap.** v. 27.]
- Blepharis edulis* Pers. [1806] (< > *Acanthus edulis*) Acanthaceae [MD - 536] [cit. (IK) **Syn.** ii. 180.]
- Blepharis espinosa* Phillips [3] [1917 - 1937] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Ann. S. Afr. Mus.** xvi. 231 (1917)]
- Blepharis espinosa* Phillips var. *spinosa* Oberm. [1937] (= *B. espinosa*) Acanthaceae [MD - 536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 123]
- Blepharis evansii* Turrill [1912] (< > *B. stuhlmannii*) Acanthaceae [MD - 536] [cit. (IK) **Kew Bull.** 1912 331.]
- Blepharis exigua* Vialleton ex Kooper [1927] Acanthaceae [MD - 536] [cit. (IK) **Rec. Trav. Bot. Neerl.** 1927 xxiv. 247, nomen.]
- Blepharis extenuata* S. Moore [1901] (= *B. macra*) Acanthaceae [MD - 536] [cit. (IK) **Journ. Bot.** 1901 301.]
- Blepharis fenestralis* Vollesen [3] [2000] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 54]
- Blepharis ferox* P. G. Meyer [3] [1961] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Mitt. Bot. Staatssamml. Munchen** iv. 60 (1961)]
- Blepharis flava* Vollesen [2000] (< > *Ruellia flava*) Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 212]
- Blepharis fleckii* P. G. Meyer [3] [1961] Acanthaceae [MD - 536] dis. (1): AF[2 - AF/R] [cit. (IK) **Mitt. Bot. Staatssamml. Munchen** iv. 64 (1961)]
- Blepharis forgiarinii* J. P. Lebrun & A. L. Stork [1991] Acanthaceae [MD - 536] [cit. (IK) **Bull. Mus. Nation. Hist. Nat. B Adansonia** ser. 4, 13(1 - 2): 51 (1991)]
- Blepharis frutescens* Gilli [1973] (< > *B. grandis*) Acanthaceae [MD - 536] [cit. (IK) **Ann. Naturhist. Mus. Wien** 77: 47 (1973)]
- Blepharis fruticulosa* C. B. Clarke [1899] (< > *B. hildebrandtii*) Acanthaceae [MD - 536] [cit. (IK) **Dyer Fl. Trop. Afr.** v. 99.]

- Blepharis furcata** Pers. [3][1863] (~ *B. capensis*; *Ruellia furcata*) Acanthaceae [MD - 536] dis. (1); AF [2 - AF/R] [cit. (IK) **Syn.** ii. 180 cf. T. Anders. in Journ. Linn. Soc. vii. (1863) 35.]
- Blepharis gazensis* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 56]
- Blepharis gerlindae* P. G. Meyer [1967] (= *B. obmitrata*) Acanthaceae [MD - 536] [cit. (IK) **Mitt. Bott. Staatssamml. München** vi. 510 (1967)]
- Blepharis gigantea** Oberm. [3][1937] (> *Ruellia gigantea*) Acanthaceae [MD - 536] dis. (1); AF [2 - AF/R] [cit. (IK) **Ann. Transvaal Mus.** xix. 114 (1937)]
- Blepharis glauca* T. Andees. [1864] (= *Acanthopsis glauca*) Acanthaceae [MD - 536] [cit. (IK) **Journ. Linn. Soc.** vii. (1864) 36.]
- Blepharis glinus* Fiori [1915] Acanthaceae [MD - 536] [cit. (IK) **Bull. Soc. Bot. Ital.** 1915 53.]
- Blepharis glomerans** Benoist [3][1939] Acanthaceae [MD - 536] dis. (1); AF [2 - AF/R] [cit. (IK) **Humbert Not. Syst.** viii. 149 (1939)]
- Blepharis glomerans* Benoist var. *brevifolia* Benoist [1939] (= *B. glomerans*) Acanthaceae [MD - 536] [cit. (TPL) **Notul. Syst. (Paris)** 8; 150]
- Blepharis glomerata* Poir. [1811] (= *B. procumbens*; *Ruellia glomerata*) Acanthaceae [MD - 536] [cit. (IK) **Enxyc. Suppl.** i. 89.]
- Blepharis glumacea** S. Moore [3][1880] Acanthaceae [MD - 536] dis. (1); AF [2 - AF/R] [cit. (IK) **Journ. Bot.** xviii. (1880) 232.]
- Blepharis grandis* C. B. Clarke [1899] (< > *Ruellia grandis*) Acanthaceae [MD - 536] [cit. (IK) **Dyer Fl. Trop. Afr.** v. 104.]
- Blepharis grisea* S. Moore [1907] (= *B. diversispina*; *Ruellia grisea*) Acanthaceae [MD - 536] [cit. (IK) **Journ. Bot.** xlv. 228 (1907)]
- Blepharis grossa** T. Anders. [3][1864] Acanthaceae [MD - 536] dis. (1); AF [2 - AF/R] [cit. (IK) **Journ. Linn. Soc.** vii. (1864) 36.]
- Blepharis gueinzi* T. Anderson [1864] (= *B. maderaspatensis*) Acanthaceae [MD - 536] [cit. (TPL) **J. Proc. Linn. Soc. Bot.** 7; 34]
- Blepharis guinzii* T. Anders. [1864] Acanthaceae [MD - 536] [cit. (IK) **Journ. Linn. Soc.** vii. (1864) 34.]
- Blepharis hildebrandtii* Lindau [1894 - 2000] Acanthaceae [MD - 536] [cit. (IK) **Bot. Jahrb.** xx. (1894) 29.]
- Blepharis hildebrandtii* Lindau subsp. *phillipsiae* (Rendle) Vollesen [2000] Acanthaceae [MD - 536] [cit. (IP-NI) **Blepharis (Acanthac.) Taxon. Revis.** 167 (2000)]
- Blepharis hirsuta* Mildbr. [1936] (< > *B. affinis*; *Ruellia hirsuta*) Acanthaceae [MD - 536] [cit. (IK) **Notizbl. Bot. Gart. Berlin** xiii. 285 (1936)]
- Blepharis hirta* Martelli [1886] (= *B. linariifolia*; *Ruellia hirta*) Acanthaceae [MD - 536] [cit. (IK) **Fl. Bogos.** (1886) 65]
- Blepharis hirtella* Lindau [1894] (< > *B. cuanzensis*; *Ruellia hirtella*) Acanthaceae [MD - 536] [cit. (IK) **Bot. Jahrb.** xx. (1894) 28.]
- Blepharis hirtinervia** T. Anders. [3][1864] Acanthaceae [MD - 536] dis. (1); AF [2 - AF/R] [cit. (IK) **Journ. Linn. Soc.** vii. (1864) 36.]
- Blepharis homblei* De Wild. [1914] (< > *B. cuanzensis*) Acanthaceae [MD - 536] [cit. (IK) **Fedde Repert.** xiii. 147 (1914)]
- Blepharis hornbyae* Milne - Redhead [1935] (< > *B. chrysotricha*) Acanthaceae [MD - 536] [cit. (IK) **Hook. Ic. Pl.** xxxiii. t. 3266 (1935)]
- Blepharis huillensis* Vollesen [2000] Acanthaceae [MD - 536] [cit. (TPL) **Blepharis (Acanthac.) Taxon.**

Revis. 140]

Blepharis ilicifolia Napper [1970] Acanthaceae [MD-536] [cit. (IK) **Kew Bull.** xxiv. 330 (1970)]

Blepharis ilicina Oberm. [3][1937] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Ann. Transvaal Mus.** xix. 120 (1937) hybr. (UC)]

Blepharis inaequalis C. B. Clarke [3][1901] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Dyer. Fl. Cap.** v. 32.]

Blepharis inermis C. B. Clarke [3][1901] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Dyer Fl. Cap.** v. 28.]

Blepharis inflata Vollesen [2000] (= *Ruellia inflata*) Acanthaceae [MD-536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 252]

Blepharis innocua C. B. Clarke [3][1901-1937] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Dyer Fl. Cap.** v. 25.]

Blepharis innocua C. B. Clarke var. *lancifolia* Oberm. [1937] (= *B. innocua*) Acanthaceae [MD-536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 130]

Blepharis inopinata Vollesen [2000] Acanthaceae [MD-536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 233]

Blepharis integrifolia E. Mey. & Drege [1915-1937] Acanthaceae [MD-536] [cit. (IK) **Zwei Pfl. Docum.** 168]

Blepharis integrifolia E. Mey. & Drege var. *clarkei* (Schinz) Oberm. [1937] Acanthaceae [MD-536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 131]

Blepharis integrifolia E. Mey. & Drege var. *setosa* (Nees) Oberm. [1937] (< > *B. integrifolia*) Acanthaceae [MD-536] [cit. (TPL) **Ann. Transvaal Mus.** 19: 131]

Blepharis involucrata Solms ex Schweinf. [1867] (< > *Ruellia involucrata*) Acanthaceae [MD-536] [cit. (IK) **Schweinf. Beitr. Fl. Aethiop.** 107.]

Blepharis itigiensis Vollesen [2000] Acanthaceae [MD-536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 251]

Blepharis javanica Bremek. [1948] Acanthaceae [MD-536] [cit. (IK) **Verh. Nederl. Akad. Wetensch. Amst. Afd. Natuurk. Sect. ii.** xlv. No. 2, 10 (1948)]

Blepharis kassneri S. Moore [1913] (= *B. glumacea*) Acanthaceae [MD-536] [cit. (IK) **Journ. Bot.** 1913 li. 213.]

Blepharis katangensis Wildem. [1903] Acanthaceae [MD-536] [cit. (IK) **Ann. Mus. Congo ser. IV.** 146.]

Blepharis kenyensis Vollesen [2000] Acanthaceae [MD-536] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 263]

Blepharis kuriensis Vierh. [1906] (< > *Ruellia kuriensis*) Acanthaceae [MD-536] [cit. (IK) **Oesterr. Bot. Zeitschr.** lvi. 298 (1906)]

Blepharis laevifolia Vollesen [3][2000] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (TPL) **Blepharis (Acanthac.) Taxon. Revis.** 81]

Blepharis lawsonii G. S. Giri & R. N. Banerjee [1983] Acanthaceae [MD-536] [cit. (IK) **Blumea** 28(2): 363 (1983)]

Blepharis leendertziae Oberm. [3][1937] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (IK) **Ann. Transvaal Mus.** xix. 137 (1937)]

Blepharis leptophylla Hiern [1900] (< > *B. cuanzensis*) Acanthaceae [MD-536] [cit. (IK) **Cat. Welw. Afr. Pl.** i. 812.]

Blepharis linariaefolia Pers. [cf. 1806-2002] Acanthaceae [MD-536] [cit. (IK) **Syn.** ii. 180.]

Blepharis linariifolia Pers. [3][1806] Acanthaceae [MD-536] dis. (1); AF[2-AF/R] [cit. (TPL) **Syn.**