POCKET ARCHITECTURE: TECHNICAL DESIGN SERIES

KATHRINA SIMONEN

LIFE CYCLE ASSESSMENT



PocketArchitecture: Technical Design Series

Life Cycle Assessment

Kathrina Simonen



First edition published 2014 by Routledge 2 Park Square, Milton Park, Abingdon, Oxon OX14 4RN

and by Routledge 711 Third Avenue, New York, NY 10017

Routledge is an imprint of the Taylor & Francis Group, an informa business

© 2014 Kathrina Simonen

The right of Kathrina Simonen to be identified as author of this work has been asserted by her in accordance with sections 77 and 78 of the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this book may be reprinted or reproduced or utilized in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any information storage or retrieval system, without permission in writing from the publishers.

Trademark notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

British Library Cataloguing in Publication Data A catalogue record for this book is available from the British Library

Library of Congress Cataloging in Publication Data Simonen, Kathrina.

Life cycle assessment / Kathrina Simonen. — First edition. pages cm. — (PocketArchitecture: technical design series)

Includes bibliographical references and index.

- 1. Building—Planning. 2. Building materials—Service life.
- 3. Buildings—Environmental aspects. 4. Environmental impact analysis.

5. Sustainable construction. I. Title.

TH153.S63 2014 690—dc23

dc23 2013043316

ISBN: 978-0-415-70241-6 (hbk) ISBN: 978-0-415-70242-3 (pbk) ISBN: 978-1-315-77873-0 (ebk)

Typeset in Goudy and Univers

by Keystroke, Station Road, Codsall, Wolverhampton



Printed and bound in Great Britain by TJ International Ltd, Padstow, Cornwall

PocketArchitecture: Technical Design Series

Life Cycle Assessment

Life Cycle Assessment addresses the dynamic and dialectic of building and ecology, presenting the key theories and techniques surrounding the use of life cycle assessment data and methods.

Architects and construction professionals must assume greater responsibility in helping building owners to understand the implications of making material, manufacturing, and assemblage decisions and therefore design to accommodate more ecological building. *Life Cycle Assessment* is a guide for architects, engineers, and builders, presenting the principles and art of performing life cycle impact assessments of materials and whole buildings, including the need to define meaningful goals and objectives and critically evaluate analysis assumptions.

As part of the *PocketArchitecture* series, the book includes both fundamentals and advanced topics. The book is primarily focused on arming the design and construction professional with the tools necessary to make design decisions regarding life cycle, reuse, and sustainability. As such, the book is a practical text on the concepts and applications of life cycle techniques and environmental impact evaluation in architecture and is presented in language and depth appropriate for building industry professionals.

Kathrina Simonen is an Assistant Professor in the Department of Architecture at the University of Washington. Licensed as both an Architect and Structural Engineer, her research agenda stems from unresolved questions originated during over 15 years of professional practice. Her research topics include life cycle assessment (LCA) and practice innovations such as prefabrication, digital manufacturing, and alternative project delivery models. She is founding director of the Carbon Leadership Forum, an industry/academic research collaborative focused on linking the science of life cycle assessment to industry best practices in order to help enable quantifiable reduction of the environmental impact of the built environment.

PocketArchitecture: Technical Design Series

Series Editor: Ryan E. Smith

Building Information Modeling Karen M. Kensek

Life Cycle Assessment
Kathrina Simonen

Daylighting and Integrated Lighting Design Christopher Meek and Kevin Van Den Wymelenberg

Architectural Acoustics
Ana M. Jaramillo and Chris Steel

"Assistant Professor of Architecture Kathrina Simonen writes on the practice of life cycle assessment, authoring the handbook that she herself sought while wrestling with pressing questions of building, environment and quantification. Simonen positions LCA as an 'emerging discipline,' contextualizes LCA within its strengths, weaknesses and limitations, and dispels for the architect any attempt to idealize the practice. She translates what oft appears as a confounding method with concise and accessible language, case studies, didactic diagrams, and the aplomb to continuously remind us where methods require refinement, debate and consensus. An architect who has intuitively uttered the phrase 'embodied environmental impacts' in relation to a building, component or material – one who has desired a way of knowing environmental impacts more fully – will find herein a thorough discussion of the topic and description of the method. Simonen's handbook is timely and necessary as the building industry self-organizes to adopt environmental assessment methods pervasively and proactively for design decision making."

- Billie Faircloth, Kieran Timberlake

"Professor Simonen expertly bridges the gap between the practices of building design and life cycle assessment, and her book is another testament to that. It gives comprehensive guidance to understanding and implementing LCA from a uniquely US architect's perspective."

- Frances Yang, Structures and Sustainability Specialist, Arup

List of figures and tables

Figures

1.1	Simplified life cycle stages of a building	2
1.2	Life cycle tracking of emissions to and extractions from nature	3
1.3	Relative impact of a building's embodied vs. operational impacts	4
1.4	LCA tracks inputs from nature and outputs to nature that cross	
	the "system boundary"	5
1.5	Typical impacts tracked by LCA	6
1.6	Hypothetical life cycle impact results comparing four assembly	
	types	7
1.7	Integrating LCA data into design decision-making	12
1.8	Variations of scale and detail in building industry LCAs	13
2.1	LCA phases	15
2.2	LCA scope in a typical building life cycle	19
2.3	Declared vs. functional units	20
2.4	System boundary of a generic process	23
2.5	System boundary of glue laminated timber	25
2.6	LCA system boundary for a whole building LCA of an example	
	office building	26
2.7	Life cycle inventory data classification	28
2.8	Ozone depletion mid-point and end-point impacts	31
2.9	Fate and transport	33
.10	LCA interpretation	34
.11	Revised whole building LCA system boundary	36
3.1	LCA impacts and relevance to human and ecosystem damage	39
3.2	Local vs. global relationship between emission and impact	40
3.3	Ocean acidification process	42

LIST OF FIGURES AND TABLES

3.4	Acidification of soil and water	43
3.5	Acidification emissions distribution by sector	43
3.6	Climate impacts from GHG emissions	44
3.7	Global distribution of energy use and GHG emissions	45
3.8	Eutrophication	47
3.9	European exceedance of critical loads for eutrophication due	
	to the deposition of nitrogen in 2010	47
3.10	Annual European diffuse agricultural emissions of nitrogen to	
	freshwater (kg nitrogen per hectare of total land area)	48
3.11	Chemical reaction resulting in ozone depletion	49
3.12	Ozone depletion process and impacts	50
3.13	Success of the Montreal Protocol	50
3.14	"Good" and "bad" ozone	51
3.15	Ground-level ozone/smog formation processes	52
3.16	Particulate matter emissions, transportation, fate, exposure and	
	impacts	53
3.17	Particulate matter emission sources	54
3.18	Resource depletion impacts of LCA	57
3.19	Water footprint classification in LCA	58
3.20	Water use classification in building systems	59
3.21	EPA's hazardous waste characteristics	61
4.1	Iterative nature of LCA	66
4.2	Unit process compared to aggregated LCI data	72
4.3	EIO-LCA results from hypothetical building	79
4.4	Energy use of 50 hypothetical manufacturers	83
4.5	Data quality and sensitivity decision matrix	85
4.6	System boundary of multiple product system	86
4.7	Two independent co-products	86
4.8	Allocation decision tree	87
4.9	Two independent co-products resulting in two LCAs	88
4.10	Subtracting the LCA of a co-product to estimate impacts of	
	a single product (system expansion)	89
4.11	Allocation by mass	90
4.12	Allocation by economic value	91
4.13	Simplified representation of primary LCA calculations	92
5.1	Interrelationship of global LCA standards	94
5.2	Type I Label: ECOLOGO	99

LIST OF FIGURES AND TABLES

5.3	Example of hypothetical ISO Type II eco-label	100
5.4	Partial summary of results of a Type III EPD	102
5.5	Summary results of Type III EPD	103
6.1	Allocation options for emissions of tire used as fuel for cement	
	manufacturing	107
6.2	Allocation options for emissions related to slag production	110
6.3	Closed loop product system	111
6.4		112
6.5	Cradle-to-grave system boundary of steel reinforcing bar with	
	recycled content allocation method	113
6.6	Two hypothetical steel manufacturing processes	116
6.7	Environmental impact variation depending on recycling method	
	selected	117
6.8	Material flow in UK	118
6.9	Carbon absorption during plant growth	119
6.10	Life cycle stages of a wood product	120
6.11	Tracking carbon in a wood product	121
6.12	Tracking carbon over time in forests of different size	122
6.13	Carbon distribution within a typical tree	122
6.14	Average carbon footprint of five products	124
6.15	Seven LCA iterations demonstrating variability in results	
	depending on modeling methods	127
6.16	Embodied impacts as a percentage of total impact	128
6.17	Variations in embodied carbon based on structural system	128
6.18	Municipal waste management in Europe, 1995–2010	130
6.19	End-of-life decision tree	131
7.1	Product LCA informing whole building LCA	133
7.2	Integrated LCA framework	134
Tab	lles	
		-
2.1	Declared and functional units of typical building products	21
2.2	Partial life cycle inventory emissions to water and air in GLB	
	manufacture: kg per m ³ of product	29
2.3	Calculating mid-point impacts with characterization factors	30
2.4	Climate change impacts for glue laminated timber manufacturing	32

LIST OF FIGURES AND TABLES

3.1	Environmental impacts commonly estimated by LCA	38
3.2	Resource use commonly estimated by LCA	38
3.3	Resource consumption impacts of LCA	56
4.1	LCI for kiln dried lumber	72
4.2	Top 20 sectors GHG emissions for one million dollars of flat glass	
	production	75
4.3	EIO-LCA calculation summary	76
4.4	EIO-LCA calculation summary	77
5.1	Primary adopted LCA standards related to buildings and building	
	products	95
5.2	Partial summary of results of EPD impacts	104
6.1	Potential sources of uncertainty and variability in concrete LCA	125
6.2	Potential sources of uncertainty and variability in a whole	
	building LCA	126

Series Editor's Preface

Although architects and building professionals come into contact with, specify, design, and build technical practices every day, they actually know relatively little about them. They are "abstract systems" construed and constructed upon industry norms passed down through generations of professionals. Most of them are correct, but many when disassociated from their cultural underpinnings of building vernacular and, more importantly, their scientific basis and practice contexts, present challenges that cause buildings not to perform as intended or, worse, lead to physical, economic, or social catastrophe.

PocketArchitecture: Technical Design Series fills this void. The series comprises succinct, easy-to-use, topic-based volumes that collate in one place unbiased, need-to-know technical information about specific subject areas by expert authors. This series demystifies technical design criteria and solutions. It presents information without overladen theory or anecdotal information. PocketArchitecture is on point.

As the name would suggest, the volumes in this series are pocketsized and collectively serve as a knowledge base on technical subjects in architecture, creating a value-added information base for building novices and masters alike. In addition to architects, engineers, and contractors that deliver building projects, the series is appropriate for students and academics interested in accessible information on technical information as it relates to building design and construction.

Despite their size, the series volumes are highly illustrated. Furthermore, the volumes use easily accessible language to succinctly explain the fundamental concepts and then apply these basic ideas to cases of common issues encountered in the built environment. *PocketArchitecture* is essential, accessible, and authoritative. This makes it important reading for architectural technologists, architects, building surveyors, building commissioners, building engineers, other construction professionals, even owners and clients.

SERIES EDITOR'S PREFACE

This volume, Life Cycle Assessment, addresses the dynamic and dialectic of building and ecology, presenting the key theories and techniques surrounding the use of life cycle assessment data and methods. As part of the PocketArchitecture Series, the book includes both fundamentals and advanced topics. The book is primarily focused on arming the design and construction professional with the tools necessary to make design decisions regarding life cycle, re-use, and sustainability. As such, the book is a practical text on the concepts and applications of life cycle techniques and environmental impact evaluation in architecture.

Ryan E. Smith Series Editor

Preface

As a practising architect, I struggled to understand the environmental impact of building materials and strove to find ways to integrate this knowledge into design and construction practice. What began as a search for the "carbon footprint" of specific materials and transportation methods expanded to a study of the broad range of environmental impacts related to building materials, products and buildings using a life cycle perspective.

As an architecture researcher, I have been exploring life cycle assessment (LCA) methods, data and tools to understand the opportunities and challenges that these resources provide to architects (and others in the building industry) looking to understand and reduce the environmental impact of buildings.

This book is designed to be the resource that I searched for when I began attempting to use LCA data in practice: an introduction to the fundamentals of LCA, graphic representation of abstract concepts, developed examples of application to the building industry, and identification of relevant LCA resources.

Acknowledgments

My understanding of LCA has been greatly enhanced by the support from fellow faculty members including, most significantly, Joyce Cooper, Associate Professor of Mechanical Engineering at the University of Washington, who graciously included me (and my student researchers) in her LCA graduate seminar and has provided sound advice and mentorship. Additionally, Liv Haselbach, Associate Professor of Civil and Environmental Engineering at Washington State University, and Elaine Oneil, Research Scientist in the College of the Environment at the University of Washington, along with Joyce Cooper, collaborated effectively to develop research exploring the integration of LCA into the Washington State Building code. The research we developed together for that report provided a solid foundation from which to develop the content of this book. Thank you, Joyce, Liv and Elaine.

Thank you also to graduate student researchers: Kyle Boyd, Yasaman Esmaili, David Fish, Dahra Goradia, Lissa Gotz, Monica Huang, Jocelyn Reutebuch, Kristen Strobel and Mazohra Thami. Their LCA research contributed both directly and indirectly to this book. Mazohra deserves special recognition for her help in establishing the graphic quality of the illustrations.

Generous permission to use or adapt images, text and/or data was provided by the following: Armstrong World Industries, Arup, the Carnegie Mellon University Green Design Institute (CMU GDI), CEDA, the Consortium for Research on Renewable Industrial Materials (CORRIM), the European Commission Joint Research Centre Institute for Environment and Sustainability, the European Environment Agency (EEA), the European Committee for Standardization (CEN), the International Organization for Standardization (ISO), John Basbagil, the Journal of Environmental Science and Technology, the Journal of Industrial Ecology, the Forestry Commission (UK), the National Oceanic and Atmospheric Administration (NOAA),

ACKNOWLEDGMENTS

the Institute of Construction and Environment (IBU), National Renewable Energy Laboratory (NREL), UL Environment and the World Resource Institute (WRI).

I would also like to thank the following LCA practitioners and industry experts who took the time to read sections of this book including: Claire Broadbent, Lindita Bushi, Chris Erickson, Erin Moore, Elaine Oneil, Tien Peng, Edie Sonne Hall, Cassie Theil and Frances Yang. Their comments greatly improved the clarity and accuracy of the text and images.

I am pleased to be included in this new series of handbooks for architects and appreciate the editorial advice of Ryan Smith and the enthusiasm of the staff at Routledge.

Support for the research and development for the book was provided by the Mithun/Russell Family Foundation Endowed Professorship in Sustainability, the University of Washington's College of Built Environments and the Carbon Leadership Forum (www.carbonleadershipforum.org) industry sponsors who include: Arup, Central Concrete, the National Ready Mixed Concrete Association, Webcor Builder as well as Climate Earth, Ceratech, Degenkolb and Magnusson Klemencic Associates.

And most significantly, I would like to thank my mother, Candace, for reading, editing and improving my writing from the beginning; my father, Tom, for encouraging me to pursue engineering; Oliver, Max and Gus for nighttime NERF battles; and Rolland for his love and support.

Abbreviations

ANSI American National Standards Institute

ASTM ASTM Standards

BOF Basic oxygen furnace

CEN European Committee for Standardization

EAF Electric arc furnace

EEA European Environmental Agency

EIO Economic input-output

EPA Environmental Protection Agency (US)

EPD Environmental Product Declaration

EU European Union
GCV Gross calorific value

GGBFS Ground granulated blast furnace slag

GHG Greenhouse gas

GLB Glue laminated beam (or timber)

HPD Health product declaration

ISO International Standards Organization

LCA Life cycle assessment LCCA Life cycle cost analysis LCI Life cycle inventory

LCIA Life cycle impact assessment

MEP Mechanical Electrical and Plumbing

NCV Net calorific value NO Nitrogen oxides

PAS Publicly Available Specification from British Standards

Institution

PCR Product category rules

PM Particulate matter

ABBREVIATIONS

SETAC Society for Environmental Toxicology and Chemistry

SO Sulfur oxides

TRACI Tool for the Reduction and Assessment of Chemical and Other

Environmental Impacts (US EPA)

UN United Nations

UNEP United Nations Environment Program

US United States