BRENNEMANN - McQUARRIE PEDIATRICS INDEX

BRENNEMANN'S PRACTICE OF PEDIATRICS

Edited by

IRVINE McQUARRIE, A.B., PH.D., M.D.

PROFESSOR AND HEAD OF DEPARTMENT OF PEDIATRICS, EMERITUS, UNIVERSITY OF
MINNESOTA; FORMERLY CONSULTANT IN CONTAGIOUS DISEASES, MINNEAPOLIS
GENERAL HOSPITAL; MEMBER, ADVISORY COMMITTEE ON RESEARCH, KENNY
FOUNDATION. DIRECTOR OF MEDICAL EDUCATION,
CHILDREN'S HOSPITAL
HONOLULU, HAWAII

GENERAL INDEX

NOTE

When using this Index always note volume, chapter and page.

First reference indicates volume.

Second reference indicates chapter.

Third reference indicates page.

Each time the periodically published Supplementary Index is received, it should be inserted at the back of this Index. First, refer to the Supplementary Index (blue pages); then, if the subject of your search is not there, turn to this General Index.

W. F. PRIOR COMPANY, INC.

1958

Abdomen. See also Gastrointestinal
Tract actinomycosis, III, 6: 69
actinomycosis, III, 6: 69 case report, III, 6: 70
diagnosis, III, 6: 70 pathology, III, 6: 69
roentgenologic studies, III, 6: 70
symptoms, III, 6: 70 treatment, III, 6: 70
antibiotics, III, 6: 70
drug therapy, III, 6: 70 acute, III, 4: 1
acute, III, 4: 1 ascites, III, 4: 13 distention, III, 4: 13
exudates in, III, 4: 14
exudates in, III, 4: 14 hemorrhage, III, 4: 4 intussusception, III, 4: 13; 6: 61
obstructions, III, 4: 1
pain, III, 4: 7 tenderness and rigidity, III, 4: 9
trauma, III, 4: 14
vomiting, III, 4: 1 crisis, sickle cell anemia, III, 16:
examination, I, 19: 32
injury, III, 4: 14; 9: 1
bladder, III, 9: 6 cholecystitis following, III, 11: 36
colon, III, 9: 5 diagnosis, III, 9: 3 diaphragmatic hernia, III, 9: 5
diaphragmatic hernia, III, 9:5
hemorrhage, intraperitoneal, III, 9:7
intestine, III, 9: 5 kidney, III, 9: 5
liver, III, 9: 3 pancreas, III, 9: 4
pancreas, III, 9: 4 pneumoperitoneum, roentgenogram,
III, 9: 4
prognosis, III, 9: 6 roentgenography, III, 9: 3, 5
spleen, III, 9: 4 stomach, III, 9: 5
symptoms, III, 9: 2
tabulation of possibilities, III, 9:
treatment, III, 9: 7 urinary tract, III, 9: 5
newborn period, I, 42: 23
pain, in infectious mononucleosis, II, 8: 6
premature infant, I, 43: 48
preschool child, I, 8: 22 tuberculosis, II, 28: 30; III, 6: 82
tumors, III, 4: 11; 10:1
intestine, III, 10: 3 liver, III, 10: 2
mesentery, III, 10:5
mesentery, III, 10: 5 omentum, III, 10: 4 pancreas, III, 10: 5
presacral, III, 10: 5
spleen, III, 10: 5
stomach, III, 10: 2 wall, abscess, III, 6: 43
Abnormalities and Deformities. See
also under organs and regions
associated with cystic fibrosis of pancreas, I, 29-A: 4
pancreas, I, 29-A: 4 congenital, I, 42: 29 in newborn due to rubella in moth-
er, II, 12: 3
cranial, IV, 13: 14

```
Abnormalities and Deformities
 scrotum, III, 30: 21
testicles, III, 30: 21
urethra, III, 30: 7
Abortion, relation of brucellosis
                                       to.
    II, 33: 13
  septic, penicillin in, I, 44: 20
Abscess. See also under names
                                       of
    organs and regions
  amebic, III, 6: 81; 11: 50. See also
    Liver, abscess, amebic
  Bezold's, IV, 39: 30
    in acute mastoiditis, IV, 39: 32
  complicating scarlet fever, II, 23:
      12. 13
    treatment, II, 23: 21
  extradural, IV, 39: 41
  ischiorectal, III. 7: 23. See also
    Rectum, abscess
  liver, III, 11: 49
  localized cold, following breakdown
    of lymph nodes, III, 6:84
  lung, II, 54: 24
    in coccidioidomycosis, II, 14: 20
  mediastinum, II, 54: 9
  multiple, in infants, IV, 40: 39
  of Bazin, IV, 40: 57
perinephric, III, 27: 16
    due to Salmonella suipestifer sep-
       ticemia, II, 22: 3
    treatment, penicillin, I, 44: 20
  perirectal, III, 7: 23
  perisinus, IV, 39: 41
peritonsillar, II, 42: 11
  periurethral, III, 30: 42
  prostatic, III, 30: 60
  rectal, III, 7: 23
  retropharyngeal, II, 42: 12
  subphrenic, III, 6: 77
  tropical, III, 6: 81; 11: 50
Acacia, solution, I, 16: 6, 7
Acanthocheilonema perstans, II, 35: 27
Accidents, I, 17: 43
  burns, I, 17: 52
  crippled children resulting from, I,
    17:44
  drowning, I, 17: 52
  epidemiology, I, 17: 46
  falls, I, 17: 52
  firearms, I, 17: 53
  incidence, age, I, 17: 44
    geographic distribution, I, 17: 45
    race, I, 17: 46
season, I, 17: 45
sex, I, 17: 45
    time of day, I, 17:46
  mortality, I, 17: 43, 44, 50, 51
  motor vehicles, I, 17: 50
    deaths due to, in United States,
       1953, 1954, I, 17: 51
  poisoning, I, 17: 1, 50
  prevention, I, 17: 46, 47
     education, I, 17:49
     protection, I, 17: 49
     role of, parents, I, 17: 48
physician, I, 17: 48, 54
  proneness in children for, I, 17: 54
  summary, I, 17: 55
  treatment, I, 17: 54
  types, I, 17: 50
Acetanilid, poisoning, I, 17: 11
Acetone, in urine, III, 28: 33
  poisoning, I, 17: 11
```

```
Acetylcholine, muscles and, IV, 37: 11
  nervous system, autonomic, IV, 19:
Acetylsalicylic Acid, I, 13: 6, 37
  poisoning, I, 17: 32
Achondroplasia, IV, 28: 1
anatomy, morbid, IV, 28: 9
at different ages, IV, 28: 7, 9, 13, 14
  bones of full term fetus, IV, 28: 6
  cartilage-shaft junction, microscopic
    findings, IV, 28: 11
  clinical picture, IV, 28: 15
  definition, IV, 28: 1
  differential diagnosis, IV, 28: 18
  epiphyseal cartilages, IV, 28: 10, 13
  etiology, IV, 28:5
  history, IV, 28: 1
  hydrocephalus and, IV, 3:16
  hyperplastic type, IV, 28: 11
  hypoplastic, IV, 28: 11 in, animals, IV, 28: 19
    art and literature, IV, 28: 2, 3
    twins, IV, 28: 5
  incidence, IV, 28: 8
  inheritance, IV, 28: 5
  local or regional, IV, 28: 19
  lower extremity, IV, 28: 12
  lumbosacral spine at 3 months, IV,
    28: 17
  macrocephaly, IV, 28: 16
  micromelia, IV, 28: 16
  morphologic changes, gross, IV, 28:
    11
  pathogenesis, IV, 28:5
  prognosis, IV, 28: 19
  progressive change, IV, 28: 8
  ribs, IV, 28: 13
                      appearance,
                                      TV.
  roentgenographic
    28: 18
  sacrum, IV, 28: 15
  skeleton, IV, 28: 5, 10, 11
skull, IV, 28: 15, 16
  stillborn achondroplast, IV, 28: 9
  terminology, IV, 28: 1
  treatment, IV, 28: 20
  vertebral column, IV, 28: 7, 14
Achromia, acquired, IV, 40: 47
Acid-Base, balance of body fluids,
    24: 1. See also Acidosis; Alkalosis
  equilibrium and convulsions, IV, 12:
    22
Acidemia, I, 24: 1
Acidosis, I, 24: 1
  accompanying severe infection or
    moribund state, I, 24: 14b
  associated with diarrhea and vomit-
    ing, I, 24: 3
  chloride, I, 36: 113
  classification of severity, I, 24: 2
  definition, I, 24: 1
  diabetic, I, 24: 10
    differentiated
                    from appendicitis,
       III, 6: 42
     pathogenesis, I, 24: 10
     treatment, I, 24: 13
  diagnosis, I, 24: 1
  etiology, I, 24: 2
  in, poisoning, I, 17: 8
  incidence, I, 24: 2
  ketosis, I, 24: 1, 4, 15
  metabolic, I, 24: 2
```

Acetophenetidin, poisoning, I, 17: 11

penis, III, 30: 6

cidosis	Actinomycosis	Adolescence
metabolic	head and neck, II, 14: 4	calcium and nitrogen storage, I, 10:
associated with diarrhea and vomiting, I, 24: 3	history, II, 14: 1 incidence, II, 14: 3	11 calcium balance at adolescence, I,
pathogenesis, I, 24: 3	kidney, II, 14: 6; III, 32: 16	10: 12
adrenal insufficiency, I, 24: 4	laboratory tests, agglutination, II,	definition, I, 7: 11
dehydration, I, 24: 3	14: 7	dental caries, I, 10: 20
loss of gastrointestinal secretions, I, 24:3	liver, II, 14:5; III, 6:69; 11:78 lung, II, 54:61	chart, I, 10: 21 development of sex characters, I, 10:
miscellaneous, I, 24: 4	differentiated from, empyema, II,	16
renal insufficiency, I, 24: 4	53: 11	female, I, 10: 16
respiratory failure, I, 24: 4	surgical treatment, II, 54: 61	menstruation, I, 10: 17
treatment, I, 24: 5	mouth, III, 1: 51; 2: 9	irregularities, I, 10: 17
antibiotic, I, 24: 7 chemotherapy, I, 24: 7	pathogenesis, II, 14: 3 prognosis, II, 14: 7	exercise, I, 10: 18 glandular dysfunction, I, 10:
milkweed poisoning, I, 24: 15b	skin, II, 14: 5	19
renal, I, 24: 13a	symptoms, II, 14: 4	nutritional, I, 10:18
pathogenesis, I, 24: 13a	thorax, II, 14: 4	male, I, 10: 16
treatment, I, 24: 14a	treatment, II, 14:8 penicillin, I, 44: 23; III, 6: 70	disturbances, I, 10: 16
rickets with, I, 36: 114 Ringer's solution in, I, 24: 6	sulfanilamide, II, 14: 8	dietary requirements, I, 10: 13 sample diet, I, 10: 14
salicylate intoxication, I, 24: 15	surgical, II, 14: 8	endocrine glands, I, 10: 14
signs and symptoms, I, 24: 1	Adaptation Syndrome, IV, 19: 46	determinations of excretion of 17-
snakeroot (milkweed) poisoning, I,	Addis, diet for nephritis, III, 28: 13	ketosteroids and estrogens in girls and boys of different ages,
24: 15b	Addison's Disease, I, 40: 22	I, 10: 15
sulfanilamide intoxication, I, 24: 15a treatment, I, 24: 5, 13, 14a	diagnosis, I, 40: 23 etiology, I, 40: 22	mental, social and emotional factors
outline, I, 24: 18	fetus affected by Addison's disease in	in, I, 10-A: 1
Acids, poisoning, I, 17: 12	mother, I, 42: 7	choice of mate, I, 10-A: 15
Acne, scrofulosorum, IV, 40: 59	prognosis, I, 40: 25	dependence upon peer groups, I, 10-A: 5
vulgaris, IV, 40: 75	symptoms and signs, I, 40: 22	parent-child relationship, I, 10-A:
etiology, IV, 40: 75	treatment, I, 40: 23 hormone, I, 40: 23	4
symptoms, IV, 40: 75	maintenance, I, 40: 25	personality integration, I, 10-A: 15
treatment, IV, 40: 76	rehydration, I, 40: 24	pressures of modern society; voca-
Acrocephaly, IV, 25: 1. See also Oxycephaly; Synostosis, premature	Adenitis, tuberculous, differentiated	tional choice, I, 10-A: 2 psychologic tasks, I, 10-A: 2
Acrodynia, IV, 20: 1; 40: 28	from cat scratch disease, III, 19: 47	school adjustment, I, 10-A: 2
age incidence, IV, 20: 3	Adenocarcinoma, I, 38: 47	sex, acceptance of sex role, I, 10-
anorexia in, IV, 20: 9	Adenoidectomy. See Adenoids, removal	A: 8
diagnosis, IV, 18: 15	Adenoids, II, 40: 1, 7	childhood backgrounds for ade-
differentiated from pellagra, I, 84:	hearing impairment due to, II, 40: 8,	quate sexual adjustment, I, 10-A: 11
etiology, IV, 18: 14; 20: 3	historical, II, 40: 1	homosexual period and sexual
history, IV, 20: 1	irradiation, II, 40: 8	development, I, 10-A: 14
incidence, IV, 20:1	physiologic considerations, II, 40: 2	need for sex education through- out childhood, I, 10-A: 8
insomnia in, IV, 20: 9 itching and burning, IV, 20: 8	removal, asthma and, II, 57: 12, 47 cleft palate and, III, 1: 12	social-sexual problems, I, 10-A:
laboratory findings, IV, 20: 10	effect on incidence of, common	7
loss of teeth, IV, 20: 9	cold, II, 40: 11	strains and satisfactions, I, 10-A:
mercury as etiologic factor, IV, 20:	purulent otitis media, II, 40: 11	3
4; 41: 6	indication, I, 11: 7; II, 40: 4, 5, 6,	nature of growth, I, 10: 2 annual increment in height in
pathology, IV, 18: 14; 20: 10; 40: 29	7	three menarcheal age groups,
perspiration, excessive, IV, 20: 8	prophylactic value, II, 40: 19 scarlet fever and, II, 23: 21	I, 10: 6
prognosis, IV, 18: 15; 40: 29	should tonsils be removed too? II,	correlation of pulse pressure and
rash in, IV, 20: 7	40: 20	basal metabolic rate in girls, I,
symptoms, IV, 18: 14; 20: 6	source of ear disorders, II, 41: 14	10: 7
treatment, IV, 20: 10; 40: 29 BAL, IV, 20: 11	speech disorders, IV, 14: 25	height and weight gains compared with chronologic age, I, 10: 4
Acroparesthesia, IV, 19: 34	symptoms and management, II, 40: 7	relation, between puberal growth
differential diagnosis, IV, 19: 35	Adenoma, causing mechanical ileus, III, 6: 49	rates and disease, I, 10: 2, 3
pathology, IV, 19: 35	malignant, I, 38: 48, 49	linear growth to physiologic age,
therapy, IV, 19:35	sebaceum, IV, 40: 1	I, 10: 6 obesity, I, 10: 19
Actinomycosis, II, 14: 1	etiology, IV, 40:1	osseous, development, I, 10: 7
abdomen, II, 14:5; III, 6:69 case report, III, 6:70	pathology, IV, 40:1	disturbances, I, 10:8
diagnosis, III, 6: 70	treatment, IV, 40: 1	thyroid, I, 10: 24
pathology, III, 6: 69	thyroid, I, 38: 13, 14, 15 Adenopathy, regional, in cat scratch	tuberculosis, I, 10: 21; II, 28: 10
treatment, III, 6: 70	disease, III, 19: 40, 41, 42	interrelation of puberty, nutrition and course of tuberculosis, I,
clinical types, II, 14: 4 definition, II, 14: 1	Adhesions, hernia caused by, III, 8: 10	10: 22, 23
diagnosis, II, 14: 6	postoperative, causing mechanical	welfare work and, I, 7: 11
differential diagnosis, II, 14: 6	ileus, III, 6: 47	Adoptions, I, 9:30
empyema, II, 53: 11	Adolescence, I, 10: 1	in relation to heredity, I, 3: 24
esophagus, II, 14: 5 etiology, II, 14: 1	anemia, I, 10: 24 basal metabolism, I, 10: 9	Adrenals, I, 40: 19 adaptation syndrome and, IV, 19: 46
Actinomyces bovis, II, 14: 1	adolescent caloric intake in girls,	adaptation syndrome and, IV, 19: 46 autonomic nervous system and, IV,
colony of actinomyces, II, 14: 2	I, 10: 11	19: 25
mode of infection, II, 14: 1	in prepuberal and postpuberal	cortex, I, 40: 19
genitourinary tract, II, 14: 6	periods, I, 10: 10	affecting metabolism, I, 22: 16

Adrenals cortex diseases, I, 40: 22 Addison's disease, I, 40: 22. See also Addison's Disease adrenal cortical virilism, I, 40: carcinoma, I, 40:28 diagnosis, I, 40:29 etiology, I, 40:25 prognosis, I, 40:29 symptoms and signs, I, 40: 26 treatment, I, 40: 29 Cushing's syndrome, I, 40: 29 diagnosis, I, 40: 31 etiology, I, 40:29 prognosis, I, 40: 32 symptoms and signs, I, 40: 30 treatment, I, 40: 31 potassium salt, I, 40: 31 surgery, I, 40: 31 testosterone, I, 40: 31 mixed adrenal cortical, I, 40: 32 panhypoadrenocorticism, I. 40: 22 physiology, I, 40:19 hormones, androgenic prote anabolic or "N," I, 40: 20 protein miscellaneous, I, 40:21 protein catabolic, "S," I, 40: 20 sugar water and electrolyte, I, 40: 20 hypofunction, I, 42: 100 medulla, I, 40: 33 diseases, I. 40: 33 hyperadrenalism due to pheochromocytoma, I, 40: 36 mixed adrenal medullary and adrenal cortical disease, I, 40: 37 neuroblastoma, I, 40:33 roentgenograms showing skeletal metastases in child, I, 40: 35 metabolism, basal, I, 22: 15 neoplasms, III, 32: 46 chromaffinoma, III, 32: 46 cortical, III, 32: 47 differential diagnosis, III, 32: 47 ganglioneuroma, III, 32: 46 neuroblastoma, III, 32: 47 perirenal oxygen insufflation diagnosis, III, 32: 6, 47 pheochromocytoma, III, 32: 46 treatment, III, 32: 47 newborn, I, 42: 14 pseudohermaphroditism, I, 40: 27 tumors, metastases to liver, III, 11: 79 Aerosols, in sterilization of air, II, 44: 6 Afibrinogenemia, III, 17:16 African Sleeping Sickness, II, 36: 34. See also Trypanosomiasis, African Agenesis, and amputations compared, IV, 24: 5 Agglutination Test, in, brucellosis, II, 33: 14 tularemia, II, 29: 6 typhoid fever, II, 30: 20 Agglutinins, III, 14: 16 in primary atypical pneumonia, II, 48-A: 4 Aggressins, II, 1: 13 Agranulocytosis, blood transfusion in, I, 14:29 penicillin in, I, 44: 24 Agraphia, IV, 14: 12, 32, 35 Ainhum, congenital, IV, 24: 1. See also Amputations, congenital Air, disinfection, II, 44: 1 aerosols, II, 44: 6

disinfection avoidance of air contamination, II. 44: 5 premature infants' incubator, II, 44:5,10 bactericides, volatile, II, 44:7 'C-acid,'' II, 44: 7 chemical sterilization, II, 44: 6 diethylene glycol, II, 44:7 dust control, II, 44:9 effectiveness of measures for reducing the numbers of air-borne bacteria and viruses, II, 44: 2 glycols, II, 44: 7 glycostat, II, 44: 8 hexylresorcinol, II, 44: 7 humidity as bactericide, II, 44: 10 in infant ward, II, 44: 4 lactic acid, II, 44: 7 man's method of contaminating air, II, 44: 2 masks, II, 44: 5 methods of sampling air, II, 44: 3 broth culture, II, 44: 4 exposure of culture medium in open Petri dish, II, 44: 3 impaction of bacteria against solid medium, II, 44: 4 numbers and types of bacteria to be expected under various circumstances, II, 44: 4 propylene glycol, II, 44: 7 sterilization, II, 44: 6 chemical, II, 44: 6 ultraviolet irradiation, II, 44: 6 Streptococcus viridans as index of human air pollution, II, 44: 2 triethylene glycol, II, 44: 7 Triton T-13, II, 44: 9 ultraviolet lamps, II, 44: 5, 6 wave length of germicidal effectiveness, II, 44: 6 ventilation, II, 44: 9 filtration, in hay fever treatment, II, 58: 12 fresh. I. 4: 1 benefits of exposure out of doors, I, 4: 7 providing, indoors, I, 4: 8 passages, II, 38: 1. See also Respiratory Tract sampling, for determination of bacteria count, II, 44: 3 Alastrim, II, 25: 9 Albers-Schönberg Disease, IV, 23: 19 Albinism, IV, 40: 1 effect on eyes, IV, 38: 20 Albright Syndrome, IV, 36: 3 Albuminuria, III, 25: 12; 28: 26 alimentary, III, 28: 27 Bence-Jones proteinuria, III, 25: 13; 28: 28 febrile, III, 28: 27 in, nephrosis, III, 28: 16 newborn, III, 28: 27 organic, III, 28: 28 orthostatic, III, 25: 13; 28: 26 Alcohol, as etiologic factor in portal cirrhosis, III, 11: 60 poisoning, I, 17: 12 polyneuritis, IV, 18: 20 Aleppo Boil, II, 36:28 Aleukemias, III, 18:8 Alexia, IV, 14: 12, 32, 35 Alkalemia, I, 24: 1 Alkalosis, I, 24: 1

Alkalosis definition, I, 24: 1 diagnosis, I, 24: 1 etiology, I, 24: 2 incidence, I, 24: 2 ketosis, I, 24: 1 metabolic, I, 24: 15b nonobstructive vomiting, I, 24: 17 obstructive vomiting, I, 24: 15b preoperative parenteral feeding, I, relief, I, 24: 16b treatment, I, 24: 16a emergency of alkalotic tetany, I, 24: 16b outline, I, 24: 18 respiratory, I, 24: 17b Alkaptonuria, III, 28: 34 Allergy. See Anaphylaxis and Allergy Alligator, skin disease, IV, 40: 6 Alopecia, areata, IV, 40: 78 etiology, IV, 40: 78 prognosis, IV, 40: 79 symptoms, IV, 40: 78 treatment, IV, 40: 79 caused by congenital syphilis, II, 26: congenita, IV, 40: 3 etiology, IV, 40:3 pathology, IV, 40:3 prognosis, IV, 40: 3 treatment, IV, 40: 3 Amanita, poisoning, I, 17: 29 Amebiasis, II, 36:6 abscess, of liver, II, 36:13 carriers, II, 36: 9, 11 complications, II, 36: 13 definition, II, 36:6 diagnosis, II, 36: 13 differential diagnosis, II, 36:16 bacillary dysentery, II, 5:17 dysentery, chronic, II, 36: 13 subacute, II, 36: 13 symptoms, II, 36: 12 Endamoeba, coli, diagnostic differentiation from other types, II, 36: histolytica, diagnostic differentiation from other types, II, 36: 14 identification of, II, 36: 15 diagnostic differentiation nana. from other types, II, 36: 14 enteritis, II, 36: 12 epidemiology, II, 36: 6 etiology, II, 36: 6 Endamoeba histolytica, II, 36: 7 cysts, II, 36: 7, 8 trophozoite, II, 36: 7 method of transmission, II, 36: 8 geographic distribution, II, 36: 6 history, II, 36: 6 pathology, II, 36: 9 carriers, II, 36: 11 Endamoeba histolytica in muscular coats of intestine, II, 36: 9 perforation of ulcer, II, 36: 13 prognosis, II, 36: 16 prophylaxis, II, 36: 16 DDT, II, 36: 17 diodoquin, II, 36: 16 sequelae, II, 36: 13 sigmoidoscopic examination, II, 36: 16 stools, II, 36: 12, 13 symptoms, II, 36: 11 treatment, II, 36: 17 carriers, II, 36: 17 diodoquin, II, 36: 18 dysentery, II, 36: 18 chronic, II, 36: 19

accidental, I, 24: 17a

alkali administration, I, 24: 17a

emetrins, II, 38: 18 entertits, II, 36: 17 general, II, 38: 19 index of cure, II, 36: 18 Amentin, I, 9: 22 classification, I, 9: 21 developmental ratio, I, 9: 23 suparting diagnosis to parents, I, 9: 22 institutional care, I, 9: 23 secondary developmental ratio, I, 9: 22 institutional care, I, 9: 23 secondary developmental ratio, I, 9: 22 institutional care, I, 9: 23 secondary developmental ratio, I, 9: 22 institutional care, I, 9: 23 secondary developmental ratio, I, 9: 20 20 Amino Acids, daily need, III, 33: 8 formulas, I, 23: 4 singlit, II, 33: 6 nult; II, 33: 10 Schick test, I, 6: 14 doodnald, II, 35: 11 Ancyloidomiasi, II, 16: 13 clinical pictures, III, 16: 13 clinical pictures, III, 16: 13 clinical pictures, III, 16: 23 nult; III, 16: 23 nult; II, 16: 24 nult; II, 16: 24 nult; II, 16: 25 nult; II, 16: 24 nult; II, 16: 25 nult			
nutrition, disorders, I, 28: 11 table of, III, 33: 3 Ammonia, dermatitis, IV, 41: 1. Sea also Diaper, ammoniacal Amphetamine, poisoning, I, 17: 13 Amputations, amniotic, IV, 24: 1 congenital, IV, 24: 1 agenesis compared, IV, 24: 5 associated malformations, IV, 24: 1 etchoicar, IV, 24: 1 etchoicar, IV, 24: 1 multiple, IV, 24: 1 fondere, IV, 24: 1 multiple, IV, 24: 1 multiple, IV, 24: 1 supernumerary digits, IV, 24: 3 synonyms, IV, 24: 1 fonder, IV, 24: 1 intrauterine, IV, 24: 1 spontaneous, IV, 26: 8 diagnosis, IV, 16: 8 diagnosis, IV, 16: 9 readment, IV, 16: 9 treatment, IV, 16: 9 treatment, IV, 16: 9 allergic diseases, I, 6: 16; II, 59: 1 sensitization in coecidiodomycosis, II, 14: 20 anaphylactic reaction or shock, I, 6: 6 anergy, I, 6: 5 antiallergy, I, 6: 7 atopic diseases, I, 6: 18 bee poison, I, 6: 9 blood transfusions and, I, 6: 13; 14: 20 anaphylactic reaction or shock, I, 6: 6 anergy, I, 6: 7 atopic diseases, I, 6: 18 bee poison, I, 6: 9 blood transfusions and, I, 6: 13; 14: 20 anaphylactic reaction or shock, I, 6: 6 definition, IV, 43: 13. See also Dermatitis, atopic; Dermatitis, contact Dick test, I, 6: 14 differences between anaphylaxis and differences	Amebiasis treatment emetine, II, 36: 18 enteritis, II, 36: 17 general, II, 36: 19 index of cure, II, 36: 18 Amentia, I, 9: 22 classification, I, 9: 21 developmental ratio, I, 9: 19 differentiated from aphasia, IV, 14: 13 guidance measures, I, 9: 23 home care, I, 9: 23 imparting diagnosis to parents, I, 9: 22 institutional care, I, 9: 23 secondary developmental ratio, I, 9: 20 Amino Acids, daily need, III, 33: 8 formulas, I, 23: 4 growth requirements, III, 33: 3 in, diarrhea, I, 28: 17 foods, III, 33: 4, 8	Anaphylaxis and Allergy diseases having allergic features, I, 6: 11 endotoxins, I, 6: 2 environmental allergens, IV, 43: 39 ergins, I, 6: 5 exotoxins, I, 6: 2 experimental, I, 6: 6 food, newborn period, I, 42: 107 gastrointestinal tract, II, 59: 1 histamine, I, 6: 8 hyperergic reaction, I, 6: 5 leukocytes in, I, 6: 13 migraine, II, 59: 4 mosquito toxin, I, 6: 9 neuritis caused by, IV, 18: 23 physical, II, 59: 5 poison ivy, I, 6: 9 reactivity, I, 6: 5 rhinitis due to, II, 41: 2 differentiated from common cold, II, 39: 10 Schick test, I, 6: 14 serum sickness, I, 6: 3	congenital etiology, constitution; congenital 16: 32 heredity a inheritanc 31 Cooley's, III deficiency, I definition, I dietary, III, nutritiona due to infe- acute infi- chronic p etiology, pathogene specific ir 19 treatment elliptocytic, case repor
Amphetamine, poisoning, I, 17: 18 Amputations, amniotic, IV, 24: 1 congenital, IV, 24: 1 agenesis compared, IV, 24: 5 amelus monster, IV, 24: 5 associated malformations, IV, 24: 1 case reports, IV, 24: 1 cisc reports, IV, 24: 1 description, IV, 24: 1 multiple, IV, 24: 1 multiple, IV, 24: 1 pathology, developmental, IV, 24: 3 synonyms, IV, 24: 1 funic, IV, 24: 1 pathology, developmental, IV, 24: 3 synonyms, IV, 24: 1 fonic, IV, 24: 1 intrauterine, IV, 24: 1 spontaneous, IV, 24: 1 fonic, IV, 24: 1 intrauterine, IV, 24: 1 spontaneous, IV, 24: 1 Amyloidosis, liver, III, 11: 77 spleen, III, 20: 16 Amylopsin, I, 20: 11 Amylotonia, congenita, IV, 16: 8 claincal features, IV, 16: 8 diagnosis, IV, 16: 7 prognosis, IV, 16: 9 treatment, IV, 16: 9 treatment, IV, 16: 9 anaphylaxis and Allergy, I, 6: 1. See also Asthma; Hay Fever allerger, I, 6: 5 allergic diseases, I, 6: 18 bee poison, I, 6: 9 blood transfusions and, I, 6: 13; 14. 15 convulsions due to, IV, 12: 6 definition, IV, 43: 14 dermatoses due to, IV, 43: 13. See also Dermatitis, atopic; Dermatitis, contact Dick test, I, 6: 14 differences between anaphylaxis and	nutrition, disorders, I, 28: 11 table of, III, 33: 3 Ammonia, dermatitis, IV, 41: 1. See	shock syndrome in, 1, 6: 6 skin tests, IV, 43: 28 indirect, or passive transfer, IV, 43: 30	incidence, erythroblast erythronocla etiology, III anemias
blood findings, III, 16: 12 case histories, III, 16: 13 clinical pictures, III, 16: 13 diagnosis, III, 16: 18 aplatic, III, 16: 18 aplatic, III, 16: 22 diagnosis, III, 16: 21 diagnosis, III, 16: 21 pathogenesis, III, 16: 21 pathogenesis, III, 16: 22 prognosis, III, 16: 21 pathogenesis, III, 16: 21	Amphetamine, poisoning, I, 17: 18 Amputations, amniotic, IV, 24: 1 congenital, IV, 24: 1 agenesis compared, IV, 24: 5 amelus monster, IV, 24: 5 associated malformations, IV, 24: 1 case reports, IV, 24: 3 description, IV, 24: 1 etiology, IV, 24: 4 incidence, IV, 24: 1	technic, IV, 43: 30 snake venom, I, 6: 9 tests for diseases, I, 6: 14 vegetal bronchitis, II, 56: 23 Ancylostoma, braziliense, II, 35: 11 duodenale, II, 35: 11 Ancylostomiasis, II, 35: 12. See also Hookworm Infection Anemia, age incidence, III, 16: 1 alimentary-infectious, III, 16: 7, 12,	16: 5 combinati tors, II direct blo excessive III, 16: failure of 16: 2 insufficien III, 16:
Amyloidosis, liver, III, 11: 77 spleen, III, 20: 16 Amylopsin, I, 20: 11 Amyotonia, congenita, IV, 16: 8 anatomy, pathologic, IV, 16: 8 clinical features, IV, 16: 8 diagnosis, IV, 16: 9 prognosis, IV, 16: 9 treatment, IV, 16: 9 Analgesia, obstetric, premature infant and, I, 43: 16 Anaphylaxis and Allergy, I, 6: 1. See also Asthma; Hay Fever allergen, I, 6: 5 allergic diseases, I, 6: 16; II, 59: 1 sensitization in coccidioidomycosis, II, 14: 20 anaphylactic reaction or shock, I, 6: 6 anergy, I, 6: 5 antiallergy, I, 6: 7 atopic diseases, I, 6: 18 bee poison, I, 6: 9 blood transfusions and, I, 6: 13; 14: 15 convulsions due to, IV, 12: 6 definition, IV, 43: 14 dermatoses due to, IV, 43: 13. See also Dermatitis, atopic; Dermatitis, contact Dick test, I, 6: 14 differences between anaphylaxis and	pathology, developmental, IV, 24: 4 supernumerary digits, IV, 24: 3 synonyms, IV, 24: 1 funic, IV, 24: 1 intrauterine, IV, 24: 1 spontaneous, IV, 24: 1	blood findings, III, 16: 12 case histories, III, 16: 13 clinical pictures, III, 16: 12 course, III, 16: 13 diagnosis, III, 16: 13 treatment, III, 16: 13 liver extract and iron, III, 16:	acute bloc anemia, behavio clinical treatme chronic b blood p case re
Analgesia, obstetric, premature intant and, I, 43: 16 Anaphylaxis and Allergy, I, 6: 1. See also Asthma; Hay Fever allergen, I, 6: 5 allergic diseases, I, 6: 16; II, 59: 1 sensitization in coccidioidomycosis, II, 14: 20 anaphylactic reaction or shock, I, 6: 6 anergy, I, 6: 5 antiallergy, I, 6: 7 atopic diseases, I, 6: 18 bee poison, I, 6: 9 blood transfusions and, I, 6: 13; 14: 15 convulsions due to, IV, 12: 6 definition, III, 16: 21 hemosiderin deposits in, III, 16: 22 historical, III, 16: 21 pathology, III, 16: 21 pathology, III, 16: 22 prognosis, III, 16: 23 in aleukemic leukemia, III, 16: 28 in aleukemic leukemia, III, 16: 28 urobili heredity, hookwor blood, hypoplas in, III, 16: 22 classification, III, 16: 1	spleen, III, 20: 16 Amylopsin, I, 20: 11 Amyotonia, congenita, IV, 16: 8 anatomy, pathologic, IV, 16: 8 clinical features, IV, 16: 8 diagnosis, IV, 16: 7 prognosis, IV, 16: 9 treatment, IV, 16: 9	with "pernicious" picture, III, 16: 15 "anemia pseudoleukemica infantum," III, 16: 28 anhematopoietic, III, 16: 18 aplastic, III, 16: 20 blood picture, III, 16: 22 bone marrow studies, III, 14: 23 case reports, III, 16: 24, 25	treatme frequency s general cor genesis, III "goat's mil hemolytic, Jaundic acute, III due to bilirubin
historical, III, 16: 21 diopathic, III, 16: 21 pathogenesis, III, 16: 21 pathogenesis, III, 16: 22 prognosis, III, 16: 22 prognosis, III, 16: 23 pathology, III, 16: 22 prognosis, III, 16: 23 pathology, III, 16: 21 pathogenesis, III, 16: 2	and, I, 43: 16 Anaphylaxis and Allergy, I, 6: 1. See also Asthma; Hay Fever allergen, I, 6: 5 allergic diseases, I, 6: 16; II, 59: 1 sensitization in coccidioidomycosis, II, 14: 20	definition, III, 16: 21 diagnosis, III, 16: 23 differential diagnosis, aleukemic leukemia, III, 16: 23 Hodgkin's disease, III, 16: 23 leukemia, III, 18: 23 etiology, III, 16: 21 homesidesin deposits in III 16: 22	differenti: lysoleci etiology, excessiv cytes heredit: hyperpl
convulsions due to, IV, 12: 6 definition, IV, 43: 14 dermatoses due to, IV, 43: 13. See also Dermatitis, atopic; Dermatitis, contact Dick test, I, 6: 14 differences between anaphylaxis and	6 anergy, I, 6: 5 antiallergy, I, 6: 7 atopic diseases, I, 6: 18 bee poison, I, 6: 9 blood transfusions and, I, 6: 13; 14.	historical, III, 16: 21 idiopathic, III, 16: 21 pathogenesis, III, 16: 21 pathology, III, 16: 22 prognosis, III, 16: 24 secondary, aplastic states, III, 16:	increas eryth product III, racial pathogen symptoms treatmen
	convulsions due to, IV, 12: 6 definition, IV, 43: 14 dermatoses due to, IV, 43: 13. See also Dermatitis, atopic; Dermatitis, contact Dick test, I, 6: 14 differences between anaphylaxis and	in aleukemic leukemia, III, 16: 23 synonyms, III, 16: 21 treatment, III, 16: 24 ulcerations of mucous membranes in, III, 16: 22 classification, III, 16: 1	28 urobilinu heredity, ar hookworm blood, III hypoplastic

III, 15: 16 nal, III, 16: 30 al hemolytic jaundice, III, affected by sex, III, 16: 32 ice by dominance, III, 16: II. 16: 56 III, 16: 10 III, 16: 1 I, 16: 7. See also Anemia, ection, III, 16: 12, 18, 19 fectious, III, 16: 19 pyogenic, III, 16: 19 III, 16: 18 esis, III, 16: 19 infectious diseases, III, 16: t. III. 16: 20 , III, 16: 67 orts, III, 16: 69 e, III, 16: 68 tic, III, 16: 55 lastic, III, 16: 18 I, 16: 1 peculiar to infancy, III, tion of two or more fac-II, 16: 5 ood loss, III, 16: 2, 16 e erythrocyte destruction, : 4 of red cell formation, III, ent hemoglobin formation, : 5 hemorrhage, III, 16: 16 ood loss, III, 16: 16 a, III, 16: 17 or of blood, III, 16: 16 ll course, III, 16: 17 nent, III, 16: 17 blood loss, III, 16: 17 picture, III, 16: 17 eport, III, 16: 17 ent, III, 16:17 and varieties, III, 16: 1 onsiderations, III, 16: 5 II, 16: 1 ilk anemia," III, 16: 10 III, 16: 33. See also ice, hemolytic II, 16: 27 sulfanilamide, I, 17: 35 in, III, 16: 35 tial diagnosis, III, 16: 41 cithin, III, 16: 42 III, 16: 33 ive destruction of erythroes, III, 16: 34 itary character, III, 16: 33 plasia of erythropoietic row, III, 16: 34 se in number of reticulated throcytes, III, 16: 34 ction of defective red cells, 16: 34 occurrence, III, 16: 34 nesis, III, 16: 34 ns, III, 16: 35 nt, blood transfusion, I, 14: uria, III, 16:35 and, III, 16: 30, 32, 33 infestation and loss of II, 16: 17 ic, idiopathic (?), III, 16: in, adolescence, I, 10: 24

Anemia
in
burns, IV, 42: 3
celiac disease I 29: 5
congenital syphilis, I, 42: 74
congenital syphilis, I, 42: 74 erythroblastosis fetalis, III, 15: 21
hookworm infection, II, 35: 16
leukemia, III, 18: 17 newborn, III, 15: 15
premature infants, I, 43: 43; III,
15: 35; 16: 6, 7
etiology, III, 16: 7
hemoglobin curves, III, 16: 7
iron prophylaxis, III, 16: 8, 10 physiologic, III, 16: 7, 10 prophylaxis, III, 15: 35
prophylaxis, III, 15: 35
treatment. III. 15: 35: 16: 9. 10
treatment, III, 15: 35; 16: 9, 10 iron, III, 16: 13
scurvy, infantile, I, 35: 44
twins, III, 15: 35; 16: 7, 10
prophylaxis, III, 15: 35
simple nutritional (iron de-
ficiency), III, 16: 3 treatment, III, 15: 35
treatment, III, 15: 35
iron, III, 16: 13 typhoid, II, 30: 15
typnoid, 11, 30: 15
xanthomatosis, chronic idiopathic, III, 23: 40
individual, III, 16: 33
infancy and early childhood, III, 16:
1, 6
peculiar to infancy, III, 16: 5
infections as factor in, III, 16: 12,
18
von Jaksch syndrome, III, 16: 29
Lederer's, III, 16: 4
blood transfusions in, I, 14: 28 leukemia, acute and, III, 18: 16
leukemia, acute and, III, 18: 16
macrocytic, folic acid therapy, I, 31:
rare in childhood, III, 16: 73
Mediterranean, III, 16: 54 blood, III, 16: 58, 59, 64
marrow activity of bone, III, 16:
60
polychromasia, III, 16: 60
red cells, III, 16: 59
reticulocytosis, III, 16: 60
target cells from case of sickle
cell anemia III. 16: 60
white cell picture, III, 16: 61 bones, III, 16: 57, 61, 64, 65, 66 skull cap, III, 16: 63, 64 femur and, III, 16: 65 from sickle cell anemia show-
bones, III, 16: 57, 61, 64, 65, 66
skull cap, III, 16: 63, 64
femur and, III, 16: 65
from sickle cell anemia show-
ing bony spicules seen in,
III, 16: 49
clinical, course, III, 16: 57
definition, III, 16: 54
diagnosis, III, 16: 63
differential diagnosis, III, 16: 64
differentiated from, hemolytic icterus, III, 16: 41, 64
hereditary syphilis, III, 16: 65
malaria, III, 16: 65
pernicious anemia, III, 16: 65 sickle cell anemia, III, 16: 64
endocrine influence in bone
endocrine influence in bone changes, III, 16: 66
etiology, III, 16: 56
genetic factor, III, 16: 67
growth interfered with, III, 16: 57
hereditary, III, 16: 56 historical, III, 16: 55
historical, III, 16: 55
liver in, III, 16: 66
lymph glands, III, 16: 66 mongoloid facies, III, 16: 55, 57,
58, 64
nomenclature, III, 16: 55 pathogenesis, III, 16: 56
pathology, III, 16: 55
physical examination, III, 16: 64

```
Anemia
 Mediterranean
    pigment distribution, III, 16:66
    racial incidence, III, 16: 64
    roentgenographic appearance, III,
        16: 61
      long bones, III, 16:62
    skin coloration, III, 16:58
    spleen, III, 16:65
    symptoms, III, 16:58
    treatment, III, 16:66
      blood transfusion, I, 14:28
      splenectomy, III, 16:67
 milk, III, 16:10, 11
 nutritional, III, 16: 10
    after prolonged bottle feeding pre-
      cipitated by pertussis, III, 16: 14
    alimentary-infectious, III, 16: 12
    blood transfusion, I, 14: 16 etiology, III, 16: 10
    iron deficiency as cause, III, 16: 11
    simple, III, 16: 7
    treatment, blood transfusion, I, 14:
      28
    vitamin factor, III, 16: 11
 of any age, III, 16: 15
 pernicious, III, 16: 73
    blood pictures in infancy, III, 16:
      15, 28
   differentiated from hemolytic jaun-
        dice, III, 16: 41
      Mediterranean anemia, III, 16:
   folic acid therapy, I, 31: 14 megaloblast in, III, 14: 12
 research, III, 14: 1
physiologic, III, 16: 6
   hypochromic, during first year in
     prematures, III, 16: 9
   of infancy, III, 16: 7
 pseudoanemia, III, 16: 15
scurvy, I, 35: 44
 sickle cell, III, 16: 46
   abdominal crises, III, 16: 48
   anemia in, III, 16: 48
   blood, III, 16: 50
     photograph showing
                                ordinary
        type of cell and "holly leaf"
        form produced by sickling and
      crenation, III, 16: 50
target cells from, III, 16: 60
   bone, changes in skull, III, 16: 49,
     marrow, III, 16:53
   brain, hemorrhage in, III, 16: 50
     necrosis in, III, 16: 50
   cardiac symptoms, III, 16: 48
   case report, III, 16: 54
   cerebral manifestations, III, 16: 49
   clinical course, III, 16: 48
   complications, III, 16:51
   definition, III, 16: 46
   diagnosis, III, 16: 52
   differentiated
                     from,
                                hemolytic
        jaundice, III, 16: 41
     Mediterranean anemia, III, 16:
     rheumatic fever, II, 19: 8
   epilepsy in, III, 16: 50
   etiology, III, 16: 46
   feces, III, 16: 51
   hereditary aspects, III, 16: 46 historical, III, 16: 46
   in Negroes, III, 16: 46
   jaundice in, III, 16: 48
   joint pains, III, 16: 48, 51
   kidneys, III, 16: 53
   leg ulcers in, III, 16: 49
   liver, III, 16: 53
   lymph glands, III, 16:53
   pathogenesis, III, 16: 47
   pathology, III, 16: 52
```

```
Anemia
  sickle cell
    prognosis, III, 16: 52 race incidence, III, 16: 46, 47
     rheumatism, III, 16: 51
     roentgenographic appearances, III,
       16: 50
     spleen, III, 16: 52
     splenomegaly, III, 16:49
     symptoms, III, 16:47
     synonyms, III, 16:46
     throat infections, III, 16: 51
     treatment, III, 16:53
       blood transfusions, I, 14:28
       respiratory infections, III, 16:53
       splenectomy, III, 16:53
     tuberculosis with, III, 16: 52
     urine, III, 16: 51
  splenic, III, 16: 77. See also Banti's
       Disease; Gaucher's Disease
     age incidence, III, 16: 78
    blood picture, III, 16:78
    clinical picture, III, 16: 78
    diagnosis, III, 16:78
    splenectomy, III, 16: 78, 79
  treatment, III, 16:79
    blood transfusion, I, 14: 27: III.
       16:85
    bone marrow extract, III, 16: 84
    cobalt, III, 16: 83
copper, III, 16: 82
    diet, III, 16:84
    hygiene, III, 16:85
    infusion of separated red cells,
       III, 16:85
    iron, III, 16: 79
      metabolism, III, 16:79
      parenteral use, III, 16:81
      preparations and dosage, III, 16:
         81
    irradiation of spleen, III, 16:86
    kidney extract, III, 16:84
    ligation of splenic artery, III, 16:
    liver extract, III, 16:83
      with iron, III, 16:83,84
    organ extracts, III, 16:84
    plasma infusion, III, 16:86
    spleen extract, III, 16:84
    splenectomy, III, 16:86
    vitamins, III, 16:84
  varieties, III, 16:1
Anencephalus, I, 42: 29, 30
Anesthesia, administration, relationship
    to thymus, III, 22: 11
  inhalation complicated by sions, IV, 12: 4
                                   convul-
 poisoning due to local, I, 17: 25
Aneurysm, bone, IV, 36:5
Anger, IV, 13: 10
Angina, agranulocytic, III, 16: 76. See
    also Neutropenia, malignant
 Ludwig's, II, 42: 14; III, 1: 45
etiology, II, 42: 14
    pathology, II, 42: 14
prognosis, II, 42: 14
    symptoms, II, 42: 14
    treatment, II, 42: 14
     penicillin, I, 44:19
 monocytic, II, 39: 17.
Mononucleosis, infectious
                               See also
 pectoris, pain, IV, 19: 26
  scarlatinal, II, 23: 11
  Vincent's, II, 42: 10
    complications, II, 42: 10
    diagnosis, II, 42: 11
    etiology, II, 42:10
    symptoms, II, 42: 10
    treatment, II, 42: 11
      penicillin, I, 44:23
Angioma, III, 1: 59
```

Angioma	Anus, I, 19: 45. See also Rectum	
breast, III, 31: 28	abnormalities, III, 7: 2	
cavernous, III, 1:60	types, III, 7: 4	
treatment, III, 1: 61	atresia ani vaginalis, III, 7: 6, 8, 9,	
hemangioma, capillary, II malignant arterial, III,	4 80	
port wine stains, III, 1		
in portal cirrhosis, III, 11	: 61 embryology, III, 7: 2	
liver, III, 11: 18	fissure, III, 7: 28	1
types, III, 1:59	etiology and pathology, III, 7: 28	
Anhidrosis, IV, 40: 74	symptoms, III, 7: 28	
Aniline, poisoning, I, 17: 15	treatment, III, 7: 29	
in, newborn, I, 42: 106	fistula, III, 7: 24 hemorrhoids, III, 7: 27	
Anisocytosis, III, 14: 14, 21	imperforate, III, 7:5	
Ankle, fever. See Dengue	treatment, III, 7: 6	
jerk, IV, 1: 12	inspection, III, 7: 2	
Ankylosis, jaws, III, 1: 42	protrusion, III, 7: 1	
Anomalies. See Abnormalities	reposition, technic, III, 7: 7 sinuses of Morgagni, III, 7: 28	
formities	stricture, III, 7: 26	
Anopheles, II, 10:5	Anxiety, attacks, IV, 13: 24	
Anophthalmos, IV, 38: 12	Aorta, anomalies of aortic arch, III,	
Anorexia, I, 11: 10; 30: 15;]	IV, 13: 6 13: 38	
etiology, I, 30: 15	coarctation, III, 13: 39	
faulty hygiene, I, 30: 17	adult type, III, 13:39	
hypochlorhydria, I, 30: 1		
Faber's formula in tre I, 30: 17	auditory deficiency and, IV, 14: 12	
in acrodynia, IV, 20: 9	dextralization and, IV, 14: 32	
nervosa, IV, 13: 26	differentiated from amentia, IV, 14:	
psychologic, I, 30: 17a	13	£
relieved by tonsillectomy, I	rehabilitation of aphasic, IV, 14: 15 typhoid fever, II, 30: 18	
Anoxemia, II, 38: 36	Aphthae; aphthous ulcer, III, 3: 26	
anemic, II, 38: 39	Bednar's, I, 19: 25; III, 2: 9; 3: 15	
anoxic, II, 38: 37	epizootic, II, 7: 1. See also Foot and	
causes, II, 38: 37 abnormalities of heart	and blood Mouth Disease	
vessels, II, 38: 38	Aplasia, congenital, of long bones, IV,	£
alteration of alveolar	epithelium, 34:60	,
II, 38: 37	intestines, III, 6: 10	£
partially unventilated	area of Appendicitis, acute, III, 6: 36	
lung, II, 38: 37	age incidence, III, 6: 37 anatomy, III, 6: 37	
carbon monoxide poisonin	complicating paratyphoid, II, 31:5	
39	diagnosis, III, 6:40	
cyanosis, II, 38: 40 icterus neonatorum, II, 38:	differential diagnosis, I, 19: 34;	
stagnant, II, 38: 39	221, 01.12	
Anthrax, treatment, penicil	gastroenteritis, III, 6:41 lin, I, 44: lymphadenitis, acute mesenteric,	
24	III, 6: 42	
Antibiotics, I, 44: 1. See also	Aureomy- meningitis, III, 6: 42	
cin; Chloramphenicol;	Streptomy- ovarian cyst with twisted pedicle,	
cin; Terramycin; and un		
of various diseases, as A	tunboid II 20. 22	
sis, treatment; Pneumo ment; etc.	etiology, III, 6:38	
allergy, II, 57: 31	gangrene, III, 6:38	,
antibiotic agents in curr	ent use incidence, III, 6: 37	£
(table), I, 44:2	mortality statistics, III, 6: 45 obstructive, III, 6: 38	£
Antibodies, I, 15: 2, 4, 5; II,	1: 28 pathology, III, 6: 38	
in, lymph, III, 19:8	resembling inflammation of Meck-	
spleen, III, 20: 6 role of lymphocyte in an	el's diverticulum, III, 6: 33, 35	
mation, II, 40: 4	Tuptured, III, 0.00	
Antidotes, in poisoning, I, 1	seasonal incidence, III, 6: 37 7: 6, 7 symptoms, III, 6: 39	E
Antigens, I, 15: 1, 3; II, 1	2 777 2 90	E
	leukocytosis III 6:39	E
Antihistamines, poisoning, I	pain, 111, 0. 55	E
Antimony, poisoning, I, 17:		E
Antistreptolysin, titer in nep	ohrosis, III, tenderness, localized, III, 6: 40 vomiting, III, 6: 39	
28: 17	tweetment III 6: 49	E
Antitoxin, diphtheria, II, 4 tetanus, II, 27: 9	chronic, III, 6:46	
Antivenins, II, 37: 15. See a	case report, III, 6: 46	
bites, treatment	definition, 111, 0.40	,
Antuitrin S, in cryptorch	diagnosis, III, 6: 46 treatment, III, 6: 46	£
adiposogenitalis, III, 30: 2		
Anuria, III, 28: 33	McBurney's point, tenderness in	
in poisoning, I, 17: 8	diagnosis, III, 4:9;6:40	

```
Appendicitis
  multiple abscesses of liver secondary
     to, III, 6:82
  obstructive, III, 6:38
  related to respiratory tract infec-
    tions, II, 39:9
  suppurative, followed by subphrenic
    abscess, III, 6:78
Appendix, abscess, III, 6: 45
    causing mechanical ileus, III, 6: 47
    diagnosis, III, 6: 45
    pathology, III, 6: 45
    treatment, III, 6: 45
  anatomy, III, 6: 37
  infection, resulting in acute localized
  peritonitis, III, 6: 73 inflammation, III, 6: 36, 46. See also
    Appendicitis
  perforated with peritonitis, III, 6:
      42
    complications, III, 6:43
       abscess, III, 6:43
    prognosis, III, 6: 44
    treatment, III, 6: 43
       Levin tube, III, 6:44
       penicillin, III, 6: 44
       postoperative, III, 6:44
       streptomycin, III, 6:44
       sulfonamides, III, 6:44
  ruptured, followed by actinomycosis-
    of abdomen, III, 6: 69, 70
Appetite, development, I, 30: 6 in, liver cirrhosis, III, 11: 6
    small children, I, 30: 4, 7
  loss of, IV, 13: 6. See also Anorexia
  perverted, I, 18: 1; IV, 13: 5
  ravenous, IV, 13:5
  selective, in small children, I, 30:6
Aqueduct of Sylvius, obstruction, IV,
  3:8,9
Arachnodactyly, IV, 26: 1; 34: 67
  associated with megalophthalmos, IV,
    38:13
  bones, IV, 26: 2 case, IV, 26: 4
  definition, IV, 26: 1
  diagnosis, IV, 26:6
  ear, IV, 26: 4
  etiology, IV, 26: 1
eyes, IV, 26: 4; 38: 14
  feet, roentgenogram, IV, 26: 3 hands, roentgenogram, IV, 26: 2
  heart, roentgenogram, IV, 26: 5
  heredity and, IV, 26: 2 history, IV, 26: 1
  skull, IV, 26: 4
symptoms, IV, 26: 2
treatment, IV, 26: 6
Arachnoid, anatomy, IV, 2: 4
Arachnoiditis, spinal, IV, 17: 17
    diagnosis, IV, 17: 18
pathology, IV, 17: 18
prognosis, IV, 17: 19
symptoms, IV, 17: 18
    treatment, IV, 17: 19
Argyll Robertson, pupil, IV, 38: 59
Arms, I, 19: 38, 39
Arnold-Chiari, malformation, IV, 3: 12
Arrhenoblastoma, I, 40: 48
Arrhythmia, III, 13: 13. See also-
  Heart, arrhythmia
Arsenic, encephalitis, IV, 18: 18
  neuritis, IV, 18: 18
poisoning, I, 17: 13
polyneuritis, IV, 18: 18
Arteries, diseases of arteries of liver,
    III, 11: 73
  pulmonary, accessory, II, 47: 13
  roentgenography
                       in
                            diagnosis
```

urinary tract disease, III, 32: 6

Arthralgia, serum sickness and, IV, 33:	Α
Arthritis, acute, IV, 33: 1 dysentery, IV, 33: 5 gonococcal, IV, 33: 4 treatment, IV, 33: 4 hemophilia causing joint hemorrhage, IV, 33: 6 leukemia and, IV, 33: 7 meningococcal meningitis, IV, 33: 5	A
joint manifestations in, IV, 33:	
pneumococcal, IV, 33: 3 purpura, causing hemorrhage into joints, IV, 33: 7 scurvy causing joint hemorrhage, IV, 33: 7 septic joints, IV, 33: 1 treatment of children with, IV, 33: 3	A A A
serum sickness, IV, 33: 6 staphylococcal, IV, 33: 5 streptococcal, IV, 33: 2 syphilis, IV, 33: 5 toxic, IV, 33: 5 trauma and, IV, 33: 5 tuberculosis, IV, 33: 5 chronic, IV, 33: 7 atrophic, IV, 33: 8 diet in, IV, 33: 12 etiology, IV, 33: 8 incidence, IV, 33: 8 joint pathology, IV, 33: 10 onset, IV, 33: 9 symptoms, IV, 33: 9 treatment, IV, 33: 11 classification, IV, 33: 8 complicating, meningitis, IV, 8: 68 scarlet fever, II, 23: 12, 13 treatment, II, 23: 21	A
pyogenic, penicillin in, I, 44: 18 rheumatoid, differentiated from rheu- matic fever, II, 19: 8 typhoid and, II, 30: 18 Arthrogryposis, IV, 34: 70 Arthropods, II, 35: 84 diseases, due to microorganisms with period of development in arthro- pods, II, 35: 85 mechanically transmitted by, II, 35: 85	
excretions, reactions to, II, 35: 85 secretions, reactions to, II, 35: 85 traumatic injury produced by, II, 35: 84	
Articulation, neurology of, IV, 14: 28 Ascariasis, II, 35: 3, 5 diagnosis, II, 35: 7 from dog and cat ascarids, II, 35: 8 nematode endophthalmitis, II, 35: 8 pathogenicity, II, 35: 5 prophylaxis, II, 35: 7 symptomatology, II, 35: 5 treatment, II, 35: 7 hexylresorcinol crystoids, II, 35: 7 visceral larva migrans, II, 35: 8	
Ascaris lumbricoides, II, 35: 3 life cycle, II, 35: 3 morphology, II, 35: 3 Aschoff Body, II, 19: 5; III, 13: 55 Ascites, in, congenital syphilis, III, 4: 13 portal cirrhosis, III, 11: 62 Ascorbic Acid, deficiency, prevalence, I, 31: 13 effect of cooking, I, 31: 11	
in foods, I, 31: 13 daily requirement, I, 31: 10 isolation, I, 31: 4	

Ascorbic Acid scurvy and, I, 35: 3 sources, I, 31: 10 Aspergillosis, pulmonary, II, 48: 17 Asphyxia, livida, I, 42: 31 neonatorum, I. 42: 31 causing pneumonia in infants, II, 48: 32 convulsions, IV, 12: 4, 21 diagnosis, I, 42: 32 pathology, I, 42: 31 symptoms, I, 42: 31 pallida, I, 42: 31 Aspidium, poisoning, I, 17: 14 Aspiration, in empyema, technic, II, 53: 21 Aspirin, poisoning, I, 17: 32 Asterol Dihydrochloride, poisoning, I. 17: 14 Asthenia, neurocirculatory, III, 13:82 Asthma, bronchial, II, 57: 1 allergic, II, 57: 15 antibiotics causing, II, 57: 31 bacterial allergens, II, 57: 28 drugs causing, II, 57: 31 etiology, II, 57:15 food allergens, II, 57: 26 biologic food groups, II, 57: 28, 29 hormones, II, 57: 31 horse serum, II, 57: 30 eye test, II, 57: 30 inhalants, II, 57: 22. See also Hay Fever camel hair, II, 57: 24 cat and dog hair, II, 57: 23 cattle hair, II, 57: 24 cottonseed, II, 57: 25 derris root, II, 57: 24 dust, II, 57: 22 emanations from insects, II, 57: 25 feathers, II, 57: 23 flaxseed, II, 57: 25 glue, II, 57: 25 goat hair, II, 57: 24 hog dander, II, 57: 24 horse dander, II, 57: 23 insecticides, II, 57: 24 kapok, II, 57: 25 karaya gum, II, 57:25 molds, II, 57: 31 orrisroot, II, 57: 24 pyrethrum, II, 57: 24 rabbit hair, II, 57: 23 sheep wool, II, 57: 24 silk, II, 57: 25 tobacco, II, 57: 24 molds causing, II, 57: 31 positive skin reactions bearing no relation to etiology, II, 57: 33 tests, II, 57: 15 allergens used in, II, 57: 16 dangers, II, 57: 21 elimination diets, II, 57: 19 intradermal test, II, 57: 18 ophthalmic test, II, 57: 18 passive transfer test, II, 57: 18 positive, bearing no relation to etiology, II, 57: 33 reactions, constitutional, following cutaneous tests, II, 57: 20 relation to etiology, II, 57: 21 scratch test, II, 57: 17 skin irritability, II, 57: 17 technic, II, 57: 17 types of reactions, II, 57: 17 selection of allergens, II, 57: 16

Asthma bronchial allergic tests tolerance threshold in, II, 57: vitamins causing, II, 57: 31 allergies associated with, II, 57: 7. See also Hay Fever abdominal allergy, II, 57: 8 angioneurotic edema, II, 57: 8 eczema, II, 57: 8 epilepsy, II, 57: 8 hay fever, II, 58: 1 migraine, II, 57: 8 urticaria, II, 57: 8 asthmatic bronchitis, II, 57: 2 bronchitis and, II, 57: 12 classification, etiologic, II, 57: 14, combined allergic and nonallergic, treatment, II, 57: 49 complications, II, 57: 6 atelectasis, II, 57: 7 bronchiectasis, II, 57: 7 bronchitis, chronic, II, 57: 7 chest deformity, II, 57: 7 chronic hyperplastic sinusitis, II, 57: 6 emphysema, II, 57: 7 periarteritis nodosa, II, 57: 7 convulsions in, IV, 12:6 cough, II, 57: 3 death in, II, 57:8 definition, II, 57: 1 diagnosis, II, 57: 4, 9 basal metabolism in, II, 57: 6 blood biochemical aspects, II. 57: blood counts, II, 57: 4 gastric analysis, II, 57: 4 history of patient, II, 57: 13 roentgenographic studies of, chest, II, 57: 5 long bones, II, 57: 6 sinuses, II, 57:6 sputum, analysis, II, 57: 4 tuberculin reactions in, II, 57:5 urinalysis, II, 57: 4 differential diagnosis, II, 57: 9 cystic fibrosis of pancreas. 57: 10 dyspnea due to other diseases, II, 57: 10 foreign body, II, 57: 10 spasmophilia, II, 57:10 dyspnea, II, 57: 10 etiologic classification, II, 57: 14, 15 etiology, II, 57: 11 heredity, II, 57: 11 predisposing factors, II, 57: 11 extrinsic, II, 57: 14 heredity in, II, 57: 11 history of patient, II, 57: 13 immunologic. See Asthma, bronchial, allergic infantile, pathology, II, 57: 9 influence of other diseases on, II, 57: 12 intrinsic, II, 57: 14 nonallergic, II, 57: 33 age of onset, II, 57: 33 onset, II, 57: 2, 33 age of, II, 57: 12 outgrowing asthma, II, 57: 49 pathology, II, 57: 8 pertussis and, II, 57: 12 physical signs, II, 57: 3 preattack stage, II, 57: 2 predisposing factors, II, 57: 11 prophylaxis, II, 57: 34

Asthma	Atelectasis	Automobiles, accidents, I, 17: 50
bronchial	obstructive	Avitaminoses, spleen and, III, 20: 12
psychologic disorders and, II, 57:	blood clots, II, 50: 8	Azotemia, III, 25: 3. See also Blood,
49	bronchiectasis, II, 50: 7	urea
respiratory oppression, II, 57: 2	definition, II, 50: 1	4.00
rhinitis and, II, 57: 12	diagnosis, II, 50: 10	
sex incidence, II, 57: 12	diphtheria, II, 50: 8 etiology, II, 50: 1	Babinski-Fröhlich, dwarf, IV, 21: 17
sinusitis, II, 57: 12 stages, II, 57: 2	flapping tumors, II, 50: 8	Babinski Sign, in meningitis, IV, 8: 11
status asthmaticus, II, 57: 2	fluoroscopic diagnosis, II, 50: 11	Bacillus, abortus, II, 33:1
symptoms, II, 57: 2	foreign body, II, 50: 4	bronchisepticus infection differen-
tests. See Asthma, bronchial, al-	granulations, II, 50: 7	tiated from whooping cough, II,
lergic	inflammatory mucosal swelling, II,	34: 17
treatment, I, 13: 10; II, 57: 34	50: 7	coli, bacteremia, II, 24: 18
ACTH, II, 57: 44 acute attack, II, 57: 37	malignant growths, II, 50: 6	causing subphrenic abscess, III, 6:
aminophylline, II, 57: 38	new growths, II, 50: 4 pathologic mechanism, II, 50: 1	78
antihistamine drugs, II, 57: 38	physical signs, II, 50: 10	colon-aerogenes; reactions of enterior organisms on differential tube me-
atropine, II, 57: 39	roentgen ray diagnosis, II, 50: 11	diums, II, 5: 6
avertin, II, 57: 38	roentgenograms, II, 50: 5	paracolon; reactions of enteric or-
emetic, II, 57: 39 ephedrine, II, 57: 38	secretions, II, 50: 7	ganisms on differential tube me-
epinephrine, I, 13: 10; II, 57:	tuberculosis, II, 50: 10 types, II, 50: 2	diums, II, 5:6
37	postoperative, II, 50: 13	pestis bacteremia, II, 24: 19
use of nebulizer, I, 13:11	atropine, banal effects of, II, 50: 13	pseudodiphtheria, in etiology of non- specific vaginitis, III, 31: 20
allergic asthma, general meas-	bronchoscopic examination, II, 50:	pyocyaneus bacteremia, II, 24: 18
ures, II, 57: 35	17	tuberculosis, II, 28: 2
avoidance of nonspecific contrib-	definition, II, 50: 13	bacteremia, II, 24: 19
utory factors, II, 57: 47 breathing exercises, II, 57: 46	diagnosis, II, 50: 15	tularense bacteremia, II, 24: 19
bronchoscope, II, 57: 46	differential diagnosis, II, 50: 16	typhosus bacteremia, II, 24: 17
change of, climate, II, 57: 48	drowned lung, II, 50: 15	Bacitracin, I, 44: 2
environment, II, 57: 48	etiology, II, 50: 13 incidence, II, 50: 13	Back, I, 19: 31
combined allergic and nonaller-	lobar type, II, 50: 17	in newborn, I, 42: 24
gic asthma, II, 57: 49	morphine, banal effects of, II, 50:	Bacteremia, II, 24: 1
cortisone, II, 57: 44 dietary, II, 57: 43	13	Bacillus, coli, II, 24: 18 pestis, II, 24: 19
drugs, II, 57: 43	pathologic mechanism, II, 50: 13	tuberculosis, II, 24: 19
histamine, II, 57: 45	physical signs, II, 50: 17	tularense, II, 24: 19
horse serum sensitivity, II, 57:	prognosis, II, 50: 18 prophylaxis, II, 50: 18	typhosus, II, 24: 17
42	secretions, II, 50: 14	treatment, II, 24: 17
iodized oil, II, 57: 46	sequelae, II, 50: 18	bacteremic state, II, 24: 4 blood cultures, II, 24: 4
nonallergic asthma, II, 57: 49 nonspecific, II, 57: 43	symptoms, II, 50: 15	brucellar, II, 24: 18
penicillin, II, 57: 45	treatment, II, 50: 18	chemotherapy in (table), II, 24: 20
physiotherapy, II, 57: 46	roentgen triangular shadow, II, 51: 2,7	colon bacillary, II, 24: 18
prophylactic, II, 57: 34		complicating scarlet fever, II, 23: 13
psychologic disorders and, II,	pathogenesis, II, 51: 4 treatment, II, 51: 6	cryptogenic, II, 24: 2 definition, II, 24: 1
57: 49	roentgenogram, II, 50: 16	diagnosis, II, 24: 4
radium in lymphoid tissue, II, 57: 47	Athrepsia, I, 28: 1. See also Nutrition,	gonococcal, II, 24: 17
results of treatment, II, 57: 50	disorders	Haverhill fever, II, 24: 18
snake venom, II, 57: 43	blood transfusion, I, 14: 29	influenzal, II, 24: 16
specific, II, 57: 39	Atlas, spontaneous dislocation, IV, 34:	age incidence, II, 24: 16 blood in, II, 24: 16
status asthmaticus, II, 57: 37	41	treatment, II, 24: 17
surgery, II, 57: 47 thyroid, II, 57: 44	Atopy, IV, 43: 21	dihydrostreptomycin, II, 24: 17
vaccines, autogenous, II, 57: 41	Atresia, ani vaginalis, III, 7:6	oxygen, II, 24: 17
vitamins, II, 57: 45	intestines, congenital, III, 6: 1	serum, II, 24: 17
wheezing, II, 57: 2, 3, 11	nose, surgery, III, 1:56	invasiveness, II, 24: 2 localization, metastatic, II, 24: 5
definition, II, 57: 9	Atrophy, I, 28: 2 acute yellow, III, 11: 46	meningococcemia, II, 24: 14
thymic, III, 22: 9		shock in, treatment, II, 24: 16
Astigmatism, IV, 38: 70	Atropine, poisoning, I, 17: 14	treatment, II, 24: 15
Astrocytoma, IV, 21: 10 age distribution, IV, 21: 10	Audiogram, analysis, IV, 14: 6 sample, IV, 14: 7	antitoxin, II, 24: 15
cerebellum, IV, 21: 11	Audiometer, electric, IV, 39: 7	aureomycin, II, 24: 15 penicillin, II, 24: 15
Ataxia, Friedreich's, IV, 16: 1		sulfadiazine, II, 24: 15
diagnosis, IV, 16: 2	Aureomycin, I, 44: 1 administration methods, I, 44: 11	metastatic localization, II, 24: 15
treatment, IV, 16:3	antibacterial action, I, 44: 4	originating from local tissue in
progressive cerebellar, IV, 16: 3	clinical uses, I, 44: 27	fection, II, 24: 3
diagnosis, IV, 16: 4 symptoms, IV, 16: 4	dosage, I, 44: 11	paratyphoidal, II, 24: 18 pneumococcal, II, 24: 13
spinocerebellar of Marie, IV, 16: 3	gastrointestinal irritation caused by, treatment, I, 44:11	treatment, II, 24: 14
Atelectasis, acquired, differentiated	limitations, I, 44: 11	Pseudomonas aeruginosa (Bacillu
from empyema, II, 53: 11	pharmacologic aspects, I, 44: 6	pyocyaneus), II, 24:18
in, diphtheria, II, 4: 15	prophylactic use of, I, 44: 13	pyemia, II, 24: 2 rat bite fever, II, 24: 18
premature infant, I, 43: 40	source, I, 44: 2	shock symptoms, treatment, II, 24
newborn, I, 42: 32, 36	toxicity, I, 44: 31	16
obstructive, II, 50: 1 adenopathy, II, 50: 6	Australian X Disease, IV, 7: 11	sources, II, 24: 2
anomaly, II, 50: 7	Autism, early infantile, IV, 13: 30	Spirillum minus, II, 24: 18
asthma, II, 50: 8	Autointoxication, intestinal, I, 20: 16	staphylococcal, II, 24:13

Banti's Disease Beriberi Racteremia ascitic period, III, 20: 31 clinical divisions of, III, 20: 30 treatment staphylococcal active, I, 33: 12 onset, II, 24: 13 treatment, II, 24: 13 definition, III, 20: 28 prophylactic, I, 33: 12 diagnosis, III, 20: 31 Streptobacillus moniliformis, II, 24: Bevan's Operation, for cryptorchidism, etiology, III, 20: 28 history, III, 20: 28 18 III, 30: 32, 33 streptococcal, alpha hemolytic, II, Bezold's Abscess, IV, 39: 30 liver and, III, 20: 29 24: 12 in, acute mastoiditis, IV, 39: 32 pathology, III, 20:28 beta hemolytic, II, 24:11 scarlet fever, II, 23: 12 spleen, III, 20: 28 treatment, II, 24: 11, 12 Bile, acids, III, 11: 12 prognosis, III, 20: 31 gamma, II, 24: 13 daily production, III, 11: 12 relation to cirrhosis, III, 11:58 subacute bacterial endocarditis, II, in urine, III, 11: 19, 82 symptoms, III, 20: 30 24: 12 uses, III, 11: 12 treatment, III, 20: 31 symptoms, II, 24: 4 constituents, III, 11:31 Barbiturates, poisoning, I, 17: 15 transient, II, 24: 2 essential for absorption of vitamin treatment, II, 24:5 Barium, poisoning, I, 17: 15 D. I. 36: 83 aureomycin, II, 24:9 Barlow's Disease, I, 35: 1. See also in urine, III, 28: 32 chemotherapy (table), II, 24: 20 passages, III, 11: 1, 29. See also Bile Ducts; Biliary Tract Scurvy chloromycetin, II, 24:10 Basedow's Disease, I, 38: 26. See also choice of therapeutic agent, II, physiology, I, 20:11 Goiter, exophthalmic 24:1 pigments, III, 11:10 Bedbugs, II, 35: 82; IV, 40: 70 combined, sulfonamides, II, 24: 7 daily production, III, 11: 12 eradication, II, 35:83 therapy, II, 24: 10 salts, in conjunction with oily vitalife cycle, II, 35:82 penicillin, I, 44: 13; II, 24: 8 min K preparations, I, 32-A: 8 polymyxin, II, 24: 10 role in disease transmission. II. 35: secretion, in celiac disease, I, 29: 27 83 serums, II, 24:5 Bile Ducts, III, 11: 29 Bednar's Aphthae, I, 19: 25; III, 2: 9; streptomycin, II, 24: 10 anatomic abnormalities, III, 11:31 toxic effects, II, 24: 10 3: 15 Ascaris lumbricoides in, III, 11: 41 sulfadiazine, II, 24:7 Bees, II, 35:83 atresia, congenital, differential diagsulfamerazine, II, 24:7 stings, II, 35:83 nosis, erythroblastosis fetalis, III, sulfathiazole, II, 24:6 treatment, II, 35:84 15: 26 sulfonamides, toxic effects, II, 24: Beetles, dermatitis due to, II, 35:84 calculi, III, 11:39 6 Beevor's Sign, IV, 37: 15 diseases, III, 11: 29. See also Cholvirulence, II, 24: 3 angitis Behavior, adaptive, I, 9:3 Waterhouse-Friderichsen syndrome, Distoma hepaticum in, III, 11: 41 antenatal, I, 9: 3 antisocial, IV, 13: 11 TI. 24: 14 hydatid cysts and, III, 11: 41 Bacteria, II, 1: 2, 3. See also Infecidiopathic cysts, III, 11: 33 attitudes toward, IV, 13: 2 tion; Resistance hypertrophic biliary cirrhosis, basic principles in understanding, alimentary tract, II, 1: 23 III, 11: 57 IV, 13: 2 allergy, II, 57:28 Lamblia intestinalis in. III. 11: 41 defined, IV, 13:2 antibiotic agents of bacterial origin, malformations, jaundice due to, I, diagnostic study, I, 9:7 I, 44:1 42: 93 history, interview, I, 9:7 antigenic structure, II, 1: 32 indices of development, I, 9:1 treatment, I, 42:96 capsules, II, 1: 13 inventory, I, 9:8 obstruction of congenital, rickets and classification, II, 1: 3, 4-9 (table) language, I, 9:3 xerophthalmia with, I, 36: 83 communicability, II, 1: 20 major fields, I, 9:3 parasites in, III, 11: 41 endotoxins, II, 1:15 physiology, III, 11: 21 motor, I, 9:3 enzymic products, II, 1:16 norms, I, 9:2 typhoid and, II, 30: 7 exotoxins, II, 1: 14 patterns, I, 9: 2 Bilharziasis, II, 35: 53, 56 genitourinary tract, II, 1: 23 personal-social, I, 9:3 in ureter and bladder, III, 32:16 interrelationships in microbial world, retarded, due to environment, I. 9: II, 1:2 Biliary Tract, III, 11: 1. See also Bile invasiveness, II, 1: 19 Ducts; Gallbladder; Liver Benzedrine, poisoning, I, 17: 13 life cycle, II, 1: 21 anatomy, III, 11:1 nose and nasopharynx in role of re-Benzene, poisoning, I, 17: 15 abnormalities of, III, 11: 31 sistance to, II, 1:'22 cholecystokinin, III, 11: 30 Beriberi, I, 33:1 occlusion of blood vessels caused by, cholelithiasis, III, 11: 38. See also definition, I, 33: 1 II. 1: 18 Cholelithiasis diagnosis, I, 33: 7 pathogenicity, factors which deter-mine, II, 1:13 cysts, III, 11: 33 history, I, 33:1 diseases of extrahepatic bile pas-sages, III, 11: 29. See also Cholneuritis, IV, 18: 23 phagocytosis, II, 1:24 pathology, I, 33: 4 skin and mucous membranes as porangitis prevalence, I, 33: 4 tal of entry, II, 1: 22 embryology, III, 11:1 signs, I, 33:5 spores, II, 1: 19 in brucellosis, II, 33:12 symptoms, I, 33:5 vaginal, II, 1:23 obstruction, biliary cirrhosis due to, subclinical thiamine deficiency, I, vehicles and portals of entry, II, 1: III. 11: 56 33: 7 21 obstructive jaundice, III, 11: 31 thiamine, chemistry of, I, 33: 2 physiology, III, 11:29 Bacterium. ammoniagenes. etiologic deficiency, I, 33:1 rupture of parasitic cysts into, III, factor in ammoniacal diaper, IV, subclinical, I, 33: 7 11: 75 41:1 tests, I, 33:7 urobilin, III, 11: 11 tularense, II, 29: 1. See also Tudistribution, I, 33:9 laremia Bilirubin, III, 11: 10 in blood, I, 33: 9 Bacteriuria, III, 28: 31 relationship between intake and estimation, excretion, and formation, excretion, I, 33: 11 I. 42:84 Balanitis, III, 30: 37 formation, reticuloendothelial system and, III, 23:9 requirement, I, 33: 10 Balanoposthitis, III, 30: 37 role in cell metabolism, I, 33: 3 in blood, tests for, III, 14:22 Balantidium, coli infection differensources, I, 33:9 production, III, 16: 35 tiated from bacillary dysentery, II, tests, I, 33:7 retention, liver function test, III, 11: 5:17 titration for the point of minimal 84 secretion, I, 33: 11 Banti's Disease, III, 20: 27. See also

Anemia, splenic

anemic period, III, 20: 30

urinary excretion tests, I, 33: 8

Binda, shoulder sign in meningitis, IV,

8: 11

symptoms, III, 32: 18

Blalock-Taussig, operation for tetral- | Blood Biot's Respiration, II, 38: 29 ogy of Fallot, III, 13: 49a coagulation Biotin, I, 31: 2 dysfunction as cause of hemor-Potts, Smith and Gibson modifica-Birth, injury, IV, 4: 2. See also Newtion, III, 13: 49a born, injuries 15: 8 Blastomyces, II, 14:8 anoxemia caused by, IV, 4:2 Blastomycosis, II, 14:8 causing cerebral palsies, IV, 4:1 heparin, III, 17:5 clinical types, II, 14: 10 dural septa, IV, 4: 2 epilepsy due to, IV, 12: 20 cutaneous, II, 14: 10 definition, II, 14: 8 oral tissues, III, 3: 10 paralysis due to, IV, 4: 13 diagnosis, II, 14: 10 rates, correlation to infant mortaletiology, II, 14:8 ity rates, I, 2: 18 spinal cord, IV, 4: 13; 17: 1 Blastomyces, II, 14:8 pulmonary lesion, II, 14:9 sputum, II, 14: 10 Birthmarks, I, 42: 20; IV, 40: 13 history, II, 14:8 etiology, IV, 40: 15 pathology, IV, 40: 15 pathology, II, 14:9 prognosis, II, 14: 11 treatment, IV, 40:15 symptoms, II, 14: 10 Bitot's Spots, IV, 38: 56 treatment, II, 14:11 Black Flies, II, 35: 72 Blepharitis, IV, 38: 23 thrombin, III, 17: 4 diseases due to, II, 35: 72 chronic, treatment, penicillin, I, 44: Bladder, I, 19: 36 anatomy, III, 32: 42 Blind, schools for, IV, 38: 73 bar obstruction, III, 26: 11, 13 Blindness, I, 9: 25; 19: 21 bilharziasis, III, 32:16 due to craniofacial dysostosis, IV, calculi, III, 32: 25, 26 25-A: 6 diagnosis, III, 32: 26 Blood, abnormalities, III, 17: 1. See examination, physical, III, 32:26 also Blood, dyscrasias with hemorsymptoms, III, 32:25 rhage treatment, III, 32: 26 ABO incompatibility as cause of catheterization, III, 32: 3 hemolytic disease of newborn, I, communication with rectum, III, 7:6 II, 24: 4 15: 5; III, 15: 34 congenital anomalies, III, 26: 11; afibrinogenemia, III, 17: 16 32: 40 acquired, III, 17: 17 control in children, I, 11: 11 congenital, III, 17: 16 cystitis, cystica, III, 32: 14 diagnosis, III, 17: 16 encrusting, III, 32: 14 treatment, III, 17: 17 interstitial, III, 32:14 agglutinins, III, 14:23 spontaneous, III, 32:13 amylase, in mumps, II, 13:8 cystography, III, 32: 4 anticoagulants, III, 17: 11 cystoscopy, III, 32: 7 antithrombin, III, 17:5 in diagnosis of congenital urethral bank, I, 14:3 valves, III, 30: 14, 16 bilirubin, icterus index for detecting, cystourethroscopy, III, 30: 14, 16 III, 14: 22 diverticula, III, 32: 41 van den Bergh test, III, 14:22 embryology, III, 26: 2 bleeding time, III, 17: 10 examination of, I, 19: 36; III, 32: 2 bone marrow, III, 14: 2, 3. See also extrophy, III, 26: 11; 32: 40 Bone, marrow prognosis, III, 32: 40 calcium, chronic hypocalcemic tetany, spleen in, III, 20:5 IV, 12:46 disorders, III, 14: 1 treatment, III, 32: 41 deficiency, III, 17:5 foreign bodies, III, 32: 28 transfusion, donors treatment, I, 37: 17 symptoms, III, 32: 28 in, nephrosis, III, 28: 17 treatment, III, 32: 28 tetany, I, 37: 1, 4, 8 hourglass, III, 32: 42 capillary resistance, test, III, 17: 10 Hunner's ulcer, III, 32: 14 cells, III, 14: 6. See also Erythroinfection, III, 27:1 cytes; Leukocytes count, III, 14: 20 injury, III, 9:6;32:52 innervation, III, 32:43 17: 24 in newborn, III, 15:3 neoplasms, III, 32:48 formation, role of histiocytic sysclassification, III, 32:48 tem in, III, 14: 4 symptoms, III, 32: 49 in intrauterine life, III, 14:7 10 treatment, III, 32: 49 mean cell volume, III, 14: 21 neurogenic dysfunction, III, 32: 42 origin and development, III, 14:6 treatment, III, 32: 43 sickle cells fixed in formalin, III, 14: 15 neuromuscular dysfunction, III, 27: III, 17: 10 14 site of formation of each type, III, 14:6 resection of presacral nerves, III, stem cells, III, 14:7 27: 15 changes, in, burns, IV, 42: 3 treatment, III, 27: 14 Hodgkin's disease, III, 19:34 obstruction, III, 26:11; 32:10 at neck, III, 32:42 chemistry, in newborn, III, 15:5 circulation, disorders sions, IV, 12: 21 and convulparalysis, in poliomyelitis, II, 15: 24 relations of ureters, prostate and, III, clot retraction time, determination, 32: 11 III, 17: 10 Hemophilia rupture, III, 32:52 coagulation, III, 17: 1. See also Hemophilia; Vitamins, K extraperitoneal, III, 32: 52 24 intraperitoneal, III, 32:53 calcium deficiency related to, III, treatment, III, 32:53 17:5 tuberculosis, III, 32: 18 dicumarol and clotting time, I, 32-

A: 4

rhagic disease of newborn, III, fibrinogen, III. 17:5 hyperprothrombinemia, III, 17:4 hypoprothrombinemia, III, 17:3 in newborn, I, 32-A: 6 mechanism, III, 17: 1 prothrombin, III, 17:3 determination, I, 32-A: 4, 5 bedside test, I, 32-A: 5 one stage and two methods, I, 32-A: 5 stage Quick method, I, 32-A: 5 effect of vitamin K, I, 32-A: 3 role of vitamin K in formation of prothrombin, I, 32-A: 3 thrombokinase, III, 17: 4 thromboplastin, III, 17:4 time, determination, III, 17:7 in newborn, III, 15: 5, 12 prolonged, III, 17:6 vitamin K as factor, I, 31: 6; 32-A: 1. See also Vitamins, K count, in tuberculosis, II, 28: 44 normal in, infant, I, 8: 15 preschool child, I, 8: 23 cultures, in diagnosis of, bacteremia, typhoid, II, 30: 19 defense mechanism, III, 14: 18 Arneth count, III, 14: 18 filament-nonfilament count, III, 14: granular leukocytes, III, 14: 18 histiocyte, III, 14: 19 leukocytosis, III, 14: 18 lymphocyte, III, 14: 19 monocyte, III, 14: 19 myelocyte, III, 14: 18 neutrophils, III, 14: 18 response, III, 14: 18 Schilling count, III, 14: 18 shift to left, III, 14: 18 destroying tissues, III, 14: 2 donors, I, 14: 3. See also Blood, dyscrasias with hemorrhage, III, 17: afibrinogenemia, III, 17: 16 classification, III, 17: 11 constitutional thrombopathia, III, diagnosis, III, 17:6 anticoagulants, III, 17: 11 capillary resistance test, III, 17: clot retraction time, III, 17: 10 counting of platelets, III, 17: 10 determination of, bleeding time, clotting time of recalcified plasma, III, 17: 8 coagulation time, III, 17: 7 prothrombin, III, 17: 8 bedside method, III, 17: 8 Quick method, III, 17: 8 two stage method, III, 17: 9 fibrinogenopenia, III, 17: 16 hemophilia, III, 17: 17. See also hemophilia-like conditions, III, 17: hypoprothrombinemia, idiopathic. III. 17: 25 pseudohemophilia, III, 17: 25

		* 7
Blood	Disal	Blood
Blood	Blood	Blood
dyscrasias with hemorrhage	physiology, early, III, 14: 2	thrombokinase, III, 17: 4 thromboplastin, III, 17: 4
purpura, III, 17: 12. See also Pur-	average levels of carotene and	transfusion, I, 14: 1
pura thrombasthenia, familial of Glanz-	vitamin A in, normally and in various diseases, I, 32: 5, 6	administration, I, 14: 8
mann, III, 17: 24	plasma, determination of clotting	arterial, I, 14: 14
erythrocytes, III, 14: 11	time of recalcified, III, 17: 8	bone marrow, I, 14: 13
examination, III, 14: 19	in, nutrition, disorders, I, 28: 10a	intramuscular, I, 14: 14
bone marrow biopsy, III, 14: 22	platelets, III, 14: 9	intraperitoneal, I, 14: 13
cell count, III, 14: 20	counting, III, 17: 10	intravenous route, I, 14: 8
fragility test, III, 14:21	in, acute leukemia, III, 18: 17	infants, I, 14:8
fresh moist smear, III, 14: 20	hemorrhagic disease of newborn,	replacement, I, 14: 13
hematocrit determination, III, 14:	III, 15: 10	air embolism in, I, 14: 16
21	pressure, enumeration, III, 14: 21	allergic reaction, I, 14: 15
hemoglobin, III, 14: 19	indirect, of Fonio and Olaf, III,	animal to man, I, 14: 1
icterus index, III, 14: 22	14: 21	artificial kidney in treatment of
oxidase stain, III, 14: 21	high, III, 25: 15	reaction, I, 14: 22 assistant, I, 14: 8
platelet enumeration, III, 14: 21	classification, III, 25: 15	blood bank, I, 14: 3
reticulocyte count, III, 14: 21	definition, III, 25: 15	blood used in, I, 14: 12
routine, III, 14: 23	in acute infectious nephritis, III,	component parts of whole blood,
sedimentation rate, III, 14: 22 tests for pigment resulting from	28: 4	I, 14: 12
hemolysis, III, 14: 22	intracranial, IV, 21: 5	identification, I, 14: 8
van den Bergh test, III, 14: 22	relation of blood urea concentra-	modified, I, 14: 11
fats, in celiac disease, I, 29: 28	tion to rate of urea clearance,	unmodified, I, 14: 12
fetal, III, 14: 2; 16: 5	III, 25: 3	"Bloodmobile," I, 14: 3
fibrinogen, III, 17:5	renal genesis, III, 25: 16	bone marrow route of administra-
in hemorrhagic disease of newborn,	role of kidney in hypertension, III, 25: 1	tion, I, 14: 13
III, 15: 11	typhoid and, II, 30: 11	dangers, I, 14: 13 indications, I, 14: 13
fibrinogenopenia, III, 17: 16	proteins, III, 11: 7	technic using the tibia, I, 14: 13
flukes, II, 35: 49	prothrombin, III, 17: 3	circulatory reactions, I, 14: 16
infection therapy, II, 35: 56	deficiency, causes, III, 17: 3	clinical application, I, 14: 25
formation, III, 14: 2; 16: 5	in hemorrhagic disease of new-	abnormal blood conditions, I, 14:
fetal, III, 20: 5	born, III, 15: 8	27
liver, III, 11: 4 spleen, III, 20: 5	determination, III, 17: 8	agranulocytosis, I, 14: 29
forming tissues, III, 14: 2	red cell, III, 14: 11. See also Erythro-	alimentary intoxication, I, 14:
fragility test, III, 14: 21	cytes	30
fragmentation, III, 16: 4	reticulocyte count, III, 14: 21 reticuloendothelial (histiocytic) sys-	anemia, I, 14: 27
group antigens causing erythro-	tem, III, 14: 3	athrepsia, I, 14: 29
blastosis fetalis, I, 15: 3	Rh factor, I, 15: 2; III, 15: 18. See	burns, severe, I, 14: 31
hematocrit, uses of, III, 14: 21	also Erythroblastosis Fetalis	congenital hemolytic icterus, I,
hemoglobin, III, 14: 12. See also	scurvy and, I, 35: 44	14: 28
Hemoglobin content in newborn period, III, 15:	sedimentation rate, III, 14: 22	diabetic coma, I, 14: 31
3	in, nephrosis, III, 28: 17	erythroblastosis fetalis, I, 15: 11; III, 11: 23; 15: 31
hemolysins, III, 14: 23	tuberculosis, II, 28: 43	hemolytic anemias, I, 14: 28
hemolytopoietic system, III, 14: 6	spleen, role in formation and dis-	hemophilia, I, 14: 29
heparin, III, 17: 5	orders of, III, 14: 4	hemorrhagic disease of newborn,
hyperprothrombinemia, III, 17: 4	stain, III, 14: 20	I, 14: 29; III, 15: 14
icteric index, in newborn, III, 15: 5	May-Grünwald-Giemsa, III, 14: 20	infections, I, 14: 27
in, chronic idiopathic xanthomatosis,	oxidase (peroxidase), III, 14: 21 vital, III, 14: 23	ketosis, nondiabetic, I, 14:31
III, 23: 40	Wright's, III, 14: 20	Lederer's anemia, I, 14: 28
coccidioidomycosis, II, 14: 24	streptomycin, I, 44: 3	leukemia, I, 14: 29
embryo, III, 14: 2	study, methods, III, 14: 19	measles, I, 14: 27
erythroblastosis fetalis, III, 11: 22	sugar, control in carbohydrate me-	Mediterranean anemia, I, 14: 28 mumps, I, 14: 27
Gaucher's disease, III, 23: 71, 79	tabolism, III, 24: 5	nephrosis, I, 14: 31
hemolytic jaundice, III, 11: 28	convulsions in hypoglycemia, IV,	nutritional anemia, I, 14: 28
infectious, hepatitis, III, 11: 44	12: 6	pertussis, I, 14: 27
mononucleosis, II, 8: 5	deficiency, I, 24: 21	prematurity, I, 14:29
lead poisoning, I, 18: 5, 6 leprosy, II, 9: 7	fasting values, III, 11: 71	purpura haemorrhagica, I, 14:28
leukemia, acute, III, 18: 16	hypoglycemia, I, 24: 21	scarlet fever, I, 14: 27
chronic myelogenous, III, 18: 35	classification, I, 24: 21	shock, I, 14: 26
myxedema, I, 38: 24	definition, I, 24: 21	sickle cell anemia, I, 14:28 coronary occlusion in donors, I,
newborn, III, 14: 2; 15: 1. See also	diagnosis, I, 24: 23	14: 5
Newborn, blood	in, infants born of diabetic mothers, I, 24: 26	5355.60
primary atypical pneumonia, II,	pathogenesis, I, 24: 21	cross matching, I, 14: 7 slide method, I, 14: 7
48-A: 3 intramuscular administration, I, 43:	recurrent, I, 24: 23	test tube method, I, 14: 7
32	symptomatology, I, 24: 22	direct method using unmodified
	treatment, I, 24: 28	blood, I, 14: 12
liver, role in blood formation, III, 14:5	hypoglycemic reactions differen-	DeBakey transfusion set, I, 14:
	tiated from epilepsy, IV, 12: 2	12
lymphatic tissues, III, 14: 3 lymphocytes, III, 14: 9	in, celiac disease, I, 29: 29	silicone-treated equipment, I, 14:
megakaryocytes and platelets, III,	newborn, I, 42: 11 induced hyperinsulinism in adren-	diagram turneritted by T. 14, 22
14: 9	alectomized dogs, IV, 12: 49	diseases transmitted by, I, 14: 23 homologous serum hepatitis, I,
monoblast, III, 14: 10	insulin hypoglycemia in normal	14: 24
monocyte, III, 14: 10	dogs, IV, 12: 49	gamma globulin treatment, I,
penicillin in, I, 44: 3	thrombasthenia, III, 17: 7	14: 24
phagocytosis, III, 16: 4, 5	hereditary, III, 17: 24	ultraviolet irradiation of plas-
phosphorus in rickets, I, 36: 46	thrombin, III, 17: 4	ma, I, 14: 25

Blood	Blood	Bones
transfusion	transfusion	acute severe inanition affecting, IV,
diseases transmitted by	reaction	23: 14a
malaria, I, 14: 24 syphilis, I, 14: 23	treatment, I, 14: 20 alkalinization, I, 14: 23	androgenic stimulation affecting, IV, 23: 14
donors, coronary occlusion in, I,	artificial kidney, I, 14: 22	aneurysm, IV, 36: 5
14: 5	conservative medical manage-	bismuth affecting density, IV, 23:
fainting, I, 14: 4	ment, I, 14: 22	17a
reactions, I, 14: 4	decapsulation of the kidney, I, 14: 20	brucellosis affecting, II, 33: 10
selection, I, 14: 5 tetany, I, 14: 5	massive substitution trans-	calcifications, mechanism, IV, 23: 9 phosphatase and phosphoric ester
"universal donor," I, 14: 17	fusion, I, 14: 22	hypothesis of Robinson, I, 36: 43
withdrawal of blood from, I, 14:	peritoneal lavage, I, 14: 21 post shock phase, I, 14: 23	relation of total ionic strength to,
8	program, I, 14: 23	I, 36: 48 celiac disease affecting, I, 29: 31
edema, pulmonary complicating, I. 14: 16	splanchnic block, I, 14: 20	cells, microscopic and chemical struc-
erythrocytes, packed, I, 14: 12	washed cells preventing, I, 14:	ture, IV, 23: 7
exchange, compared with multiple	Red Cross blood program, I, 14: 3	changes, in, coccidioidomycosis, II, 14: 22
in erythroblastosis fetalis, I, 15: 12	replacement type, I, 14: 13, 22	erythroblastosis fetalis, III, 15:
technic, in erythroblastosis fe-	scalp veins in infants, I, 14: 8, 9	24
talis, I, 15: 13, 14	shock, treatment, I, 14: 26 silicone-treated equipment, I, 14:	scurvy, I, 35: 12
exsanguination type, I, 14: 13, 22 gamma globulin fraction in pre-	12	of skull and face in oxycephaly,
vention and treatment of in-	speed shock associated with myo-	IV, 25: 5, 6 with involvement of liver, III, 11:
fection, I, 14: 27	cardial insufficiency, I, 14: 16 substitution type, I, 14: 13, 22	72
hemolytic reactions, I, 14: 17 hepatitis transmitted by, I, 14: 24	in erythroblastosis fetalis, III,	composition in osteogenesis imper-
history, I, 14: 1	15: 32	fecta, IV, 23: 35, 38
immunity and, I, 6: 13	syphilis transmitted by, I, 14:23 technic, I, 14:8	Cushing's syndrome affecting, IV, 23: 14
in infants, I, 14: 8 anemic, premature, III, 15: 35	therapy, I, 14: 25	cyst, solitary, IV, 36: 4
twins, III, 15: 35	"transfusion kidney," I, 14: 19	deformities, IV, 29: 1. See also
assistant, I, 14: 9 erythroblastosis fetalis, I, 15:	transmission of disease in, I, 14:	Osteochondrodystrophia Defor- mans
13, 14; III, 11: 23; 15: 31	typing, I, 14:5	in gargoylism, IV, 30: 7
immobilization, I, 14: 10	methods, I, 14:6	density, IV, 23: 15
obtaining blood for typing, I, 14:	Moss hanging-drop, I, 14: 7 obtaining blood for typing in	decrease, IV, 23: 15 increase, IV, 23: 15a
prematures, I, 43: 32	infants, I, 14: 6	produced by inorganic elements,
scalp veins, I, 14: 8, 9	open slide of Vincent, I, 14:	IV, 23: 16a
technic, I, 14: 9, 10, 11 wrist and hand veins, I, 14: 8	6 test tube, I, 14: 7	diseases. See also under names of diseases, as Osteogenesis; Osteo-
indications, I, 14: 25	serums, commercial, I, 14: 5	petrosis; etc.
malaria transmitted by, I, 14: 24	concentration methods, I, 14: 5	based on normal growth sequences,
measure of efficacy of, I, 14: 2 neutralization of O blood and plas-	storage and preservation, I, 14:	IV, 23: 10, 11 gargoylism, IV, 30: 1. See also
ma, I, 14: 18	"universal donor" causing reaction,	Gargoylism
plasma, I, 14: 12	I, 14: 17, 19	Legg-Perthes disease, IV, 34: 25
fractions, I, 14: 12 polyethylene tubing in, I, 14: 10	urea and urea clearance, III, 25: 2 urea; azotemia, III, 25: 3	leontiasis ossea, IV, 32: 1 lipochondrodystrophy, IV, 30: 1
preservation of blood, I, 14: 25	normal, III, 25: 4	osteochondrodystrophia deformans,
refrigeration, I, 14: 26	relation of concentration to rate of clearance in hypertension and	IV, 29: 1
solutions for, I, 14: 26 technics testing survival of	glomerulonephritis, III, 25: 3	osteogenesis, IV, 23: 5, 33 osteomyelitis, IV, 35: 1
transfused erythrocytes, I, 14:	variations, III, 25: 4	treatment, IV, 34: 1
25	in concentration due to change in protein intake in hypertension	dysostosis multiplex, II, 46: 2
procuring blood, I, 14: 3 pyrogenic reactions, I, 14: 15	and renal insufficiency, III, 25:	dysplasia, fibrous, IV, 36: 3 progressive diaphysial, IV, 23: 14
reaction, I, 14: 14	4	dystrophy, IV, 29:1
allergic, I, 14: 15	vessels, defects as etiologic factor in	embryogenesis, IV, 23: 1
circulatory, I, 14: 16 air embolism, I, 14: 16	hemorrhagic disease of newborn, III, 15: 11	epiphyseal closure, IV, 23: 5 erythroblastosis fetalis affecting, IV,
speed shock, I, 14: 16	vitamins, A, concentration in, I, 32:	23: 14a
diagnosis, I, 14: 19 hemolytic, I, 14: 17	5	formation, IV, 23: 1 embryogenesis, IV, 23: 1
causes, I, 14: 17	K, in, I, 32-A: 1 volume, in newborn, I, 42: 10	endochondral, IV, 23: 1, 5
in conscious, unconscious and	white cells, III, 14: 8. See also	endosteal, IV, 23: 4
operative patients, I, 14: 17 isoagglutinations causing, I,	Leukocytes	membranous, IV, 23: 4 periosteal, IV, 23: 4
14: 18	Witebsky's purified A and B substances, I, 14: 18	stages in development of humerus,
"universal donor," causing, I,	caution in use of, I, 14: 19	IV, 23: 2
14: 18 Witebsky's purified A and B	neutralization of O blood and plas-	fractures and dislocations, in new-
substances preventing, I, 14:	ma, I, 14: 18 Body, changes in form of boy, I, 8: 24	born, I, 42: 46 fragile, IV, 34: 67
18	proportions, in newborn, I, 42: 16	Gaucher's disease and, IV, 36: 8
"human factor" in, I, 14: 14 in donors, I, 14: 4	temperature, I, 5: 1	granuloma, eosinophilic, IV, 36: 7 growth, I, 8: 17; 36: 19
prevention by use of washed	Bohn's Nodes, I, 42: 22; III, 2: 10	arrest, IV, 34: 74
cells, I, 14: 19	Boil, IV, 40: 29. See also Furunculosis	dysostosis cleidocranialis differen-
pyrogenic, I, 14: 15 "transfusion kidney," pathologic	Bones, IV, 23: 1 abscesses caused by typhoid bacilli,	tiated from bossing, I, 36: 63 epiphyseal growth disturbances,
anatomy, I, 14: 19	II, 30: 18	IV, 34: 24

P	I Parasa	Ducin
Bones growth	Bones radius, dislocation, congenital, IV,	Brain abscess
in, grade school, I, 8: 29	34: 20	epilepsy as sequel, IV, 21: 35
infant, I, 8: 15	renal hyperparathyroidism and, III,	etiology, IV, 21: 32 extension of infection by conti-
preschool child, I, 8: 23 rickets due to growth urge, I, 36:	29: 1 roentgen ray, changes in leukemia,	guity, IV, 21: 33
5	III, 18: 20	inoculation of brain with septic
Hand-Schüller-Christian disease and,	signs of lead poisoning, I, 18: 5, 6	organism, IV, 21: 31
IV, 36: 7	salt, IV, 23: 9 sarcoma, osteogenic, IV, 36: 8	localizing signs, IV, 21: 34 organisms in, IV, 21: 32
hyperestrogenism, IV, 23: 14 hyperostosis, IV, 23: 69. See also Hy-	saucerization, IV, 35: 12	bsteomyelitis, extensive, related to,
perostosis, infantile cortical	scapula, Sprengel's deformity, IV,	IV, 21: 43, 44
hyperparathyroidism affecting, IV,	34: 55 scoring, in asthma, II, 57: 6	otitic, IV, 39: 42 diagnosis, IV, 39: 43
23: 14a hyperpituitarism affecting, IV, 23:	transverse lines, IV, 23: 15a, 16, 16a	pathology, IV, 39: 42
14	tuberculosis, IV, 34: 1	symptoms, IV, 39: 43
hypothyroidism affecting, IV, 23: 14	diagnosis, IV, 34: 1 etiology, IV, 34: 5	treatment, IV, 39: 43 pathology, IV, 21: 32
immobilization or disuse affecting growth, IV, 23: 13	hip, IV, 34: 5	extension of infection by con-
in, congenital syphilis, I, 42: 74	pathology, IV, 34: 1	tiguity, IV, 21: 33
late, II, 26: 9	spine, IV, 34: 5 treatment, IV, 34: 5	inoculation, IV, 21: 33 sinusitis related to abscess of
osteogenesis imperfecta differen- tiated from rachitic craniotabes,	tumors, IV, 36: 1	frontal lobe, IV, 21: 33
I, 36: 61	affecting growth, IV, 23: 14a	pseudoabscess, IV, 21: 43
inflammation, IV, 35: 4	benign, IV, 36: 2	treatment, IV, 21: 43 pyramidal symptoms, IV, 21: 34
injuries, in newborn, I, 42: 46 inorganic composition, I, 36: 41	cavernoma, IV, 36: 5 chondroblastoma, IV, 36: 3	sinusitis, frontal, related to, IV,
lattice formation, IV, 23: 15a, 16	enchondroma, IV, 36: 3, 5	21: 33
lead poisoning and, I, 18: 5, 6; IV,	exostosis, IV, 36: 3 multiple, IV, 36: 3, 4	stages of development, IV, 21: 31 staphylococcus in, IV, 21: 32
23: 17	hemangioma, IV, 36: 5, 7, 8	streptococcus in, IV, 21: 32
Letterer-Siwe disease and, IV, 36:	diagnosis, IV, 36: 6	symptoms, IV, 21: 34
leukemia and, IV, 36: 10	treatment, IV, 36: 6	fever, IV, 21: 34 localizing signs, IV, 21: 34
long, congenital aplasia, IV, 34: 60	osteochondroma, IV, 36: 2 osteoma, IV, 36: 2	pyramidal, IV, 21: 34
malformations, congenital local, IV, 23: 14a	osteoid, IV, 36: 2	quiescent stage, IV, 21: 35
marrow, III, 14:2	prognosis, IV, 36: 12 treatment, IV, 36: 12	temporal lobe, drainage, IV, 21:
aplasia, causes, III, 16: 2	classification, IV, 36: 1	treatment, IV, 21: 35
as route for administration of	diagnosis, IV, 36: 10	antibiotics, IV, 21: 40
blood transfusions, I, 14: 13 atrophy, postinfectious, III, 16: 23	biopsy, IV, 36: 11 examination, IV, 36: 10	aspiration, IV, 21: 41
examination in leukemia, III, 18:	history, IV, 36: 10	aureomycin, IV, 21: 40 capsule, IV, 21: 41
17, 34	laboratory, IV, 36: 11	cerebellar abscess, IV, 21: 42
failure of red cell formation, III, 16: 2	roentgen ray, IV, 36: 11	dihydrostreptomycin, IV, 21: 40
aplastic states of, III, 16: 2	differential diagnosis, osteomyelitis, IV, 35: 8	drainage, IV, 21: 42 osteomyelitis in, IV, 21: 43
hypoplastic states, III, 16: 2	incidence, IV, 36: 1	penicillin, I, 44: 14; IV, 21: 41
lack of structural material, III,	malignant, IV, 36: 8	pseudoabscess, IV, 21: 43
16: 2 "hypoplastic" in prematures, III,	chondrosarcoma, IV, 36: 9 Ewing's, IV, 36: 9	sulfonamides, IV, 21: 39 surgical, IV, 21: 35
16: 9	sarcoma, osteogenic, IV, 36:8	allowing brain to herniate
in, Hodgkin's disease, III, 19:28	treatment, IV, 36: 12	through skull before oper-
leukemia, III, 18: 2, 35	vitamins, A, poisoning, IV, 23: 14 C and D deficiency, effect on, I, 31:	ating, IV, 21: 41 antibiotics and, IV, 21: 40
studies, III, 14: 23 in differential diagnosis of leu-	6	postoperative care, IV, 21: 40
kemia, aplastic anemia and	Boric Acid, poisoning, I, 17: 16	technic, IV, 21: 36, 37
septicemia, III, 14: 23 matrix, destruction, IV, 23: 9	newborn period, I, 42: 106	temporal drainage of temporal lobe abscess, IV, 21: 42
formation, IV, 23: 8	Bornholm Disease, IV, 37-A: 1. See also Pleurodynia	World War II alterations in
microscopic and chemical structure,	Botflies, II, 35: 76	technic, IV, 21: 39
IV, 23: 7 melorheostosis, IV, 23: 14	Bourneville's Disease, IV, 13: 14	anomalies, IV, 13: 14 calcification in congenital toxoplas-
metatarsus varus, IV, 34: 74	Bowlegs, I, 36: 71. See also Genu,	mosis, IV, 7: 48
Morquio's disease, IV, 29: 1	varum	cerebral hemorrhage, IV, 5: 6
ossification centers, IV, 23: 5 osteoarthropathy, hypertrophic, IV,	Brachial Plexus, birth injury, I, 42:	choroid plexus, IV, 2: 4 circulatory disorders and convulsions,
23: 14	55	IV, 12: 21, 22
osteogenesis, IV, 23: 5, 33	Brachycephaly, IV, 25: 5, 9	contusion, IV, 22: 4
osteogenic-osteolytic balance disturb-	Brachydactylia, in hypoparathyroidism, I, 39: 7	cysticercosis simulating epilepsy, IV, 12: 50
ances, IV, 23: 13 osteomyelitis, IV, 35: 1	Bradycardia, complicating mumps, II,	electroencephalography, IV, 12: 15
in newborn, I, 42: 65	13: 6	embolism, IV, 5: 4
osteopathia striata, IV, 23: 14	simple, III, 13: 13	growth, IV, 25: 3 hematoma, IV, 6: 1. See also Pachy-
osteopoikilosis, IV, 23: 14 osteoporosis, fibrosa cystica with	Brain, abscess, IV, 21: 31 capsule, treatment, IV, 21: 41	meningitis, haemorrhagica in-
renal hyperparathyroidism, III, 29:	cerebellar abscess, IV, 21: 41	terna
1	complicating scarlet fever, II, 23:	differentiated from meningitis, IV, 8: 20
pain, leukemia, acute, III, 18: 19 patella, defects, IV, 34: 61	12, 13 treatment, II, 23: 21	hemorrhage, IV, 5: 6
periosteum osteogenesis, IV, 23: 4	convulsions due to, IV, 12: 5	convulsions due to, IV, 12: 4
phosphorus affecting density, IV, 23:	differentiated from meningitis, IV,	differentiated from, meningitis, IV,
17	8: 20	8: 20

Brain	Breast	Bronchitis
hemorrhage	maternal	in
differentiated from tetany, I, 37: 11	lactation, I, 25: 9 nipples, I, 25: 11, 12, 18	cystic fibrosis of pancreas treatment, I, 29-A: 15
due to head injuries, IV, 22: 4	milk, premature infant, I, 43: 22	symptoms, II, 39: 21
etiology, IV, 5: 6	newborn, I, 42: 14	treatment, II, 39: 22
extradural, IV, 5: 7	sarcoma, III, 31: 28	inhalation of penicillin aerosol, I,
in sickle cell anemia, III, 16:50	tumors, III, 31: 28	29-A: 16; 44: 16
intracerebral, IV, 5:8	Breath-Holding, spells, IV, 13: 19	vegetal, II, 56: 23
pathology, IV, 5:6	epilepsy and, IV, 12: 29	allergy in, II, 56: 23
prognosis, IV, 5:8	Bridou, IV, 40: 83	bacteriology, II, 56: 24
subarachnoid, IV, 5: 7		complications, II, 56: 29
subdural, IV, 5: 7; 6: 1. See also	Bright's Disease, hemorrhagic, III, 28: 2. See also Nephritis, acute glomeru-	following bronchoscopy, II, 56:
Pachymeningitis, haemorrhagica	lonephritis	29
interna symptoms, IV, 5: 7	AND	definition, II, 56: 23 diagnosis, II, 56: 27
treatment, IV, 5: 8	Brill's Disease, II, 32: 7. See also Typhus, epidemic	etiology, II, 56: 23
in, oxycephaly, IV, 25:7		history, II, 56: 23
infection, IV, 22: 8	Broadbent Sign, III, 13: 5	pathology, II, 56: 24
convulsions due to, IV, 12: 5, 21	Bromides, poisoning, I, 17: 17	physical signs, II, 56: 27
inflammation, due to viruses, simu-	Bronchi, foreign body, differentiated	prognosis, II, 56: 28
lating epilepsy, IV, 12: 51	from asthma, II, 57: 10	prophylaxis, II, 56: 29
injury, IV, 22: 2	Bronchiectasis, II, 54: 40	roentgen ray diagnosis, II, 56: 28
development affected by, I, 9: 24	anemia in, III, 16: 19	symptoms, II, 56: 25
epilepsy due to, IV, 12: 20	atelectasis and, II, 54: 42	initial, II, 56: 25
following lead encephalitis, I, 18:	bacteriology, II, 54: 43	late, II, 56: 27
	bronchography, roentgenograms, II,	temperature chart, II, 56: 26 tracheotomy, II, 56: 29
mental disorders due to, IV, 13:	54: 52	tracheotomy, 11, 56: 29
31	technic, II, 54: 53 complications, II, 54: 50	
residual, tendency to convulsions,	congenital, II, 54: 40	Bronchocele, I, 38: 11. See also Goiter, diffuse colloid
IV, 12: 52	diagnosis, II, 54: 51	
treatment, penicillin, I, 44: 14 meningoencephalocele, IV, 15: 17	contrast medium, II, 54: 52	Bronchopneumonia, in, cystic fibrosis
necrosis, in sickle cell anemia, III,	etiology, II, 54: 4, 40	of pancreas, I, 29-A: 11 Salmonella suipestifer septicemia,
16: 50	bronchial stenosis, II, 54: 42	II, 22: 3, 4
pacchionian bodies, IV, 2:5	foreign body, II, 54: 42	
parasitic diseases, simulating epilep-	pertussis, II, 54: 41	Bronchoscopy, II, 55: 4 contraindications, II, 55: 4
sy, IV, 12: 50	pulmonary infection, II, 54: 41	in, laryngotracheobronchitis, II, 45:
roentgenography in epilepsy, IV, 12:	sinus disease, II, 54: 41	3
30	syphilis, II, 54: 42 incidence, II, 54: 40, 47	postoperative atelectasis, II, 50: 17
encephalography, IV, 12: 29	lipiodol injection, II, 54: 53	indications, II, 55: 4
pneumoencephalography, IV, 12: 30	bronchoscopic technic, II, 54: 55	oral, technic, II, 55: 6
Schilder's disease, IV, 10: 1	passive technic, II, 54: 54	Bronchotetany, I, 37: 9
stem, glioma, IV, 21: 12	pathology, II, 54: 43	Bronchus, foreign body in, II, 56: 10
trauma, mental disorders due to, IV,	congenital type, II, 54: 44	diagnosis, II, 56: 10
13: 46	location, II, 54: 43	
tumor, astrocytoma, IV, 21: 10 cerebral hemispheres, IV, 21: 20	types, II, 54: 43	Brucella, abortus, II, 33: 2 infections, reticuloendothelial system
convulsions due to, IV, 12: 6	physical findings, II, 54: 50	in, III, 23: 11
differentiated from meningitis, IV,	prognosis, II, 54: 56	melitensis, II, 33: 2
8: 19	roentgenography, II, 51: 1; 54: 50,	suis, II, 33: 2
eye and, IV, 38: 66	51	Brucellosis, II, 33: 1
fourth ventricle, IV, 21: 7	lipiodol as contrast substance, II,	abortion related to, II, 33: 13
glioma of, optic chiasm, IV, 21: 12	54: 52	age incidence, II, 33: 3, 4
stem, IV, 21: 12	sputum, II, 54: 48	animals in epidemiology, II, 33:5
medulloblastoma cerebelli, IV, 21:	symptoms, II, 54: 48	bacteremia in, II, 24: 18
7	clubbed fingers, II, 54: 49	Brucella, II, 33: 2
papillomas, IV, 21: 19	hemoptysis, II, 54: 48	abortus, II, 33: 2
syncopal attacks, IV, 12:50	sputum, II, 54: 48	cultural and biochemical differ-
vascular anomalies and convulsions, IV, 12: 21, 22	"watchglass nails," II, 54: 49	ences of species, II, 83: 2 culture, II, 33: 2
ventricles, IV, 2: 4	treatment, II, 54: 57	melitensis, II, 33: 2
	collapse therapy, II, 54: 59	morphology, II, 33: 2
Bread, enriched, I, 31: 9, 10	drugs, II, 54: 58 intratracheal iodized oil, II, 54: 59	suis, II, 33: 2
Break-Bone Fever, II, 36: 70. See also	lobectomy, II, 54: 60	definition, II, 33:1
Dengue	penicillin in, I, 44: 16	diagnosis, II, 33: 14
Breast, III, 31: 27	phrenic nerve operations, II, 54: 60	agglutinins, II, 33: 14
angioma of, III, 31: 28	pneumothorax therapy, II, 54: 59	blood leukocytes, II, 33: 14
anomalies, III, 31: 27 at puberty, III, 31: 27	postural drainage, II, 54: 58	complement fixation test, II, 33: 14
embryology, III, 31: 27	prophylactic, II, 54: 57	intradermal test, II, 33: 15
examination, I, 19: 43	surgical, II, 54: 59	isolation of Brucella from body fluids or tissues, II, 33:15
feeding, I, 25: 1. See also Infant	thoracoplasty, II, 54: 60	opsonocytophagic test, II, 33: 15
Feeding, breast feeding	vaccine, II, 54: 59	sedimentation rate of erythrocytes,
inflammation, I, 25: 18	triangular shadow and, II, 51: 1; 54: 51	II, 33: 14
penicillin in, I, 44: 19		differential diagnosis, II, 33: 16
lipoma, III, 31: 28	Bronchiolitis, acute, II, 48: 13	Hodgkin's disease, II, 33: 17
maternal, anatomy, I, 25: 10	Bronchitis, II, 39: 21	infectious mononucleosis, II, 33:16
caked, I, 25: 18	among tonsillectomized and nonton-	influenza, II, 33: 16
during pregnancy, I, 25: 9	sillectomized children, II, 40: 12, 13	lymphoblastoma, II, 33: 17
function of mammary gland, I, 25:	asthma and, II, 57: 2, 7, 12 in, cystic fibrosis of pancreas, I, 29-	malaria, II, 33: 16
inflammation, I, 25: 18	A: 4, 9	nervous exhaustion, chronic, II, 33: 16
	, .	50. IO

Brucellosis differential diagnosis	B
psychoneurosis, II, 33:16 subacute bacterial endocarditis, II,	
33: 16 tuberculosis, II, 33: 17 typhoid fever, II, 30: 23; 33: 16	
epidemiology, II, 33:5 geographic distribution, II, 33:2 historical review, II, 33:1	
immunity, II, 33: 17 incidence, II, 33: 3	
incubation period, II, 33: 9 infection in utero, II, 33: 4 lymph nodes in, II, 33: 10	
milk, care of in prevention, II, 33:	
mortality rates, II, 33: 17 occupational distribution, II, 33: 5 onset, II, 33: 9	
pathogenesis, II, 33: 7 pathology, II, 33: 7 acute phase, II, 33: 7	
portal of entry, II, 33: 6	
prevention, II, 33: 20 recurrences, II, 33: 17 sex incidence, II, 33: 3	
signs, II, 33: 10 symptoms, II, 33: 8 abortion related to, II, 33: 13	
acute phase, II, 33: 9 biliary tract. II. 33: 12	
bones, II, 33: 10 chronic, II, 33: 9 eyes, II, 33: 11	
female reproductive organs, II, 33: 13 gastrointestinal, II, 33: 13	
genitourinary, II, 33: 13 joints, II, 33: 10	
liver, II, 33: 12 lymph nodes, II, 33: 10 male genitalia, II, 33: 13 neurologic, II, 33: 13	
neurologic, II, 33: 13 oral, II, 33: 11 pulmonary, II, 33: 12	
skin symptoms, II, 33: 10 splenomegaly, II, 33: 10	
vegetative endocarditis in, II, 33: 12 synonyms, II, 33: 1	
treatment, II, 33: 18 ACTH, II, 33: 20 antibiotics, II, 33: 19	
artificial fever, II, 33:18 aureomycin, I, 44: 28; II, 33:	
19, 20 Brucella antigens, II, 33: 18 chloramphenicol, II, 33: 20	
cortisone, II, 33: 20 dihydrostreptomycin, II, 33: 20 immune serum. II, 33: 18	
immune serum, II, 33: 18 streptomycin, I, 44: 26; II, 33: 19 sulfonamides, II, 33: 19 terramycin, II, 33: 19	
Bruce's Septicemia, II, 33: 1. See also Brucellosis	
Brudzinski Sign, in meningitis, IV, 8:	
Bruxism, III, 3: 20 Buffalo Flies, II, 35: 72 diseases due to, II, 35: 72	
Bugs, II, 35: 82	B
bedbug, II, 35: 82 biology, II, 35: 82 cone-nosed, II, 35: 82, 83	B
cone-nosed, II, 35: 82, 83 "kissing bug," II, 35: 83 Buhl's Disease, III, 11: 24	C
Burns, I, 17: 52; III, 1: 63; IV, 42: 1 acute toxemia, IV, 42: 8	C

```
anemia in. IV. 42: 3
 antitetanus serum in, IV, 42: 10
 bandages, IV, 42:8
 blood, changes in, IV, 42:3
   transfusions, IV, 42: 3
 carcinoma, development in
                                     burn
   scars, IV, 42: 10
 chemical, eyes, IV, 38: 42
 treatment, IV, 38: 42 classifications, IV, 42: 1
 complications, IV, 42: 10
 contractures following, III, 1:64
   grafts, III, 1:64
 definition, IV, 42:1 degrees of, IV, 42:1
   charring into muscle, IV, 42: 1 dermatitis with vesicle formation,
     IV. 42:1
   destruction of skin and subcuta-
     neous tissue, IV, 42:1
   erythema, IV, 42:1
   partial destruction of the skin, IV,
     42:1
 duodenal ulcer as complication, IV.
   42: 10
 edema, IV, 42: 2
 electric, III, 1: 66; •IV, 42: 10
   treatment, III, 1:66
 estimating extent of body surface
burned, IV, 42:6
 eyes, IV, 38: 42
 function, late restoration of, IV, 42:
   10
 grafts, IV, 42: 4, 10
   autogenous thick split graft, IV,
     42: 10
   homografts, IV, 42: 10
   Ollier-Thiersch graft, IV, 42: 10
 infected, treatment, penicillin, I, 44:
   19
 late restoration of function, IV, 42:
   10
 percentages of surface proportions of
   parts of body, IV, 42: 7
plasma loss, IV, 42: 2
scarring, IV, 42: 5
sepsis, IV, 42: 4
shock, IV, 42: 2
stages, IV, 42: 2
   acute toxemia, IV, 42: 3
   primary shock, IV, 42: 2
   secondary shock, IV, 42: 2
   sepsis, IV, 42: 4
   ulceration and healing, IV, 42: 4
 toxemia, IV, 42:3
 treatment, III, 1: 64; IV, 42: 5
   closed method, IV, 42:5
   facial burns, IV, 42: 7
   ferric chloride, IV, 42: 5
   fluids, administration of, IV, 42:
     2
   genital burns, IV, 42:7
gentian violet, IV, 42:5
   grafts, III, 1: 64; IV, 42: 9, 10,
     11, 12, 13
   immediate, IV, 42:6
   open method, IV, 42: 5
   paraffin, IV, 42:6
   silver nitrate, IV, 42: 5
   small superficial burns, IV, 42: 6
   tannic acid, IV, 42: 5
   transfusions, I, 14: 31; IV, 42: 3
   widespread burns, IV, 42: 6
ulceration and healing, IV, 42: 4
ursa, IV, 37:55
ursitis, IV, 37: 55
utter, vitamin D in, I, 36: 4
achexia, in Hodgkin's disease, III, 19:
34
admium, poisoning, I, 17: 17
```

```
Calciferol, or D2, I, 36: 49, 50
  toxic properties, I, 36: 118
Calcification. See Calcium: Myositis.
 ossificans; and under diseases or con-
    ditions
Calcium, action of vitamin D on as-
    similation of, I, 36: 52
  assimilation increased by
    D, I, 36: 54
 blood, in infantile tetany, I, 37: 1,
   4, 8
  content, bones in osteogenesis imper-
      fecta, IV, 23: 37
    diet in rickets, I, 36: 7
  deficiency, treatment, I, 37: 17
 deposition in spleen, III, 20: 18
 metabolism, I, 36: 39
    effect of, thyroid on, I, 36: 52
      ultraviolet radiation, I, 36:40
    of Chinese women suffering from
      osteomalacia, I, 36: 40
  serum content in scurvy, I, 35: 46
 storage in fetus, I, 36: 8, 9
Caloric Test, for hearing, IV, 39: 9
Camphor, poisoning, I, 17: 17
Cancrum Oris, III, 2: 5
Canker, sore (aphthous ulcer), III, 3: 26; IV, 40: 81
Caput Succedaneum, I, 42: 22, 52
Carbohydrates, metabolism, III, 24:1
    control of blood sugar level, III,
        24: 5
      adrenal cortex, III, 24:8
        chemical structures of repre-
          sentative hormones of, III,
          24: 8
      adrenal medulla, III, 24:6
        epinephrine, III, 24:6
      liver, III, 24:5
      pancreas, III, 24: 7
        insulin, III, 24: 7
      pituitary, III, 24: 10
        effects of hypofunction and hy-
          perfunction
                        on
                             other
          docrine glands, III, 24: 11
      thyroid, III, 24:9
    digestion and absorption, I, 20:
      12: III. 24: 1
    disorders, cataracts due to, IV, 38:
     19
    in, celiac disease, I, 29: 28
     newborn, I, 42: 11
    nervous control, III, 24: 12
    regulation of supply and demand,
      III, 24: 13
    relation of liver to, III, 11:6
    storage and utilization, III, 24: 2
      chart showing formation and
breakdown of glycogen and
oxidation of carbohydrate, III,
        24: 3
      Cori cycle, III, 24: 3
    tests in infancy and childhood, III,
        24: 15
      chart, III, 24: 19
      epinephrine response test, III,
        24 . 18
      fasting blood sugar, III, 24: 16
      galactose and levulose tolerance
        tests, III, 24: 18
      glucose-insulin
                       tolerance
                                    test.
        III. 24: 17
      glucose tolerance tests, III, 24:
        16
     insulin tolerance test, III, 24: 17
      respiratory quotient during fast-
       ing, III, 24: 18
     urinalysis, for, glucose, III, 24:
            16
          ketone bodies, III, 24: 16
   thiamine in, I, 31: 5
```