Control of Communicable Diseases in Man



Abram S. Benenson, editor

Thirteenth Edition

1980

An official report of the American Public Health Association

Control of Communicable Diseases in Man

Thirteenth Edition 1981

ABRAM S. BENENSON Editor

An Official Report of the American Public Health Association

The American Public Health Association 1015 Fifteenth Street NW Washington, DC 20005

Interdisciplinary Books, Pamphlets & Periodicals
For the Professional & the Layman

Control of Communicable Diseases in Man

EDITORIAL BOARD

ABRAM S. BENENSON, M.D.

Chairman and Editor

Director

Gorgas Memorial Laboratory

APO Miami 34002

WILLIAM D. TIGERTT, M.D.

Associate Editor

Professor of Pathology

University of Maryland School of Medicine

15 Charles Plaza 2203

Baltimore, Md. 21201

JAMES CHIN, M.D.

Associate Editor

Chief, Infectious Disease Section

California Department of Health Services

2151 Berkeley Way

Berkeley, California 94704

MEMBERS and CONTRIBUTORS

PAUL C. BEAVER, Ph.D.

Emeritus Professor of Tropical Diseases and Hygiene

Tulane University School of Public Health and Tropical Medicine

1430 Tulane Avenue

New Orleans, LA. 70112

JOHN E. BENNETT, M.D.

Head, Clinical Mycology Section

Laboratory of Clinical Investigation

National Institute of Allergy and Infectious Diseases

National Institutes of Health

Bethesda, Maryland 20205

PHILIP S. BRACHMAN, M.D.

Director, Epidemiology Program Office

Centers for Disease Control

Atlanta, Ga. 30333

BARNETT L. CLINE, M.D.

Professor and Chairman

Department of Tropical Medicine

Tulane University School of Public Health and Tropical Medicine

1430 Tulane Avenue

New Orleans, LA 70112

FLOYD W. DENNY, M.D.

Professor and Chairman

Department of Pediatrics

University of North Carolina School of Medicine

Chapel Hill, North Carolina 27514

GEOFREY EDSALL*

Professor Emeritus of Microbiology

Harvard University School of Public Health

Professor Emeritus of Microbiology

London School of Hygiene and Tropical Medicine.

ALFRED S. EVANS, M.D., M.P.H.

Professor of Epidemiology, and Director, WHO Serum Reference Bank

Yale University School of Medicine

60 College Street

New Haven, Connecticut 06510

D.A. HENDERSON, M.D.

Dean

The Johns Hopkins University School of Hygiene and Public Health

615 North Wolfe St.

Baltimore, Maryland 21205

WILLIAM S. JORDAN, Jr., M.D.

Director, Microbiology and Infectious Diseases Program

National Institutes of Allergy and Infectious Diseases

National Institutes of Health

Bethesda, Maryland 20205

GORDON MEIKLEJOHN, M.D.

Professor of Medicine

University of Colorado School of Medicine

4200 E 9th Avenue

Denver, Colorado 80220

ROBERT E. SHOPE, M.D.

Professor of Epidemiology

Department of Epidemiology and Public Health

Yale University School of Medicine

60 College Street

New Haven, CT. 06510

JAMES S. STEELE, D.V.M., M.P.H.

Professor of Environmental Health

The University of Texas School of Public Health

P.O. Box 20186

Houston, Texas 77025

^{*}Deceased

FRANKLIN H. TOP, Sr., M.D.

Department of Preventive Medicine and Environmental Health

Institute of Agricultural Medicine

College of Medicine

The University of Iowa

Iowa City, IA 52240

KENNETH WARREN, M.D.

Director Health Sciences

The Rockefeller Foundation

1133 Avenue of the Americas

New York, New York 10036

LIAISON REPRESENTATIVES

B. W. Christmas, MB. Ch.B.

Deputy Director-General of Health

Department of Health

P.O. Box 5013

Macarthy Trust Building

Lambton Quay

Wellington, New Zealand

A. J. Clayton, M.B., Ch.B., D.P.H., FRCP (C)

Director General Laboratory

Centre for Disease Control

Department of National Health and Welfare.

Ottawa, Ontario K1A OL2

Canada

Suzanne Dandoy, M.D., Director

Arizona Department of Health Services

1740 West Adams Street

Phoenix, Arizona 85007

William H. Foege, MD.

Centers for Disease Control

Atlanta, GA. 30333

Vincent A. Fulginiti, M.D.

Professor and Head

Department of Pediatrics

Health Sciences Center

University of Arizona

Tucson, Arizona 85724

T. J. B. Geffen, MD., FRCP

Department of Health and Social Security

Alexander Fleming House

Elephant and Castle

London SE1 6BY

England

W. A. Langsford, MD.

First Assistant Director-General

Commonwealth Dept. of Health

P.O. Box 100

Woden A.C.T. 2606

Australia

William F. McCulloch, DVM

Director, Institute of Comparative Medicine

Texas A & M University

College Station, TX 77843

Dr. Edward A. Mortimer, Jr.

Department of Community Health

Case Western Reserve University

School of Medicine

2119 Abington Road

Cleveland, Ohio 44106

Col Taras Nowosiwsky, MC, USA

Chief, Preventive Medicine Consultants Division

Office of the Surgeon General

Department of the Army

Washington, D.C. 20310

Daniel Reid, MD.

Communicable Diseases (Scotland) Unit

Ruchill Hospital

Bilsland Drive

Glasgow G20 9NB

Scotland

Karl A. Western, MD

Assistant Director

National Institute of Allergy and Infectious Diseases

National Institutes of Health

Bethesda, Maryland 20205

Albert Zahra, MD.

Director, Div. of Communicable Diseases

World Health Organization

1211 Geneva 27

Switzerland

PREFACE TO THE THIRTEENTH EDITION

The Control of Communicable Diseases in Man was first published by the American Public Health Association in 1917 to present the essential facts needed to control communicable diseases of man. The periodic revisions, this the thirteenth, assure that the practices recommended remain abreast of the advances in our knowledge of disease and of the changes in socioeconomic conditions. The book is intended to provide a ready source of information on how to recognize a specific disease, how to manage the patients so that the disease does not spread, and to provide treatment guidance. It is not intended to replace text-books but to be a source of basic information on which initial action can be taken.

Since the last edition was published, man has for the first time succeeded in eradicating a terrible disease. The World Health Assembly declared in May, 1980 that smallpox has been eradicated after two years during which no naturally occurring cases could be found anywhere in the world despite intensive investigation by International Commissions. However this edition continues to provide the salient features for rapid recognition and appropriate action which can be expected to provide complete control, should by some mischance the disease reappear.

Questions have been raised by the amount of space devoted to the presentation of rare and exotic diseases. This is deliberate. Physicians in developed areas are familiar with the diseases which usually occur in those areas, but they have had no personal contact and usually no information on the diseases which occur in remote areas now closely linked to their community by the jet plane and increasing international travel. Sources of information on these diseases may not be readily available; this volume attempts to fill some of the void.

This manual considers communicable diseases globally. While it is a publication of the American Public Health Association, the presentation aims to be international. Toward this end, the numbers assigned for each disease by the World Health Organization International Classification of Disease, 9th Revision (ICD-9) in the US Clinical Modification and the disease titles have been used. This volume is a model of international cooperation, with

active participation by the World Health Organization, the Pan American Health Organization and the health authorities of the major English speaking countries. While the orientation is basically American, with primary concern for the problems encountered by the official and non-official disease control agencies in the United States, the practices recommended should be applicable anywhere. An increasing number of diseases, such as influenza, must be considered on a global basis; toward this end, the World Health Organization has established a network of international collaborating centers which can provide national authorities with the services of consultation, collection and analysis of information, assistance in the establishment of standards, production and distribution of standard and reference material, exchange of information, training and organization of collaborative research, as well as making available on a global basis incidence of specific diseases. The diseases covered by these centers are indicated in the appropriate chapters; WHO should be approached for further details of the services available.

While this manual is not intended to be a therapeutic guide, information is given on the currently best clinical management, especially of the exotic diseases. Toward this end, the preferred specific therapy presently available for each disease is designated in rubric 9B7. Since the drugs needed for treatment of some rare or exotic diseases may not be available within the United States, the Director of the Centers for Disease Control of the U.S. Public Health Service (CDC) has established the Parasitic Disease Drug Service to provide rarely used drugs for the treatment of exotic parasitic diseases as Investigational Drugs. These can be obtained by calling (404) 329-3670, or at night (404) 329-3644; the items available from this source are specified under the appropriate disease discussions. Some immunoprophylactic or immunotherapeutic agents are also available from CDC; some of these are stocked in international air terminal quarantine stations to expedite shipment and rapid receipt. The release of vaccinia immune globulin is controlled by a group of physician consultants situated in various parts of the country. The telephone number of the closest consultant can be obtained by contacting the quarantine officer at International Air Terminals or physicians may call the Centers for Disease Control directly at (404) 329-2562 or night calls at (404) 329-3644.

While the format of earlier editions and sometimes the original

words written by the previous editors, Haven Emerson and John E. Gordon, are retained, every chapter has been carefully updated. New chapters have been added: anisakiasis (previously under diphyllobothriasis), babesiosis (previously appended to malaria), infant botulism, contagious pustular dermatitis, fascioliasis (previously with fasciolopsiasis), Ebola-Marburg virus disease (previously appended to Lassa fever), legionnellosis, Lyme disease, and slow virus diseases. Changes in the disease names from those in ICD-8 (used in the previous addition) to ICD-9 has involved the renaming of several diseases: "primary amebic meningoencephalitis" to "meningoencephalitis due to naegleria and acanthamoeba", "blastomycosis, South American" to "paracoccidioidomycosis", "carditis, viral" to "carditis, coxsackie", "hemorrhagic fevers" to "arenaviral hemorrhagic fever" and "hemorrhagic nephrosonephritis", "herpangina and vesicular stomatitis" to "coxsackie virus disease", "hydatidosis" to "echinococcosis", "larva migrans" to "toxocariasis", "maduromycosis" to "mycetoma", "mucormycosis" to "zygomycosis", "psittacosis" to "ornithosis", and "wolhynian fever" to "trench fever". Rickettsialpox has been downgraded to a summary under rickettsioses, tick-borne, because of its essential disappearance.

This edition again presents the composite efforts of an editorial board selected for their expertise in various classes of infectious diseases. Their input has been supplemented by generous and valuable comments submitted by the liaison representatives of national and international agencies responsible for disease control. In addition, many chapters have been referred to experts on specific diseases who have given freely of their time and effort. The task of adjudicating between conflicting suggestions fell on the editor, who accepts the responsibility for having rejected any suggestions which consequently will be proven to have been

correct.

Purposes of the manual—The primary aim is to provide an informative text for public health workers of official and voluntary health agencies including physicians, dentists, veterinarians, sanitary engineers, public health nurses, social workers, health educators and sanitarians; and for physicians, dentists and veterinarians in private practice who are concerned with the control of communicable diseases. The book is also designed for those serving with the armed forces at home and abroad, and for health

workers stationed in foreign countries. A new rubric on Disaster Implications has been added on each disease to contribute in planning for anticipating the health risks from natural or manmade disasters. School administrators and students of medicine and public health also will find the material useful.

A second general purpose is to serve public health administrators as a guide and as a source of materials in preparing regulations and legal requirements for the control of the communicable diseases, in developing programs for health education of the public and in the administrative acts of official health agencies for management of communicable disease. The needs of field workers have been given special attention; their need for a handy reference determines the format of the manual and its pocket size.

Factual knowledge is presented briefly; opinions are advanced consistent with these facts as a basis for intelligent management of communicable disease, unhampered by local custom and not restricted to prevailing practices. The emphasis is on principle because local conditions often require variation in practices from state to state within the United States and between countries. To keep facts and opinions reasonably current, the manual is revised every five years.

Scope and Contents—The presentation is standardized. Each disease is briefly identified with regard to clinical nature, differentiation from allied or related conditions and laboratory diagnostic procedures. Infectious agent, occurrence, reservoir, mode of transmission, incubation period, period of communicability, and susceptibility and resistance are next presented. Methods of control are described under the following four headings:

- A. Preventive measures: Applicable generally to individuals and groups when and where the particular disease may occur in sporadic, endemic or epidemic form, and whether or not the disease is an active threat at the moment, e.g., chlorination of water supplies, pasteurization of milk, control of rodents and arthropods, animal management, immunization procedures, and health education of the public.
- B. Control of patient, contacts and the immediate environment: Those measures designed to prevent infectious matter present in the body and the environment of the infected individual from spreading the disease to other persons, arthropods or animals; and recommendations on the appropriate management of contacts to assure earliest

possible treatment, to prevent disease dissemination during the incubation period, and to detect any carriers and their management to minimize disease spread. Specific treatment, if available, is outlined to minimize the period of communicability and to reduce morbidity and mortality.

Epidemic measures: Those procedures of emergency character C. designed to limit the spread of a communicable disease which has developed widely in a group or community, or within an area, state or nation. These measures are not applicable when the disease occurs sporadically among widely separated individuals or separated by considerable intervals of time.

Disaster implications: The likelihood that the disease might D. constitute a major problem in a disaster or catastrophe situation and

whether it would be necessary to take preventive actions.

International measures: Such controls of international travelers, E. immigrants, goods, animals and animal products and their means of transport based on provisions of international health regulations, conventions, intergovernmental agreements or national laws; also any controls that may protect populations of one country against the known risk of infection from another country where a disease may be present in endemic or epidemic form.

Reporting of Communicable Diseases-The first step in the control of a communicable disease is its rapid identification, followed by notification to the local health authority that the disease exists within the particular jurisdiction. Administrative practices on the diseases to be reported and how they should be reported may vary greatly from one region to another because of different conditions and different disease frequencies. This manual presents a basic scheme of reporting, directed toward a practical working procedure rather than ideal practice. The purpose is to provide necessary and timely information to permit the institution by responsible health authorities of appropriate control measures, as well as to encourage uniformity in morbidity reporting so that data between different health jurisdictions within a country and between nations can be validly compared.

A system of reporting functions in four stages. The first is the collection of the basic data in the local community where the disease occurs. The data are next assembled at district, state or provincial level. The third stage is the aggregation of the information under national auspices. Finally, for certain prescribed diseases, report is made by the national health authority to the

World Health Organization.

Consideration is here limited to the first stage of the reporting system—the collection of the basic data at the local level because it is the fundamental part of any reporting scheme and because this manual is primarily for local health workers. The basic data sought at local level are of two kinds (Definition 37, Report of a disease, p. 384).

 Report of Cases: Each local health authority, in conformity with regulations of higher authority, will determine what diseases are to be reported as a routine and regular procedure, who is responsible for reporting, the nature of the report required and the manner in which reports are forwarded to the next superior jurisdiction.

Physicians are required to report all notifiable illnesses which come to their attention; in addition, the statutes or regulations of many localities require reporting by hospital, householder, or other persons having knowledge of a case of a reportable disease. Within hospitals, a specific officer should be charged with the responsibility for submitting required reports. These may be case reports or collective reports.

Case Reports of a communicable disease provide minimal identifying data of name, address, diagnosis, age, sex and date of report for each patient and, in some instances, suspects; dates of onset and basis for diagnosis are useful. The right of privacy of the individual must be respected.

Collective Reports are the assembled number of cases, by diagnosis, occurring within a prescribed time and without individual identifying data—e.g., "20 cases of malaria, week ending October 6".

2. Report of Epidemics: In addition to the requirement for individual case reports, any unusual or group expression of illness which may be of public concern (Definition 11, Epidemic) should be reported to the local health authority by the most expeditious means, whether it is included or not in the list of diseases officially reportable in the particular locality; and whether it is a well-known identified disease or an indefinite or unknown clinical entity (see Class 4 below).

For reporting purposes, the diseases listed in this manual are distributed among the following five classes, according to the practical benefit which can be derived from reporting. These classes are referred to by number throughout the text, under Section 9B1 of each disease. The purpose is to provide a scheme on the basis of which each health jurisdiction may determine its list of regularly reportable diseases.

Class 1: Case Report Universally Required by International Health Regulations or as a Disease under Surveillance by WHO.

This class can be divided into:

 Those diseases subject to the International Health Regulations (1969), Second Annotated Edition, 1974, WHO, Geneva, i.e, the internationally quarantinable diseases—plague, cholera, yellow fever and smallpox, and

 Diseases under Surveillance by WHO, established by the 22d World Health Assembly,—louse-borne typhus fever and relapsing

fever, paralytic poliomyelitis, malaria and viral influenza.

An obligatory case report is made to health authority by telephone, telegraph, or other rapid means; in an epidemic situation, collective reports of subsequent cases in a local area on a daily or weekly basis may be requested by the next superior jurisdiction—as for example, in a cholera epidemic. The local health authority forwards the initial report to the next superior jurisdiction by the most expeditious means if it is the first recognized case in the local area or is the first case outside the limits of a local area already reported; otherwise, weekly by mail or telegraphically in unusual situations.

Class 2: Case Report Regularly Required Wherever the Disease Occurs

Two subclasses are recognized, based on the relative urgency for investigation of contacts and source of infection, or for starting control measures.

- 2A. Case report to local health authority by telephone, telegraph, or other rapid means. These are forwarded to next superior jurisdiction weekly by mail, except that the first recognized case in an area or the first case outside the limits of known affected local area is reported by telephone or telegraph; example—typhoid fever, diphtheria.
- Case report by most practicable means; forwarded to next superior jurisdiction as a collective report, weekly by mail; examples, brucellosis, leprosy.

Class 3: Selectively Reportable in Recognized Endemic Areas

In many states and countries, diseases of this class are not reportable. Reporting may be prescribed in particular regions, states or countries by reason of undue frequency or severity. Three subclasses are recognized; A and B (below) are primarily useful under conditions of established endemicity as a means leading toward prompt control measures and to judge the effectiveness of control programs. The main purpose of C (below) is to stimulate control measures or to acquire essential epidemiological data.

3A. Case report by telephone, telegraph, or other rapid means in

specified areas where the disease ranks in importance with Class 2A; not reportable in many countries; example—tularemia, scrub typhus.

3B. Case report by most practicable means; forwarded to next superior jurisdiction as a collective report by mail weekly or monthly; not reportable in many countries; example—bartonellosis, coccidioidomycosis.

3C. Collective report weekly by mail to local health authority; forwarded to next superior jurisdiction by mail weekly, monthly, quarterly, or sometimes annually; example—clonorchiasis, sandfly fever.

Class 4: Obligatory Report of Epidemics—No Case Report Required

Prompt report of outbreaks of particular public health importance by telephone, telegraph, or other rapid means; forwarded to next superior jurisdiction by telephone or telegraph. Pertinent data include number of cases, within what time, approximate population involved and apparent mode of spread; examples—food poisoning, infectious keratoconjunctivitis, unidentified syndrome.

Class 5: Official Report Not Ordinarily Justifiable

Diseases of this class are of two general kinds; those typically sporadic and uncommon, often not directly transmissible from person to person (chromoblastomycosis); or of such epidemiological nature as to offer no special practical measures for control (common cold).

Diseases are often made reportable but the information gathered is put to no practical use. This leads to deterioration in the general level of reporting, even for diseases of much importance. Better case reporting results when official reporting is restricted to those diseases for which control services are provided or potential control procedures are under evaluation, or epidemiological information is needed for a definite purpose.

ACKNOWLEDGEMENTS

Grateful acknowledgement is hereby made to all the experts, both within and without the American Public Health Associaton, who have prepared and critically reviewed sections in their area of expertise. The conscientious efforts of the Editorial Committee and of the national and international Liaison Representatives (who not only contributed their own effort but called on the experts in their various countries) provided information to make the final product of greatest value. Special recognition must be

made to the participation of Dr. William D. Tigertt and Dr. James Chin, my associate editors. Appreciation must also be made to the staff of the Gorgas Memorial Laboratory who have provided the essential support for preparing the final text, and especially to Maria de la Guardia, who faithfully nursed each chapter from its inception to its final form.

Library of Congress Cataloging in Publication Data

American Public Health Association.

Control of communicable diseases in man.

Published in 1918 under title: the control of communicable diseases.

Includes index.

1. Communicable diseases—Prevention I. Benenson, Abram II. Title S., 1914-

[DNLM: 1. Communicable disease control. WC 100 C764

RA 643.A5 1975 614.4

75-28217

ISBN 0-87553-077-X

Copyright © 1981 by American Public Health Association

All rights reserved. No part of this publication may be reproduced graphically or electronically, including storage and retrieval systems without the prior written permission of the publisher.

Printed in the United States of America

Printing and Binding: Banta Company Typography: Byrd PrePress, Springfield, VA Set In: Garamond

Library of Congress Catalog Number: 75-28217

International Standard Book Number: 0-87553-077-X

51M975; 47M1175; 35M576; 50M1076; 51M278; 65M379 65M981

Cover Design: Four basic aspects of communicable disease control are symbolized—grain: proper nutrition; flask: research; syringe: prevention and treatment; hand and soap: sanitation.