

American
DRUG INDEX
1984

28th Edition

NORMAN F. BILLUPS, Ph.D., R.Ph.

Dean and Professor of Pharmacy
College of Pharmacy
The University of Toledo

Associate Editor

SHIRLEY M. BILLUPS, R.N.

Oncology Nurse
The Toledo Hospital



J. B. LIPPINCOTT COMPANY

Philadelphia

London
Mexico City

New York
St. Louis

São Paulo
Sydney

Copyright © 1984, by J. B. Lippincott Company

Copyright © 1956, 1958, 1959, 1960, 1961, 1962, 1963, 1964,
1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976,
1977, 1978, 1979, 1980, 1981, 1982, 1983 by J. B. Lippincott Company

This book is fully protected by copyright and, with the exception
of brief excerpts for review, no part of it may be reproduced
in any form by print, photoprint, microfilm or any other means,
without the written permission of the publishers.

ISBN 0-397-50649-X

Library of Congress Catalog Card Number 55-6286

Printed in the United States of America

Preface

The 28th Edition of the *American Drug Index* (ADI) has been prepared for the identification, explanation, and correlation of the many pharmaceuticals available to the medical, pharmaceutical, and allied health professions. The need for this index has become acute as the variety and number of drugs and drug products have continued to multiply. For this reason the *ADI* should be most useful to pharmacists, nurses, physicians, dentists, sales personnel, students, and teachers in the fields incorporating pharmaceuticals.

The organization of the *ADI* falls into the following eight major sections: Monographs of Drug Products, Common Abbreviations Used in Medical Orders, Common Systems of Weight and Measure, Approximate Practical Equivalents, Glossary, Title Changes For U.S.P. XX and N.F. XV Monographs, Pharmaceutical Company Labeler Code Index Numbers, and Pharmaceutical Manufacturer and/or Drug Distributor Addresses. The U.S.P. XX and N.F. XV Title Changes section has been added to make the *ADI* an even more complete and valuable reference tool.

MONOGRAPHS: The organization of the monograph section of the *ADI* is fundamentally alphabetical with extensive cross-indexing. Names listed are generic (also called non-proprietary, public name, or common name); brand (also called trade-mark, proprietary, or specialty); and chemical. Synonyms that are in general use also are included. All names used for a pharmaceutical appear in alphabetical order with the pertinent data given under the brand name by which it is made available.

The monograph for a typical brand name product consists of the manufacturer, generic and/or chemical names, composition and strength, pharmaceutical forms available, package size, dosage, and use.

Generic names appear in alphabetical order, followed by the corresponding recognition of the drug to the U.S.P. (United States Pharmacopeia), N.F. (National Formulary), and USAN (United States Adopted Names). Each of these officially recognized generic names is preceded by a bullet (•) at the beginning of each entry. The information is in accord with the U.S.P. XX and N.F. XV and through Supplement 4, which became official on May 1, 1983; and the USAN-1984.

British Approved Names, indicated by (B.A.N.), are included in this edition with the permission of the Controller of Her Britannic Majesty's Stationery Office.

Because of the multiplicity of specialty names (brand names) used for the same therapeutic agent or the same combination of therapeutic agents, it was apparent that some correlation could be done. As an example of this, please turn to tetracycline HCl. Here under the generic name are listed the various brand names. Following are combinations of tetracycline HCl organized in a manner to point out rela-

tionships among the many products. Reference then is made to the specialty name or names having the indicated composition. Under the specialty name are given manufacturer, composition, available forms, sizes, dosage, and use.

The multiplicity of generic names for the same therapeutic agent has complicated the nomenclature of these agents. Examples of multiple generic names for the same chemical substance are (1) parabromdylamine, brompheniramine; (2) acetaminophen, p-hydroxy acetanilid, N-acetyl-p-aminophenol; (3) guaifenesin, glyceryl guaiacolate, glyceryl guaiacol ether, guaianesin, guaifylline, guaiphenesin, guayanesin, methphenoxydiol; (4) methapyrilene HCl, thenylpyramine HCl; and (5) pyrilamine, pyranisamine, pyranilamine, pyraminyl, anisopyradamine.

The cross-indexing feature of the *ADI* permits the finding of drugs or drug combinations when only one major ingredient is known. For example, a combination of aluminum hydroxide gel and magnesium trisilicate is available. This combination can be found by looking under the name of either of the two ingredients, and in each case the specialty names are given. A second form of cross-indexing involves the listing of drugs under various therapeutic and pharmaceutical classes (i.e., antacids, antihistamines, diuretics, laxatives, etc.). Each of these classes is preceded by a box (■) at the beginning of each entry.

ABBREVIATIONS: A listing of Common Abbreviations Used in Medical Orders is included as an aid in interpreting medical orders. The Latin or Greek word and abbreviation are both given with the meaning.

WEIGHT AND MEASURE: Tables containing the Common Systems of Weight and Measure are included to aid the practitioner in calculating dosages in the metric, apothecary, and avoirdupois systems.

CONVERSION FACTORS: The listing of Approximate Practical Equivalents is added as an aid in calculating and converting dosages among the metric, apothecary, and avoirdupois systems.

GLOSSARY: A listing of commonly used terms, with brief definitions, is included as an aid to interpreting the use given for drug monographs listed in the *ADI*.

NEW TITLES AND TITLE CHANGES FOR U.S.P. XX AND N.F. XV MONOGRAPHS: 156 official monograph title changes appeared in the 1980 U.S.P. XX and N.F. XV, and an additional 404 new monographs and 58 title changes have appeared through Supplement 4a. Since many of these changes apply to commonly used drug products, this section has been added to aid the practitioner in identifying drug products. Among the more significant title changes are diiodohydroxyquin to iodoquinol, dioctyl sodium sulfosuccinate to docusate sodium (and the calcium salt to docusate calcium), gamma benzene hexachloride to lindane, and levarterenol bitartrate to norepinephrine bitartrate.

LABELER CODE INDEX: The Pharmaceutical Labeler Code Index is presented to aid the practitioner in the identification of drug products. In this section, the codes are listed in numerical order followed by the name of the manufacturer.

MANUFACTURER ADDRESSES: The name, address, and zip code of virtually every American Pharmaceutical Manufacturer and/or Drug Distributor are listed in alphabetical order in this section. Additionally, a pharmaceutical labeler code number appears prior to the address of each company as a further aid in the identification of drug products.

A special word of appreciation and acknowledgment is given to my wife, Shirley, who served again this year as my Associate Editor—and helped to compile much of the information that appears in the monograph section of this volume. Special thanks are also extended to the manufacturers who supplied product information and made helpful comments and suggestions for this index.

Correspondence or communication with reference to a drug or drug products listed in the *American Drug Index* should be directed to: Norman F. Billups, Ph.D., Dean, College of Pharmacy; The University of Toledo; Toledo, Ohio 43606.

Norman F. Billups, Ph.D., R.Ph.

American
DRUG INDEX

28th Edition

Contents

1. Monographs	1-664
2. Common Abbreviations Used In Medical Orders	666-667
3. Approximate Practical Equivalents	668
4. Common Systems of Weight and Measure	669
5. Glossary	670-678
6. Title Changes For U.S.P. XX and the N.F. XV Monographs	679-682
7. Pharmaceutical Company Labeler Code Index	683-688
8. Pharmaceutical Manufacturers and/or Drug Distributors	689-702

[*] Denotes official name: Generic name or chemical name approved by F.D.A. or recognized by the U.S.P., N.F., or USAN.

[■] Denotes therapeutic and pharmaceutical classes.

A

A-200 PYRINATE. (Norcliff Thayer) **Liquid:** Pyrethrins 0.17%, piperonyl butoxide technical 2.00%, petroleum distillate 5.00%. Bot. 2 fl. oz., 4 fl. oz.
Gel: Pyrethrins 0.33%, piperonyl butoxide technical 4.00%, petroleum distillate 5.33%. Tube 1 oz.
 Use: Topically, pediculosis.

A.A.A. OINTMENT. (Jenkins) Ammoniated mercury 2%, acid salicylic 1.25%, acid boric 1%, zinc oxide 15%. Jar 1 oz., 1 lb.
 Use: Impetigo, nonspecific eczema & minor skin irritations.

A & D VITAMIN CAPSULES. (Columbia) Vit. A 25,000 I.U., Vit. D 1000 I.U./Cap. Bot. 100s.
 Use: High potency vitamin supplement.

A AND D HAND CREAM. (Schering) Emollients isopropyl myristate & squalane. Tube 2 oz.
 Use: Dry skin, sunburn, irritations.

A AND D OINTMENT. (Kenyon) Vits. A & D in lanolin-petrolatum base. Jar 1 lb.

A AND D OINTMENT. (Schering) Petrolatum-lanolin. Tube 1½, 4 oz.; Jar 1 lb.

A & D TABLETS. (Barth's) Vit. A 10,000 I.U., D 400 I.U./Tab. Bot. 100s, 500s.

A AND D VITAMIN CAPSULES. (Lannett) Vit. A 5000 I.U., D 400 I.U./Cap. Bot. 500s, 1000s.
 Use: Vit. supplement.

A AND D VITAMIN CREAM. (DePree) Bot. 1½ oz., 4 oz.

A & D VITAMIN OINTMENT. (Columbia) Vit. A & D in lanolin-petroleum base Tube 2 oz., Jar 1 lb.
 Use: Emollient.

A AND D VITAMIN OINTMENT. (Lannett) In a petrolatum-lanolin base. Jar 1, 5 lb.

A AND D VITAMIN OINTMENT. (Ulmer) Jar 1 lb., 2 oz.

A-A PLUS. (Galen) Al hydroxide gel 400 mg., Mg oxide 175 mg., Na lauryl sulfate 25 mg., Me cellulose 100 mg., hyoscyamine sulfate 0.1037 mg., atropine sulfate 0.0194 mg., hyoscyne HBr 0.0065 mg./Tab. Bot. 100s, 1000s. Susp. 1 pt.

ABBOCIN. Oxytetracycline, B.A.N.

ABBOKINASE. (Abbott) Urokinase 250,000 I.U./5 ml. Lyophilized powder. Vial 5 ml.
 Use: Plasminogen activator.

ABBOTT-HB₉ TEST. (Abbott) Test kits 100s.

Use: Radioimmunoassay or enzyme immunoassay for detection of hepatitis B₉ antigen.

ABC COMPOUND w/CODEINE #3. (Zenith) Aspirin 325 mg., caffeine 40 mg., butalbital 50 mg., codeine phosphate 30 mg./Cap.
 Use: Analgesic.

ABCDG VITAMIN CAPSULES. (Lannett) Vit. A 5000 u., D 400 u., B-1 1 mg., B-2 2 mg., C 30 mg./Cap. Bot. 1000s.
 Use: Vitamin supplement.

ABDEC BABY VITAMIN DROPS. (Parke-Davis) Vit. A 1500 I.U., D 400 I.U., B-1 0.5 mg., B-2 0.6 mg., B-6 0.4 mg., pantothenic acid 3 mg., niacin 8 mg., C 35 mg./ml. Bot. 1½ oz. w/dropper.
 Use: Vitamin deficiencies.

ABDEC WITH FLUORIDE BABY VITAMIN DROPS.

(Parke-Davis) Vit. A 1500 I.U., D 400 I.U., C 35 mg., B-1 0.5 mg., B-2 0.6 mg., B-6 0.4 mg., niacin 8 mg., pantothenic acid 3 mg./ml. w/fluoride. Bot. 50 ml.
 Use: Vitamin therapy with fluoride.

ABDO. (Eastwood) Cap. Bot. 100s.

ABDOL W/MINERALS. (Parke-Davis) Vit. C 50 mg., B-2 2.5 mg., B-12 1 mcg., B-6 0.5 mg., B-1 2.5 mg., niacinamide 20 mg., Vit. A 5000 I.U., D 400 I.U., Ca pantothenate 2.5 mg., folic acid 0.1 mg., iodine 0.15 mg., Mn 1 mg., K 5.0 mg., Fe 15 mg., Cu 1 mg., Zn 0.5 mg., Mg 1 mg., Ca 44 mg., P 34 mg./Cap. Bot. 100s.

Use: Vitamin-mineral deficiency states.

ABSORBABLE CELLULOSE COTTON OR GAUZE.

See: Oxidized Cellulose (Various Mfr.)

• **ABSORBABLE DUSTING POWDER, U.S.P. XX.**

• **ABSORBABLE GELATIN FILM, U.S.P. XX.** Sterile nonantigenic, absorbable, water-insoluble, gelatin film.
 See: Gelfilm (Upjohn)

• **ABSORBABLE GELATIN SPONGE, U.S.P. XX.**

Gelatin sponge.

Use: Surgical aid.

See: Gelfoam, Preps. (Upjohn)

• **ABSORBABLE SURGICAL SUTURE, U.S.P. XX.**

(Various Mfr.) Surgical Gut, Surgical Catgut, Catgut suture.

Use: Surgical aid.

• **ABSORBENT GAUZE, U.S.P. XX.**

Use: Surgical aid.

ABSORBINE ARTHRITIC PAIN LOTION. (W.F.

Young) Bot. 2 oz., 4 oz.

ABSORBINE FOOT POWDER. (W.F. Young) Zinc stearate, parachloroxylenol, aluminum chlorhydroxy, allantoinate, benzethonium chloride, menthol. Plastic bot. 3 oz. w/shaker top.

Use: Athlete's foot treatment.

ABSORBINE, JR. (W.F. Young) Wormwood, thymol, chloroxylenol, menthol, acetone, zinc stearate, parachloroxylenol, aluminum chlorhydroxy, allantoinate, benzethonium chloride, menthol. Liq. Bot. 1 oz., 2 oz., 4 oz., 12 oz. w/applicator.
 Use: Muscle soreness, stiffness, treatment of athlete's foot.

ABUSCREEN. (Roche Diagnostics) An immunological and radiochemical assay for morphine and morphine glucuronide in nanogram levels. Utilizes ³H labeled morphine assayed with liquid scintillation counters using conventional beta counting procedures and ¹²⁵I labeled morphine requiring gamma scintillation equipment. 100 tests.

A.C.A. No. 5. (Scrip) Phenacetin 2 gr., salicylamide 2 gr., atropine sulfate 1/600 gr., tr. gelsemium 3 min., camphor monobromate ½ gr./Tab. Bot. 100s.

ACABEL. Bevonium Methylsulphate, B.A.N.

A-CAINE. (A.V.P.) Rectal ointment. Tube 1.25 oz.

Use: Rectal care, anti-hemorrhoidal.

A CAPSULES. (Stanlabs) Natural Vit. A 5,000 I.U., 10,000 I.U., 25,000 I.U., 50,000 I.U./Cap. Bot. 100s.
 Synthetic or soluble, 10,000 I.U., 25,000 I.U., 50,000 I.U./Cap. Bot. 100s.

• **ACACIA, N.F. XV.** Syrup N.F. XV. Acacia senegal,

gum arabic. (Penick) pow., ¼ lb., 1 lb.; tears, ¼-1 lb.; whole, ¼-1 lb.

Use: Demulcent, emulsifier, suspending agent.

A-CAPS. (Drug Industries) Vit. A 50,000 I.U./Cap. Bot. 100s, 500s.

Use: Vitamin A therapy.

• **ACARBOSE.** USAN.

ACCELERASE. (Organon) Pancrelipase: Lipase 4000 U., amylase 15,000 U., protease 15,000 U., other pancreatic enzymes mixed with bile salts 65 mg., cellulase 2 mg., calcium carbonate 20 mg./Cap. Bot. 60s.

Use: Functional digestive disorders.

ACCELERASE-PB. (Organon) Same as Accelerase, with belladonna alkaloids (87.5% hyoscyamine and 12.5% atropine sulf.) 0.2 mg., phenobarbital 16 mg./Cap. Bot. 60s.

Use: Digestive enzyme.

ACCURBRON. (Merrell Dow) Theophylline, anhydrous 10 mg./ml. Bot. 4 oz.

Use: Bronchial asthma treatment.

ACCUTANE. (Roche) Isotretinoin 10 mg., or 40 mg./Cap. Bot. 100s.

Use: Treatment of severe recalcitrant cystic acne.

A-C-D SOLUTION, U.S.P. Sod. citrate, citric acid & dextrose in sterile pyrogen-free solution.

Baxter-600 cc. bot. with 70, 120 or 300 cc. of sol.; 1000 cc. with 500 cc. of sol.

Cutter-500 cc. bot. with 75 or 120 cc. of sol.; 650 cc.

bot. with 80 or 130 cc. of sol.

Diamond-(Abbo-Vac) 250 cc., 500 cc.

Use: Anticoagulant for preparation of plasma or whole blood.

A-C-D SOLUTION MODIFIED. (Squibb) Acid citrate dextrose anticoagulant solution modified.

Use: Anticoagulant for use in radiolabeling red blood cells.

ACDRILE. Methyl Cysteine, B.A.N.

• **ACEBUTOLOL.** USAN. (+)-1-(2-Acetyl-4-butyramidophenoxy)-3-isopropylaminopropan-2-ol. (Ives) (+)-N-[3-Acetyl-4-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-phenyl] butamide.

Use: Beta adrenergic receptor blocking agent.

• **ACECAINIDE HYDROCHLORIDE.** USAN.

Use: Cardiac depressant.

• **ACECLIDINE.** USAN. 3-Quinuclidinol acetate (ester). Glauco-stat. Under study.

Use: Parasympathomimetic.

• **ACEDAPSONE.** USAN. 4',4"-Sulfonylbis (acetanilide). Use: Antimalarial; antibacterial (leprostatic).

ACEDOVAL. (Vale) Dover's powder 15 mg., ipecac 15 mg., aspirin 162 mg., caffeine anhydrous 8.1 mg., camphor 16.2 mg./Tab. Bot. 100s, 1000s, 5000s.

ACEDYNE. (Vale) Aspirin 64.8 mg., caffeine anhydrous 3.2 mg., atropine sulfate 0.032 mg., magnesium trisilicate 64.8 mg./Tab. Bot. 100s, 1000s, 5000s.

ACEFYLLINE PIPERAZINE. Acefylline, B.A.N.

ACELAX. (Marcen) Danthron 100 mg., prune concentrate 64 mg., Chondrus drispus 64 mg./Tab. Bot. 100s, 1000s.

Use: Laxative.

ACENOCOUMAROL. 3-(α -Acetonyl-4-nitrobenzyl)-4-hydroxy-coumarin. Nicoumalone, B.A.N.

A CENOL. (Kay) Acetaminophen 5 gr./Tab. Bot. 1000s. Use: Analgesic.

ACEPHEN. (G&W) Adult: Acetaminophen 650

mg./Supp. Box 12s, 100s. **Pediatric:**

Acetaminophen 120 mg./Supp. Box 12s, 100s.

Use: Analgesic, antipyretic.

ACEPIFYLLINE. B.A.N. Piperazine theophyllin-7-ylacetate. Acefylline Piperazine (I.N.N.). Etophyllate.

Use: Spasmodic.

ACEPROMAZINE. 10(3-Dimethylaminopropyl)-3-acetylphenothiazine maleate. Plegicil. (Ayerst) 1-(10-(3-(Dimethylamino)propyl)-10H-phenothiazin-2-yl)ethanol e(Z)-2-butenedioate.

Use: Tranquilizer.

ACEPROMAZINE. B.A.N. 2-Acetyl-10-(3-dimethylaminopropyl)phenothiazine. Notensil maleate.

Use: Tranquilizer.

• **ACEPROMAZINE MALEATE.** USAN.

Use: Sedative.

ACEROLA C. (Kirkman) Vit. C 100 mg./Wafer. Bot. 100s.

ACEROLA-C. (Barth's) Vit. C 300 mg./Wafer. Bot. 30s, 90s, 180s, 360s.

ACEROLA-PLEX. (Barth's) Vit. C 100 mg., bioflavonoids 50 mg./Tab. Bot. 100s, 500s.

ACETA. (Century) Acetaminophen. Elix. (120 mg./5 cc) Bot. 4 oz., pint, gal. **Tab.** (5 gr.) Bot. 100s, 1000s, 3000s, 5000s.

Use: Analgesic.

ACETA W/CODEINE. (Century) Acetaminophen 325 mg., codeine phosphate ½ gr./Tab. Bot. 100s.

Use: Analgesic.

ACETAMIDE. N-[5-(Aminosulfonyl)-3-methyl-1,3,4-thiadiazol-2(3H)-ylidene]-. Methazolamide, U.S.P. XIX.

ACETAMIDE, 2,2-DICHLORO-N-[2-HYDROXY-1-(HYDROXYMETHYL)-2-(4-NITROPHENYL)ETHYL].

Chloramphenicol, U.S.P. XX.

ACETAMIDE, 2-(DIETHYLAMINO)-N-(2,6-DIMETHYLPHENYL)-. Lidocaine, U.S.P. XX.

ACETAMIDE, N-[5-(AMINOSULFONYL)-1,3,4-THIADIAZOL-2-YL]-. Acetazolamide, U.S.P. XX.

ACETAMIDE, N-(4-HYDROXYPHENYL)-. Acetaminophen, U.S.P. XX.

ACETAMIDE, N-(5,6,7,9-TETRAHYDRO-1,2,3,10-TETRAMETHOXY-9-OXOBENZO[a]-HEPTALEN-7-YL)-. Colchicine, U.S.P. XX.

p-ACETAMIDOBENZOIC ACID SALT of 2-dimethylaminoethanol.

See: Deaner, Tab. (Riker).

5-ACETAMIDO-2,4,6-TRIIODO-N-METHYLISOPHTHALAMIC ACID. Iothalamic Acid, U.S.P. XX.

5-ACETAMIDO-2,4,6-TRIIODO-N-METHYLISOPHTHALAMIC ACID, SODIUM SALT. Iothalamate Sodium Injection, U.S.P. XX.

• **ACETAMINOPHEN.** U.S.P. XX. Elix., for Effervescent Oral Soln., Tabs, Cap. U.S.P. XX. N-Acetyl-p-amino-phenol. Acetamide, N-(4-hydroxyphenyl)-. 4'-Hydroxyacetanilide.

Use: Analgesic, antipyretic.

See: Acephen, Supp. (G&W)

Aceta, Tab. Elix., Supp. (Century)

Acetagesic (Kay)

Actamin, Tab. (Buffington)
 Acetaminophen Uniserts, Suppos. (Upsher-Smith)
 Aminodyne, Elix. (Bowman)
 Anapap, Tab. (Fellows)
 Anelix, Elix. (Kirkman)
 Anuphen, Supp. (Comatic)
 Apap, Cap., Tab. (Various Mfr.)
 Capital, Tab. (Carnrick)
 Chlor-A-Tyl. (Jenkins)
 Dapa, Tab. (Ferndale)
 Datril 500, Tab. (Bristol-Myers)
 Dimindol, Tab., Elix. (Blue Line)
 Dolanex, Elix. (Lannett)
 Dularin, Syr. (Donner)
 Febridol, Elix., Tab. (Amid)
 Fendon, Tab. (APC)
 G-1 (Hauck)
 Janupap, Tab. (Reid-Provident)
 Lestemp, Elix. (Reid-Provident)
 Liquiprin, Solu. (Norcliff Thayer)
 Lyteca, Syr., Tab. (Westerfield)
 Med-Apap, Elix. (Med. Chem.)
 Medigesic (Medics)
 Nebs, Tab., Liq. (Eaton)
 Nilprin 7½, Tab. (AVP)
 Parten, Tab. (Parmed)
 Phenaphen, Cap., Tab. (Robins)
 Pirin, Tab. (Scrip)
 Proval, Cap., Elix., Drop., Tab. (Reid-Provident)
 SK-Apap, Tab., Elix. (SmithKline)
 Tapar, Tab. (Parke-Davis)
 Temetan, Elix., Tab. (Nevin)
 Tempra, Drop, Syr., (Mead Johnson)
 Tenlap, Elix. (Merrell Dow)
 Tussapap, Tab. (Sutliff & Case)
 Tylenol, Drops, Elix., Liq., Tab., Chew. Tab. (McNeil)
 Tylenol Extra-Strength, Tab., Cap. (McNeil)
 Valadol, Tab., Liq. (Squibb)
 Valorin Tab. (Otis Clapp)

ACETAMINOPHEN W/COMBINATIONS

Aceta w/Codeine, Tab. (Century)
 Akes-N-Pain, Cap. (Edw. J. Moore)
 Al-Ay Modified, Tab. (Bowman)
 Algecol, Tab. (Winston)
 Allerest Headache Strength, Tab. (Pharmacraft)
 Allylgesic W/Ergotamine, Cap. (Elder)
 Allylvon, Cap. (Elder)
 Alumadrine, Tab. (Fleming)
 Amaphen, Cap. (Trimen)
 Aminodyne, Elix. (Bowman)
 Anaphen, Cap. (Mallard)
 Anodynos-DHC, Tab. (Berlex)
 Anodynos Forte, Tab. (Buffington)
 Apap w/Codeine, Tab. (Central)
 Apapalone, Tab. (Amfre-Grant)
 Arthol Tabs. (Towne)
 Arthralgen, Tab. (Robins)
 Bancaps (Westerfield)
 Bancaps-C (Westerfield)
 Banesin-Forte, Tab. (Westerfield)
 Bexahist, Cap. (Bexar)
 Biophens-S, Tab. (La Crosse)

Blanex, Cap. (Edwards)
 Bowman Cold Tab. (Bowman)
 B-Pap., Liq. (Wren)
 BQ Cold Tabs (Bristol-Myers)
 Bromo-Seltzer, Gran. (Warner-Lambert)
 Butigetic, Tab. (McNeil)
 Capital w/Codeine, Tab., Susp. (Carnrick)
 Cardui, Tab. (Chattem Labs.)
 Ceroase Comp., Cap. (Ives)
 Chexit, Tab. (Dorsey)
 Christodyne-DHC, Tab. (Paddock)
 Clistin-D, Tab. (McNeil)
 Coastaldyne, Tab. (Coastal)
 Coastalgesic, Tab. (Coastal)
 Codalan, Tab. (Lannett)
 Codap (Reid-Provident)
 Codimal, Tab. (Central)
 Colrex Compound, Elix. (Rowell)
 Comtrex, Cap., Liq., Tab. (Bristol-Myers)
 Conar-A, Tab., Susp. (Beecham Labs)
 Conex, Preps. (Westerfield)
 Congesprin, Liq., Tab. (Bristol-Myers)
 Contac Jr., Liq. (Menley & James)
 Coricidin Sinus Headache Tab. (Schering)
 Coryban-D, Syr. (Roerig)
 Corzans, Tab. (Moore Kirk)
 Co-Tylenol, Liq., Tab. (McNeil)
 Dapase, Tab. (Ferndale)
 Darvocet-N, Tab. (Lilly)
 Darvocet-N 100, Tab. (Lilly)
 Daycare, Liq. (Vicks)
 Demerol APAP, Tab. (Breon)
 Dengesic, Tab. (Scott-Alison)
 Desa-Hist AT, Tab. (Pharmics)
 Dolene AP-65, Tab. (Lederle)
 Dolopar, Liq. (O'Neal)
 Drinacet Cap. (Phillips Roxane)
 Drinophen, Cap. (Lannett)
 D-Sinus, Cap. (Laser)
 Dularin-TH, Tab. (Dooner)
 Duoprin, Tab. (Dunhall)
 Duo-3X, Tab. (Med. Spec.)
 Duramid, Tab. (O'Neal)
 Dynosal, Tab. (Mallard)
 Empracet with Codeine, Tab. (Burroughs Wellcome)
 Enz-Cold, Cap. (Edw. J. Moore)
 Esemgesic, Tab. (Spencer-Mead)
 Esgic, Tab. (Gilbert)
 Excedrin, Cap., Tab. (Bristol-Myers)
 F.C.A.H. Caps. (Scherer)
 Femicin, Tab. (Norcliff Thayer)
 Fendol, Tab. (Buffington)
 Gemnisyn, Tab. (Rorer)
 Guaiaamine, Cap. (Sutliff & Case)
 Histalets, Tab. (Edw. J. Moore)
 Histogesic, Tab. (Century)
 Histosal #2, Tab. (Ferndale)
 Hi-Temp, Tab. (Saron)
 Hycomine Comp., Tab. (Endo)
 Isomel, Cap. (Reid-Provident)
 Kiddies Sialco, Tab. (Foy)
 Klee, Syr. (Scrip)
 Koryza Tab. (Fellows-Testagar)

Maxigesic, Cap. (W.F. Merchant)
 Midran, Tab. (Columbia)
 Midrin, Cap. (Carnrick)
 Myocalm, Tab. (Parmed)
 Myolate, Tab. (Panray)
 Naldetuss, Syr. (Bristol)
 N-D Gestic, Tab. (Hyrex)
 Neo-Pyranistan, Tab. (Standex Labs.)
 Nokane, Tab. (Wren)
 Novahistine Singlet, Tab. (Merrell Dow)
 Novahistine Sinus Tablets, Tab. (Merrell Dow)
 Nylorac PB, Tab. (Beard)
 Nyquil, Liq. (Vicks)
 Opasal, Cap. (Elder)
 Ornex, Cap. (Menley & James)
 Pamprin, Tab. (Chatterm Labs.)
 Panitol H.M.B., Tab. (Wesley)
 Panritis, Tab. (Pan Amer.)
 Parafon Forte, Tab. (McNeil)
 Partuss-A, Tab. (Parmed)
 Partuss T.D., Tab. (Parmed)
 Pavadon Elix. (Coastal)
 Pedituss, Liq. (Sutliff & Case)
 Pedric, Elix., Wafers (Vale)
 Percogesic, Tab. (Endo)
 Phenahist, Cap., Elix. (Amid)
 Phenaphen #2, #3, #4 (Robins)
 Phenaphen-650, Tab. (Robins)
 Phrenilin, Tab. (Carnrick)
 Presalin, Tab. (Mallard)
 Prodolor, Tab. (Amfre-Grant)
 Proval No. 3, Tab. (Reid-Provident)
 Renpap, Tab. (Wren)
 Rentuss, Cap., Syr. (Wren)
 Repan, Tab. (Everett)
 Rhinex, D•Lay, Tab. (Lemmon)
 Rhinidrin, Tab. (Central)
 Rhinogesic, Tab. (Vale)
 Rhinspec, Tab. (Lemmon)
 S.A.C. Sinus, Tabs. (Towne)
 Salatin w/Codeine, Tab. (Ferndale)
 Saleto, Tab. (Mallard)
 Saleto-D, Tab. (Mallard)
 Salphenyl, Cap., Liq. (Mallard)
 Santussin, Prep. (Sandia)
 Scotgesic, Cap., Elix. (Scott/Cord)
 Scotuss Pediatric Cough Syr. (Scott/Cord)
 Sedacane, Cap. (Edw. J. Moore)
 Sedalgesic, Tab. (Table Rock)
 Sedragesic, Tab. (Lannett)
 Sialco, Tab. (Foy)
 Sinacon, Tab. (Glaxo)
 Sinarest, Tab. (Pharmcraft)
 Sine-Aid, Tab. (McNeil)
 Sinoze, Tab. (Bowman)
 Sinubid, Tab. (Warner Chilcott)
 Sinulin, Tab. (Carnrick)
 Sinumal, Tab., Liq. (Cook)
 Sinus Tab., Tab. (Zenith)
 Sinutab, Prods. (Warner-Lambert)
 SK-APAP W/codeine, Tab. (SmithKline)
 SK-65 APAP, Tab. (SmithKline)

Spantuss, Liq. (Arco)
 Spendrisin, Tab. (Spencer-Mead)
 Stopain, Tab. (Columbia)
 Sunril, Cap. (Emko)
 Super-Anahist Tablets (Warner-Lambert)
 Symptomax, Liq. (Reid-Provident)
 Talacen, Cap. (Winthrop)
 T-Caps, Cap. (Burlington)
 Tega-Code, Cap. (Ortega)
 Tegapap, Liq., Tab. (Ortega)
 Teragen, Tab. (O'Neal)
 T-Gestic, Cap. (Tennessee)
 Triaminic, Tab. (Dorsey)
 Triaprin, Cap. (Dunhall)
 Trind, Syr. (Mead Johnson)
 Trind-DM, Syr. (Mead Johnson)
 Tussagesic, Tab., Susp. (Dorsey)
 Two-Dyne, Tab. (Hyrex)
 Tylenol Preps. (McNeil)
 Tylenol with Codeine, Elixir, Tab. (McNeil)
 Tylox, Cap. (McNeil)
 Valihist, Cap. (Ciapp)
 Vicks Daycare, Liq. (Vicks)
 Windolor, Tab. (Winston)
 Wygesic, Tab. (Wyeth)
 Zenex Comp., Cap. (Zenith)

• **ACETAMINOPHEN AND ASPIRIN TABLETS**, U.S.P. XX.

Use: Analgesic.

• **ACETAMINOPHEN ORAL SUSPENSION**, U.S.P. XX.

Use: Analgesic.

ACETAMINOPHENOL.

See: Acetaminophen.

ACETANILID. (Various Mfr.) (Acetylaminobenzene, acetylaniline, antifebrin) N-phenylacetamide cry.

Use: Antipyretic, analgesic.

ACETAMINOPHEN UNISERTS. (Upsher-Smith)

Acetaminophen 120 mg. or 650 mg./Suppos.
 Cartons 12s, 50s, 500s.

Use: Analgesic, antipyretic.

ACETARSOL.

See: Acetarsone, Tabs.

ACETARSONE. 3-Acetamido-4-hydroxy-phenylarsonic acid. Acetarsol, Acetphenarsine, Amarsan, Dynarsan, Ehrlich 594, Limarsol, Orarsan, Osarsal, Osvarsan, Paroxyl, Stovarsol.

ACETARSONE SALT OF ARECOLINE.

See: Drocabil.

ACETAZIDE. Acetazolamide, B.A.N.

• **ACETAZOLAMIDE**, U.S.P. XX. Tab. U.S.P. XX. N-(5-Sulfamoyl-1,3,4-thiadiazol-2-yl) acetamide. Acetamide, N-[5-(aminosulfonyl)-1,3,4-thiadiazol-2-yl]-.

Use: Carbonic anhydrase inhibitor.

See: Diamox, Tab., Sequels (Lederle)

Hydrazol, Tab. (Softcon)

ACETAZOLAMIDE. B.A.N. 5-Acetamido-1,3,4-thiadiazole-2-sulfonamide.

Use: Treatment of glaucoma.

See: Acetazide

Diamox

• **ACETAZOLAMIDE SODIUM, STERILE**, U.S.P. XX.

Use: Carbonic anhydrase inhibitor.

See: Diamox, Inj. (Lederle)

ACET-DIA-MER-SULFONAMIDE. Sulfacetamide, sulfadiazine & sulfamerazine.

See: Buffonamide, Susp., Tab. (Reid-Provident)

Buf-Sul, Tabs. & Susp. (Sheryl)

Cetazine, Tab. (Bowman)

Coco-Diazine, Susp. (Lilly)

Sulfadiazine, sulfamerazine & sulfacetamide, Susp.

ACETEST. (Ames) Sod. nitroprusside, disodium phosphate, aminoacetic acid, lactose. Tab. Bot. 100s, 250s.

Use: Test for acetone or diacetic acid in urine.

• **ACETIC ACID**, U.S.P. XX, Glacial, U.S.P. XX.

Diluted, N.F. XV.

Use: Pharmaceutic aid (acidifying agent).

• **ACETIC ACID IRRIGATION**, U.S.P. XX. 0.25% solution. (Abbott) 250 ml glass cont.; 250 ml.

Use: Irrigating solution

ACETIC ACID, POTASSIUM SALT. Potassium Acetate, U.S.P. XX.

ACETICYL.

See: Acetyl-salicylic Acid.

ACETILUM ACIDULATUM.

See: Acetyl-salicylic Acid. (Various Mfr.)

• **ACETOHEXAMIDE**, U.S.P. XX, Tab. U.S.P. XX. N-(p-acetylphenylsulfonyl)-N'-cyclo-hexylurea. 1-((p-acetylphenyl)sulfonyl)-3-cyclohexylurea. Benzenesulfonamide, 4-acetyl-N-[[cyclohexylamino]carbonyl].

Use: Blood sugar lowering compound, antidiabetic.

See: Dymelor, Tab. (Lilly)

ACETOJEN, JR. (Jenkins) Acetyl-salicylic acid 1½ gr., phenacetin 1 gr., hyoscyamus ext. 0.0125 gr., (total alkaloids 0.0002 gr.) gelsemium ext. 0.0125 gr./Tab. Bot. 1000s.

ACETOLAX. (Mills) Acetphenylisatin 5 mg., Vit. B-1 1 mg., sod. carboxymethyl cellulose 500 mg./Tab. Bulk Pkg. 1000s.

Use: Laxative.

ACETOL.

See: Acetyl-salicylic Acid. (Various Mfr.)

ACETOMEROCTOL. Acetato [2-hydroxy-5-(1,1,3,3-tetramethylbutyl) phenyl] mercury. Under study.

Use: Topical antiseptic.

• **ACETONE**, U.S.P. XX.

ACETONE or DIACETIC ACID TEST.

See: Acetest, Tab. (Ames)

3-(alpha-ACETONYLBENZYL)-4-HYDROXYCOUMARIN SODIUM SALT. Warfarin Sodium, U.S.P. XIX.

ACETOPHEN CAPSULE. (Jenkins) Aspirin 3½ gr., phenacetin 2½ gr., caffeine ½ gr./Cap. Bot. 1000s.

ACETOPHEN C.T. GREEN. (Jenkins) Aspirin 3½ gr., phenacetin 2½ gr., caffeine ¼ gr./Tab. Bot. 1000s.

• **ACETOPHENAZINE MALEATE**, U.S.P. XX. Tab. U.S.P. XX. 2-Acetyl-10-[3-[4-(-β-hydroxyethyl)-piperazinyl] propyl] phenothiazine dimaleate. 10-[3-[4-(2-Hydroxyethyl)-1-piperazinyl]-propyl]-phenothiazine-2-yl methyl ketone maleate (1:2).

Use: Tranquilizer.

See: Tindal Maleate, Tab. (Schering)

ACETOPHENETIDIN. Phenacetin, U.S.P. XX.

Ethoxyacetanilide.

Use: Antipyretic, analgesic.

ACETORPHINE. B.A.N. O³-Acetyl-7,8-dihydro-7α[1(R)-hydroxy-1-methylbutyl]-O⁶-methyl-6,-14-endoethenormorphine.

Use: Narcotic analgesic.

ACETOSAL.

See: Acetyl-salicylic Acid. (Various Mfr.)

ACETOSALIC ACID.

See: Acetyl-salicylic Acid. (Various Mfr.)

ACETOSALIN.

See: Acetyl-salicylic Acid. (Various Mfr.)

ACETOSULFONE. 4,4'-Diaminodiphenylsulfone-2-N-acetylsulfonamide sodium. (N¹-acetyl-6-sulfanilyl-metanilamido) sodium.

• **ACETOSULFONE SODIUM.** USAN.

Use: Antibacterial.

ACETOTOT. (Freeport) Aspirin 2.5 gr, chlorpheniramine maleate 1.25 mg., phenylephrine HCl 2.5 mg., buffered with aluminum & magnesium hydroxide/Tab. Bot. 1000s.

Use: Potent pediatric antihistamine & decongestant with buffered analgesic.

ACETOXYPHENYLMERCURY.

See: Phenylmercuric acetate.

ACETPHENARSINE.

See: Acetarson, Tab. (City Chemical)

ACETPHENOLISATIN.

See: Oxyphenisatin Acetate Prep.

W/D-Calcium pantothenate, sodium sulfosuccinate.

See: Peri-Pantyl, Tab. (McGregor)

W/Docusate sodium, sodium carboxymethylcellulose.

See: Scrip-Lax, Tab. (Scrip)

ACETRIZOATE SODIUM. 3-Acetamido-2,4,6-triiodobenzoate sodium.

W/Polyvinylpyrrolidone.

See: Salpax, Vial (Ortho)

ACETRIZOIC ACID. 3-Acetyl-amino-2,4,6-triiodobenzoic acid.

See: Acetrizoate, Sod.

ACET-THEOCIN SODIUM.

See: Theophylline Sod. acetate (Various Mfr.)

ACETYL ADALIN.

See: Acetylcarbomal. (Various Mfr.)

p-ACETYLAMINOBENZALDEHYDE THIOSEMICARBAZONE. (Amithiozone, Antib, Berculon A, Benzothiozon, Conteben, Myuizone, Neustab, Tebethion, Thiomicid, Thioparamizone, Thiacetazone).

Use: With streptomycin in the treatment of tuberculosis.

ACETYLAMINO BENZENE.

See: Acetanilid. (Various Mfr.)

N-ACETYL-p-AMINOPHENOL. Acetaminophen, U.S.P. XX.

ACETYLANILINE.

See: Acetanilid. (Various Mfr.)

ACETYL-BETA-METHYLCHOLINE CHLORIDE.

See: Mecholyl Chloride, Amp. (Baker, J.T.)

ACETYL-BROMO-DIETHYLACETYL-CARBAMIDE.

See: Acetylcarbomal. (Various Mfr.)

ACETYLCARBOMAL. (Meyer) Acetyl adalin, acetylbromodiethylacetyl-carbamide. Pow. for mfg.
Use: Sedative.

See: Paxarel, Tab. (Circle)

W/Bromisovalum, scopolamine aminoxide HBr.

See: Tranquinal, Tab. (Barnes-Hind)

• **ACETYLCOLINE CHLORIDE**, U.S.P. XX. For Ophth. Soln., U.S.P. XX. Ethanaminium,2-(acetoxy)-N, N, N-trimethyl-, chloride. Choline chloride acetate.
Use: S.C., I.M., I.V. Parasympathomimetic agent & vasodilator. Paroxysmal tachycardia.

See: Miochol Ophthalmic (CooperVision)

ACETYLCOLINE-LIKE THERAPEUTIC AGENTS.

See: Cholinergic agents.

• **ACETYLCYSTEINE**, U.S.P. XX. Sol. U.S.P. XX. N-Acetyl-L-cysteine.

Use: Mucolytic agent.

See: Mucomyst, Sol. (Mead Johnson)

Mucomyst with Isoproterenol, Sol. (Mead Johnson)

ACETYLCYSTEINE. B.A.N. N-Acetyl-L-cysteine. Air-bron

Use: Liquefaction of bronchial secretion.

ACETYLDIGITOXIN. α -Digitoxin monoacetate. Acetyl-tridigitoxose. The natural-occurring cardiac glycoside defined as the alpha acetyl ester of digitoxin.

Use: Digitoxin therapy. Cardiotonic.

ACETYLDIHYDROCODEINONE. Thebacon, B.A.N.

ACETYLIN.

See: Acetylsalicylic Acid. (Various Mfr.)

ACETYLMETHADOL, I.N.N. Methadyl acetate, B.A.N.

ACETYLPHENYLISATIN.

See: Oxyphenisatin Acetate.

1-(p-(ACETYLPHENYL)SULFONYL)-3-CYCLO-HEXYLUREA. Acetohexamide.

ACETYLRÉSOSCINOL.

See: Resorcinol Monoacetate. (Various Mfr.)

ACETYLSAL.

See: Acetylsalicylic Acid

ACETYLSALICYLATE ALUMINUM.

See: Aluminum Aspirin

ACETYLSALICYLIC ACID. Aspirin, U.S.P. XX.

Acidum acetylsalicylicum, 2-acetoxybenzoic acid, Acetillum Acidulatum, Acetophen, Acetol, Acetosol, Acetosalic Acid, Acetosalin, Aceticyl, Acetylsal, Acylpyrin, Aspro, Helicon, Rhodine, Salacetin, Salcetoogen, Saletin.

See: Aspirin Preps. (Various Mfr.)

ACETYLSALICYLIC ACID, ACETOPHENETIDIN AND CAFFEINE.

See: A.P.C., Prep. (Various Mfr.)

ACETYL SULFAMETHOXYPYRIDAZINE. 3-(N-Acetyl-sulfanilamido)-6-methoxypyridazine.

N¹-ACETYLSULFANILAMIDE. (Albucid; p-Aminobenzenesulfonacetamide; Sulfacet; Sulfacetamide, N-Sulfanilylacetamide.)

Use: Sulfonamide therapy.

ACETYL SULFISOXAZOLE. Sulfisoxazole Acetyl, U.S.P. XX.

See: Gantrisin Acetyl, Syr., Susp. (Roche)

Lipo-Gantrisin Acetyl, Liq. (Roche)

ACETYLTANNIC ACID. Tannic acid acetate.

Use: Antiperistaltic.

ACHLORHYDRIA DETERMINATION.

See: Diagnex Blue, Prep. (Squibb)

ACHLORHYDRIA THERAPY.

See: Acidol. (Various Mfr.)

Glutamic Acid HCl (Various Mfr.)

Muripsin, Tab. (Norgine)

Normacid, Tab. (Stuart)

ACHOL. (Enzyme Process) Vit. A 4000 U., ketocholanic acids 62 mg./Tab. Bot. 100s, 250s.

Use: Vitamin A supplement and therapy.

ACHROMYCIN. (Lederle) Tetracycline HCl.

Intramuscular: (100 mg., 250 mg., buffered w/ascorbic acid) Vial. Box 1s, 100s.

Intravenous: (250 mg., 500 mg., buffered w/ascorbic acid) Vial.

Oint. (3%) Tube 0.5 oz. & 1 oz.

Oint. (Ophth.) 1% Tubes 1/8 oz.

Ophth. Susp. 1%, Plastic dropper bot. 4 ml.

ACHROMYCIN-V. (Lederle) Tetracycline HCl. **Cap.:** 250

mg. Bot. 100s, 1000s, Unit dose 10 $\times$ 10s, Unit of use 50 $\times$ 28s, 50 $\times$ 40s; 500 mg. Bot. 100s, 1000s; Unit of use 50 $\times$ 20s; Unit dose 10 $\times$ 10s.

Oral Susp.: 125 mg./5 cc. w/methylparaben 0.12%, propylparaben 0.03%. Bot. 2 oz., 1 pt.

Use: Treatment of infections caused by both gram-negative and gram-positive bacteria.

ACICHEK. (Valentine) Dihydroxy aluminum aminoacetate 250 mg., Sod. carboxymethylcellulose 150 mg., glycine 30 mg./Tab. Bot. 100s, 1000s.

Use: Gastric hyperacidity in peptic ulcer.

ACID ACRIFLAVINE.

See: Acriflavine Hydrochloride (Various Mfr.)

ACID CITRATE DEXTROSE SOLUTION.

See: A.C.D. Sol. (Various Mfr.)

ACID CITRATE DEXTROSE ANTICOAGULANT SOLUTION MODIFIED.

See: A-C-D Solution Modified (Squibb)

ACID HISTAMINE PHOSPHATE.

See: Histamine Phosphate. (Various Mfr.)

ACID MANTLE CREME. (Dorsey) Aluminum acetate in specially prep. water-soluble hydrophilic cream at pH 4.2. Tube 1 oz., Jar 4 oz., 1 lb.

Use: Skin prophylactic agent in restoring normal skin acidity.

ACID MANTLE LOTION. (Dorsey) Aluminum acetate lotion. pH 4.5 Bot. 4 oz.

Use: Dermatitis.

ACIDOL.

See: Betaine Hydrochloride (Various Mfr.)

ACIDOPHILUS W/PECTIN. (Barth's) *Lactobacillus acidophilus* w/natural citrus pectin 100 mg./Cap. Bot. 100s.

Use: Aid to digestion.

ACID TRYPAFLAVINE.

See: Acriflavine Hydrochloride. (Various Mfr.)

ACIDULATED PHOSPHATE FLUORIDE. (Scherer)

Flavored soln. containing 0.31% fluoride ion in 0.1 molar phosphate. Bot. 64 oz.

Use: Dental caries prevention.

ACIDULIN. (Lilly) Glutamic acid HCl 340 mg./Pulvule. Bot. 100s, 1000s.

Use: Achlorhydria.

ACIGLUMIN.

See: Glutamic Acid Hydrochloride. (Various Mfr.)

ACI-JEL. (Ortho) Acetic acid 0.92%, ricinoleic acid 0.70%, oxyquinoline sulfate 0.025%, boric acid 3.0%, glycerine 5%. Tube 85 Gm. w/dose applicator.

Use: Vaginal acidifier.

ACINITRAZOLE. B.A.N. 2-Acetamido-5-nitrothiazole, Aminitrazole (I.N.N.)

Use: Treatment of trichomoniasis.

See: Trichorad

Tritheon

• **ACLARUBICIN.** USAN.

Use: Antineoplastic.

ACLETIN. (Associated Conc.) Lecithin, soya 8 gr. with vitamins/Cap. Bot. 100s, 250s.

Use: Fat metabolism.

ACLOBROM. Propantheline Bromide, B.A.N.

A.C.N. (Person & Covey) Vitamin A palmitate 25M

I.U., ascorbic acid 250 mg., niacinamide 25

mg./Tab. Bot. 100s.

Use: Dietary supplement.

ACNAVEEN. (CooperCare)

See: Aveenobar Medicated (CooperCare)

ACNA-VITE. (Cenci) Vit. A 10,000 I.U., C 250 mg., hesperidin 50 mg., niacinamide 25 mg./Cap. Bot. 75s.

Use: Acne vulgaris with Vit. A & C deficiency.

ACNE-AID CREAM. (Stiefel) Benzoyl peroxide 10% in special cover-up base. Tube, 1.8 oz.

Use: Oily acne treatment.

ACNE-AID DETERGENT SOAP. (Stiefel) Neutral soap with nonirritating detergent. Bar 4.0 oz.

Use: Cleanse oily skin.

ACNE-AID LOTION. (Stiefel) Sulfur 10%, alcohol 10% in a washable base. Clear or Tinted Bot. plastic 2 oz.

Use: Treatment of acne.

ACNEDERM. (Lannett) **Lotion:** Dispersable sulfur 5%, zinc sulfate 1%, zinc oxide 10%, alcohol 21%.

Bot. 2 oz. **Soap:** Zinc oxide 2%, zinc sulfate 1%, colloidal sulfur 5%. Cake 3.2 oz.

Use: Skin conditions

ACNE-DOME CREAM & LOTION. (Miles Pharm) Regular: sulfur 4%, resorcinol monoacetate 3%, in a vehicle buffered to the pH range of normal skin.

Cream: Tube 1 oz. **Lotion:** Bot. 2 oz.

Use: Treatment of acne.

ACNE-DOME MEDICATED CLEANSER. (Miles Pharm) Sulfur 2%, salicylic acid 2% in a colloidal soybean complex. Medicated w/sponge 4 oz.

Use: Medicated skin cleanser.

ACNE LOTION. (Weeks & Leo) Benzoyl peroxide 10% in odorless, greaseless, vanishing lotion.

Bot. 2 oz.

Use: Treatment for acne.

ACNO. (Cummins) Micronized sulfur 3%, isopropanol 25%, salicylic acid 2%. Bot. 8 oz. F-Lot. & M-Lot., Bot. 2 oz.

Use: Acne & related skin conditions.

ACNOMEL. (Menley & James) Resorcinol 2%, sulfur 8%, w/bentonite, propylene glycol, alcohol & titanium dioxide.

Cream. Tube 1 oz.

Use: Acne therapy.

ACNOPHILL. (Torch) Sulfur 5%, Pot. and zinc sulfides and polysulfides 5%, zinc oxide 10% in hydrophilic vehicle. Plain or tinted. Jar 1 lb. and 2 oz.

Use: Acne treatment.

ACNOTEX. (C & M Pharmacal) Sulfur 8%, salicylic acid 2.25%, methylbenzethonium chloride 0.08%, propylene glycol, powder base, acetone, isopropyl alcohol, 22%, purified water, color, perfume. Bot. 2 oz., pt., gal.

Use: Anti-acne cover-up lotion.

• **ACODAZOLE HYDROCHLORIDE.** USAN.

ACOTUS. (Whorton) Phenylephrine HCl 5 mg., guaiaacal glyceryl ether 100 mg., menthol 1 mg., alcohol, by vol. 10%/5 cc. Bot. 4 oz., 12 oz., gal.

Use: Colds, coughs.

ACR. (Western Research) Ammonium chloride 7.5 gr./Tab. Handicount 28s (36 bags of 28 tab.)

Use: Diuretic.

ACRIFLAVINE. Euflavine, Gonacrine, Neutroflavine

Acriflavine neutral; a mixture of 2, 8-diamino-10-methylacridinium chloride & 2,8-diaminoacridine. (Lilly) Tab. 1½ gr. Bot. 100s.

Use: External antiseptic.

ACRIFLAVINE HYDROCHLORIDE. (Various Mfr.)

Hydrochloride form of acriflavine. Acid acriflavine, acid trypaflavine, flavine, trypaflavine.

National Aniline—Pow., Bot. (1, 5, 10, 25, & 50 Gm.). Tab. (1½ gr.) Bot. 50s & 100s.

Use: External bacteriostatic.

• **ACRISORCIN.** U.S.P. XX. Cream U.S.P. XX. 9-Aminoacridinium 4-hexylresorcinolate.

See: Akrinol Cream (Schering)

Use: Topical, tinea versicolor. Local antifungal.

• **ACRONINE.** USAN. 3, 12-Dihydro-6-methoxy-3,3,12-trimethyl-7H-pyrano[2,3,-c]acridin-7-one. Under study.

Use: Antineoplastic.

A-C TABLET. (Century) Aspirin 6 gr., caffeine 0.5 gr./Tab.

Bot. 100s, 1000s

Use: Analgesic.

ACTACIN-C SYRUP. (Vangard) Codeine phosphate 10 mg., triprolidine HCl 2 mg., pseudoephedrine HCl 20 mg., guaifenesin 100 mg./ 5 ml. Bot. pt., gal.

Use: Antihistamine, decongestant, cough depressant.

ACTACIN SYRUP. (Vangard) Triprolidine HCl 1.25 mg., pseudoephedrine HCl 30 mg./ 5 ml. Bot. pt., gal.

Use: Antihistamine, decongestant.

ACTACIN TABLETS. (Vangard) Triprolidine HCl 2.5 mg., pseudoephedrine HCl 60 mg./Tab. Bot. 100s, 1000s.

Use: Antihistamine/decongestant.

ACTAGEN. (Generix) Triprolidine HCl 2.5 mg., pseudoephedrine HCl 60 mg. Tab. Bot. 100s, 1000s.

Use: Symptomatic treatment of allergic rhinitis.

ACTAMIN. (Buffington) Acetaminophen 325 mg./Tab.

Dispens-A-Kit: 500s, Aidpaks 100s. Unit boxes 20s. Medipaks 200s.

Use: Analgesic, anti-pyretic.

ACTAMIN EXTRA. (Buffington) Acetaminophen 500 mg./Tab. Dispens-A-Kit 500s.

Use: Extra strength nonaspirin analgesic and anti-pyretic.

• **ACTAPLANIN.** USAN.

Use: Growth stimulant.

ACTH-ACTEST GEL. (Fellows) Repository corticotropin 40 or 80 u./cc. Vial 5 cc.

ACTH. (Adrenocorticotrophic hormone.

Adrenocorticotrop(h)in).

See: Corticotropin, U.S.P.

Mallard—(40 u./ml., 5 ml.)

O'Neal, Jones & Feldman—(40 u. or 80 u./ml., 5 ml.)

Parke, Davis—25 units/Vial; 40 units/Vial.

Pharmex—(40 u. or 80 u./ml., 5 ml.)

ACTH GEL, PURIFIED. Arcum.—40 or 80 units/ml., vial 5 ml. Conal.—40 or 80 units/ml., vial 5 ml. Hart Labs.—40 units/ml., vial 5 ml. Bowman—

Adrenocorticotrophic hormone 40 u., aqueous gelatin 16%, phenol 0.5%/cc. Vial 5 cc.

Use: Repository corticotropin.

Arcum—(40 u. or 80 u./ml., 5 ml.)

Bell—(40 u. or 80 u./ml., 5 ml.)

Bowman—(40 u./ml., 5 ml.)

Hyrex—(40 u. or 80 u./ml., 5 ml.)

Jenkins—(40 u. or 80 u./ml., 5 ml.)

Vortech—40 units/ml., 80 units/ml., Vial 5 ml.

Rocky Mtn. Pharmacal—40 units/ml., 80 units/ml.

Vial 5 ml.

Wesley Pharm.—40 units/ml., vial 5 ml.; 80 units/ml., vial 5 ml.

Wyeth—(40 u. or 80 u./ml. or Tubex)

ACTHAR. (Armour) Corticotropin Injection U.S.P. XX. B.A.N. Vial 25, 40 u. (Lyophilized w/gelatin). Pkg. 10s.

ACTHAR GEL HIGHLY PURIFIED. (Armour) H.P.

acthar gel highly purified, repository ACTH

preparation that may be given subcutaneously or

intramuscularly. 40 & 80 u. per cc., 1 cc., 5 cc.

multiple dose vials, w/gelatin, phenol, & cysteine.

Use: Stimulant of adrenal cortex, anti-inflammatory, antiallergic & useful in collagen diseases.

ACTICORT LOTION 25. (Cummins) Hydrocortisone ¼% in lipid free lotion base. Bot. 4 oz.

Use: Anti-inflammatory & antipruritic.

ACTICORT LOTION 100. (Cummins) Hydrocortisone alcohol 1% in a specially formulated vehicle. Bot. 2 oz.

Use: Anti-inflammatory & antipruritic.

ACTIDIL. (Burroughs Wellcome) Triprolidine HCl Tab. 2.5 mg./Tab. Bot. 100s. **Syr.** 1.25 mg./5 cc. Bot. 1 pt.

Use: Antihistamine.

ACTI-DIONE. (Upjohn) Cycloheximide. (3-[2-(3,5-Dimethyl-2-oxocyclohexyl)-2-hydroxyethyl]-glutarimide) 85-100% w/w.

Not for medicinal use. For professional use only.

Bot. 4 Gm.

ACTIFED. (Burroughs Wellcome) **Tab.:** Triprolidine HCl. 2.5 mg., pseudoephedrine HCl. 60 mg./Tab. Bot. 30s, 100s, 1000s. Boxes 12 × 24s. **Syr.:** Triprolidine HCl 1.25 mg., pseudoephedrine HCl 30 mg./5 cc. Bot. 4 oz., 1 pt., gal.

Unit dose pack 100s.

Use: Common cold, allergic rhinitis.

ACTIFED-C EXPECTORANT. (Burroughs Wellcome)

Codeine phosphate 10 mg., triprolidine HCl 2 mg., pseudoephedrine HCl 30 mg., guaifenesin 100 mg./5 cc. Bot. pt., gal.

Use: Treatment of the common cold.

ACTINOMYCIN. B.A.N. Antimicrobial substances with antitumor activity produced by Streptomyces antibioticus and Streptomyces chrysomallus.

Sanamycin is Actinomycin C.

ACTINOMYCIN C. Name previously used for Cactinomycin.

ACTINOMYCIN D. Dactinomycin, U.S.P. XX.

See: Cosmegen (Merck Sharp & Dohme)

• **ACTINOQUINOL SODIUM.** USAN.

Use: Ultraviolet screen.

ACTINOSPECTOCIN. Name previously used for Spectinomycin.

ACTIVATED ATTAPULGITE.

W/Aluminum hydroxide, magnesium carbonate coprecipitate, compressed gel.

See: Hykasil, Cream (Philips Roxane)

W/Polysorbate 80, colloidal sulfur, salicylic acid, propylene glycol.

See: Sebasorb Lotion (Summers Labs.)

ACTIVATED 7-DEHYDROCHOLESTEROL.

See: Vitamin D-3 (Various Mfr.)

ACTIVATED EGOSTEROL.

See: Calciferol.

ACTOL EXPECTORANT. (Beecham Labs) Noscapine 30 mg., guaifenesin 200 mg./5 ml. or Tab. **Syr.**

W/alcohol 12.5%. Bot. pt. **Tab.** Bot. 100s.

Use: Treatment of symptoms associated with common cold.

ACTOMOL. Mebanazine, B.A.N.

ACTOQUINOL SODIUM. 8-Ethoxy-5-quinoline-sulfonic acid sodium salt.

Use: Ultraviolet screen.

ACTOS 50. Corticotrophin, B.A.N.

• **ATACURIUM BESYLATE.** USAN.

ACTRIOL. Epioestriol, B.A.N.

ACTYLATE. (Kinney) Ammonium salicylate 80 mg., pot. salicylate 80 mg., strontium salicylate 80 mg., pot. para-aminobenzoate 0.32 Gm., ascorbic acid 20 mg./Tab. Bot. 100s.

Use: Rheumatoid arthritis.

ACUCRON. (Seatrace) Acetaminophen 300 mg., salicylamide 200 mg., phenyltoloxamine 20 mg./Tab. Bot. 100s, 1000s, 5000s.

Use: Antihistaminic, analgesic.

ACUTRAN. (Mallinckrodt) Ampechloral.

• **ACYCLOVIR.** USAN.

Use: Antiviral.

ACYCLOVIR. 9-(2-hydroxyethoxymethyl)-guanine.

Use: Management of initial herpes genitalis and mucocutaneous herpes simplex virus infections.

See: Zovirax, Oint. (Burroughs Wellcome)

ACYLPYRIN.

See: Aspirin

ADALAN LANATABS. (Lannett) Amobarbital 50 mg., homatropine methylbromide 7.5 mg., methamphetamine HCl 10 mg./T.D. Tab. Bot. 100s, 1000s.

ADAMANTANAMINE HCl. (Endo) Amantadine HCl. Anti-flu capsule. This drug is thought to protect cells against entry of the flu virus without actually destroying the virus. Also used in the treatment of Parkinson's disease.

See: Symmetrel, Cap., Syr. (Endo)

ADANON. Methadone, B.A.N.

ADAPETTES. (Alcon) Wets contact lens. Pkg. 15 cc.

ADAPIN. (Pennwalt) Doxepin HCl 10 mg., 25 mg. 50 mg., 75 mg., 100 mg./Cap. Bot. 100s, 1000s. 25 mg., 50 mg./Cap. also available in 5000s. Use: Antianxiety, antidepressant.

ADAPT. (Alcon) Povidone, EDTA 0.1%, thimerosal 0.004%. Wetting sol. Bot. 15 cc. Use: Contact lens wetting sol.

ADATUSS. (Merchant) Hydrocodone bitartrate 5 mg., guaifenesin 100 mg., alcohol 5%/5 ml. Syr. Bot. pt., gal. Use: Cough relief.

A.D.C. DROPS. (CMC) Vit. A 3000 I.U., D 400 I.U., C 60 mg./0.6 cc. Bot. 60 cc.

ADCORTYL. Triamcinolone, B.A.N.

ADEECON. (CMC) Vit. A 5000 I.U., D 1000 I.U./Cap. Bot. 1000s. Use: Supplement.

ADEFLO CHEWABLE. (Upjohn) Fluoride 1 mg. & 0.5 mg., Vitamin A 4000 I.U., D 400 I.U., C 75 mg., thiamine monitrate (B-1) 2 mg., B-2 2 mg., niacinamide 18 mg., B-6 1 mg., calcium pantothenate 5 mg., B-12 2 mcg./0.5 or 1 mg. Chewable Tab. Bot. 100s, 500s.

Use: Prevention of dental caries.

ADEFLO DROPS. (Upjohn) Vit. A 2000 I.U., D 400 I.U., C 50 mg., B-6 1 mg., fluoride (as sodium fluoride) 0.5 mg./0.6 ml. Bot. 50 ml. w/dropper. Use: Prevention of dental caries.

ADEFLO M TABLETS. (Upjohn) Vit. A 6000 I.U., D 400 I.U., B-1 1.5 mg., B-2 2.5 mg., C 100 mg., niacinamide 20 mg., Vit. B-6 10 mg., calcium pantothenate 10 mg., Vit. B-12 2 mcg., folic acid 0.1 mg., fluoride (as sodium fluoride) 1 mg., calcium (as calcium carbonate) 250 mg., iron 30 mg./Tab. Bot. 100s, 500s. Use: Dietary supplement.

ADENINE. (Various Mfr.) 6-Aminopurine.

ADENO. (O'Neal, Jones & Feldman) Adenosine monophosphate 25 mg./ml. Vial 10 ml.

ADENO TWELVE GEL INJECTION. (Fellows) Adenosine-5-monophosphate 25 mg., methionine 25 mg., niacin 10 mg./cc. Vial 10 cc.

ADENOCREST. (Nutrition) Adenosine-5-monophosphate 25 mg., nicotinic acid as sod. salt 25 mg., gelatin 100 mg. w/benzyl alcohol 1.5%/cc. Vials 10 cc.

Use: Capillary and arterial vasodilation.

ADENOLIN FORTE. (Lincoln) Adenosine-5-mono-phos-

phate, 25 mg., methionine 25 mg., niacin 10 mg./cc. Vial 15 cc.

Use: Arthritis, bursitis, tendinitis & other degenerative diseases.

• **ADENOSINE.** F.D.A. 6-Amino-9-beta-D-Ribofuransyl-9H-purine.

ADENOSINE GEL. (Medical Chem.) Adenosine-5-monophosphate 100 mg., /cc. Vial 10 cc.

ADENOSINE-NICOTINIC. (Med. Chem.) Adenosine-5-monophosphate 25 mg., nicotinic acid 20 mg./cc. Vial 10 cc.

ADENOSINE IN GELATIN. (Fellows) **Forte:**

Adenosine-5-monophosphate 50 mg./cc. **Super:** Adenosine-5-monophosphate 100 mg./cc.

ADENOSINE-5-MONOPHOSPHATE AS THE SODIUM SALT.

See: Adenocrest, Amp. (Nutrition)

• **ADENOSINE PHOSPHATE.** USAN. 5-Adenylic acid. B.A.N. Adenosine-5'-(dihydrogen phosphate). Adenosine monophosphate, AMP.

Use: Nutrient.

See: Adenyl

Cobalazine, Inj. (Keene)

My-B-Den (Miles Pharm)

ADENYL. Adenosine Phosphate, B.A.N.

ADEPSINE OIL.

See: Petrolatum Liquid (Various Mfr.)

ADICILLIN. B.A.N. 6-[D(+)-5-Amino-5-carboxy-valeramido]penicillanic acid. Penicillin N.

Use: Antibiotic.

• **ADINAZOLAM.** USAN.

Use: Antidepressant, sedative.

ADIPEX-P. (Lemmon) Phentermine HCl 37.5 mg./Tab. Bot. 100s, 400s, 1000s.

Use: Anorectic agent.

• **ADIPHENINE HYDROCHLORIDE.** USAN. (2-Diethylaminoethyl diphenylacetate hydrochloride.) Pow. 1 lb. for mfg. use.

Use: Antispasmodic.

ADIPIODONE (I.N.N.). Iodipamide, B.A.N.

3,3'-(ADIPOYLDIIMINO)-BIS[2,4,6-TRI-IODOBENZOIC ACID]. Iodipamide, U.S.P. XX.

ADIPOST. (Ascher) Phendimetrazine tartrate 105 mg./Slow-rel. Cap. Bot. 100s.

Use: Appetite suppressant.

ADLERIKA. (Last) Magnesium sulfate 4.0 Gm./15 ml. Bot. 12 oz.

Use: Laxative.

ADONIDINE. (City Chem.) Bot. 1 Gm.

Use: Cardiac stimulant.

ADPHEN TABLETS. (Ferndale) Phendimetrazine tartrate 35 mg./Tab. Bot. 100s.

Use: Anorexiant.

A-D-R. (Lincoln) dl-Methionine 250 mg., corn starch lubricant 42 mg./Cap. Bot. 100s, 500s.

Use: Amino acid supplement.

ADRENALIN(E).

See: Epinephrine. (Various Mfr.)

ADRENALIN CHLORIDE SOLUTION. (Parke-Davis)

Epinephrine HCl. Principle of the medullary portion of suprarenal glands. **Amp.:** 1:1000-1 ml. Epinephrine 1 mg./ml. with not more than 0.1% sodium bisulfite