

Springer Series in Materials Science 214

R.G. Sharma

Superconductivity

Basics and Applications to Magnets

R.G. Sharma

Superconductivity

Basics and Applications to Magnets



Springer

R.G. Sharma
Cryogenics and Applied Superconductivity
Laboratory
Inter-University Accelerator Centre
New Delhi
India

and

Previously at National Physical Laboratory
New Delhi
India

ISSN 0933-033X ISSN 2196-2812 (electronic)
Springer Series in Materials Science
ISBN 978-3-319-13712-4 ISBN 978-3-319-13713-1 (eBook)
DOI 10.1007/978-3-319-13713-1

Library of Congress Control Number: 2014958887

Springer Cham Heidelberg New York Dordrecht London

© Springer International Publishing Switzerland 2015

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

Springer International Publishing AG Switzerland is part of Springer Science+Business Media
(www.springer.com)

Springer Series in Materials Science

Volume 214

Series editors

Robert Hull, Charlottesville, USA

Chennupati Jagadish, Canberra, Australia

Richard M. Osgood, New York, USA

Jürgen Parisi, Oldenburg, Germany

Tae-Yeon Seong, Seoul, Korea, Republic of (South Korea)

Shin-ichi Uchida, Tokyo, Japan

Zhiming M. Wang, Chengdu, China

The Springer Series in Materials Science covers the complete spectrum of materials physics, including fundamental principles, physical properties, materials theory and design. Recognizing the increasing importance of materials science in future device technologies, the book titles in this series reflect the state-of-the-art in understanding and controlling the structure and properties of all important classes of materials.

More information about this series at <http://www.springer.com/series/856>

Dedicated to the readers of this book and the distinguished scientists/professors/engineers engaged in large superconducting magnet application programmes who readily provided inputs for the book in the form of data, important parameters of their large magnet systems and quality pictures.

Preface

Superconductivity has fascinated physicists and engineers for over a century and continues to do so. New superconductors with ever-increasing transition temperatures and in very unconventional systems continue to be discovered. Theorists keep struggling hard to find an acceptable theory of superconductivity in cuprates and many new superconductors discovered recently. Such is the nature of these mysterious materials. Yet, the exploitation of these materials for building magnets producing intense field or magnets of large size for fusion reactors and particle accelerators has been going on at a fast pace. A large workforce of young researchers working in areas of superconductivity has thus grown over the decades. Books have also been published by distinguished professors and scientists at regular intervals on different topics of superconductivity to cater to this growing community.

During the last 40 years of my involvement with superconducting materials and magnets I have, however, always felt the need for a self-sufficient and concise volume which can impart all the background knowledge to young researchers who want to take a plunge into projects on magnet applications. Often, one has to search for different books for different topics. In the present book I have tried to cover most topics on superconductivity beginning from the basic phenomenon to conductor production to magnet development for a variety of applications such as high field production, accelerators, fusion reactors, NMR, MRI, SHGMS and SMES. The contents of the book are largely based on the numerous lectures that I had been delivering to young scholars preparing for their master/doctorate degrees in India and abroad. It was during the period 2002–2009 that I gave a very large number of lectures on superconductivity to the Laurea students at INFN Laboratori Nazionali di Legnaro, Padova University, which I visited almost every year on the invitation of Prof. Enzo Palmieri. The material for these lectures had been collected over the years from many books, journals, my own work and lectures from international schools on various topics of superconductivity and magnets.

Since superconductivity is a low temperature phenomenon, for the sake of completeness, I have started with an introduction in Chap. 1, why do we need low temperature, how to produce such low temperatures, how to liquefy gases, and how

ultimately Kamerlingh Onnes succeeded in liquefying helium and discovered the phenomenon of superconductivity. This, I believe, will be entertaining to any beginner.

Chapter 2 is about the phenomenon and the physical properties of this class of materials. Important topics like the Meissner effect, two-fluid model, critical magnetic field, penetration depth, concept of coherence length, energy gap, positive surface energy and flux quantization have been discussed. The chapter ends with the description of dc and ac Josephson effect and the SQUID used for mapping the feeble magnetic field in the human brain. Chapter 3 introduces Abrikosov's concept of negative surface energy leading to strange superconductivity in alloys and compounds called type II superconductors. Only type II superconductors can carry very large current in presence of high magnetic field when suitably doped with defects or impurities.

When the superconductivity community was reeling under the despondency of getting nowhere beyond $T_c = 23$ K (for Nb_3Ge), Bednorz and Muller discovered superconductivity at $T_c = 35$ K in 1986–1987 in La_2CuO_4 , an insulator, when doped with Sr or Ba. What we witnessed next was unprecedented. Superconductivity was found in curates one after another starting with YBaCuO ($T_c = 93$ K) to BiSrCaCuO ($T_c = 110$ K) to TiCaBaCuO ($T_c = 125$ K) and to HgCaBaCu ($T_c = 135$ K). The entire saga offered vast opportunities for experimentalists and technocrats but left the theorists completely bewildered. This and much more about the discoveries of superconductivity in MgB_2 ($T_c = 39$ K) and several iron-based compounds ($T_c = 50$ – 60 K) have been discussed in Chap. 4.

Chapter 5 is a brief review of theories of conventional and high T_c cuprates such as Londons' theory, the Ginzberg-Landau theory, the BCS theory, Resonance Valence Bond (RVB) theory and the Spin Fluctuation (SF) theory. No attempt has been made to give rigorous mathematical treatment. Chapter 6 discusses the unprecedented improvement in current-field behaviour of conventional superconductors, Nb–Ti, Nb_3Sn , V_3Ga and Nb_3Al through ingenious techniques. At the end, I report very high J_c in REBCO coated wires which have turned out to be far superior to Nb_3Sn when used below 64 K.

Chapter 7 explains how to build laboratory magnets using Nb–Ti and Nb_3Sn conductors starting from the design concept to winding, impregnation, quench protection to the operation of the magnet. Specific examples for the fabrication of 7 T Nb–Ti magnet, 11 T Nb–Ti/ Nb_3Sn magnet and a warm bore 6 T Cryofree magnet have been taken up for discussion. All important high field LTS/HTS magnets generating intense magnetic field peaking at 32 T at NHMFL (FSU) have been discussed. Chapter 8 is on the magnets for accelerators. A short description of all superconducting accelerators built so far, namely Tevatron, HERA, SSC, RHIC and LHC has been given in the chapter. The magnet system of the most powerful collider, LHC, finds prominence. All futuristic dipole designs too have been described. Futuristic International Linear Collider (ILC) has been included in this chapter. Important superconducting cyclotron beginning with K-500, K-1200 and K-2500 cyclotrons have been discussed with special reference to magnet design and specifications.

Chapter 9 is on the magnets for fusion reactors. All superconducting fusion machines, based on tokamak concept, starting with the Soviet (Russian) tokamak T-7, Tore Supra (now WEST), JT-60SA, EAST, KSTAR, SST-1 and finally the largest machine, called ITER have been discussed. Exception has however been made for two machines, viz TFTR at PPPL, Princeton and JET at Culham (UK) which are not superconducting, nevertheless, both had contributed enormously to fusion science leading to the final design of the ITER. Two futuristic fusion machines, W7-X (Wendelstein 7-X) Stellerator and IGNITOR, have also been included. The last Chap. 10 is on magnet applications to systems widely used for analytical and diagnostic purposes like NMR and MRI. Other very promising applications, HGMS and SMES have been described.

One unique feature of the book is that each chapter starts with a background introduction to the application discussed in the chapter so that the reader does not have to search for supporting literature. I hope the researchers will enjoy reading the book A to Z.

New Delhi

R.G. Sharma

Acknowledgments

Writing the book on superconductivity my thoughts go to two great personalities, first, late Prof. N.E. Alekseevskii of the Kapitza Institute, Moscow who introduced me to the field of A-15 (Nb_3Sn) superconductors and fabricating high homogeneity laboratory magnets during 1973–1974. Secondly, Prof. Kyoji Tachikawa of the erstwhile NRIM (now NIMS) with whom I enjoyed working on V_3Ga wires using composite process during 1979–1980. Professor Tachikawa has helped me a great deal in writing this book by providing a lot of inputs on Chap. 6 and some rare photographs. My grateful thanks to him.

The inspiration for writing this book came from my two senior colleagues here at IUAC, Girijesh Mehta and Suresh Pancholi, who had published books in their respective fields a few years ago. I greatly benefited from their experience and advice. A large number of professors, scientists and engineers involved in magnet applications in accelerators, fusion research and high field laboratory magnets helped me by providing data, the latest status of their systems and several photographs from their archives as well as from the recent collection. I am completely overwhelmed by their quick response even when they were on holiday tours. They had readily granted copyright permissions. In fact some of them even went through the portion of the manuscript relevant to their project. I would like to mention some names below and express my gratitude to all of them.

Philippe Labrun and Lucio Rossi (LHC, CERN), Kurt Riesselmann and Andre Salles (ILC, Fermi Lab.), Amaud Devred, Sborchia Carlo, Neil Mitchell and Michel Claessens (ITER), Jean-Luc Duchateau, Valerie Lamaison and Christophe Roux (Tore Supra, CEA, Cadarache France), Yeong-Kook and Kwon Myeun (K-Star, NFRI, Korea), Jiangang Lee (EAST, IPP, CAS, China), Y.C. Saxena, Dheeraj Bora, Biswanath Sarker and Subrata Pradhan, (SST-1, IPR, India), Kita MacPherson (TFTR and NSTX, PPPL, Princeton), Kiyoshi Yoshida (JT-60SA, JAEA), Nick Holloway (JET, CCFE, Culham), Thomas Klinger (Wendelstein 7-X, MPI for Plasma Physics, Greifswald), Bruno Coppi and M. Advardsen (IGNITOR, PSFC, MIT, IAEA), Marti Felix and Gelbke Konrad (K-500, K-1200, NSCL, MSU), Hiroki

Okuno (K-2500, RIKEN, SRC, Japan), Dinesh Srivastava, Rakesh Bhandari and Subimal Saha (VECC, Kolkata), R.P. Aloysius (NPL, Delhi), Peter Kes (Kamerlingh Onnes Laboratory Leiden University), Yifei Zhang and Prateek Dokania (SuperPower Inc.), Rainer Kuemmerle (1 GHz NMR, Bruker Biospin), Ernst Wolfgang Strautner (MRI, GE Global Research), Hemut Krauth (Bruker and Vakuumschmelze), Kenichi Sato (Cryo. Supercond. Society of Japan), Chandra Mohan Varma (University of California), Shinji Matsumoto and Takao Takeuchi (NIMS Tsukuba), Alex Braginski (editor-in-chief, ESNF), Hubertus W. Weijers, David Larbalestier and Denis Markkiewicz (NHMFL, FSU), Ramesh Gupta (BNL), Ian Worpole (Sci. American), D. Bruce Montgomery (MIT), Renuka Rajput Ghosal (Jaffersen Lab.), Pierre Manil, A. Milanese and J.F. Millot (CEA/IRFU, France).

I am impressed by the promptness with which all the publishers granted copyright permissions to use material for this book. Help came fast from Elsevier, Springer Publishing, Oxford University Press, Cambridge University Press, Nature Publishing Group, American Physical Society, Institute of Physics (IOP), American Chemical Society (ACS) and American Institute of Physics (AIP). In particular, I thank Guffi Chohdari (OUP), Lucy Evans (IOP), Ashley Bressingham (Springer), Adam Hirschberg (Cambridge University Press), Jennifer Jones (Elsevier), Jamie Casey (Associate Publisher) and Susann Brailey (AIP) for their cooperation. Many media/communication centres from several national laboratories in USA also provided high quality pictures for the book. RightsLink too provided wonderful service.

The book has been written at Inter-University Accelerator Centre (IUAC), my workplace since 2001. The Director and the administration of IUAC provided all possible logistic support. I thank them all. The Department of Science and Technology (DST) sponsored this book writing project under its USERS Programme. I thank the DST for the same.

I started my low temperature physics career at National Physical Laboratory 50 years ago in 1964 and retired officially in 2001. I thank Dr. M.S.R. Chari, my Ph.D. Teacher and several friends at NPL (India) who cooperated with me at different times. These include Y. Showry Reddy, Manmohan Krishna, Rajan Babu Saxena, Harikishan and Mubeen A. Ansari and Dipten Bhattacharya. I have also referred to the work of some of my Ph.D. students (Sudip R. Jha, Shriram Shukla, Biswanath Sarkar, Renuka Rajput, Saswati Lahiry, Shyam S. Dubey, Arvind Pandey and Devraj Mishra) on HTS at relevant places in the book. Yogesh C. Saxena, Dipten Bhattacharya, G. Rodrigues and Renuka Rajput also went through a chapter each and made valuable suggestions. I thank them all.

My own colleagues at the centre, Triptishekar Datta, Anup Choudhury, Rajesh Kumar and Pameendra Konduru helped me a lot during the writing of the book in different ways. It has been a pleasure to have interacted with them. In particular, help came rather fast from my friend, Soumen Kar as and when needed. I also thank Murthi Goirik, graphic designer with long experience in publishing, who prepared the illustrations for the book and helped in the preparation of the manuscript.

Above all, I want to thank my wife, Bimlesh and the rest of my family, who supported and encouraged me in spite of all the time it took me away from them. It must have been a long journey for them. I hope one day my grandchildren, Oorja, Tanvi, Tavisha and Olli will enjoy reading this book and realise why I spent so much time in front of my computer.

New Delhi

R.G. Sharma

Contents

1	Introduction	1
1.1	Why Low Temperature Is So Exciting?	1
1.2	How to Conduct Experiment at Low Temperatures?	2
1.3	Gas Liquefaction	2
1.3.1	Isenthalpic Process	3
1.3.2	Isentropic Process	3
1.3.3	The Linde-Hampson Process	4
1.3.4	The Claude Process	4
1.3.5	Liquefaction of Helium (1908)	6
1.3.6	Collins Liquefaction Cycle	8
1.4	Discovery of Superconductivity—A Fall Out of Helium Liquefaction	10
	References	12
2	The Phenomenon of Superconductivity	13
2.1	Electrical Resistance Behaviour at Low Temperature: Electrical Conduction in Metals	14
2.2	The Phenomenon of Superconductivity	16
2.3	The Critical Magnetic Field	17
2.4	The Meissner Effect (Field Expulsion)	20
2.4.1	Perfect Diamagnetism	21
2.4.2	The Penetration Depth	22
2.4.3	Magnetization in Superconductors	24
2.4.4	The Intermediate State	24
2.5	Two Fluid Model	26
2.6	Thermodynamics of Superconductors	27
2.6.1	The Gibbs Free Energy	27
2.6.2	Specific Heat	28
2.6.3	Phase Transition	31
2.7	Thermal Conductivity	32
2.8	Thermoelectric Power	33

2.9	The Energy Gap *	33
2.10	The Isotope Effect	35
2.11	Flux Quantization	35
2.12	The Concept of Coherence Length and Positive Surface Energy	37
2.13	Determination of Energy Gap (Single Particle Tunneling)	39
2.14	The Josephson Effect (Pair Tunneling)	40
2.14.1	DC Josephson Effect	40
2.14.2	AC Josephson Effect	41
2.14.3	The SQUID	44
	References	47
3	Type II Superconductors	49
3.1	Strange Behavior of Superconductors: Abrikosov's Concept of Negative Surface Energy	49
3.2	Lower and Upper Critical Magnetic Field	50
3.3	The Mixed State	53
3.4	Current Flow and Mixed State	54
3.5	Measuring Transport Critical Current	55
3.6	Magnetization in Type II Superconductors	57
3.6.1	Irreversible Magnetization	58
3.6.2	Bean's Critical-State Model and Magnetization	60
3.6.3	Kim Model	63
3.6.4	Flux Creep	64
3.6.5	Critical Current by Magnetization	66
3.7	Surface Superconductivity—Critical Magnetic Field B_{c3}	67
3.8	Paramagnetic Limit	68
	References	69
4	High Temperature Cuprate Superconductors and Later Discoveries	71
4.1	Discoveries of High T_c Cuprate Superconductors: Discovery of Superconductivity in La-Ba-Cu-O System ($T_c = 35$ K)	72
4.2	The Y-Ba-Cu-O (YBCO) System—First Superconductor with T_c Above 77 K	76
4.2.1	Method of Synthesis of YBCO	80
4.2.2	Some Peculiar Properties of YBCO	81
4.2.3	YBCO Wires and Tapes	81
4.3	The Bi-Sr-Ca-Cu-O (BSCCO) System	82
4.3.1	Bi-2223 Wires and Tapes	84
4.3.2	First Generation (1G)-BSCCO Current Leads	87
4.4	The Tl-Ba-Ca-Cu-O System	88
4.5	The Hg-Ba-Ca-Cu-O System	89

4.6	Discovery of Superconductivity in Magnesium Diboride (MgB_2)	91
4.6.1	The Crystal Structure and the Origin of Superconductivity in MgB_2	92
4.6.2	A Summary of Studies on MgB_2	94
4.7	The Discovery of Iron Based Superconductors	98
4.7.1	The $\text{LaFeAsO}(1111)$ Compounds	98
4.7.2	High T_c (>50 K) in Sm and Nd Based Oxypnictides	100
4.7.3	Superconductivity in K-Doped $\text{BaFe}_2\text{As}_2(122)$ Compounds	102
4.7.4	Superconductivity in Iron-Chalcogenides and Mysterious Behaviour at High Pressures	102
	References.	106
5	A Review of Theories of Superconductivity	109
5.1	A Chronology of Theories of Superconductivity	109
5.2	Londons' Theory	110
5.3	Ginzburg-Landau Theory.	112
5.3.1	Flux Exclusion and Zero Electrical Resistance	113
5.3.2	Flux Quantization	114
5.3.3	GL—Parameter and Type II Superconductors.	115
5.3.4	Josephson Effect.	116
5.4	BCS Theory of Superconductivity.	117
5.4.1	Cooper Pairs	117
5.4.2	Formulation of the Microscopic Theory.	120
5.4.3	Transition Temperature	120
5.4.4	The Energy Gap	121
5.4.5	Critical Field and Specific Heat	121
5.5	Peculiar High T_c Superconductors.	122
5.5.1	Anomalous Properties of the Cuprates	123
5.6	Possible Theories of HTS	128
5.6.1	The Resonating Valence Bond (RVB) Theory	129
5.6.2	The Spin-Fluctuation Theory	130
	References.	132
6	Practical Superconductors.	135
6.1	Superconductors Useful for Magnet Application	136
6.2	Thermal and Electromagnetic Instability Problem—The Multifilamentary Superconductors	138
6.2.1	Degradation and Flux Jump	139
6.2.2	The Adiabatic or Intrinsic Stability	140
6.2.3	The Dynamic and Cryostatic Stability	142

6.2.4	Multifilamentary Superconducting Wires	145
6.2.5	Twisting and Transposition of the Multifilamentary Wires	147
6.3	The Ubiquitous Nb–Ti Superconductor	152
6.3.1	A Brief History	152
6.3.2	The Phase Diagram of Nb–Ti.	153
6.3.3	Optimization of J_c in Nb–Ti Wires	154
6.3.4	Some Recent Developments in the Fabrication Process of MF Cu/Nb–Ti Composite Conductors	156
6.3.5	Use of Diffusion Barrier and Filament Spacing.	157
6.4	The A-15 Nb ₃ Sn MF Superconductor	159
6.4.1	The Discovery, Phase Diagram and Structure of Nb ₃ Sn	159
6.4.2	Emergence of Nb ₃ Sn as High Field Superconductor.	162
6.4.3	The Bronze Process	163
6.4.4	Parameters to be Optimized	163
6.4.5	Internal Tin (IT) Process	168
6.4.6	Jelly-Roll Process	172
6.4.7	In Situ Process	172
6.5	The Nb ₃ Al MF Superconductor	175
6.5.1	Early Work Using Jelly-Roll (JR) Method	175
6.5.2	Phase Diagram of Nb–Al System	176
6.5.3	Mass Production of JR Nb ₃ Al Conductors by JAERI for ITER.	177
6.5.4	The Rapid Heating, Quench and Transformation (RHQT) Technique	179
6.6	The V ₃ Ga Tapes/MF Superconductors.	182
6.6.1	The Phase Diagram of V ₃ Ga	182
6.6.2	V ₃ Ga Diffusion Tapes	184
6.6.3	Bronze Processed V ₃ Ga MF Conductors	185
6.6.4	The PIT–V ₃ Ga Conductors for Future Fusion Reactors	189
6.7	2G REBCO Wires/Tapes—The Superconductor of the Future?.	191
	References.	196
7	Building Laboratory Superconducting Magnets	201
7.1	The Solenoid Magnets: Introduction	201
7.2	A Brief History of Superconducting Magnets	202
7.3	Unique Features of a Superconducting Magnet.	204

7.4	Design Considerations of a Solenoid Magnet	205
7.4.1	Specific Example of a 7 T Superconducting (Nb–Ti) Magnet	208
7.4.2	Optimization of Vapour-Cooled Current Leads	212
7.4.3	Magnet Quench	214
7.4.4	Quench Protection.	218
7.4.5	The Persistent Switch	220
7.4.6	Training of the Magnet	221
7.5	Magnet Power Supply	223
7.6	High Homogeneity Field	224
7.6.1	High Homogeneity Field by Compensated Coils.	227
7.7	Nb ₃ Sn Magnets	230
7.7.1	Construction Details of an 11 T Magnet	230
7.7.2	Winding the Background Nb–Ti Magnet	231
7.7.3	Winding the Nb ₃ Sn Magnet	232
7.7.4	Preparation of Current Terminals	232
7.7.5	Heat Treatment and Impregnation	233
7.7.6	Assembly of Magnet Coils and Operation	234
7.8	Intense Field Magnets	235
7.8.1	A 21.1 T Superconducting Magnet Built by NIMS	235
7.8.2	Ultra High Field Superconducting Magnets	237
7.8.3	A 24 T Magnet Using GdBCO Insert Coil.	239
7.8.4	Recent High Field Magnet Developments at FSU	240
7.9	Cryo-Free Superconducting Magnets (CFSM).	243
7.9.1	Important Considerations for CFSM System Design	245
7.9.2	The Design and Winding of the Magnet	247
7.9.3	Current Lead Design	249
7.9.4	The Cryostat Design	249
7.9.5	Operating the Magnet	251
	References.	254
8	Superconducting Magnets in Accelerators	257
8.1	The Accelerators.	257
8.2	Role of Superconducting Magnets in Accelerators.	259
8.3	High Energy Accelerators Using Superconducting Magnets	260
8.3.1	Tevatron	260
8.3.2	HERA (Hadron Electron Ring Accelerator)	260
8.3.3	SSC (Superconducting Super Collider)	261
8.3.4	RHIC (Relativistic Heavy Ion Collider)	261
8.3.5	LHC (Large Hadron Collider).	262