

Fifth Edition

Diseases Transmitted *from* Animals to Man

Compiled and Edited by

Thomas G. Hull, Ph.D.

Contributors

CHARLES ARMSTRONG, M.D.
CARROLL L. BIRCH, M.D.
CHARLES H. BRIDGES, D.V.M., Ph.D.
DORSEY W. BRUNER, B.S., D.V.M., Ph.D.
CHARLES M. CARPENTER, D.V.M., M.D., Ph.D.
DONALD L. COLLINS, Ph.D., Sc.D.
C. H. CUNNINGHAM, B.S., M.S., D.V.M., Ph.D.
G. M. DACK, Ph.D., M.D.
GORDON E. DAVIS, S.M., Sc.D.
R. E. DYER, M.D.
CARL M. EKLUND, M.D.
ERNEST CARROLL FAUST, Ph.D.
WILLIAM H. FELDMAN, D.V.M., M.S., D.Sc.
J. H. S. GEAR, M.D.
ROBERT P. HANSON, Ph.D.
W. T. HARDY, D.V.M.

WILLIAM T. HUBBERT, D.V.M., M.P.H.
THOMAS G. HULL, Ph.D.
WILLIAM L. JELLISON, Ph.D.
WILLIAM E. JENNINGS, D.V.M.
ALFRED G., KARLSON, D.V.M., Ph.D.
KARL F. MEYER, D.V.M., M.D.,
Ph.D., Sc.D., L.L.D.
ERSKINE V. MORSE, D.V.M., Ph.D.
CORA RUST OWEN, Ph.D.
RUDOLPH D. RADELEFF, D.V.M.
KARL R. REINHARD, D.V.M., Ph.D.
HOWARD J. SHAUGHNESSY, Ph.D.
CLARENCE D. STEIN, V.M.D.
ERNEST S. TIERKEL, V.M.D., M.P.H.
WARREN J. WARWICK, M.D.
TELFORD H. WORK, M.D.



CHARLES C THOMAS • PUBLISHER

Springfield • Illinois • U.S.A.

Published and Distributed Throughout the World by
CHARLES C THOMAS • PUBLISHER
BANNERSTONE HOUSE
301-327 East Lawrence Avenue, Springfield, Illinois, U.S.A.

This book is protected by copyright. No part
of it may be reproduced in any manner with-
out written permission from the publisher.

© 1930, 1941, 1947, 1955 and 1963, by CHARLES C THOMAS • PUBLISHER

Library of Congress Catalog Card Number: 62-18894

First Edition, January, 1930
Second Edition, February, 1941
Third Edition, March, 1947
Fourth Edition, January, 1955
Fifth Edition, October, 1963

*With THOMAS BOOKS careful attention is given to all details of
manufacturing and design. It is the Publisher's desire to present books
that are satisfactory as to their physical qualities and artistic possibili-
ties and appropriate for their particular use. THOMAS BOOKS will
be true to those laws of quality that assure a good name and good will.*

Printed in the United States of America

LIST OF CONTRIBUTORS

- ARMSTRONG, CHARLES, M.D.: *Medical Director Retired, United States Public Health Service.*
- BIRCH, CARROLL L., M.D.: *Professor of Medicine, University of Illinois, College of Medicine, Chicago, Illinois.*
- BRIDGES, CHARLES H., D.V.M., PH.D.: *Head, Department of Veterinary Pathology, School of Veterinary Medicine, Agricultural and Mechanical College of Texas, College Station, Texas.*
- BRUNER, DORSEY, W., B.S., D.V.M., PH.D.: *Professor of Veterinary Bacteriology, New York State Veterinary College, Cornell University, Ithaca, New York.*
- CARPENTER, CHARLES M., D.V.M., M.D., PH.D.: *Professor of Infectious Diseases, and Chairman of the Department of Infectious Diseases, School of Medicine, University of California, Los Angeles, California.*
- COLLINS, DONALD L., PH.D., Sc.D.: *Principal Scientist and State Entomologist, Biological Survey, New York State Museum and Science Service, University of the State of New York, Albany, New York.*
- CUNNINGHAM, C. H., B.S., M.S., D.V.M., PH.D.: *Professor of Microbiology and Public Health, College of Veterinary Medicine, Michigan State University, East Lansing, Michigan.*
- DACK, G. M., PH.D., M.D.: *Director, Food Research Institute and Professor of Microbiology, The University of Chicago, Chicago, Illinois.*
- DAVIS, GORDON E., S.M., Sc.D.: *Formerly, Principal Medical Bacteriologist, U. S. Department of Health, Education and Welfare, Public Health Service, National Institutes of Health, National Institute of Allergy and Infectious Diseases, Rocky Mountain Laboratory, Hamilton, Montana. Present address Campton, New Hampshire.*
- DYER, R. E., M.D.: *Clinical Professor of Medicine, School of Medicine, Emory University, Atlanta, Georgia.*
- EKLUND, CARL M., M.D.: *Medical Virologist, Rocky Mountain Laboratory, National Institute of Allergy and Infectious Diseases, Public Health Service, United States Department of Health, Education and Welfare, Hamilton, Montana.*
- FAUST, ERNEST CARROLL, PH.D.: *Department of Tropical Medicine and Public Health, Tulane University, New Orleans, Louisiana.*
- FELDMAN, WILLIAM H., D.V.M., M.S., D.Sc.: *Chief, Laboratory Research in Pulmonary Diseases, Medical Service, Department of Medicine and Surgery, Veterans Administration, Washington D. C. Emeritus Staff, Mayo Clinic and Mayo Foundation, Rochester, Minnesota.*
- GEAR, J. H. S., M.D.: *Director, South African Institute for Medical Research, Johannesburg, South Africa.*
- HANSON, ROBERT P., PH.D.: *Professor, Department of Veterinary Science and Department of Bacteriology, University of Wisconsin, Madison, Wisconsin.*
- HARDY, W. T., D.V.M.: *Superintendent, Ranch Experiment Station, Texas Agricultural Experiment Station, Sonora, Texas*
- HUBBERT, WILLIAM T., D.V.M., M.P.H.: *Department of Infectious Diseases, School of Medicine, University of California, Los Angeles, California.*
- HULL, THOMAS G., PH.D.: *Associate Professor of Preventive Medicine, Emeritus, University of Illinois, College of Medicine. Retired as Secretary, Council on Scientific Assembly, American Medical Association. Formerly, Chief, Division of Laboratories, Illinois Department of Public Health. Present Address, Yarmouth Port, Massachusetts.*

- JELLISON, WILLIAM L., PH.D.: *Parsitologist, Rocky Mountain Laboratory, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Public Health Service, United States Department of Health, Education and Welfare, Hamilton, Montana.*
- JENNINGS, WILLIAM E., D.V.M.: *Colonel, Veterinary Corps, United States Army, Retired. Director, Meat Inspection Service, New York State Department of Agriculture and Markets, Albany, New York*
- KARLSON, ALFRED G., D.V.M., PH.D.: *Consultant, Section of Microbiology, Mayo Clinic. Professor of Comparative Pathology, Mayo Foundation, Graduate School, University of Minnesota, Rochester, Minnesota.*
- MEYER, KARL F., D.V.M., M.D., PH.D., Sc.D., LL.D.: *George Williams Hooper Foundation, University of California Medical Center, San Francisco, California.*
- MORSE, ERSKINE V., D.V.M., PH.D.: *Profesor of Veterinary Microbiology and Dean of the School of Veterinary Science and Medicine, Purdue University, Lafayette, Indiana.*
- OWEN, CORA RUST, PH.D.: *Bacteriologist, Rocky Mountain Laboratory, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Public Health Service, United States Department of Health, Education and Welfare, Hamilton, Montana.*
- RADELEFF, RUDOLPH D., D.V.M.: *Veterinarian in Charge, Animal Disease and Parasite Research Division, Agricultural Research Service, United States Department of Agriculture, Kerrville, Texas.*
- REINHARD, KARL R., D.V.M., PH.D.: *Executive Secretary, General Medicine Study Section, National Institutes of Health, Public Health Service, United States Department of Health, Education and Welfare.*
- SHAUGHNESSY, HOWARD J., PH.D.: *Chief, Division of Laboratories, Illinois Department of Public Health and Professor of Public Health, University of Illinois, College of Medicine, Chicago, Illinois.*
- STEIN, CLARENCE D., V.M.D.: *Animal Diseases and Parasitic Research Branch, Agricultural Research Service, United States Department of Agriculture, Washington, D.C.*
- TIERKEL, ERNEST S., V.M.D., M.P.H.: *Chief, Rabies Control Program, Veterinary Public Health Section, Communicable Diseases Center, Public Health Service, United States Department of Health, Education and Welfare, Atlanta, Georgia.*
- WARWICK, WARREN J., M.D.: *Assistant Professor of Pediatrics, Department of Pediatrics, University of Minnesota Medical School, Minneapolis, Minnesota.*
- WORK, TELFORD H., M.D.: *Chief, Virology Section, Communicable Disease Center, Public Health Service, United States Department of Health, Education and Welfare, Atlanta, Georgia.*

FOREWORD TO THE FIFTH EDITION

Since the first edition of this book was prepared some thirty-five years ago there has been a vast change in the zoonoses. At that time zoonosis was described as a "disease produced by animal parasites" (*The American Illustrated Medical Dictionary*, Dorland 1929). Since that time the field has broadened to include all animal diseases which might be transmitted to man. Zoonoses centers have sprung up in various parts of this country as well as elsewhere.

Thirty-two authors have each contributed one or more chapters to the fifth edition. Considerable freedom was given the different authors in the preparation of their respective subjects, and in the emphasis which they placed upon the various factors concerning the transmission of infection from animals to man. This was necessary in a work covering so many diverse fields.

It is hoped that the veterinarian, the physician, the health official and the research worker may find a common meeting ground in the work here presented. While each is engaged in a different phase of the problem and views the subject from a different angle, it will be through their concerted efforts that the number of infections which man contracts from animals will be reduced.

Appreciation is expressed to the various contributors to the fifth edition as well as to those who have contributed to previous editions and whose work may be carried over to some extent in the present edition. I also wish to thank the publisher and his assistants for their patience during a very greivous period. Especially I wish to thank Dr. William L. Jellison for his continued interest in the work and for his numerous suggestions. I wish also to express appreciation to my wife for her assistance in many ways.

THOMAS G. HULL

Yarmouth Port, Massachusetts

LIST OF ILLUSTRATIONS

Figure	Page
1. Slant cultures representative of three types of <i>Mycobacterium tuberculosis</i>	8
2. History since accreditation—bovine tuberculosis	14
3. Multiple caseocalcareous tubercle nodules in the lung of a bovine	23
4. Extensive pleural and peritoneal lesions of tuberculosis in carcass of a dairy cow	24
5. Extensive and severe tuberculous involvement of the udder ..	25
6. Chronic nodular tuberculosis of the udder of a cow	26
7. Pulmonary tuberculosis of the right lung of a young woman due to the bovine variety of the tubercle bacillus	32
8. Thorax of a man, nineteen years of age, who worked on a farm near Lund, Sweden	35
9. Multiple nodular lesions of tuberculosis of the lungs of an adult dog	54
10. Tuberculous nodule near the periphery of a lung of a dog ..	55
11. Pulmonary tuberculosis of the cat	60
12. Tuberculosis in swine 1924-1960	62
13. Numerous nodular lesions of tuberculosis of the spleen of a swine	64
14. Tuberculosis in lung of monkey	67
15. Tuberculosis in chicken	70
16. Naturally acquired tuberculosis of the abdominal viscera of an adult chicken	71
17. Stained anthrax bacilli and spores	85
18. Anthrax colonies on surface of plain agar plates, eighteen-hour growth	86
19. A subacute case of bovine cutaneous anthrax	87
20. Anthrax outbreaks 1945-1955	90
21. Anthrax lesion on the finger, five days following autopsy and skinning of an anthrax carcass	99

Figure	Page
22. A case of human anthrax, acquired from handling fat trimmings from a hog suspected of dying from choke	105
23. Anthrax in man, acquired by use of an infected shaving brush	109
24. Lesions in guinea pigs caused by <i>Brucella abortus</i>	147
25. Hygroma of cow's knee from which <i>Brucella abortus</i> was isolated	150
26. Horse with fistulous withers from which <i>Brucella abortus</i> was recovered	152
27. Brucellosis eradication program	159
28. Cases of brucellosis 1947-1961	163
29. <i>Vibrio fetus</i> (Bovine Strain) 2000x	172
30. Bovine fetus with intact membranes aborted fifty days after breeding	178
31. Necrotic foci in liver of aborted ovine fetus from which <i>V. fetus</i> was isolated	179
32. <i>Erysipelothrix insidiosa</i> (bacillus of swine erysipelas) in smear of heart, blood from inoculated pigeon	188
33. A swollen turgid purplish red caruncle is the most pathognomonic symptom of naturally occurring <i>Ery. insidiosa</i> infection in turkeys	190
34. Irregular shaped patches of erythema in the septicemic form of <i>Ery. insidiosa</i> infection	191
35. Sequestration of skin, tail and part of ear after necrosis following septicemic form of infection	191
36. Showing, hemato-like swelling of the ears, violaceous in color, which undergoes necrosis in the septicemic form of infection	192
37. An eruption of "diamond skin" disease, presenting the curious pattern of eruption peculiar to this disease	193
38. Rhomboidal lesion which gives rise to the name "diamond skin" disease	194
39. Human infection with the organism of swine erysipelas . .	195
40. Showing sharply marginated erythema and vesicles which were hemorrhagic	196

Figure	Page
41. Generalized cutaneous form of infection showing the sharply margined advancing border	197
42. Purpuric spots and purplish disciform lesions in the septicemic form of infection	198
43. Auricular involvement in the septicemic form of infection ..	199
44. Causative organism of listeriosis <i>Listeria monocytogenes</i> ..	241
45. Culture of <i>Listeria</i> from medulla of a cow naturally infected	242
46. Natural listeriosis in sheep	248
47. Feeder calf affected with listeriosis	249
48. Guinea pigs after suprajunctival exposure to <i>Listeria</i>	250
49. Brain stem from a sheep naturally infected with listeriosis ..	251
50. Massive and focal necrosis of the myocardium	253
51. Clinical case of glanders	270
52. Clinical case of glanders, pulmonary and cutaneous forms of the disease characterized by profuse, viscid nasal discharge and nodules	270
53. Clinical glanders	271
54. Clinical glanders	273
55. Proper method for administration of palpebral (intradermic) Mallein test	278
56. Typical positive reaction to palpebral (intradermic) Mallein test	278
57. Biopsy of a section of tissue showed granulomatous lesions	279
58. Human glanders. Disease contracted directly from horse	282
59. Human glanders. Disease apparently contracted from horse dying of undetermined cause	283
60. Human glanders	284
61. The pustular manifestation on the arms of a human case of generalized glanders	285
62A. Canine rabies at clinical height of the disease	298
62B. Paralysis of jaw muscles in a case of canine rabies	298
63A. Container for shipping animal head covered and labeled	301
63B. Double container with ice for packing specimens	301
64A. Calvaria reflected so that brain can be removed	302

<i>Figure</i>	<i>Page</i>
64B. Brain placed on paper plate	302
65A. Site of incision for locating Ammon's horn	303
65B. Dog brain with left cerebral hemisphere dissected to show Ammon's horn bulging from the floor of the lateral ven- tricle	303
66A. Impression method of slide preparation from specimen on tongue depressor	304
66B. Impression method of slide preparation from specimen on paper towel	304
66C. Several impressions made on a slide	304
66D. Smear method of slide preparation	304
66E. Slide plunged rapidly into Sellers' stain while tissue films still moist	304
66F. Rinsing freshly stained slide with tap water	304
67. Exposure of submaxillary salivary gland	307
68A. Addition of abrasive to facilitate grinding of salivary gland tissue	308
68B. Addition of diluent to finely ground tissue	308
68C. Pouring tissue suspension into centrifuge tube	308
68D. Centrifugation of tissue suspension	308
68E. Appearance of tissue suspension after centrifugation	308
69A. Drawing supernate fluid into syringe for mouse inoculation .	309
69B. Intracerebral inoculation of mouse	309
69C. Removal of mouse brain	309
70A. Number of rabies cases reported by states 1961	312
70B. Counties reporting one or more cases of rabies 1961	312
70C. Rabies in dogs, foxes and skunks 1960	313
70D. Human rabies 1940-1959	314
70E. Rabies in dogs and wildlife 1939-1960	314
71. Red fox exhibiting signs of rabies	320
72. States reporting bat rabies with date of first isolation	326
73. Agitated signs of rabies exhibited by an infected eastern pipistrel bat	327
74. Intramuscular administration of Flury chicken embryo rabies vaccine	333

Figure	Page
75A. Rabid animals, Memphis and Shelby county, by weeks, 1948	340
75B. Incidence of animal rabies, Houston and Harris county, Texas 1953-1955	340
76A. Levinthal-Cole-Lillie (L.C.L.) bodies of psittacosis in the peritoneal exudate of infected mouse. $\times 3600$	355
76B. Stages in the development of viruses of the psittacosis-lymphogranuloma venereum group (Chlamydozoaceae)	356
76C. Spleens of parakeets	363
77A. Geographical distribution of vesicular stomatitis	377
77B. Symptoms of vesicular stomatitis infection	381
78A. Pox lesions on the teats of a cow	391
78B. Swinepox	394
79. Nodules on the hand of a dairyman	402
80. Actinomycosis	461
81. Nocardiosis	464
82. Sporotrichosis	467
83. Cryptococcosis of the udder in a cow	469
84. Coccidioidomycosis	471
85. Coccidioidomycosis	474
86. Endemic areas of coccidioidomycosis	472
87. Rhinosporidiosis	475
88. Rhinosporidiosis	476
89. Canine blastomycosis	478
90. Blastomycosis	479
91. Pneumomycosis due to aspergillosis infection	481
92. Canine histoplasmosis in United States and Canada	483
93. Histoplasmosis infection	485
94. Histoplasmosis infection	486
95. Horse showing favus caused by <i>Microsporum gypseum</i>	493
96. Cow with <i>Trichophyton album</i> infection over eye and nose	494
97. Infection with <i>Microsporum canis</i>	495
98. Biological cycles of materials readily stored but poorly eliminated	513
99. Copy of a 15th century etching of the plague saint, St. Quirin	531
100. World distribution of plague	535

Figure	Page
101. Plague in 1958	536
102A. Plague in 1959	537
102B. Plague in 1960	537
103. Natural plague in the United States 1902-1950	550
104. Ground squirrel (<i>Citellus beecheyi</i>), reservoir of plague in the U.S.	566
105. Prairie dogs, sometimes spontaneously infected with plague ..	567
106A. Distribution of tularemia in United States, 1924-1960	591
106B. Jack rabbit, common host and transmitter of tularemia west of the Mississippi River	593
107. Rabbit's liver in tularemia	595
108. Ulcer of right finger with axillary abscess in case of tularemia	599
109. Tularemia due to tick bite	600
110. <i>Pasteurella pseudotuberculosis</i> from human source	607
111. Naturally acquired pseudotuberculosis in guinea pigs	612
112. Experimentally induced pseudotuberculosis in a guinea pig	613
113. Pseudotuberculosis in liver of woman seventy-three years of age	615
114. Pseudotuberculosis in liver of human being	616
115. Histopathology of pseudotuberculosis	617
116. <i>Leptospira</i> organisms	625
117. Types of agglutination of leptospirosis	635
118. Pathogenic activity of <i>L. pomona</i> stabilized in serial guinea pig passage	646
119. <i>Spirillum minus</i> from heart muscle of a mouse	656
120. <i>Borrelia turicatae</i> , Texas strain, in blood of white mouse ..	674
121. Argasid tick	675
122. Seasonal distribution of 5,334 cases of murine typhus in the the U.S.	700
123. The louse, <i>Pediculus humanus corporis</i>	687
124. Murine typhus, 1945	689
125. Rat flea (male)	691
126. Rat flea (female)	692
127. Rocky Mountain spotted fever, 1951-1955	699

Figure	Page
128. Seasonal distribution of Rocky Mountain spotted fever in the U. S.	700
129. <i>Dermacentor andersoni</i>	702
130. Kedani mite	710
131. Colorado tick fever, 1948-1961	788
132. Distribution of tickborne viral hemorrhagic fevers	826

TABLES

<i>Table</i>	<i>Page</i>
1. Summary of Important Differences Between Avian, human, and Bovine Types of Tubercle Bacilli	9
2. Relative Laboratory Animals Susceptibility of/to the Four Species of Mycobacteria Responsible for Tuberculosis of Warm-blooded Animals	11
3. Tuberculin Tests of Cattle in the United States at 10-year Intervals from 1918 Through 1958, and the 3-Year Interval from 1958 Through 1961	14
4. The Percentage of Bovine Tuberculosis Among Cases of Human and Bovine Tuberculosis in Man in Different countries of the World	31
5. Percentage in England of the Bovine Type of Infection Among 1,428 Cases of Extrapulmonary Human Tuberculosis	33
6. Percentage in Scotland of the Bovine Type of Infection Among 873 Cases of Extrapulmonary Human Tuberculosis	33
7. Incidence in Denmark of the Bovine Type of Infection Among 2,946 Cases of Human Tuberculosis	37
8. Percentage of Bovine Tuberculosis in Italy	40
9. Types of Tubercle Bacilli in 182 Cases of Naturally Acquired Tuberculosis in Dogs	53
10. Swine Slaughtered Under Supervision of Federal Meat Inspection Service	62
11. Comparative Pathogenicity of Mycobacterium Avium for Certain Mammals	70
12. Geographical Distribution of Anthrax in the U.S. 1919-1943	92
13. Reported Cases of Anthrax in Man, U.S. 1945-1960	93
14. Summarized Data on the Yearly Incidence of Anthrax in Live-stock from 1945 to 1955, inclusive	94
15. Anatomic Distribution of Primary Anthrax Lesion in 937 Cases	102
16. Location of Primary Anthrax Lesion in 640 Cases	102
17. Results from Various Methods of Treatment of Anthrax Cases	119

<i>Table</i>	<i>Page</i>
18. Nomenclature of Brucella Organisms	132
19. Biochemical Reactions Differentiating the Species of Brucella	133
20. Results of Agglutination Tests for Brucellosis in Cattle in the U.S. 1935-1961	138
21. Comparison of Results of Agglutination Tests for Brucellosis on Human and Bovine Sera in New York State	139
22. Results of Agglutination Tests for Brucellosis in Swine in the U.S. 1953-1961	139
23. Results of Agglutination Tests for Brucellosis in Goats in the U.S. 1953-1961	140
24. Number of Cases of Undulant Fever Reported in the U.S. 1925-1961	162
25. Vibriosis Reported in the U.S.	175
26. Reported Cases of Human Vibriosis	177
27. Source of Infection, or Occupation, of 100 Patients with Erysipeloid	198
28. Outbreaks of Food-borne Illness Due to Salmonella Reported to the National Office of Vital Statistics of the U.S. Public Health Service for the Years Indicated	213
29. Salmonella Organisms Which Have Caused Gastro-Enteritis in Man and Which Have Been Isolated from Animals	215
30. Symptoms of Salmonella Food Poisoning Compared with Food Intoxications	225
31. Types of Salmonella Organisms Listed in Order of Frequency Found in Man	225
32. Reports on Spontaneous Listeriosis	236
33. Losses from Listeriosis in Outbreaks Among Sheep in Illinois	243
34. Losses from Listeriosis in Outbreaks Among Cattle in Illinois	244
35. Human Rabies Deaths in the U.S. 1961	296
36. Reported Cases of Rabies in the United States	313
37. Calculated Doses of an Isolant of Street Rabies Virus Necessary to Kill 50% of Various Species of Wild Animals Inoculated Peripherally	323
38. U.S. Human Rabies Deaths Which Have Been Attributed to Exposure by Bats	327

<i>Table</i>	<i>Page</i>
39. Rabies Status of Coyotes and Foxes in Frio Cave in Four Types of Cage Enclosures	329
40. Comparative Rabies Mortality Results in Dogs Challenged With Street Virus 39 Months After Vaccination With a Single Dose of One of Three Different Rabies Vaccines	335
41. Effectiveness of Rabies Vaccine in Pups at Various Age Levels	335
42. Cases and Deaths from Psittacosis—United States	353
43. Prevalence of Vesicular Stomatitis Among a Group of 55 Men at Beltsville, Maryland, on the Basis of Complement Fixing Antibodies	383
44. Incidence of Trichinosis and Condition of Trichinae by Age at Death in 855 Positive Cases	438
45. Incidence of Trichinella Spiralis in Various Population Groups as Found in 5,313 Post-Mortem Examinations	439
46. Summary of 4,864 Autopsy Examinations Made for Trichinae in Man in the United States	441
47. Valid Dermatophyte Species	455
48. Human Pathogenic Fungi Other Than the Dermatophytes	455
49. Results of Feeding Various Levels of Insecticides to Cattle and Sheep for Various Times, and the Maximum Fat Residues Resulting from Such Feeding	510
50. Wild Rodent Foci in the Soviet Union According to Rall	543
51. Rat-Caused Epidemics of Plague in U.S.A.	548
52. Human Cases of Plague by Rodent Source in California 1900-1959	551
53. Roles of Various Species of Rodent and Lagomorpha in the Manifestations of Plague	559
54. Wild Rodent Plague Foci Reservoir Hosts and Other Families or Sub-families Found Naturally Infected	561
55. Rodents and Lagomorpha	564
56. Vectors of Plague	569
57. Some Distinguishing Features of Three Members of the Genus Pasteurella	608
58. Spectrum of Symptomatology of Leptospirosis Infections in Man and Animals	631

Table	Page
59. Major Leptospiral Serogroups, Serotypes and Type Strains	637
60. Animal Host Spectrum of More Common Leptospiral Serotypes, Small Rodents Excluded	639
61. Leptospiral Species Recovered from Various Species of Rodents	640
62. Infection of Rats with <i>S. minus</i> in Various Surveys	658
63. Distribution of <i>Borrelia</i> Species and Tick Vectors in the Western Hemisphere	671
64. Distribution of <i>Borrelia</i> Species and Tick Vectors in the Eastern Hemisphere	672
65. Unknown Role of <i>Borrelia</i> Species and Tick Vectors in Relation to the Disease in Man	673
66. Rickettsial Diseases Transmitted from Animals to Man	683
67. Animals Susceptible to Typhus Fever	690
68. Ticks of Possible Significance in the Transmission of Q Fever in Australia	716
69. Arthropod-Borne Viral Encephalitides	733
70. Potential Vectors of Yellow Fever	802
71. Case Incidence and Fatalities from Korean Hemorrhagic Fever	814
72. Arthropod-Borne Viral Fevers and Hemorrhagic Fevers	829
73. Diseases of Major Public Health Significance Which May Be Transmitted from Animals to Man	840
74. Diseases of Minor Public Health Significance Which May be Transmitted from Animals to Man	842
75. Diseases Transmitted from Horse to Man	879
76. Diseases Transmitted from Cow to Man	881
77. Diseases Transmitted from Hog to Man	886
78. Diseases Transmitted from Sheep and Goats to Man	889
79. Diseases Transmitted from Dog to Man	893
80. Diseases Transmitted from Cat to Man	897
81. Diseases Transmitted from Rats and Mice to Man	901
82. Diseases Transmitted from the Domestic Fowl and Other Poultry to Man	906
83. Diseases Transmitted from Wild Animals and Birds to Man	907
84. Review of Diseases Which Animals Transmit to Man	915