


CHAPMAN & HALL/CRC

MATHEMATICAL AND COMPUTATIONAL IMAGING SCIENCES

Variational Methods in Image Processing



Luminita A. Vese
Carole Le Guyader



CRC Press

Taylor & Francis Group

A CHAPMAN & HALL BOOK

CHAPMAN & HALL/CRC
MATHEMATICAL AND COMPUTATIONAL IMAGING SCIENCES

Variational Methods in Image Processing

Luminita A. Vese

University of California
Los Angeles, California, USA

Carole Le Guyader

National Institute of Applied Sciences (INSA)
Rouen, France



CRC Press

Taylor & Francis Group
Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group an Informa business
A CHAPMAN & HALL BOOK

MATLAB® is a trademark of The MathWorks, Inc. and is used with permission. The MathWorks does not warrant the accuracy of the text or exercises in this book. This book's use or discussion of MATLAB® software or related products does not constitute endorsement or sponsorship by The MathWorks of a particular pedagogical approach or particular use of the MATLAB® software.

CRC Press
Taylor & Francis Group
6000 Broken Sound Parkway NW, Suite 300
Boca Raton, FL 33487-2742

© 2016 by Taylor & Francis Group, LLC
CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works

Printed on acid-free paper
Version Date: 20151030

International Standard Book Number-13: 978-1-4398-4973-6 (Hardback)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access www.copyright.com (<http://www.copyright.com/>) or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Visit the Taylor & Francis Web site at
<http://www.taylorandfrancis.com>

and the CRC Press Web site at
<http://www.crcpress.com>

Variational Methods in Image Processing

CHAPMAN & HALL/CRC MATHEMATICAL AND COMPUTATIONAL IMAGING SCIENCES

Series Editors

Chandrajit Bajaj

Center for Computational Visualization
The University of Texas at Austin

Guillermo Sapiro

Department of Electrical
and Computer Engineering
Duke University

Aims and Scope

This series aims to capture new developments and summarize what is known over the whole spectrum of mathematical and computational imaging sciences. It seeks to encourage the integration of mathematical, statistical and computational methods in image acquisition and processing by publishing a broad range of textbooks, reference works and handbooks. The titles included in the series are meant to appeal to students, researchers and professionals in the mathematical, statistical and computational sciences, application areas, as well as interdisciplinary researchers involved in the field. The inclusion of concrete examples and applications, and programming code and examples, is highly encouraged.

Published Titles

Image Processing for Cinema

by Marcelo Bertalmío

Image Processing and Acquisition using Python

by Ravishankar Chityala and Sridevi Pudipeddi

Statistical and Computational Methods in Brain Image Analysis

by Moo K. Chung

Rough Fuzzy Image Analysis: Foundations and Methodologies

by Sankar K. Pal and James F. Peters

Variational Methods in Image Processing

by Luminita A. Vese and Carole Le Guyader

Theoretical Foundations of Digital Imaging Using MATLAB®

by Leonid P. Yaroslavsky

Proposals for the series should be submitted to the series editors above or directly to:

CRC Press, Taylor & Francis Group

3 Park Square, Milton Park, Abingdon, OX14 4RN, UK

Preface

This manuscript is devoted to variational models, their corresponding Euler–Lagrange equations and numerical implementations for image processing. Such techniques allow us to solve many inverse problems by minimization and regularization using rigorous tools from function spaces, calculus of variations, numerical analysis, and scientific computing. The most important problems in image processing are studied here, such as image restoration and image segmentation. Other related problems and applications are also presented and analyzed in detail. The variational approach offers an optimal and elegant solution in many cases, given knowledge about the image formation model, constraints, and a priori information. The variational method by regularization has been proven to be one of the most powerful techniques for solving many image processing tasks. This book covers numerous methods and applications, with accompanying tables, illustrations, algorithms, exercises, and online electronic material. It seeks to balance the theory with practice and the use of computational approaches.

Our goal is to offer a general textbook on variational approaches for image processing. Several topics are discussed in detail and may appeal to a larger audience. Instead of minimizing overlap with existing textbooks, the aim is for a more comprehensive and up-to-date presentation.

Each chapter includes the presentation of the problem, its mathematical formulation as a minimization operation, discussion and analysis of its mathematical well-posedness, derivation of the associated Euler–Lagrange equations, numerical approximations and algorithm descriptions, several numerical results, and a list of exercises.

In line with a desire for accessibility, this book attempts to be a self-contained guide to variational models in image processing, providing a synopsis of the required mathematical background necessary to understand the presented methods.

There are a number of successful advanced texts, including textbooks, on variational models and partial differential equations for image processing and related topics from image analysis and computer vision. This is a proof of the strong and continuing interest in these areas. This textbook focuses specifically on the principles and techniques for variational image processing and applications, balancing the traditional computational models with the more modern techniques developed to answer new challenges introduced by the new image acquisition devices.

The audience

This text is intended primarily for advanced undergraduate and graduate students in applied mathematics, scientific computing, medical imaging, computer vision, computer science, engineering and related fields and for engineers, professionals from academia, and the image processing industry. The manuscript can be used as a textbook for a graduate course or for a graduate summer school. It will serve as a self-contained handbook and detailed overview of the relevant variational models for image processing. The general area of image processing and its state-of-the-art methods have become essential in many fields, including medical imaging, defense, surveillance, Internet, television, image transmission, special effects, physics, astronomy, and other fields that require image acquisition for further processing and analysis.

Topics not covered

There are many other important topics in variational image processing that could not be covered here. These include higher-order models, wavelet and statistical methods, convexification algorithms for image segmentation and partition, proximal point methods, and other relevant applications from computer vision and medical imaging.

Additional resources

Electronic resources accompany the manuscript. These can be found at the online link given below, and include MATLAB[®] codes for the main models and algorithms presented in the manuscript. The electronic resources will be updated when necessary. Other useful resources to students, instructors, researchers and practitioners will be found as well at this link:

<http://www.math.ucla.edu/~lvese/VMIP>

Acknowledgments

This text wouldn't have been possible without the tremendous support, work, inspiration and dedication of all our mentors, students, collaborators, and families.

Luminita Vese thanks all her mentors: Dorel Mihet from West University of Timișoara who introduced her to mathematics and its rigor; her Ph.D. advisors Gilles Aubert and Michel Rascle, from the University of Nice-Sophia Antipolis, who introduced her to variational models in image processing, the topic of this text; and finally, her postdoctoral mentors Tony Chan and Stanley Osher, from the University of California, Los Angeles, who introduced her to many interesting and challenging problems in image processing and guided her throughout the years.

Luminita Vese thanks all her Ph.D. students for their hard work, talent, and dedication: Triet Le, Linh Lieu, Ginmo Chung, Nicolay Tanushev, Chris Elion, Yunho Kim, Miyoun Jung, Tungyou Lin, Pascal Getreuer, Carl Lederman, Ming Yan, Melissa Tong, and Hayden Schaeffer. This text would not have been possible without their enormous contributions to variational methods in image processing. The text contains numerous results obtained by Miyoun Jung, Ginmo Chung, Triet Le, Tungyou Lin, Nicolay Tanushev, and Ming Yan; she is very grateful to all of them.

Luminita Vese is grateful to her colleagues in the Mathematics Department from the University of California, Los Angeles for their constant support, especially to Andrea Bertozzi, John Garnett, and Stanley Osher.

Also, special thoughts go to her dear family for all the love, support and sacrifice throughout the years.

Carole Le Guyader thanks her mentors: Christian Gout from the National Institute of Applied Sciences of Rouen, who trusted her and guided her throughout the years, and Luminita Vese from the University of California, Los Angeles, for her constant support and kindness, for providing her with appealing new challenges in imaging sciences, and for her strong commitment.

Carole Le Guyader also thanks her colleague Nicolas Forcadel from the National Institute of Applied Sciences of Rouen for the enlightening mathematical discussions about the theory of viscosity solutions and calculus of variations and for his friendship.

She also thanks her Ph.D. students Ratiba Derfoul and Solène Ozeré for their involvement, diligence, and skills. A special thought goes to her grandfather André Le Corff for his unfailing love and to Vincent Bonamy.

This text could not have been written without our collaborators who, through their work, greatly contributed to many sections and chapters. We would especially like to thank Gilles Aubert, Xavier Bresson, Tony Chan, Ginmo Chung, Nicolas Forcadel, John Garnett, Peter Jones, Miyoun Jung, Triet Le, Tungyou Lin, Yves Meyer, Jean-Michel Morel, Stanley Osher, Nicolay Tanushev, Ming Yan, among many others.

We also thank Chapman & Hall/CRC Mathematical and Computational

Imaging Sciences Series and its editors Chandrajit Bajaj and Guillermo Sapiro for supporting this project and for giving us the opportunity to contribute to the series with this text.

Finally, we thank our editor, Sunil Nair, for his enormous patience and understanding, his advice and guidance, and for not giving up on the project. Also, we thank his assistants, Rachel Holt, Sarah Morris, Sarah Gelson, Sarfraz Khan, and Alexander Edwards, for their constant interest in the progress of the manuscript and for all their help and support throughout the process. We would also like to express our deep gratitude to Robin Starkes for contributing to the improvement of the writing of the book.

Contents

List of Figures	xi
List of Tables	xix
Preface	xxi
1 Introduction and Book Overview	1
1.1 Introduction	1
1.1.1 Fundamental steps in image processing	2
1.1.2 Simple image formation model	3
1.2 Overview	5
2 Mathematical Background	17
2.1 Tikhonov regularization of ill-posed inverse problems	17
2.2 Maximum a posteriori (MAP) estimate	19
2.3 Convolution	19
2.4 Fourier transform	20
2.5 Topologies on Banach spaces	21
2.6 Sobolev and BV spaces	23
2.6.1 Sobolev spaces	24
2.6.2 BV space	26
2.6.2.1 Characterization of BV functions	27
2.6.2.2 SBV functions	28
2.6.2.3 BV functions of one variable	29
2.7 Calculus of variations	29
2.7.1 Carathéodory functions	30
2.7.2 Convex functions	30
2.7.3 Direct method for integral functional problems formulated on Sobolev space $W^{1,p}(\Omega)$	31
2.7.4 Euler–Lagrange equations	34
2.7.5 Lax–Milgram theorem	36
2.7.6 Euler–Lagrange equations and energy decrease	37
2.7.7 Γ -convergence	39
2.8 Geometric curve evolution	40
2.8.1 Parametrized curves	40
2.8.2 Area and length minimization	40

2.9	Variational level set methods	42
2.10	Numerical analysis	44
2.10.1	Gradient descent method	45
2.10.2	Finite differences	45
2.11	Exercises	46
I	Image Restoration	49
3	Variational Image Restoration Models	51
3.1	Linear degradation model with Gaussian noise and total variation regularization	52
3.1.1	Signal restoration	52
3.1.2	Existence of minimizers	53
3.1.3	Dual problem and optimality conditions	55
3.1.4	Characterization of minimizers via dual norm	58
3.1.5	Euler-Lagrange equation of regularized problem using Gâteaux differentiability	61
3.1.6	Numerical discretization of Euler-Lagrange equation	63
3.1.6.1	Denoising, $K = I$	64
3.1.6.2	Denoising and deblurring	66
3.2	Numerical results for image restoration	67
3.3	Compressive sensing for computerized tomography reconstruction	69
3.3.1	Expectation maximization and total variation-based model for computed tomography reconstruction from undersampled data	70
3.3.1.1	EM+TV reconstruction method	72
3.3.1.2	Numerical results	73
3.4	Exercises	77
4	Nonlocal Variational Methods in Image Restoration	81
4.1	Introduction to neighborhood filters and NL-means	81
4.2	Variational nonlocal regularization for image restoration	82
4.2.1	Nonlocal total variation as semi-norm	83
4.2.2	Characterization of minimizers	85
4.2.3	Euler-Lagrange equations	86
4.3	Numerical results for image restoration	89
4.4	Exercises	90
5	Image Decomposition into Cartoon and Texture	93
5.1	Modeling	93
5.2	A simple cartoon + texture decomposition model	98
5.2.1	Numerical results for cartoon + texture decomposition	98

5.3 Exercises	102
II Image Segmentation and Boundary Detection	107
6 Mumford and Shah Functional for Image Segmentation	109
6.1 Description of Mumford and Shah model	109
6.1.1 First variation	111
6.1.1.1 Minimizing in u with K fixed	112
6.1.1.2 Minimizing in K	114
6.2 Weak formulation of Mumford and Shah functional: MSH^1	117
6.3 Mumford and Shah TV functional: $MSTV$	118
6.4 Exercises	119
7 Phase-Field Approximations to Mumford and Shah Problem	123
7.1 Ambrosio and Tortorelli phase-field elliptic approximations	124
7.1.1 Approximations of the perimeter by elliptic functionals	124
7.1.2 Ambrosio–Tortorelli approximations	124
7.2 Shah approximation to the $MSTV$ functional	127
7.3 Applications to image restoration	127
7.4 Exercises	132
8 Region-Based Variational Active Contours	135
8.1 Piecewise-constant Mumford and Shah segmentation using level sets	135
8.1.1 Two-phase piecewise-constant binary segmentation	135
8.1.2 Multilayer piecewise-constant segmentation	136
8.1.3 2^n piecewise-constant segmentation with junctions	141
8.1.4 Numerical approximations	144
8.1.5 Numerical results	145
8.1.6 Level set method links active contours, Mumford–Shah segmentation, and total variation restoration	149
8.1.7 Two-phase piecewise-constant binary segmentation with multiplicative noise	154
8.2 Piecewise-smooth Mumford and Shah segmentation using level sets	158
8.2.1 One-dimensional case	159
8.2.2 Two-dimensional case	160
8.3 Applications to variational image restoration with segmentation-based regularization and level sets	167
8.4 Exercises	170
9 Edge-Based Variational Snakes and Active Contours	175
9.1 Snake model	176
9.1.1 Gradient vector flow snake	179
9.2 Geodesic active contours	180
9.3 Alignment term	186

9.4	Topology-preserving snakes model	187
9.4.1	Description of self-repelling snakes model with topology constraint	189
9.4.2	Evolution problem	191
9.4.2.1	Role of self-repelling term $E(\Phi)$	194
9.4.2.2	Short time existence and uniqueness	195
9.4.3	Description of numerical algorithm	197
9.4.4	Experimental results	201
9.5	Exercises	205
III Applications		207
10	Nonlocal Mumford–Shah and Ambrosio–Tortorelli Variational Models for Color Image Restoration	211
10.1	Well-definedness of nonlocal regularizers	213
10.2	Characterization of minimizers u	217
10.3	Gâteaux derivative of nonlocal M–S regularizers	223
10.4	Image restoration with NL/MS regularizers	225
10.4.1	Color image deblurring and denoising	225
10.4.1.1	Preprocessing step for impulse noise model	226
10.4.2	Color image inpainting	227
10.4.3	Color image super-resolution	228
10.4.4	Color filter array demosaicing	229
10.5	Numerical discretizations	230
10.6	Experimental results and comparisons	231
10.7	Exercises	241
11	A Combined Segmentation and Registration Variational Model	243
11.1	Introduction	243
11.1.1	Registration methods	244
11.1.2	Joint segmentation and registration methods	247
11.2	Description of model	249
11.3	Algorithm	257
11.4	Numerical experiments	260
11.4.1	Applications to image registration	261
11.4.2	Applications to topology-preserving segmentation	263
11.5	Exercises	264
12	Variational Image Registration Models	281
12.1	Introduction	281
12.1.1	Data fidelity in Eulerian framework	283
12.1.2	Landmark constraints	283
12.1.3	Regularization	283

12.1.3.1	Image registration using diffusion regularization	284
12.1.3.2	Image registration using biharmonic regularization	284
12.1.3.3	Image registration using linear elasticity regularization	285
12.2	Variational image registration algorithm using nonlinear elasticity regularization	286
12.3	Experimental results	289
12.3.1	Numerical correction: regridding	289
12.3.2	Synthetic images	290
12.3.2.1	Disk to letter C	290
12.3.2.2	Other binary images	291
12.3.3	Real data	293
12.3.3.1	Ground truth test	293
12.4	Exercises	297
13	Piecewise-Constant Binary Model for Electrical Impedance Tomography	301
13.1	Introduction	301
13.1.1	Forward problem	301
13.1.2	Inverse problem	302
13.1.3	Related work	303
13.2	Formulation of the minimization	303
13.3	Numerical details	305
13.4	Numerical reconstruction results	308
13.4.1	Test 1 – Two inclusions	308
13.4.2	Test 2 – Inclusion with empty interior	309
13.4.3	Test 3 – Noise	312
13.5	Exercises	313
14	Additive and Multiplicative Piecewise-Smooth Segmentation Models	315
14.1	Piecewise-smooth model with additive noise (APS)	317
14.1.1	Existence of minimizers for APS model when $p = 2$	317
14.1.2	Existence of minimizers for APS model when $p = 1$	319
14.1.3	Two-phase APS model	320
14.1.4	Four-phase APS model	321
14.2	Piecewise-smooth model with multiplicative noise (MPS)	324
14.2.1	Existence of minimizers for the MPS model	327
14.2.2	Two-phase MPS model	329
14.2.3	Four-phase MPS model	331
14.3	Exercises	331

15 Numerical Methods for p-Harmonic Flows	333
15.1 Introduction	333
15.2 S^1 case	335
15.2.1 Numerical algorithm for S^1 case	337
15.3 S^2 case	339
15.3.1 Numerical algorithm for S^2 case	341
15.4 Numerical experiments	341
15.4.1 Numerical results for prescribed boundary conditions	342
15.4.2 Application to directional denoising and color image denoising	344
15.5 Concluding remarks and discussions for more general manifolds	349
15.6 Exercises	351

Bibliography	353
---------------------	------------

Index	381
--------------	------------

List of Figures

1.1	A grayscale image with several shades of gray varying from black (intensity 0) to white (intensity 255).	4
1.2	Top: an original image u . Bottom left: its blurry version Ku obtained using a convolution operator $Ku = k * u$ with k a Gaussian kernel. Bottom right: its blurry and noisy version $f = Ku + n$ obtained from Ku by adding Gaussian noise of zero mean.	6
1.3	A level line $u(x) = c$ of the image function u and the unit normal and tangent vectors \vec{T} and \vec{N} to the level line. . . .	7
1.4	An example of image decomposition $f = u + v$ into cartoon and texture.	9
1.5	Segmentation and edge detection results using the Ambrosio–Tortorelli approximation AT_ϵ of the Mumford–Shah energy (1.5) in the weak formulation.	11
1.6	Active contour evolution and detection of different objects in a synthetic noisy image f , with various convexities and with an interior contour that is automatically detected using only one initial curve.	13
3.1	Image recovery: Gaussian blur kernel with $\sigma_b = 1$ and additive Gaussian noise with $\sigma_n = 5$	68
3.2	Original image, noisy blurry version f with Gaussian kernel with $\sigma_b = 1$ contaminated by additive Gaussian noise with $\sigma_n = 5$, and recovered image u (SNR = 14.4240).	69
3.3	Original image and noisy blurry version f using the pill-box kernel of radius 2 contaminated by additive Gaussian noise with $\sigma_n = 5$, recovered image u (SNR = 25.0230) and residual $f - Ku$	69
3.4	The sinogram data without noise in two dimensions, generated from the two-dimensional Shepp–Logan phantom. . . .	74
3.5	Reconstruction results in two dimensions.	75
3.6	Reconstruction results in three dimensions in the noise-free case.	76

4.1	Image recovery: Gaussian blur kernel with $\sigma_b = 1$ and Gaussian noise with $\sigma_n = 5$	89
4.2	Original image, noisy blurry version with Gaussian kernel with $\sigma_b = 1$ contaminated by Gaussian noise with $\sigma_n = 5$, and recovered image with NL/TV ($SNR = 17.4165$).	89
4.3	Recovery of noisy blurry boat image.	90
5.1	Test image to be decomposed.	99
5.2	A decomposition of f from Figure 5.1 using the model (5.10) with the kernel being the characteristic function of a square centered at 0 having 3-pixel length for the sides and $\lambda = 1.5$	99
5.3	A decomposition of f from Figure 5.1 using the model (5.10) with the kernel being the characteristic function of a square centered at 0 having 5-pixel length for the sides and $\lambda = 1.5$	100
5.4	A decomposition of f from Figure 5.1 using the model (5.10) with the kernel being the Gaussian kernel of standard deviation $\sigma = 1$, $p = 1$, and $\lambda = 1$	100
5.5	A decomposition of f from Figure 5.1 using the model (5.11).	101
5.6	A decomposition of f from Figure 5.1 using the model (5.11).	101
5.7	A decomposition of f from Figure 5.1 using the model (5.11).	102
6.1	Example of partition of a rectangle Ω into eight regions $\Omega_1, \dots, \Omega_8$	110
6.2	Neighborhood U near a regular, simple point P of K	115
7.1	Original image g	127
7.2	Results using the Ambrosio–Tortorelli approximations ($\alpha = \beta = 10$, $\epsilon = 0.0001$).	128
7.3	Results using the Ambrosio–Tortorelli approximations ($\alpha = \beta = 5$, $\epsilon = 0.0001$).	128
7.4	Results using the Ambrosio–Tortorelli approximations ($\alpha = \beta = 1$, $\epsilon = 0.0001$).	128
7.5	Numerical energy versus iterations for the Ambrosio–Tortorelli approximations ($\alpha = \beta = 10$, $\epsilon = 0.0001$, 150 iterations).	129
7.6	Image recovery: Gaussian blur kernel with $\sigma_b = 1$ and Gaussian noise with $\sigma_n = 5$	130
7.7	Original image, noisy blurry version using Gaussian kernel with $\sigma_b = 1$ contaminated by Gaussian noise with $\sigma_n = 5$, and recovered image using $MSTV$ ($SNR = 14.4693$). $\beta = 0.007$, $\alpha = 0.00000015$, $\epsilon = 0.0000005$	131
7.8	Original noisy blurry image, recovered image, and corresponding residuals.	132
7.9	Restoration using MSH^1 with the image blurred and contaminated by high density ($d = 0.4$) of impulse noise.	133