FROZEN BLOOD

A Review of the Literature 1949-1968

FROZEN BLOOD

A Review of the Literature 1949-1968

ARTHUR R. TURNER, M.D.

GORDON AND BREACH, Science Publishers
New York London Paris

Prepared under the auspices of

BIOLOGICAL SCIENCES COMMUNICATION PROJECT Department of Medical and Public Affairs Medical Center The George Washington University Washington, D.C.

Study supported by

UNITED STATES NAVY
ONR Contract No. N00014-67-A-0214-0008

Copyright © 1970 by GORDON AND BREACH, Science Publishers, Inc. 150 Fifth Avenue, New York, N. Y. 10011

Library of Congress Catalog Card Number: 70-110560

Editorial office for Great Britain:
Gordon and Breach, Science Publishers Ltd.
12 Bloomsbury Way
London W.C.1, England

Editorial office for France: Gordon & Breach 7-9 rue Emile Dubois Paris 6e

All rights reserved. No part of this book may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without permission in writing from the Publishers.

Printed in the United States of America

FROZEN BLOOD

A Review of the Literature 1949-1968

EDITORIAL AND SUPPORT STAFF

Rebecca R. Wise, Editor
Bruce Berman, Contributor, Chapters 5 and 6
Dr. Charles W. Shilling, Contributor, Chapter 7
Ruby W. Moats, Bibliographic Advisor
Helen E. Hennefrund, Bibliographic Support
Bobbie J. Allen, Production
Rebekah M. McKinney, Production

FOREWORD

The Biological Sciences Communication Project (BSCP), in conducting studies of the literature on various aspects of blood preservation for the U.S. Navy, Bureau of Medicine and Surgery, and Office of Naval Research, became aware of increasing scientific attention being focused on the preservation and storage of blood in the frozen state. Since 1949, when it was discovered that glycerol would protect red blood cells against damage by freezing and thawing, there have been significant developments in the processing and uses of frozen blood. Since a wide variety of concepts is embraced in the subject matter dealing with one facet or another of frozen blood, it appeared to us at the BSCP that it would be valuable to review the literature on frozen blood as a specialized segment of the study of the literature on blood preservation.

Collecting the material needed for this review proved to be a task far more formidable than had been anticipated. In addition, the review as originally conceived focused on the erythrocyte, and it was not until work had been in progress for some time that the inclusion of other formed elements of the blood was suggested. As a consequence, in this respect, the study cannot pretend to be all-inclusive, and some important references may have been missed. However, it is hoped that readers will find the presentation useful.

Charles W. Shilling, M.D. Director, BSCP

December, 1969

PREFACE

This review of the literature on the cryopreservation of blood encompasses the period of 1949 through 1968. In general, although reference is made (particularly in the chapter on History) to publications dated prior to 1949, they are cited in the text but are not included in the bibliography. The citations included in the bibliography are largely limited to those that deal with frozen blood. Papers concerned with refrigerated, but not frozen, blood have generally been excluded. During the preparation of this review, several instances were found of a paper having been presented at an international meeting which was antedated by the publication of an abstract. In such cases, the bibliographic citation is that of the full article with a notation that it appeared in abstract form, for which the appropriate citation is given. Occasionally the same article, or at least the same material on which the article was based, has been published as many as four times in different publications at different times in the same year, or in different years as much as two years apart. In such cases these are combined into one bibliographic citation.

Numerous articles reviewed for this study exist in abstract form only. For the most part, they were found in reports of the *Proceedings* of an international meeting or a similar gathering such as a symposium or a conference. A few articles which should have been included in this review came to our attention too late, or could not be obtained from the library until after the suspense date. Some were at the bindery, for example, or not in their proper places on library shelves. Therefore, a certain number of references published during the time period under review have not been included. A selected list of abbreviations is intended to define and clarify some of the symbols and specialized terminology commonly used by investigators in this field.

The views expressed herein concerning trade names or other commercial products are solely those of the authors of the writings reviewed in this monograph. The fact that mention is made herein of such

x Preface

trade names or commercial products does not constitute or imply recommendation or endorsement of such products by the contributors or editors of this volume, or by, or on behalf of, any branch of The George Washington University or the United States Navy.

Arthur R. Turner

December, 1969 Washington, D.C.

ABBREVIATIONS

ACD Acid-citrate-dextrose solution, an anticoagulant

ACD-A U.S.P. formula A of ACD solution

ADL Arthur D. Little Co., manufacturer of Cohn fractionator

ADP Adenosine diphosphate, a nucleotide
AMP Adenosine monophosphate, a nucleotide
ATP Adenosine triphosphate, a nucleotide

CPD Citrate-phosphate-dextrose solution, an anticoagulant

DMSO Dimethyl sulfoxide, a cryoprotective agent

DPG Diphosphogylcerate

DPN Diphosphopyridine nucleotide, a coenzyme, the dinucleo-

tide of nicotinamide and of adenine

ECA Endocellular cryoprotective agent

EDTA Ethylenediaminetetraacetic acid, an anticoagulant

EOP Efficiency of process
GDH Glutamic dehydrogenase

GOT Glutamic oxaloacetic transaminase, an enzyme

GPD Glyceraldehyde phosphate dehydrogenase, an enzyme G-6-PD Glucose 6-phosphate dehydrogenase, an enzyme

GTP Guanosine triphosphate
HDP Hexose diphosphate

HES Hydroxyethyl starch, a cryoprotective agent

HMP Hexose monophosphate

5-HT 5-hydroxytryptamine, or serotonin

IMP Inosine monophosphate

LDH Lactate dehydrogenase, an enzyme

M Mole mM Millimole

MCHC Mean corpuscular hemoglobin concentration

MCV Mean corpuscular volume

PVP Polyvinlypyrrolidone, a cryoprotective agent
PVP-K17 A PVP with molecular weight of 10,000 to 20,000
PVP-K30 A PVP with molecular weight of about 40,000

SH Sulfhydryl enzyme

TPD Triose phosphate dehydrogenase
TPN Triphosphopyridine nucleotide

CONTENTS

FOR	EWORD		vii
PRE	FACE		ix
ABB	REVIATIONS		xi
1.	HISTORY		1
2.	ADDITIVES	Sources of Historical Summaries, Priorities	7
		Anticoagulants, Antioxidants, Metabolic Additives, Cryoprotective Compounds (Intracellular and Extracellular Additives),	
3.	FREEZING	Toxicity Studies	25
		General, Velocity (Ultrarapid, Rapid, and Slow), Injury (Mechanisms of Cell Membrane Damage, Drying, and Hemolysis), Ice Crystal Formation—General,	
		Observations (Microscopic, Photographic, and X-ray)	
4.	THAWING	General, Heat Exchange, Recoverability (Measurement Techniques, Factors In-	51
5.	PROCESSING	fluencing, and Additives Involved) General, Techniques (Centrifugation,	61
		Agglomeration, Special, Combination Processes, and Reconstitution), Containers	
6.	STORAGE		81
_	CLIDATIVAL	General, Storage Time, Temperature Variables, and Liquid Nitrogen	0.5
7.	SURVIVAL	General, Definitions, Measuring Survival Time (Radioactive Isotope Tagging, Dif- ferential Agglutination, Other Methods), Survival and Total Processing (General, Temperature of Storage, Processing)	87

vi Contents

8.	BIOCHEMICAL EV	ALUATIONS Antigen and Enzyme Studies, Other Biochemical Studies (Metabolism, Potassium and Ammonia, Hemoglobin and Methemoglobin)	105
9.	NONERYTHROCY	TE CONSTITUENTS Leucocytes, Platelets, Plasma (Proteins and Clotting Factors)	121
10.	CLINICAL EXPERI	IENCE General, Military, Blood Banking	129
BIBLIOGRAPHY			141
JOINT AUTHORS AND EDITORS IN BIBLIOGRAPHY			
INDEX			

Chapter 1

HISTORY

Sources of Historical Summaries

Much of the work up to 1935 on the action of low temperatures on living organisms has been summarized, according to Smith (1954), in a monograph by Belehradek, J.: Temperature and Living Matter. *Protoplasma-Monographien* No. 8. Borntraeger, Berlin, 1935; and summarized up to 1940 by Luyet, B.J., and Gehenio, P.M.: Life and Death at Low Temperatures, Monograph published by *Biodynamica*, Normandy, Mo., 1940. (Reprinted from *Biodynamica* No. 38, 1938; No. 48, 1939; and No. 60, 1940.) Strumia, M.M. (1954) in a footnote on page 1106 called attention to the fact that practically the entire July 1947 number (Vol. XXVI, pages 591-755) of the *Journal of Clinical Investigation* was devoted to a series of articles on the basic principles underlying the in vitro storage of red blood cells and their posttransfusion survival, which he says gives a comprehensive view of much of the work on blood preservation done up to that time.

M.M. Strumia's article (1954) discussed major contributions to the solution of the problem of blood preservation from 1947 to 1953 and stated, "...in that period there was no practical and substantial contribution to the problem of longer storage of blood save for the promising although still highly experimental and impractical storage of erythrocytes in the frozen state in a glycerol solution." Smith (1954) covered a wide variety of subjects in the field of low-temperature biology "particularly in the light of work done between 1940 and 1952 on isolated cells and tissues of animal origin." The subjects treated include thermal shock, removal of water, velocity of temperature changes, effects of extracellular crystallization, intracellular freezing, cryoprotective substances, duration of survival at low temperatures, and effect on enzyme activity. Mollison (1954) reviewed advances in erythrocyte preservation. Jones, N.C.H., et al (1957) presented a review of previous work on frozen blood beginning with Smith (1950) and including Chaplin et al (1956).

2 Frozen Blood

Tullis (1964) gave a brief historical review of cryopreservation of erythrocytes and covered such subjects as the effects of freezing unprotected cells, methods of protection at subfreezing temperatures, physical changes during freezing, glycerol and DMSO additives, and nonpenetrative additives. MacFarlane (1964) provided a capsule summing-up of the utility of long-term preservation of blood. Doebbler (1966a) reviewed the majority of compounds or classes of compounds which have been used to provide protection against injury during freezing and thawing of such cell systems as tissue culture cells, mammalian bone marrow, spermatozoa, mammalian erythrocytes, vinegar eels, bacteria, plant cells, and human blood cells. Carlsson et al (1967) surveyed the development in Sweden, during the period 1949-1967, of various cryotechnical methods for the preservation of blood with special reference to its use in the military medical defense services. Glycerol and sugars in concentrated solutions have been used during, or prior to freezing to enhance resistance to lowtemperature injury since 1913.

Luyet and Rapatz (Abst. 1967) revealed plans for preparation of a comprehensive bibliography and historical survey of studies on erythrocyte cryopreservation. Publication is scheduled in an issue of *Cryobiology* early in 1970. Hurn (1968) cited 470 references in his monograph, no part of which may be quoted without permission. However, it is stated on the dust jacket that "newer methods of frozen storage at very low temperatures are discussed in detail...Individual chapters are devoted to the special difficulties involved in the preservation of red cell antigens, platelets and other blood components including leucocytes." He has provided a synoptic overview of the blood-storage problem from the earliest experience in transfusion through the gamut of preservation methods, additives, and hazards. No aspect of the subject has escaped his attention: red cell lesions occurring in storage, freezing-thawing parameters, blood fractions, collection and storage of platelets, and utilization of erythrocytes in blood group tests are included.

Priorities

It has been noted by various authors since 1958 - Steinbuch & Quentin (1958); Meryman (1959); Rinfret & Doebbler (1960a); Smith (1961); Bronson & McGinniss (1962); Rinfret (1963c); Richards et al

(1964); Perrault (1965) (who quotes the wrong reference); Doebbler et al (1966b); Carlsson et al (1967); and Merjanian (1968), to name a few -either that Luvet was the first to report preservation of erythrocytes by very rapid freezing (Luyet, 1949, 1949a) or that modern cryobiology began with Luyet's work. It should be noted only in passing that Luyet's presentation at the conference in Boston on January 6, 1949, was not the only report on the freezing of blood (see Strumia, M.M., 1949, and Walter & Gibson, 1949). It is also to be noted that several authors (Smith, 1950; Sloviter, 1951a, 1953; Tullis et al, 1958; and Smith, 1961) have pointed out either that Luyet achieved success only with minute quantities of blood under very special conditions, or that because of those facts, his technique was mainly of academic interest, perhaps (as noted by Rinfret, 1965) because he did not suggest practical application of his observations. Meryman & Kafig (1955a), in reviewing Luyet's work (1949), stated, "...there are no other reports known to the authors in which the surfaceto-volume limitations for rapid heat exchange were adequately recognized," and Tullis (1964) noted that Luyet had shown experimentally that the heat capacity of blood is clearly related to the thickness of the film being cooled.

Many authors (at least 40) cited the reports of Polge et al (1948) and Smith (1950) as providing the stimulus to renewed interest in cryopreservation of erythrocytes. Polge et al (1949) reported work dealing mainly with glycerol cryoprotection of fowl spermatozoa. Parkes (1951) cited the Polge et al (1949) report and stated, in part, "...it was discovered by a chance observation that glycerol had remarkable properties in protecting fowl spermatozoa against the effects of low temperatures." Smith (1961) cited the Polge et al (1949) report and stated, in part, "In 1949 new possibilities were opened up by the demonstration that glycerol protected avian spermatozoa against the otherwise damaging effects of freezing to, storage at, and thawing from very low temperatures. This led indirectly to resumed work on freezing red blood cells....It occurred to me that mammalian blood cells, which are excellent osmometers, could be used to test the osmotic effects of the semen diluents containing glycerol." She then went on to quote her own earlier report (Smith, 1950) and stated, in part, "When glycerol-treated red blood cells were frozen to and thawed from -20°, -40°, or -79°C. in the presence of 10 or 15 percent glycerol, the great majority of the cells were intact....The majority of

4 Frozen Blood

erythrocytes were unaltered in appearance after storage for periods varying from 5 minutes to 3 months at -79°C. in plasma containing 15 percent glycerol." In light of this quoted material, it is indeed confusing to find the report of Polge et al (1949) cited in at least nine references as dealing with glycerol protection against freezing of spermatozoa from bulls.

The protective action of glycerol on fowl spermatozoa against damage caused by freezing was compared by Polge et al (1949) with that of other substances. It was found that propylene glycol, ethylene glycol, and other related substances were more toxic than glycerol. By 1954, however, Lovelock (1954b) was able to report successful cryoprotection of erythrocytes using a variety of other monohydric, dihydric, and polyhydric alcohols; amides; and sugars; including methanol, acetamide, and glycerol monoacetate. Dextran and PVP were added to the list of cryoprotective substances by Bricka and Bessis (1955). Lovelock & Bishop (1959) reported cryoprotection of red cells afforded by DMSO. Tullis et al (1962) reported that in June 1956, the Blood Research Laboratory was established at the U.S. Naval Hospital, Chelsea, Mass., under the auspices of the Department of Defense. Its purpose was to determine the feasibility and practicality of this method (glycerolization and low-temperature freezing) in a military hospital blood bank.

Several authors whose work has been reviewed for this study have recorded other "firsts" of interest to a historian.

Sloviter (1953) noted the first blood transfusion reported (Lower, R.: Philosophical Transactions 1: 352, 1666). Huggins (1964) credits the finding that freezing and thawing caused hemolysis of human erythrocytes to Pouchet, M.F.A.: Recherches experimentales sur la congelation des animaux. Jour. l'Anat. et Physiol. 3: 1-36, 1866. The discovery of blood groups (Landsteiner, K.: Wien. Klin. Wschr. 14: 1132, 1901) is cited by Sloviter (1953). Next in chronological sequence it was recorded by Strumia, M.M. (1954) that the use of sodium citrate as an anticoagulant was introduced in 1914 (Hustin, A.: Note sur une nouvelle methode de transfusion. Bull. Soc. Roy. Sci. Med. Natur. Bruxelles, April, 1914); and that the addition of dextrose to citrate solution was reported (Rous, P., and Turner, J.R.: The preservation of living cells in vitro. J. Exper. Med. 23: 219, 1916). Huggins and Grove-Rasmussen (1965) credit the isolation and purification of A and B substances in human blood groups to Witebsky, E., Klendshoj, W.C., and Swanson, P.: Preparation and transfusion of safe universal blood. *Jour. Amer. Med. Assn.* 116: 2654-2656, 1941. Sloviter (1953) cited the facts that Rous and Turner (op. cit.) were the first to recommend the use of preservative solution containing sodium citrate and dextrose and first showed that whole blood could be satisfactorily preserved in vitro for 2 weeks or more. Sloviter (1953) cited the first reported instance of the transfusion of preserved whole blood (Robertson, O.H.: *Brit. Med. J.* 1: 691, 1918).

Both Strumia, M.M. (1954) and Chaplin & Mollison (1954b) noted the first acidification of citrate-dextrose anticoagulant for adjustment of the pH of blood-citrate-glucose mixtures to about 7.2, which appreciably prolonged the storage life of red cells (Loutit, J.F., & Mollison, P.L.: Advantages of a disodium citrate-glucose mixture as a blood preservative. Brit. Med. J. 2: 744, 1943; and Loutit, J.F., Mollison, P.L., and Young, I.M.: Quart, J. Exp. Physiol. 32: 183, 1943). Sloviter (1953) also cited the report in 1943 that by controlling the freezing and thawing time as well as the concentration of glucose, it was possible to freeze human blood with practically no destruction of the erythrocytes (Florio, L., Stewart, M., and Mugrage, E.R.: The effect of freezing on erythrocytes. J. Lab. Clin. Med. 28: 1486-1490, 1943). Sloviter (1953) cited the report of the development of ACD (Gibson, S.T.: New Eng. J. Med. 239: 544, 1948). In 1951, Mollison and Sloviter (1951) reported that glycerolized erythrocytes could be frozen to -79°C. in relatively large quantities with relatively little lysis, and show normal in vivo survival after being thawed and deglycerolized. Sloviter (1951a) reported the finding that glycerol could be removed from erythrocytes by dialysis and the article by Mollison and Sloviter (1951) contains a sketch of a simple dialysis apparatus. Smith (1961) credits Sir Charles Harington with suggesting to Sloviter (1951a) the technique of removing glycerol gradually by dialysis.

Lovelock (1954a) credits Mollison and Sloviter (1951) in England and Ivan W. Brown, Jr., in the United States, whose earlier work is reported in Brown and Hardin (1953), with simultaneously carrying out the first successful transfusions using human erythrocytes which had been stored in the frozen state using glycerol as a preservative. Lovelock (1953,

6 Frozen Blood

1953a) advanced the concept that concentration of electrolytes within and without the red cell, as water was removed in the form of ice, was the most important physical change that caused damage during freezing.

Hurn (1968) credits Sloviter for originally making the suggestion in 1952 that frozen storage of glycerolized blood might be a suitable means for preserving erythrocyte antigens. Doebbler et al (1966a) noted that the action of compounds cryoprotective to erythrocytes, in terms of preventing salt concentration, retarding ice growth, and preventing freezing by the hydrogen bonding of solvent water, had been investigated by Lovelock (1953a, 1954b) and by Doebbler and Rinfret (1962), as well as by others. Meryman and Kafig (1955, 1955a) showed that erythrocytes frozen in liquid nitrogen could survive in vivo after thawing and deglycerolization. The rate of ice crystal growth as a factor in causing freezing injury to erythrocytes was suggested by Lusena and Rose (1956). In the same year, Tullis et al (1956) reported the development of a method of processing whole units of blood. The double-chromium tagging method of making survival studies was first reported by Doebbler et al (1962a). Factors involved in injury to red cells during rapid freezing have been studied by Rinfret (1963c), while Luyet et al (1963) have reviewed similar factors involved during rapid thawing.

An editorial, "Frozen Blood Banking - A New Frontier," in the *Journal of Abdominal Surgery* (1962) hails the development by Haynes and Tullis of long-term preservation of blood by freezing, using the Cohn "infractionation" method. Meryman (1966) pointed out the need for participation at the basic research level of biochemists and molecular biologists experienced in research in cell function where the effects of freezing become lethal.

The growing interest in cryobiology resulted in the formation of the Society for Cryobiology whose first annual meeting was held in Washington, D.C., August 24-26, 1964.