

CAMPBELL

UROLOGY

UROLOGY

V O L U M E T H R E E

Edited by

MEREDITH F. CAMPBELL, M.S., M.D., F.A.C.S.

EMERITUS PROFESSOR OF UROLOGY, NEW YORK UNIVERSITY, AND
CONSULTING UROLOGIST, BELLEVUE HOSPITAL, NEW YORK

With the Collaboration of

SIXTY-FOUR CONTRIBUTING AUTHORITIES

SECOND EDITION

W. B. SAUNDERS COMPANY

Philadelphia and London 1963

© 1963 BY W. B. SAUNDERS COMPANY:

Copyright, 1954, by W. B. Saunders Company

Copyright under the International Copyright Union

*All rights reserved. This book is protected by copyright.
No part of it may be duplicated or reproduced in any manner
without written permission from the publisher.*

Made in the United States of America

Press of W. B. Saunders Company

Library of Congress catalog card number: 63-7037

Contents

VOLUME THREE

Section XII

UROLOGY IN INFANCY AND CHILDHOOD	1863
---	-------------

Meredith F. Campbell, M.D.

Chapter 39

Examination and Diagnosis	1863
Urologic Symptoms	1865
History	1870
General Examination	1871
The Urologic Examination	1873
Roentgenography	1880
Instrumental Examination	1895

Chapter 40

Urinary Obstruction	1916
Hydronephrosis	1920

Chapter 41

Urinary Infections	1939
---------------------------------	-------------

Chapter 42

The Male Genital Tract and the Female Urethra	1977
Diseases of the Penis	1977
Diseases of the Male Urethra	1987
Inflammatory Disease of the Scrotum	1996
Diseases of the Testicle	2001
The Spermatic Cord	2008
The Prostate	2010
The Inguinal Lymphatics	2016
Tuberculosis of the Male Reproductive Tract	2016
The Female Urethra	2019
Hormonal Disturbances Caused by Gonadal Disorders	2023

Chapter 43

Urogenital Injuries	2042
----------------------------------	------

Chapter 44

Urinary Calculous Disease	2056
Foreign Bodies in the Urinary Tract	2066

Chapter 45

Tumors of the Urogenital Tract	2068
---	------

Chapter 46

Neuromuscular Uropathy	2085
Enuresis	2085

Chapter 47

Urosurgery in the Young	2100
--------------------------------------	------

Section XIII

UROLOGY IN THE FEMALE	2107
------------------------------------	------

Chapter 48

Urology in the Female	2107
Houston S. Everett, M.D., and Tiffany J. Williams, M.D.	
Confusion in Symptoms	2108
The Female Urethra	2109

CONTENTS

vii

Diseases of the Urethra	2109
Urinary Stasis and Other Urologic Disorders	
Resulting from Gynecologic Abnormalities	2123
Prolapse of the Uterus	2128
Effect upon the Urinary Tract of Gynecologic Surgery ..	2129
Urologic Complications of Irradiation Therapy	2131
The Urinary Tract during Pregnancy	2134
Incontinence of Urine	2137
Urinary Fistulas	2153
Summary	2170
Points in Technique	2171

Section XIV

UROLOGIC ENDOCRINOLOGY	2177
-------------------------------------	------

Chapter 49

Urologic Endocrinology	2177
-------------------------------------	------

William F. Herbst, Jr., M.D.

Steroids	2178
Psychochemistry	2178
Congenital Anomalies	2180
Simmonds' Disease	2182
Adrenogenital Syndrome	2182
Acute Infections	2182
Surgical Shock	2183
Clinical Aspects of the Steroids	2184
Conclusion	2193

Section XV

THE PSYCHOSOMATIC APPROACH IN UROLOGY	2199
--	------

Chapter 50

The Psychosomatic Approach in Urology	2199
--	------

O. Spurgeon English, M.D.

The Approach to Psychosomatic Illness	2201
Symptomatology Met Frequently by the Urologist	2202
Treatment of Genitourinary and Sexual Problems	2209
Psychologic Factors in Urologic Disorders	2211

Section XVI

UROLOGIC SURGERY 2223

Chapter 51

The Care of the Urological Patient Before
and After Operation 2223

C. D. Creevy, M.D.

With a Section on Renal Failure by
M. P. Reiser, M.D.

The History	2224
The Physical Examination	2224
Laboratory Examinations	2225
The Nutritional Status of the Patient	2226
Prophylactic Use of Antibacterial Agents	2240
Preparation of the Patient for Prostatic Operations	2247
The Operating Room	2252
Postoperative Care	2253
Postoperative Complications	2257

Chapter 52

Anesthesia in Urology 2298

E. A. Rovenstine, M.D., and
S. G. Hershey, M.D.

Respiratory Considerations	2299
Circulatory Considerations	2301
Anesthesia and Renal Function	2305
Characteristics of Anesthetic Drugs	2306
Drugs Used for Preoperative Medication	2312
Techniques of Anesthesia	2315
Operative Procedures	2318

Chapter 53

Surgery of the Kidney 2324

Donald R. Smith, M.D., John W. Schulte, M.D.,
and William R. Smart, M.D.

Choice of Incision	2325
Mobilization of the Kidney	2355
Nephrectomy	2356
Removal of Stones	2362
Hydronephrosis	2372
Urinary Diversion	2402
Renal Trauma	2405

Renal Cysts	2406
Perinephric Abscess	2407
Renal Carbuncle	2408
The Anomalous Kidney	2408
Nephropexy	2411
Renal Vascular Diseases	2412
Renal Transplantation	2413
Renal Hypothermia	2415

Chapter 54

Surgery of the Ureter and Urinary Conduits	2419
---	-------------

Justin J. Cordonnier, M.D.

Nephroureterectomy	2419
Intubated Ureterotomy	2421
Ureterolithotomy	2423
Transvaginal Exposure of the Ureter	2425
Ureteral Anastomosis	2426
Replacement of Ureteral Defects by Ileal Segments ...	2427
Transureteroureterostomy	2431
Ureteroneocystostomy	2434
Bladder Flap Operation	2435
Antireflux Procedures	2436
Urinary Diversion	2441

Chapter 55

Surgery of the Bladder	2467
-------------------------------------	-------------

Meredith F. Campbell, M.D.

Fulguration of Bladder Tumors	2467
Paracentesis Vesicae	2468
Trocar Cystostomy	2469
Suprapubic Cystotomy	2472
Perineal Cystostomy	2480
Vaginal Cystotomy	2480
Resection of the Bladder	2481
Coagulation of Tumor through the Open Bladder	2484
Resection of Atonic Bladder	2485
Diverticulectomy	2485
Transvesical Ureteral Meatotomy	2488
Pull-Through Operation	2489
Ureteroceleotomy	2490
Operations on the Trigone	2491
Cystectomy	2492
Surgical Closure of Bladder Exstrophy Combined with Iliac Osteotomy	2498
Operation for Correction of Vesical Exstrophy	2501
Bladder Injury	2505
Operations to Correct Vesicoureteral Reflux	2506

Operation for Vesical Prolapse	2506
Litholapaxy (Lithotripsy)	2508
Suprapubic Cystolithotomy	2511
Vesical Fistulae	2511
Patent Urachus and Urachus Cyst	2522
Operations Upon the Vesical Outlet	2523
Operations to Relieve Incontinence of Urine	2526

Chapter 56

Suprapubic Prostatectomy	2548
<i>Vincent J. O'Connor, M.D., and Vincent J. O'Connor, Jr., M.D.</i>	
Operative Procedure	2554

Chapter 57

Perineal Prostatectomy	2566
<i>J. A. Campbell Colston, M.D.</i>	
Perineal Prostatectomy for Benign Prostatic Hypertrophy	2566
Subtotal Prostatectomy	2585
Radical Perineal Prostatectomy for Early Carcinoma of Prostate	2590

Chapter 58

Transurethral Prostatic Resection	2611
<i>Reed M. Nesbit, M.D.</i>	
Equipment	2616
Operative Technique	2621
Postoperative Management	2637

Chapter 59

Retropubic Prostatectomy	2643
<i>Terence Millin, M.Ch.</i>	
Retropubic Adenectomy	2644
Retropubic Prostatectomy Combined with Diverticulectomy	2654
Prostatic Enlargement Associated with Vesical Tumor ..	2656
Prostatic Enlargement Associated with Vesical Calculus	2656
Fibrous Prostate or Median Bar	2656
Radical Prostatectomy	2658

Inferior Cystectomy	2666
Prostatic Abscess	2668
Congenital Valves of the Prostatic Urethra	2669

Chapter 60

Surgery of the Seminal Vesicles	2670
---------------------------------------	------

Thomas E. Gibson, M.D.

Introduction	2670
Technique of Vasotomy and Vesiculography	2671
Operations on the Seminal Vesicles	2674

Chapter 61

Surgery of the Penis and Urethra	2682
--	------

John R. Hand, M.D.

Anatomic Orientation	2682
General Considerations	2682
Diversion of Urine	2687
Hypospadias	2689
Epispadias	2707
Hermaphroditism	2719
Posterior Urethral Valves	2724
Duplication of the Urethra	2725
Injuries of the Penis	2726
Strictures of the Urethra	2738
Diverticula of the Urethra	2750
Enlarged Prostatic Utricle	2751
Urethral Fistulas	2752
Benign Lesions of the Penis	2759
Carcinoma of the Penis	2760
Carcinoma of the Urethra	2764
Circumcision	2773
Peyronie's Disease	2775

Chapter 62

Surgery of the Scrotum, Spermatic Cord, Testes and Epididymis	2780
---	------

Carl Aberhart, M.D.

Surgical Treatment of the Scrotum	2780
Tumors of the Scrotum	2782
Radical Resection of the Inguinal Lymph Glands	2782
Operations on the Testes	2784
Transperitoneal Bilateral Lymphadenectomy in Testis Tumors	2790

Orchiectomy for Carcinoma of the Prostate	2792
Hydrocelectomy	2793
Spermatocoelectomy	2794
Varicocoelectomy	2794
Surgery of the Epididymis and Vas Deferens	2795

Section XVII

THE ADRENALS	2799
---------------------------	------

Chapter 63

The Adrenals	2799
---------------------------	------

*J. Hartwell Harrison, M.D., and
Dalton Jenkins, M.D.*

Introduction	2799
Anatomy, Embryology and Anomalies	2800
Surgical Anatomy	2802
Physiology of the Adrenal Cortex	2809
Adrenal Cortical Insufficiency	2817
Adrenal Cortical Hyperfunction	2828
Primary Aldosteronism (Conn's Syndrome)	2855
Tumors of the Adrenal Cortex	2859
The Adrenal Medulla	2863
Adrenal Surgery in Systemic Diseases	2874
Cancer of the Prostate and Breast	2877

INDEX TO VOLUMES ONE, TWO, AND THREE	i to lv
---	---------

UROLOGY

VOLUME THREE

Section XII

Urology in Infancy and Childhood

Chapter 39

Examination and Diagnosis

Meredith F. Campbell, M.D.

The broad fundamentals of urologic pathology, diagnosis, and therapeutic management are essentially the same, regardless of the patient's age. For the greater part the discussions of these subjects in other sections and/or chapters of this book have been presented chiefly from the standpoint of urology in adults. In this chapter attention is directed particularly to the differing points and phases of diagnosis and treatment of urologic disease in the young, and indicating wherein such differences lie.

Although Morgan in his Lettsomian lectures in 1898 was able to compose a surprisingly good monograph on urologic disease in children, reflecting an experience with neither roentgenographic nor cystoscopic aids, the greatest interest and most rapid progress in this special field have occurred during the past 30 years, notably since the introduction of safe excretory urography in 1928-1930. Extensive urographic and postmortem studies have demonstrated an unsuspected high incidence of urologic disease, and predominantly congenital, in infants and children. This stimulation together with the introduction of the several varieties and types of miniature cystoscopes, resectoscopes and other small urologic instruments, has brought about world-wide increased interest and clinical activity in

the comparatively new field of urology in children. It is notable that today a newborn male infant can be given the benefit of complete instrumental and roentgenographic urologic examination, diagnosis, and treatment which we customarily employ when the patient is an adult. The reader interested in a wider discussion and exploration of diseases in this field is referred to Campbell's *Clinical Pediatric Urology* (1951), the present limitations of purpose and space precluding such an extensive consideration.

In infants and young children the pronounced anatomic, physiologic, pathologic, and immunologic differences from older patients demand utmost consideration in every step of urologic diagnosis and treatment; the younger the patient, the greater these variations will be. Not only are special miniature instruments required in the investigative study, but unusual care is demanded in their use as well as in the clinical management of the young and particularly when major surgery is necessary. In short, *a child is not a small adult*. Fifty years ago Holt observed that it is not so much that diseases in early life are peculiar, as that the patients themselves are peculiar. Moreover, urologic disease in the young commonly produces surprisingly different clinical manifestations from those observed in adults when caused by the same lesion or conditions. For example, an acute urinary infection which in an adult might produce only the symptoms of grippe, in an infant or young child is notoriously apt to cause sharp gastrointestinal disturbances with excessive vomiting and even grave diarrhea.

Also, in the young there are relatively greater nutritional needs (calories, water, proteins, minerals, and vitamins). The condition of the child with diarrhea, persistent vomiting, fever, or toxemia may rapidly become dangerous and even critical through dehydration and acid-base disturbances. A disproportionately larger pulmonary dead space during anesthesia, the intolerance to loss of blood and to shock, as well as the high susceptibility to infection are especially notable in infants and young children.

Infants and children are subject to practically every urologic condition we are accustomed to meet in adult life; even some unusual epithelial cell malignancies such as carcinoma of the penis have been described in the young. Not only are these young people subject to the same diseases, but the methods of examination and diagnosis are fundamentally the same in each age group. The successful investigation of these young patients as well as their subsequent treatment, including surgery, demands unlimited patience together with sympathy, gentleness, and tact. Approached in a forthright manner and with simple honesty, most children will be cooperative. These are the keynotes; *deception by the physician or parent works but once* and the child's cooperation and confidence are lost.

Urologic disease must be considered in its relation to the entire body, and particularly is this true in children; otherwise, serious disease of other systems may be overlooked. The same perspective frequently discloses urologic disease when non-urologic symptoms are under investigation. This is splendidly exemplified in the study of gastrointestinal disturbances in

patients free of focal urologic symptoms; it is notable that gastrointestinal disturbances are symptomatically prominent in half of all children with chronic urinary obstruction or infection. Finally, investigative short cuts commonly lead to serious diagnostic error.

UROLOGIC SYMPTOMS

Pyuria, *pain*, and *hematuria* are the symptomatic cardinal triad of urinary tract inflammation which generally results from infection.

Pyuria. This is the commonest symptom of urinary infection and may originate at any point within or adjacent to the urinary tract (Fig. 7-2). The degree of pyuria indicates neither the kind nor the severity of the urologic disease; it is not uncommon to observe young patients with advanced hydronephrotic renal destruction who show macroscopically normal urine. *Sterile pyuria* is rare in infants or children but may occur in (1) the extreme dehydration of (a) pyloric obstruction, (b) low fluid intake, or (c) acute toxemia; (2) exsiccosis, (3) trauma caused by instruments or calculi, (4) when infection has disappeared but an irritating agent remains, (5) in chemical inflammation, (6) in abacterial or amicrobial pyuria. The etiology has been variously ascribed to (1) syphilis because arsenicals are so often curative, (2) the virus infections, (3) toxins from organisms situated in a focus of infection, and (4) ultra-microscopic organisms. In the newborn, pyuria occurs more often in males.

Pain. The chief potential causes of urinary tract pain in infants and children are:

1. Kidney: Abnormal mobility, ectopia, horseshoe formation, fusion, hydronephrosis, calculus, tumor, pyelonephritis, pyonephrosis, solitary abscess, perirenal tumor, cyst, or abscess.

2. Ureter: Obstruction by stricture, stone, kink, diverticulum; compression by (a) aberrant vessels, (b) fibrous bands, (c) periureteral masses.

3. Bladder: Stone, retention (neuromuscular), contracted outlet, prostatic obstruction, tumor.

4. Urethra: Stricture, meatal stenosis, stone, valves, hypertrophied verumontanum, diverticulum.

5. Adrenal: Tumor or abscess.

6. Infection or inflammation of these structures (cf. Campbell, 1945).

By somatic reference or radiation, renal pain may be widely dispersed, as by extension through the vagus (celiac ganglion) to the medulla; gastrointestinal upsets with nausea, vomiting and diarrhea, or vasomotor disturbances such as fainting, sweating, or collapse may occur. Downward extension of the painful stimuli from the irritated cord center may be manifested by reflex vesical or urethral disturbances, chiefly in urinary frequency or pain, and may explain these symptoms in the absence of demonstrable upper tract disease. Moreover, lower urinary tract disease by nerve reference may cause pain over the tip of the last rib (tenth dorsal nerve), over the posterior iliac spine (eleventh dorsal), or even

pain in the soles of the feet (third sacral). Reflex urethrovesical disturbance through the inferior hemorrhoidal nerve reflex may cause pruritus ani. Urinary tract pain may simulate gastrointestinal disease, especially appendicitis, and this is notably true in congenital right ureteral stricture which has commonly caused chronic appendicitis to be misdiagnosed and a normal appendix needlessly removed. In renal colic, by viscerosensory (ilio-inguinal) reflex, there is generally hyperesthesia over the skin of the isolateral upper inner thigh. When this area is coarsely pinched, severe cutaneous pain is felt. The observation of this phenomenon definitely localizes the disease to the upper urinary tract and distinguishes it from acute biliary, appendiceal, or other intra-abdominal disease.

Severe pain in infants is usually manifested by a distinctive sharp cry, facial contraction, marked irritability, or sometimes by an attempt to localize the pain with a hand; the patient shows that he does not wish to be moved. Lesser pain may cause only restlessness and irritability.

Pain originating in the genital tract is rare in children and is usually most severe at the site of an acute lesion (orchitis, torsion of the spermatic cord, acute epididymitis, hydrocele, varicocele, or even new growth) from which it may radiate to the groin, loin, back, or epigastrium. Epididymitis is much more frequent in children than generally appreciated and may induce subsequent hydrocele. Most hydroceles in the young are congenital but later increase in size. Varicocele in young boys is almost always the result of intra-abdominal venous compression by tumor, but I have twice seen it result from compression of the spermatic vein by an aberrant renal vessel. Varicocele on the right is practically always due to extravascular compression and most often by tumor; excessive masturbation as a cause is seen only occasionally in older boys.

Hematuria. This symptom in a child is most likely to mean nephritis, acute urinary infection, obstruction, or tumor, and in this order. The wide variety of lesions which may cause hematuria are indicated in Figure 7-3, and to these should be added hemorrhagic disease of the newborn, uric acid infarction, subacute bacterial endocarditis (renal infarction), acute rheumatic carditis, measles, severe renal passive congestion, renal papillitis, varices, angioma, or hereditary telangiectasis, hypothermonemia, aplastic anemia, bilharziasis, trauma, sepsis, appendicitis, physical exercise, exposure to cold, and occasionally poison by such drugs as methenamine, salol, sodium salicylate, phenol, turpentine, sulfonamides, Dicumarol; hematuria due to allergy (unboiled milk; Kittredge and Johnson, 1949), and tetanus antitoxin. Congenital stenosis of the external urethral meatus with ulceration has been the commonest cause of lower tract bleeding in young boys in my experience. Hemorrhagic disease of the newborn has occasionally led to circumcision fatalities; Wittner reported two brothers and eight uncles of a child, all dead of hemorrhage following ritualistic circumcision. Hematuria from renal hemorrhage is rare in the newborn. Congenital hereditary or familial hematuria has been reported in the young. Hematuria may also be caused in infants by syphilis, nephritis, or hemoglobinuria. The red urine following the ingestion of beets (antho-