
建築地盤安全小册



Safety

at construction sites

建築地盤 安全小册 **Safety**



目錄 CONTENTS


起重器械 LIFTING APPLIANCE	4
載人升降機 PASSENGER HOIST	10
物料升降機 MATERIAL HOIST	13
棚架及工作台 SCAFFOLDS AND PLATFORMS	15
挖掘工程 EXCAVATIONS	20
個人保護用具 PERSONAL PROTECTIVE EQUIPMENT	27
其他 MISCELL ANEOUS	31

起重器械 LIFTING APPLIANCE




切勿站在起卸中的貨物下面。 Don't stand beneath any suspended load.


4



切勿將貨物拖行。 Don't drag the load.




小心架空電纜。 Beware of overhead power lines.




脚撑須完全伸盡及以良好木料 承穩。

Out-riggers should be fully extended and adequately supported by good timber.




切勿快速擺動。 Don't swing too fast.




切勿令起重機負荷過重。
Don't overload the crane.

載人升降機 PASSENGER HOIST




定期檢驗及適當維修可防止 意外發生。

Regular inspection and proper maintenance can prevent accidents.




載人升降機閘門必須建鎖以防止 工人下墮。

Interlock your cage gate to prevent falls.




裝設適當遮欄。 Protect the hoistway.

物料升降機 MATERIAL HOIST



升降機槽須裝設妥善遮欄。
Hoistways should be adequately fenced.




非使用期間,閘門必須關閉。

This gate must be kept closed when work is not in progress.


棚架及工作台

SCAFFOLDS AND PLATFORMS



工作台之踏板須緊密拍貼 及有足夠濶度。

Platforms should be closely planked and of sufficient width.



工作台及踏板須有遮欄及踢脚板。

Ensure that platforms and gangways have secure guard rails and toe boards. 是读结束:需要全本请在线购买:w