

影印版

# PLASTICS TECHNOLOGY HANDBOOK

## 塑料技术手册

VOLUME 1  
FOAMING · CALENDERING

发泡成型 · 压延成型

EDITED BY

DONALD V. ROSATO

MARLENE G. ROSATO

NICK R. SCHOTT



哈尔滨工业大学出版社  
HARBIN INSTITUTE OF TECHNOLOGY PRESS

影印版

# PLASTICS TECHNOLOGY HANDBOOK

## 塑料技术手册

VOLUME 1

FOAMING · CALENDERING

发泡成型 · 压延成型

EDITED BY

DONALD V. ROSATO

MARLENE G. ROSATO

NICK R. SCHOTT



哈爾濱工業大學出版社  
HARBIN INSTITUTE OF TECHNOLOGY PRESS

# 黑版贸审字08-2014-092号

Donald V. Rosato, Marlene G. Rosato, Nick R. Schott

Plastics Technology Handbook Volume 1

9781606500798

Copyright © 2010 by Momentum Press, LLC

All rights reserved.

Originally published by Momentum Press, LLC

English reprint rights arranged with Momentum Press, LLC through McGraw-Hill Education (Asia)

**This edition is authorized for sale in the People's Republic of China only, excluding Hong Kong, Macao SAR and Taiwan.**

本书封面贴有 McGraw-Hill Education 公司防伪标签, 无标签者不得销售。  
版权所有, 侵权必究。


## 图书在版编目 (CIP) 数据

塑料技术手册. 第1卷. 发泡成型·压延成型=Plastics technology handbook volume 1 foaming·calendering:  
英文/(美)罗萨多(Rosato, D. V.)等主编. —影印本. —哈尔滨: 哈尔滨工业大学出版社, 2015.6

ISBN 978-7-5603-5046-2

I. ①塑… II. ①罗… III. ①塑料-技术手册-英文 ②塑料成型-技术手册-英文  
IV. ①TQ320.6-62

中国版本图书馆CIP数据核字(2014)第280084号



材料科学与工程  
图书工作室

责任编辑 杨桦 许雅莹 张秀华

出版发行 哈尔滨工业大学出版社

社址 哈尔滨市南岗区复华四道街10号 邮编 150006

传真 0451-86414749

网址 <http://hitpress.hit.edu.cn>

印刷 哈尔滨市石桥印务有限公司

开本 787mm×960mm 1/16 印张 10.25

版次 2015年6月第1版 2015年6月第1次印刷

书号 ISBN 978-7-5603-5046-2

定价 50.00元

(如因印刷质量问题影响阅读, 我社负责调换)

# PLASTICS TECHNOLOGY HANDBOOK

## VOLUME 1

EDITED BY

Donald V. Rosato, PhD, MBA, MS, BS, PE

*Plastisource Inc.*

*Society of Plastics Engineers*

*Plastics Pioneers Association*

*University of Massachusetts—Lowell Plastics Advisory Board*

Marlene G. Rosato, BASc (ChE) P Eng

*Gander International Inc.*

*Canadian Society of Chemical Engineers*

*Association of Professional Engineers of Ontario*

*Product Development and Management Association*

Nick R. Schott, PhD, MS, BS (ChE), PE

*University of Massachusetts—Lowell Professor of Plastics Engineering & Plastics Department Head (Retired)*

*Plastics Institute of America*

*Secretary & Director for Educational and Research Programs*



MOMENTUM PRESS

Momentum Press, LLC, New York

## PREFACE

This book, as a four-volume set, offers a simplified, practical, and innovative approach to understanding the design and manufacture of products in the world of plastics. Its unique review will expand and enhance your knowledge of plastic technology by defining and focusing on past, current, and future technical trends. Plastics behavior is presented to enhance one's capability when fabricating products to meet performance requirements, reduce costs, and generally be profitable. Important aspects are also presented for example to gain understanding of the advantages of different materials and product shapes. Information provided is concise and comprehensive.

Prepared with the plastics technologist in mind, this book will be useful to many others. The practical and scientific information contained in this book is of value to both the novice including trainees and students, and the most experienced fabricators, designers, and engineering personnel wishing to extend their knowledge and capability in plastics manufacturing including related parameters that influence the behavior and characteristics of plastics. The tool maker (mold, die, etc.), fabricator, designer, plant manager, material supplier, equipment supplier, testing and quality control personnel, cost estimator, accountant, sales and marketing personnel, new venture type, buyer, vendor, educator/trainer, workshop leader, librarian, industry information provider, lawyer, and consultant can all benefit from this book. The intent is to provide a review of the many aspects of plastics that range from the elementary to practical to the advanced and more theoretical approaches. People with different interests can focus on and interrelate across subjects in order to expand their knowledge within the world of plastics.

Over 20000 subjects covering useful pertinent information are reviewed in different chapters contained in the four volumes of this book, as summarized in the expanded table of contents and index. Subjects include reviews on materials, processes, product designs, and so on. From a pragmatic standpoint, any theoretical aspect that is presented has been prepared so that the practical person will understand it and put it to use. The theorist, in turn will gain an insight into

the practical limitations that exist in plastics as they exist in other materials such as steel, wood, and so on. There is no material that is "perfect." The four volumes of this book together contain 1800 plus figures and 1400 plus tables providing extensive details to supplement the different subjects.

In working with any material (plastics, metal, wood, etc.), it is important to know its behavior in order to maximize product performance relative to cost/efficiency. Examples of different plastic materials and associated products are reviewed with their behavior patterns. Applications span toys, medical devices, cars, boats, underwater devices, containers, springs, pipes, buildings, aircraft, and spacecraft. The reader's product to be designed and/or fabricated can directly or indirectly be related to products reviewed in this book. Important are behaviors associated with and interrelated with the many different plastics materials (thermoplastics, thermosets, elastomers, reinforced plastics) and the many fabricating processes (extrusion, injection molding, blow molding, forming, foaming, reaction injection molding, and rotational molding). They are presented so that the technical or nontechnical reader can readily understand the interrelationships of materials to processes.

This book has been prepared with the awareness that its usefulness will depend on its simplicity and its ability to provide essential information. An endless amount of data exists worldwide for the many plastic materials that total about 35000 different types. Unfortunately, as with other materials, a single plastic material does not exist that will meet all performance requirements. However, more so than with any other materials, there is a plastic that can be used to meet practically any product requirement(s). Examples are provided of different plastic products relative to critical factors ranging from meeting performance requirements in different environments to reducing costs and targeting for zero defects. These reviews span small to large and simple to complex shaped products. The data included provide examples that span what is commercially available. For instance, static physical properties (tensile, flexural, etc.), dynamic physical properties (creep, fatigue, impact, etc.), chemical properties, and so on, can range from near zero to extremely high values, with some having the highest of any material. These plastics can be applied in different environments ranging from below and on the earth's surface, to outer space.

Pitfalls to be avoided are reviewed in this book. When qualified people recognize the potential problems that can exist, these problems can be designed around or eliminated so that they do not affect the product's performance. In this way, costly pitfalls that result in poor product performance or failure can be reduced or eliminated. Potential problems or failures are reviewed with solutions also presented. This failure/solution review will enhance the intuitive skills of people new to plastics as well as those who are already working in plastics. Plastic materials have been produced worldwide over many years for use in the design and fabrication of all kinds of plastic products that profitably and successfully meet high quality, consistency, and long-life standards. All that is needed is to understand the behavior of plastics and properly apply these behaviors.

Patents or trademarks may cover certain of the materials, products, or processes presented. They are discussed for information purposes only and no authorization to use these patents or trademarks is given or implied. Likewise, the use of general descriptive names, proprietary names, trade names, commercial designations, and so on does not in any way imply that they may be used freely. While the information presented represents useful information that can be studied or

analyzed and is believed to be true and accurate, neither the authors, contributors, reviewers, nor the publisher can accept any legal responsibility for any errors, omissions, inaccuracies, or other factors. Information is provided without warranty of any kind. No representation as to accuracy, usability, or results should be inferred.

Preparation for this book drew on information from participating industry personnel, global industry and trade associations, and the authors' worldwide personal, industrial, and teaching experiences.

DON & MARLENE ROSATO AND NICK SCHOTT, 2010

## ABOUT THE EDITORS

**Dr. Donald V. Rosato**, president of PlastiSource, Inc., a prototype manufacturing, technology development, and marketing advisory firm in Massachusetts, United States, is internationally recognized as a leader in plastics technology, business, and marketing. He has extensive technical, marketing, and plastics industry business experience ranging from laboratory testing to production to marketing, having worked for Northrop Grumman, Owens-Illinois, DuPont/Conoco, Hoechst Celanese/Ticona, and Borg Warner/G.E. Plastics. He has developed numerous polymer-related patents and is a participating member of many trade and industry groups. Relying on his unrivaled knowledge of the industry plus high-level international contacts, Dr. Rosato is also uniquely positioned to provide an expert, inside view of a range of advanced plastics materials, processes, and applications through a series of seminars and webinars. Among his many accolades, Dr. Rosato has been named Engineer of the Year by the Society of Plastics Engineers. Dr. Rosato has written extensively, authoring or editing numerous papers, including articles published in the *Encyclopedia of Polymer Science and Engineering*, and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, *Plastic Product Material and Process Selection Handbook*, *Designing with Plastics and Advanced Composites*, and *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. Dr. Rosato holds a BS in chemistry from Boston College, MBA at Northeastern University, MS in plastics engineering from University of Massachusetts Lowell, and PhD in business administration at University of California, Berkeley.

**Marlene G. Rosato**, with stints in France, China, and South Korea, has very comprehensive international plastics and elastomer business experience in technical support, plant start-up and troubleshooting, manufacturing and engineering management, business development and strategic planning with Bayer/Polysar and DuPont and does extensive international technical, manufacturing, and management consulting as president of Gander International Inc. She also has an extensive



writing background authoring or editing numerous papers and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, and the *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. A senior member of the Canadian Society of Chemical Engineering and the Association of Professional Engineers of Canada, Ms. Rosato is a licensed professional engineer of Ontario, Canada. She received a Bachelor of Applied Science in chemical engineering from the University of British Columbia with continuing education at McGill University in Quebec, Queens University and the University of Western Ontario both in Ontario, Canada, and also has extensive executive management training.

**Professor Nick Schott**, a long-time member of the world-renowned University of Massachusetts Lowell Plastics Engineering Department faculty, served as its department head for a quarter of a century. Additionally, he founded the Institute for Plastics Innovation, a research consortium affiliated with the university that conducts research related to plastics manufacturing, with a current emphasis on bioplastics, and served as its director from 1989 to 1994. Dr. Schott has received numerous plastics industry accolades from the SPE, SPI, PPA, PIA, as well as other global industry associations and is renowned for the depth of his plastics technology experience, particularly in processing-related areas. Moreover, he is a quite prolific and requested industry presenter, author, patent holder, and product/process developer, in addition to his quite extensive and continuing academic responsibilities at the undergraduate to postdoctoral level. Among America's internationally recognized plastics professors, Dr. Nick R. Schott most certainly heads everyone's list not only within the 2500 plus global UMASS Lowell Plastics Engineering alumni family, which he has helped grow, but also in broad global plastics and industrial circles. Professor Schott holds a BS in ChE from UC Berkeley, and an MS and PhD from the University of Arizona.

# CONTENTS

<b>LIST OF FIGURES</b>	<b>9</b>
<b>LIST OF TABLES</b>	<b>12</b>
<b>PREFACE</b>	<b>15</b>
<b>ABOUT THE EDITORS</b>	<b>18</b>
<b>8. FOAMING</b>	<b>1237</b>
OVERVIEW	1237
Basic Process	1242
Cell Configuration	1243
BLOWING AGENT	1244
Physical Blowing Agent	1246
Chemical Blowing Agent	1246
Thermoset Plastic Foam	1250
Water Foaming	1251
Chlorofluorocarbon and Alternate	1254
TYPE OF FOAM	1255
Structural Foam	1258
Reinforced Plastic Foam	1260
Acetal	1260
Acrylonitrile-Butadiene-Styrene (ABS)	1262
lonomer	1263
Phenolic	1264
Polycarbonate	1265
Polybutylene Terephthalate	1266
Polyetherimide	1269
Polyolefin	1269
Polystyrene	1273

Polyurethane	1280
Polyvinyl Chloride	1284
Other Foam	1289
Syntactic	1290
PROCESS	1295
Extruded or Calendered Foamed Stock	1298
Extruding	1299
Casting	1302
Spraying	1302
Frothing	1303
Expandable Polystyrene	1304
Expandable Polyethylene	1307
Expandable Polyethylene/Polystyrene	1307
Expandable Styrene-Acrylonitrile	1308
Molding	1308
Injection Molding	1309
Liquid Injection	1313
Structural Foam	1313
Foam Reservoir Molding	1314
Polyurethane Process	1314
Slabstock Molding	1318
Laminating	1327
APPLICATION	1329
Sheet and Film	1332
Polyethylene Cushioning	1334
Profile	1336
Strippable	1337
<b>9. CALENDERING</b>	<b>1339</b>
INTRODUCTION	1339
EQUIPMENT	1342
Roll Design	1343
Pressure on Roll	1351
Temperature	1353
Control	1355
Roll Disposition	1356
Downstream Equipment	1357
PLASTIC STOCK	1358
Compounding/Blending	1359
PROCESSING	1365
Market	1368
Calendering vs. Extrusion	1369

# FIGURES

<b>Figure 8.1</b>	Comparison of plastic foam moduli with other materials	1261
<b>Figure 8.2</b>	Foaming characteristics of (1) phenolic foam and (2) polyurethane foam	1267
<b>Figure 8.3</b>	Properties of expanded PP closed-cell foam from PP and PE beads (Neopolen P, BASF)	1276
<b>Figure 8.4</b>	Dynamic cushioning performance of expanded PP (Neopolen P, BASF)	1277
<b>Figure 8.5</b>	Plastic foam sheet line using dual extruders	1278
<b>Figure 8.6</b>	Schematic diagrams of PUR foaming processes	1281
<b>Figure 8.7</b>	Breakdown of the foaming phenomena	1282
<b>Figure 8.8</b>	Comparison of rise time	1283
<b>Figure 8.9</b>	Effect of density on compressive strength of rigid polyurethane foam	1285
<b>Figure 8.10</b>	Effect of density on tensile strength of rigid polyurethane foam	1286
<b>Figure 8.11</b>	Effect of density on flexural strength of rigid polyurethane foam	1287
<b>Figure 8.12</b>	Effect of density on thermal conductivity of rigid polyurethane foam blown with carbon dioxide	1288
<b>Figure 8.13</b>	Effect of density on thermal conductivity of rigid polyurethane foam blown with CFC-11	1288
<b>Figure 8.14</b>	Continuous extruding of foamed profiles	1299
<b>Figure 8.15</b>	Expandable polystyrene process line starts with preexpanding the PS beads	1305
<b>Figure 8.16</b>	View of PS beads in a perforated mold cavity that expand when subjected to steam heat	1306
<b>Figure 8.17</b>	Example of an EPS steam chest mold	1306

<b>Figure 8.18</b>	Schematic of foam reciprocating injection-molding machine for low pressure	1309
<b>Figure 8.19</b>	Schematic of foam two-stage injection-molding machine for low pressure with blowing agent directed into the transfer or accumulator cylinder	1310
<b>Figure 8.20</b>	Schematic of foam two-stage injection-molding machine for low pressure with blowing agent directed into its first-stage plasticator	1310
<b>Figure 8.21</b>	Schematic of gas counterpressure foam injection molding (Cashiers Structural Foam patent)	1311
<b>Figure 8.22</b>	Example of an IMM-modified nozzle that handles simultaneously the melt and gas	1312
<b>Figure 8.23</b>	IMM microcellular foaming system directing the melt gas through its shutoff nozzle into the mold cavity	1312
<b>Figure 8.24</b>	Schematic of foam injection molding for high pressure	1313
<b>Figure 8.25</b>	Example of stages in foamed reservoir molding	1314
<b>Figure 8.26</b>	Schematics of foaming processes	1315
<b>Figure 8.27</b>	Liquid, froth, and spray polyurethane foaming processes	1316
<b>Figure 8.28</b>	Density profile of molded flexible foam	1317
<b>Figure 8.29</b>	Continuous production of slabstock foam	1318
<b>Figure 8.30</b>	Continuous production of laminates	1319
<b>Figure 8.31</b>	Continuous two-dimensional lamination process patented by Ashida (Japan)	1319
<b>Figure 8.32</b>	Hysteresis curves of molded flexible foam	1324
<b>Figure 8.33</b>	Hysteresis curves of molded semirigid foam	1325
<b>Figure 8.34</b>	Balance of polymer formation and gas generation	1326
<b>Figure 8.35</b>	Density profile of integral-skin flexible polyurethane foam	1328
<b>Figure 8.36</b>	Polyurethane foamed insulated wall of a house	1331
<b>Figure 8.37</b>	Foam sheets used in the building structure	1332
<b>Figure 8.38</b>	Inexpensive wood mold used for foam-in-place molding by pouring from a dual- or multicomponent mix	1333
<b>Figure 8.39</b>	Extruded plastic blowing agent-prepared sheet is foamed going through a heating oven that can contain a thermoformer	1333
<b>Figure 8.40</b>	Multimold carousel low-pressure foam injection-molding machine (courtesy of Wilmington Machinery)	1334
<b>Figure 8.41</b>	Cushioning effect of polyethylene foam density is influenced by loading	1336
<b>Figure 8.42</b>	Comparison of different foam densities	1337

<b>Figure 8.43</b>	Plastic foamed profiles are coextruded to take advantage of gains over a single plastic foamed profile to meet specific increased performances	1337
<b>Figure 8.44</b>	Temperature distribution in vinyl foam strippable	1338
<b>Figure 9.1</b>	Rubber calender operating for the Avon Rubber Co., UK, during 1882	1340
<b>Figure 9.2</b>	Schematic highlighting the nip section of rolls	1340
<b>Figure 9.3</b>	In the calendering operation, the sheet decreases in thickness while passing through a series of nip rolls	1341
<b>Figure 9.4</b>	An analogy to calendering	1341
<b>Figure 9.5</b>	Examples of the arrangements of rolls	1343
<b>Figure 9.6</b>	Nomenclature for calender parts	1344
<b>Figure 9.7</b>	Calender layout starting with mixers	1344
<b>Figure 9.8</b>	Calender layout starting with blenders and kneader	1345
<b>Figure 9.9</b>	Details of a PVC calendering line	1346–1347
<b>Figure 9.10</b>	Operations going through a PVC calendering line	1348
<b>Figure 9.11</b>	Feed and sheet plastic movement on superimposed calenders	1348
<b>Figure 9.12</b>	Feed and sheet plastic movement on offset calenders	1349
<b>Figure 9.13</b>	Feed and sheet plastic movement on Z calenders	1349
<b>Figure 9.14</b>	Example of preloading areas on Z calender bearings	1349
<b>Figure 9.15</b>	Examples of movable and fixed roll positions: (a) three-roll calender, (b) inverted L calender, and (c) Z roll calender	1350
<b>Figure 9.16</b>	Cross-axis movement	1353
<b>Figure 9.17</b>	Example of effect of cross-axis adjustment to a calender roll	1354
<b>Figure 9.18</b>	Example of contact laminating and embossing during calendering	1360
<b>Figure 9.19</b>	Popularly used in preparing calendering compounds are the ribbon mixer and the Banbury mixer	1363
<b>Figure 9.20</b>	Examples of a two-roll mill and an internal mixer	1364
<b>Figure 9.21</b>	Example of roll covering	1369

# TABLES

<b>Table 8.1</b>	Examples of rigid plastic foams' mechanical properties	1238
<b>Table 8.2</b>	Examples of rigid plastic foams' thermal properties	1238
<b>Table 8.3</b>	Additional mechanical properties for rigid plastic foams	1239
<b>Table 8.4</b>	Additional thermal and other properties for rigid plastic foams	1239
<b>Table 8.5</b>	Properties of flexible plastic foams	1240
<b>Table 8.6</b>	Additional properties of flexible plastic foams	1240
<b>Table 8.7</b>	Microcellular plastics: formation and shaping	1244
<b>Table 8.8</b>	Thermal conductivities of blowing agents are compared to air	1245
<b>Table 8.9</b>	Thermal conductivities of rigid polyurethane foams containing different blowing agents	1245
<b>Table 8.10</b>	Blowing efficiencies for several physical blowing agents	1247
<b>Table 8.11</b>	Examples of chemical blowing agents	1248
<b>Table 8.12</b>	Effect of oven conditions on rotational foaming of HDPE	1248
<b>Table 8.13</b>	Effect of dosage of azodicarbonamide (AZ) chemical blowing agent on rotational foaming of MDPE	1249
<b>Table 8.14</b>	Example of polyurethane formation and gas generation	1251
<b>Table 8.15</b>	Model reactions for foams	1252
<b>Table 8.16</b>	Examples of polyisocyanates	1253
<b>Table 8.17</b>	Physical properties of TDI	1254
<b>Table 8.18</b>	Physical properties of MDI	1255
<b>Table 8.19</b>	Major CFCs	1255
<b>Table 8.20</b>	Alternative blowing agents (HCFCs)	1256
<b>Table 8.21</b>	Alternative blowing agents (HFCs)	1256

Table 8.22	Alternative blowing agents (PFCs)	1256
Table 8.23	Alternative blowing agents (HFEs)	1257
Table 8.24	Classification of thermoset foams	1257
Table 8.25	Properties of thermoplastic structural foams	1259
Table 8.26	Properties of PUR-isotropic glass-fiber-mat-reinforced foamed composite	1260
Table 8.27	Properties of PUR-unidirectional chopped-glass-fiber-reinforced foamed composite	1261
Table 8.28	Typical flammability properties of phenolic foams	1264
Table 8.29	Typical chemical resistance after fourteen-day immersion	1265
Table 8.30	Properties of typical phenolic foams	1266
Table 8.31	Foaming characteristics of free-rise foams	1267
Table 8.32	General properties of novolac-type foam	1268
Table 8.33	General properties of resol-type foam prepared by the block-foaming process	1268
Table 8.34	General properties of resol-type foam prepared by the spraying process	1268
Table 8.35	Properties of low-density PP closed-cell foam extruded sheet	1274
Table 8.36	Permeability to gases and moisture of low-density PP closed-cell foam	1274
Table 8.37	Mold shrinkage of parts made with PP foam	1275
Table 8.38	Classification of polyurethane foams	1280
Table 8.39	Properties of epoxy syntactic foam—molded prepregs	1291
Table 8.40	Low-density hollow spheres	1292
Table 8.41	Properties of glass microballoons	1293
Table 8.42	Physical and electrical properties of epoxy syntactic foam vs. fillers	1294
Table 8.43	Conventional foam process vs. other processes	1297
Table 8.44	Structural foam process vs. other processes	1298
Table 8.45	Formulation of PUR slabstock without a flame retardant	1321
Table 8.46	Formulation of PUR slabstock with a flame retardant	1322
Table 8.47	One-shot semirigid foam formulation	1322
Table 8.48	Formulations and properties of various flexible foams	1323
Table 8.49	Syntactic foam compared to other buoyant materials	1330
Table 8.50	Syntactic foam performance in deep-water flotation	1330
Table 8.51	Increase in foamed film properties occurs via biaxially stretching	1335



<b>Table 9.1</b>	Example of an equation to calculate rolls' separating force	1352
<b>Table 9.2</b>	Examples of plasticizers used to formulate flexible PVCs	1361
<b>Table 9.3</b>	Examples of plasticizer blends in PVC used to produce different products	1361
<b>Table 9.4</b>	Examples of color pigments used in PVC	1364
<b>Table 9.5</b>	Guide to typical four-roll temperature conditions when processing flexible PVC	1367
<b>Table 9.6</b>	Tensile properties of biaxially oriented PTFE sheeting	1368
<b>Table 9.7</b>	Calendering problems/solutions	1370–1374
<b>Table 9.8</b>	Comparison of calendering and extrusion processes	1375