

影印版

PLASTICS TECHNOLOGY HANDBOOK

塑料技术手册

VOLUME 1

EXTRUSION

挤压成型

EDITED BY

DONALD V. ROSATO

MARLENE G. ROSATO

NICK R. SCHOTT



哈尔滨工业大学出版社
HARBIN INSTITUTE OF TECHNOLOGY PRESS

影印版

**PLASTICS TECHNOLOGY
HANDBOOK**

塑料技术手册

VOLUME 1

EXTRUSION

挤压成型

EDITED BY

DONALD V. ROSATO

MARLENE G. ROSATO

NICK R. SCHOTT



哈尔滨工业大学出版社
HARBIN INSTITUTE OF TECHNOLOGY PRESS

黑版贸审字08-2014-092号

Donald V. Rosato, Marlene G. Rosato, Nick R. Schott
Plastics Technology Handbook Volume 1

9781606500798

Copyright © 2010 by Momentum Press, LLC

All rights reserved.

Originally published by Momentum Press, LLC

English reprint rights arranged with Momentum Press, LLC through McGraw-Hill Education (Asia)

This edition is authorized for sale in the People's Republic of China only, excluding Hong Kong, Macao SAR and Taiwan.

本书封面贴有McGraw-Hill Education公司防伪标签,无标签者不得销售。
版权所有,侵权必究。


图书在版编目(CIP)数据

塑料技术手册. 第1卷. 挤压成型 = Plastics technology handbook volume 1 extrusion : 英文 / (美) 罗萨多 (Rosato, D. V.) 等主编. — 影印本. — 哈尔滨: 哈尔滨工业大学出版社, 2015.6

ISBN 978-7-5603-5043-1

I. ①塑… II. ①罗… III. ①塑料-技术手册-英文 ②塑料成型-挤压成型-技术手册-英文
IV. ①TQ320.6-62

中国版本图书馆CIP数据核字(2014)第280083号



责任编辑 杨 桦 许雅莹 张秀华

出版发行 哈尔滨工业大学出版社

社 址 哈尔滨市南岗区复华四道街10号 邮编 150006

传 真 0451-86414749

网 址 <http://hitpress.hit.edu.cn>

印 刷 哈尔滨市石桥印务有限公司

开 本 787mm × 960mm 1/16 印张 19.5

版 次 2015年6月第1版 2015年6月第1次印刷

书 号 ISBN 978-7-5603-5043-1

定 价 98.00元

(如因印刷质量问题影响阅读,我社负责调换)

PLASTICS TECHNOLOGY HANDBOOK

VOLUME 1

EDITED BY

Donald V. Rosato, PhD, MBA, MS, BS, PE

Plastisource Inc.

Society of Plastics Engineers

Plastics Pioneers Association

University of Massachusetts—Lowell Plastics Advisory Board

Marlene G. Rosato, BASc (ChE) P Eng

Gander International Inc.

Canadian Society of Chemical Engineers

Association of Professional Engineers of Ontario

Product Development and Management Association

Nick R. Schott, PhD, MS, BS (ChE), PE

University of Massachusetts—Lowell Professor of Plastics Engineering & Plastics Department Head (Retired)

Plastics Institute of America

Secretary & Director for Educational and Research Programs



MOMENTUM PRESS

Momentum Press, LLC, New York

PREFACE

This book, as a four-volume set, offers a simplified, practical, and innovative approach to understanding the design and manufacture of products in the world of plastics. Its unique review will expand and enhance your knowledge of plastic technology by defining and focusing on past, current, and future technical trends. Plastics behavior is presented to enhance one's capability when fabricating products to meet performance requirements, reduce costs, and generally be profitable. Important aspects are also presented for example to gain understanding of the advantages of different materials and product shapes. Information provided is concise and comprehensive.

Prepared with the plastics technologist in mind, this book will be useful to many others. The practical and scientific information contained in this book is of value to both the novice including trainees and students, and the most experienced fabricators, designers, and engineering personnel wishing to extend their knowledge and capability in plastics manufacturing including related parameters that influence the behavior and characteristics of plastics. The tool maker (mold, die, etc.), fabricator, designer, plant manager, material supplier, equipment supplier, testing and quality control personnel, cost estimator, accountant, sales and marketing personnel, new venture type, buyer, vendor, educator/trainer, workshop leader, librarian, industry information provider, lawyer, and consultant can all benefit from this book. The intent is to provide a review of the many aspects of plastics that range from the elementary to practical to the advanced and more theoretical approaches. People with different interests can focus on and interrelate across subjects in order to expand their knowledge within the world of plastics.

Over 20000 subjects covering useful pertinent information are reviewed in different chapters contained in the four volumes of this book, as summarized in the expanded table of contents and index. Subjects include reviews on materials, processes, product designs, and so on. From a pragmatic standpoint, any theoretical aspect that is presented has been prepared so that the practical person will understand it and put it to use. The theorist, in turn will gain an insight into

the practical limitations that exist in plastics as they exist in other materials such as steel, wood, and so on. There is no material that is “perfect.” The four volumes of this book together contain 1800 plus figures and 1400 plus tables providing extensive details to supplement the different subjects.

In working with any material (plastics, metal, wood, etc.), it is important to know its behavior in order to maximize product performance relative to cost/efficiency. Examples of different plastic materials and associated products are reviewed with their behavior patterns. Applications span toys, medical devices, cars, boats, underwater devices, containers, springs, pipes, buildings, aircraft, and spacecraft. The reader’s product to be designed and/or fabricated can directly or indirectly be related to products reviewed in this book. Important are behaviors associated with and interrelated with the many different plastics materials (thermoplastics, thermosets, elastomers, reinforced plastics) and the many fabricating processes (extrusion, injection molding, blow molding, forming, foaming, reaction injection molding, and rotational molding). They are presented so that the technical or nontechnical reader can readily understand the interrelationships of materials to processes.

This book has been prepared with the awareness that its usefulness will depend on its simplicity and its ability to provide essential information. An endless amount of data exists worldwide for the many plastic materials that total about 35000 different types. Unfortunately, as with other materials, a single plastic material does not exist that will meet all performance requirements. However, more so than with any other materials, there is a plastic that can be used to meet practically any product requirement(s). Examples are provided of different plastic products relative to critical factors ranging from meeting performance requirements in different environments to reducing costs and targeting for zero defects. These reviews span small to large and simple to complex shaped products. The data included provide examples that span what is commercially available. For instance, static physical properties (tensile, flexural, etc.), dynamic physical properties (creep, fatigue, impact, etc.), chemical properties, and so on, can range from near zero to extremely high values, with some having the highest of any material. These plastics can be applied in different environments ranging from below and on the earth’s surface, to outer space.

Pitfalls to be avoided are reviewed in this book. When qualified people recognize the potential problems that can exist, these problems can be designed around or eliminated so that they do not affect the product’s performance. In this way, costly pitfalls that result in poor product performance or failure can be reduced or eliminated. Potential problems or failures are reviewed with solutions also presented. This failure/solution review will enhance the intuitive skills of people new to plastics as well as those who are already working in plastics. Plastic materials have been produced worldwide over many years for use in the design and fabrication of all kinds of plastic products that profitably and successfully meet high quality, consistency, and long-life standards. All that is needed is to understand the behavior of plastics and properly apply these behaviors.

Patents or trademarks may cover certain of the materials, products, or processes presented. They are discussed for information purposes only and no authorization to use these patents or trademarks is given or implied. Likewise, the use of general descriptive names, proprietary names, trade names, commercial designations, and so on does not in any way imply that they may be used freely. While the information presented represents useful information that can be studied or

analyzed and is believed to be true and accurate, neither the authors, contributors, reviewers, nor the publisher can accept any legal responsibility for any errors, omissions, inaccuracies, or other factors. Information is provided without warranty of any kind. No representation as to accuracy, usability, or results should be inferred.

Preparation for this book drew on information from participating industry personnel, global industry and trade associations, and the authors' worldwide personal, industrial, and teaching experiences.

DON & MARLENE ROSATO AND NICK SCHOTT, 2010

ABOUT THE EDITORS

Dr. Donald V. Rosato, president of PlastiSource, Inc., a prototype manufacturing, technology development, and marketing advisory firm in Massachusetts, United States, is internationally recognized as a leader in plastics technology, business, and marketing. He has extensive technical, marketing, and plastics industry business experience ranging from laboratory testing to production to marketing, having worked for Northrop Grumman, Owens-Illinois, DuPont/Conoco, Hoechst Celanese/Ticona, and Borg Warner/G.E. Plastics. He has developed numerous polymer-related patents and is a participating member of many trade and industry groups. Relying on his unrivaled knowledge of the industry plus high-level international contacts, Dr. Rosato is also uniquely positioned to provide an expert, inside view of a range of advanced plastics materials, processes, and applications through a series of seminars and webinars. Among his many accolades, Dr. Rosato has been named Engineer of the Year by the Society of Plastics Engineers. Dr. Rosato has written extensively, authoring or editing numerous papers, including articles published in the *Encyclopedia of Polymer Science and Engineering*, and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, *Plastic Product Material and Process Selection Handbook*, *Designing with Plastics and Advanced Composites*, and *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. Dr. Rosato holds a BS in chemistry from Boston College, MBA at Northeastern University, MS in plastics engineering from University of Massachusetts Lowell, and PhD in business administration at University of California, Berkeley.

Marlene G. Rosato, with stints in France, China, and South Korea, has very comprehensive international plastics and elastomer business experience in technical support, plant start-up and troubleshooting, manufacturing and engineering management, business development and strategic planning with Bayer/Polysar and DuPont and does extensive international technical, manufacturing, and management consulting as president of Gander International Inc. She also has an extensive

writing background authoring or editing numerous papers and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, and the *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. A senior member of the Canadian Society of Chemical Engineering and the Association of Professional Engineers of Canada, Ms. Rosato is a licensed professional engineer of Ontario, Canada. She received a Bachelor of Applied Science in chemical engineering from the University of British Columbia with continuing education at McGill University in Quebec, Queens University and the University of Western Ontario both in Ontario, Canada, and also has extensive executive management training.

Professor Nick Schott, a long-time member of the world-renowned University of Massachusetts Lowell Plastics Engineering Department faculty, served as its department head for a quarter of a century. Additionally, he founded the Institute for Plastics Innovation, a research consortium affiliated with the university that conducts research related to plastics manufacturing, with a current emphasis on bioplastics, and served as its director from 1989 to 1994. Dr. Schott has received numerous plastics industry accolades from the SPE, SPI, PPA, PIA, as well as other global industry associations and is renowned for the depth of his plastics technology experience, particularly in processing-related areas. Moreover, he is a quite prolific and requested industry presenter, author, patent holder, and product/process developer, in addition to his quite extensive and continuing academic responsibilities at the undergraduate to postdoctoral level. Among America's internationally recognized plastics professors, Dr. Nick R. Schott most certainly heads everyone's list not only within the 2500 plus global UMASS Lowell Plastics Engineering alumni family, which he has helped grow, but also in broad global plastics and industrial circles. Professor Schott holds a BS in ChE from UC Berkeley, and an MS and PhD from the University of Arizona.

CONTENTS

LIST OF FIGURES	10
LIST OF TABLES	20
PREFACE	23
ABOUT THE EDITORS	26
5. EXTRUSION	725
INTRODUCTION	725
Extruder Basics	742
COMPONENTS	745
Extruder and Injection Barrel Compared	746
Drive System	747
Screen Pack	749
Gear Pump	753
Static Mixer	753
Heating and Cooling	754
Adapter	758
Barrel-Die Coupling	758
Die	759
Process Control	761
MACHINE DESIGN/PERFORMANCE	768
PLASTIC	771
EXTRUDER TYPE/PERFORMANCE	771
OPERATION	788
Start-up	788
Shutdown	796

EXTRUDER LINE	797
FILM AND SHEET	797
FILM	798
Blown Film	798
Flat Film	836
Film Winding	853
SHEET	858
Production	858
Auxiliary Equipment	870
Trim, Cut, and other Equipment	870
Laminating and Capping	873
Foam Sheet	875
PIPE AND PROFILE	878
PIPE AND TUBE	879
Die/Mandrel	879
Plastic	881
Extrusion Line	884
PROFILE	884
Die	893
COATING	900
Introduction	900
Production	903
WIRE AND CABLE	908
Production	911
FIBER	913
Overview	913
Fiber Definition	918
Production	918
Multifilament	922
Continuous Filament	922
Bulked Continuous Filament	924
Staple Fiber	924
Monofilament	924
Slit Film	925
Plain Tape	926
Fibrillated Tape	926
Air-Attenuated	926
Spun-Bonded	926
Melt-Blown	929

COEXTRUSION	929
Die	930
Plastic	933
Application	937
ORIENTATION	938
Introduction	938
Heat-Shrinkable	941
Plastic Behavior	941
Accidental or Deliberate Orientation	946
Production	947
Fiber	950
Other Processes	950
POSTFORMING	952
COMPOUNDING	954
Reclamation/Recycling	964
Pellet	966
EXTRUDER CLASSIFICATION	967
Horizontal/Vertical Extruder	971
Injection Molding/Noncontinuous Extruder	971
Ram Extruder	974
Disk and Screwless Extruders	992
SPECIALTY APPLICATION	992
Railroad Tie	992
Velcro Strip	993
Nonconventional Extruding	995
TROUBLESHOOTING	996

FIGURES

Figure 5.1	Basic concept of extrusion process	725
Figure 5.2	Simplified example of a single-screw extruder	726
Figure 5.3	Detailed summary of an extruder (courtesy of Davis Standard)	726
Figure 5.4	Coextruder sheet line showing two single-screw plasticators feeding melts to its flat sheet die (courtesy of Welex Inc.)	728
Figure 5.5	Twin-screw profile extruder line that includes a vacuum calibration table (courtesy of Milacron)	728
Figure 5.6	Example of a motor-driven belt drive system (courtesy of Welex Inc.)	731
Figure 5.7	Schematic of a belt-driven extruder	731
Figure 5.8	Schematic of a direct-driven extruder	732
Figure 5.9	Various gear reducers	733
Figure 5.10	Examples of thrust bearings: (a) added-on bearing, (b) segregated bearing, and (c) tandem bearing	734
Figure 5.11	Example of an extruder with a crammer feeder to handle low-bulk plastics (courtesy of Welex Inc.)	735
Figure 5.12	Close-up of extruder crammer feeder (courtesy of Welex Inc.)	735
Figure 5.13	Example of extruder feed hopper with pneumatic sliding shutoff and magnetic drawer (courtesy of Welex Inc.)	736
Figure 5.14	View of an extruder feed section with guards removed (courtesy of Welex Inc.)	736
Figure 5.15	Example of an extrusion screw	737
Figure 5.16	Example of a grooved feed section in a barrel	737
Figure 5.17	Dual-diameter barrel feed	738

Figure 5.18	Assembly/riser plate screw open-viewer feeder (courtesy of Spirex Corp.)	738
Figure 5.19	Controlled-feeding open-viewer feeder (courtesy of Spirex Corp.)	739
Figure 5.20	Material motor-speed-controlled open-viewer feeder (courtesy of Spirex Corp.)	739
Figure 5.21	Schematic of a single-screw extruder with a vented barrel	740
Figure 5.22	The extruder's barrel cover guard is closed over the exhaust vent port; the screen changer, gear pump, static mixer, and sheet die are located toward the end (exit) of the extruder (courtesy of Welex Inc.)	740
Figure 5.23	Barrel cover guard over the extruder is in the open position to show the exhaust vent port (courtesy of Welex Inc.)	741
Figure 5.24	This FALLO approach is a guide to meeting product performance and cost requirements	743
Figure 5.25	Schematic identifies the different components in an extruder (courtesy of Welex Inc.)	746
Figure 5.26	Four-bolt swing-gate die-clamping system (courtesy of Welex Inc.)	747
Figure 5.27	Example of screen pack arrangements	750
Figure 5.28	Example of a manual screen changer (courtesy of Spirex Corp.)	751
Figure 5.29	Example of an intermittent screen changer (courtesy of Spirex Corp.)	752
Figure 5.30	Example of melt flow through a gear pump	753
Figure 5.31	Two examples of available static mixers	754
Figure 5.32	View of an extruder with a static mixer located after the screen changer and gear pump prior to the die adapter (Courtesy of Welex Inc.)	754
Figure 5.33	Example of a 90° adapter	759
Figure 5.34	Example of a blown-film line that uses an adapter attached to the die	759
Figure 5.35	Example of the melt flow rate going through different sized orifices	760
Figure 5.36	Example of a double die attached to an extruder with the required output capacity	760
Figure 5.37	Pipeline control	761
Figure 5.38	Sheet line speed control	761
Figure 5.39	Rod diameter control	762

Figure 5.40	Coating control	762
Figure 5.41	Blown-film control	763
Figure 5.42	Overall sheet control	763
Figure 5.43	Simplified sheet control	764
Figure 5.44	Flat film or sheet thickness control	764
Figure 5.45	Flat film or sheet profile control	764
Figure 5.46	Flat film or sheet long-term machine direction control	765
Figure 5.47	Flat film or sheet short-term machine direction control	765
Figure 5.48	Flat film or sheet more accurate control at higher production rate	765
Figure 5.49	Transverse thickness gauge control	766
Figure 5.50	An approach for complete sheet line control	766
Figure 5.51	Another approach for complete sheet line	767
Figure 5.52	Capacitance thickness gauge	767
Figure 5.53	Proximity gauge	768
Figure 5.54	Beta ray gauge control	768
Figure 5.55	Different type dimensional controls	769
Figure 5.56	Simplified and precise barrel alignment can be made	770
Figure 5.57	Examples of hopper loading positions and shapes	770
Figure 5.58	Examples of the extrudate exiting an extruder in different positions	771
Figure 5.59	Temperatures for different plastics in different zones of extruder barrels	784
Figure 5.60	Example of barrel throat temperature influencing plastic output	784
Figure 5.61	Example of preheating plastic to improve its processability	784
Figure 5.62	Example of melt's shear stress vs. shear rate	785
Figure 5.63	Effects of uniaxial orientation on the properties of plastics	785
Figure 5.64	Effects of distance between cross-links on the properties of plastics	786
Figure 5.65	Effects of molecular weight on plastic properties	786
Figure 5.66	Example of in-line rheometer to obtain instant melt behavior during extrusion	787
Figure 5.67	Example of highlighting melt pressure behavior in a plasticator	788
Figure 5.68	Examples of properties vs. changes in process performances	789–791
Figure 5.69	Example of extruder output increases vs. time	791
Figure 5.70	Example of extruder and injection-molding processing cost vs. output	792

Figure 5.71	Example of antistatic bath (cover guard removed) at the end of a sheet extruder line following the line's takeoff unit (courtesy of Welex Inc.)	820
Figure 5.72	Simplified schematic of a blown-film line	820
Figure 5.73	More detailed schematic of a blown-film line	821
Figure 5.74	Example of a blown-film die	821
Figure 5.75	Example of LDPE film exiting the die	822
Figure 5.76	Example of HDPE film exiting the die	822
Figure 5.77	Examples of air-cooling ring designs	823
Figure 5.78	Blown-film throughput as a function of the diameter of the die's orifice	823
Figure 5.79	Blown-film schematic that includes guide support rolls that may be used	824
Figure 5.80	Schematic of basket-type height- and width-motorized adjustable sizing support	825
Figure 5.81	View of basket-type blown-film sizing support	826
Figure 5.82	View of basket-type blown-film sizing support with internal bubble cooler	827
Figure 5.83	Collapsing frame with two opposite sets of flat bars in a V form	828
Figure 5.84	Collapsing frame with four opposite sets of flat bars in V forms	829
Figure 5.85	Schematic of an air-operated internal bubble cooler	830
Figure 5.86	Example of a combination of an external film cooling-air ring and an internal bubble cooler	831
Figure 5.87	Schematic of the oscillating 360-degree haul-off system (courtesy of Windmoeller & Hoelscher)	832
Figure 5.88	Simplified schematic using turning bars in the oscillating haul-off system (courtesy of Windmoeller & Hoelscher)	833
Figure 5.89	Example of water quench process for blown film	833
Figure 5.90	Schematic of a blown-film line: 1 = die, 2 = plasticator, 3 = bubble stabilizer, and 4 = tension control roll	834
Figure 5.91	Three-platform, 40 ft high, with 10-ft-wide nip rolls	835
Figure 5.92	Assembled blown-film line (courtesy of Battenfeld Gloucester)	836
Figure 5.93	Example of blown-film tower and takeoff equipment	837
Figure 5.94	Blown-film in-line grocery bag system (courtesy of Battenfeld Gloucester)	838
Figure 5.95	Blown-film line using oscillating haul-off	839
Figure 5.96a	Examples of blown-film properties based on the extruder's operations	843

Figure 5.96b	New Vitron Z100 and Z200 processing aids work faster at lower levels than older Vitron RC and competing fluoroelastomer blends	844
Figure 5.97	Schematic highlighting blown-film terms	844
Figure 5.98	Schematic highlighting blown layflat film terms	845
Figure 5.99	Schematic highlighting unoriented and oriented blown-film terms	846
Figure 5.100	Schematic highlighting blown-film die rotation terms to average out thickness	847
Figure 5.101	Schematic highlighting geometry of a blown-film collapsing bubble	848
Figure 5.102	Schematic showing slight influences that affect performance of film during windup	848
Figure 5.103	Schematic showing major influences that affect performance of film during windup	849
Figure 5.104	Chill-roll film relatively flat processing line	849
Figure 5.105	Chill-roll film relatively vertical peak processing line	849
Figure 5.106	A 3-D view of a typical chill-roll line	850
Figure 5.107	Important details of the chill-roll film process	850
Figure 5.108	Example of a slit die for cast film	851
Figure 5.109	Example of neck-in and beading that occur between the die's orifice and the chill roll	851
Figure 5.110	Simplified water quench film line	852
Figure 5.111	Detailed water quench film line	853
Figure 5.112	Example of tapes being slit from film that are used in different markets	854
Figure 5.113	Examples of properties vs. changes in flat-film process performances	859
Figure 5.114	Schematic of sheet line processing plastic	861
Figure 5.115	Schematic of sheet line processing elastomer	861
Figure 5.116	Sheet line with double-vented extruder with properly designed screw used to process PET plastic (courtesy of Welex Inc.)	861
Figure 5.117	Sheet line with double-vented extruder with properly designed screw used to process ABS plastic (courtesy of Welex Inc.)	862
Figure 5.118	Coextruded (two-layer) sheet line	862
Figure 5.119	Example of a sheet die	863
Figure 5.120	Air knife located next to the heated roll (courtesy of Welex Inc.)	864
Figure 5.121	Schematic of a three-roll sheet cooling stack	865
Figure 5.122	Schematic of a three-roll sheet cooling stack in line with other equipment	865