

醫用縮寫字手册
The
Charles Press
Handbook of
**Current Medical
Abbreviations**

王茂才 編譯



茂昌圖書有限公司

醫用縮寫字手册
Current
Medical
Abbreviations

 茂昌圖書有限公司

版權所有・翻印必究

醫用縮寫字手冊

定價：新臺幣 90 元

譯 者 王茂才

發行者 茂昌圖書有限公司

地址：台北市新生南路三段 84 — 4 號

電話：321 — 5311 ~ 321 — 0698

郵撥：第 106171 號

字號：新聞局局版台業字第 0958 號

排版者：中大打字印刷有限公司

中華民國七十一年三月初版

編 號：ML 03150

序

文字是人類溝通思想，傳遞情感，記載生活中所發生的一切事物的工具。

在不同人的筆下，它可以呈現不同的形象；發生相異的功能。對繁忙的醫療人員而言，用於記載病歷的文字，必須簡單而意義明確，方能發揮功能，避免誤解，使病人受到最佳的照顧。由於忙碌，重複使用以及要求簡單的原因，縮寫字就應運而生了。在醫療記載中，我們經常可以看到：t.i.d.; BUN等等文字。既簡單，又明瞭，無人不稱便利。然而，醫學的領域，不斷的在擴大，新的疾病、手術、檢驗方法，不斷的出現。分科也隨着越來越精細。縮寫字也就跟着增加，其結果是科與科之間，造成了文字上的障礙。

字典是大家遵守的規範，一則有例可循，二則可以避免任意編輯縮寫字。此外，為了避免第二次翻閱字典的麻煩，特將本字典加註中文，其譯名均摘取自國內常用的醫學英漢字典；其中的非醫學用語，也祇譯其在醫療上的用意，不多加解釋。譯者才疏學淺，疏漏之處，恐難避免，尚祈各讀者不吝指教。以供日後再版與修訂時之參攷。謹此申謝。

王茂才 謹識

A

| | |
|--------------------|--|
| A | adult 成人 anterior 前方 artery動脈 assessment (in problem-oriented medical records) 評估 |
| a | accommodation (eye examination)調節 ampere 安培 |
| A ₁ | aortic first heart sound 主動脈第一心音 |
| A ₂ | aortic second heart sound 主動脈第二心音 |
| ā | before (Latin: ante) 在……之前 |
| AA | achievement age (pediatrics) 成事年齡 Alcoholics Anonymous 姓名不詳酒徒 ascending aorta 升主動脈 atomic absorption (laboratory method) 原子吸收 |
| aa (aa) | Australia antigen 澳洲抗原 (laboratory/serology) of each 各一 (medication orders/prescriptions) |
| AAA | abdominal aortic aneurysm 腹腔主動脈瘤 |
| A-aDO ₂ | alveolar-arterial oxygen difference 肺泡—動脈 (pulmonary function test) 氧氣差 |
| AAL | anterior axillary line 前腋線 |
| AAO | amino acid oxidase 安基酸氧化酶 |
| Ab | antibody 抗體 |
| ab. | abortion 流產 |
| abd. | abdomen (abdominal) 腹部 abduction 外展 |
| Abd. Hyst. | abdominal hysterectomy 剖腹式子宫切除術 (operation/gynecology) |

| | |
|-----------|--|
| abdom. | abdomen (abdominal) 腹 |
| ABE | acute bacterial endocarditis 急性細菌性心內膜炎 |
| ABC | arterial blood gases 動脈血中氣體 (laboratory/blood gas) |
| ABP | arterial blood pressure 動脈血壓 |
| ABR | absolute bed rest 純粹臥床休息 |
| ABS | acute brain syndrome 急性腦症狀群 |
| abs. | absent 缺如 |
| | absolute 絶對 |
| abs. feb. | in the absence of fever 無燒 (Latin: <i>absente febre</i>) |
| aby. | antibody 抗體 |
| AC | adrenal cortex 腎上腺皮質 |
| | air conduction (hearing test) 空氣傳導(聽力) |
| | alternating current 交流電 |
| | anterior chamber (eye examination) 前房(眼) |
| A/C | anchored catheter 導管固定 |
| ac. | acid 酸 |
| | acute 急性 |
| a.c. | before meals (Latin: <i>ante cibum</i>) 飯前 (medication orders/prescriptions) |
| acc. | accident 意外事件 |
| | according 按照…… |
| accom. | accommodation (eye examination) 調節 |
| ACD | absolute cardiac dullness 絶對心實音 |
| | anterior chest diameter 前胸直徑 |
| Acet. | acetone 丙酮 |
| ACG | apexcardiogram 心尖心電圖 (procedure/cardiology) |
| ac. phos. | acid phosphatase 酸性磷酸酶 (laboratory/chemistry) |

| | |
|--------------|---|
| acid phos. | acid phosphatase 酸性磷酸酶 (laboratory/chemistry) |
| acid p'tase. | acid phosphatase 酸性磷酸酶 (laboratory/chemistry) |
| ACT | activated clotting time 摧化凝血時間 (laboratory/coagulation) |
| ACTH | adrenocorticotropic hormone (medication order) 腎上腺皮質激素 |
| ACU | acute care unit 急診室 |
| AD | right ear (Latin: <i>auris dextra</i>) 右耳 |
| ADA diet | American Diabetic Association diet 美國糖尿病學會飲食 |
| add. | adduction 內收 |
| ADE | acute disseminated encephalitis 急性散播性 |
| adenoca. | adenocarcinoma (cancer) 腺瘤 腦炎 |
| ADH | antidiuretic hormone 抗利尿內泌素 |
| ADL | activities of daily living 日常活動 |
| ad lib | as desired (Latin: <i>ad libitum</i>) 任其意 |
| adm. | admission 收容 |
| admin. | administer 紿藥人 |
| ADP | adenosine diphosphate 二磷酸腺苷酸 |
| ADR | adverse drug reaction (report) 藥物不良反應 |
| ADT | adenosine triphosphate 三磷酸腺苷酸 |
| AEG | air encephalogram 充氣腦攝影 (procedure/neurology) |
| AF | atrial fibrillation 心房纖維顫動 |
| Af | atrial flutter 心房撲動 |
| AFB | acid-fast bacillus (tuberculosis) 嗜酸桿菌 (laboratory/bacteriology) |
| A fib. | atrial fibrillation 心房纖維顫動 |

| | |
|------------------------|--|
| AFP | alpha-feroprotein 亞鐵蛋白 (laboratory/chemistry) |
| agglut. | agglutination 凝集 |
| agit. | shake (Latin: agita) 搖動 (medication orders/prescriptions) |
| AGL | acute granulocytic leukemia 急性顆粒白血病 |
| AGN | acute glomerulonephritis 急性球性腎炎 |
| AgNO ₃ sol. | silver nitrate solution 硝酸銀溶液 (medication orders/prescriptions) |
| A/G ratio | albumin/globulin ratio 白 / 球蛋白比 (laboratory/chemistry) |
| AGS | adrenogenital syndrome 腎上腺生殖症狀群 |
| AHA | autoimmune hemolytic anemia 自家免疫溶血 |
| AHD | antihypertensive drug 抗高血壓藥 性貧血 |
| | arteriosclerotic heart disease 動脈硬化性心臟病 |
| AHF | autoimmune hemolytic disease 自家免疫溶血 性疾病 |
| | antihemophilic factor 抗凝血因子 |
| | (laboratory/coagulation) |
| AI | aortic insufficiency 主動脈不全 |
| AID | acute infectious disease 急性傳染病 |
| | artificial insemination-donor 人工授精—捐方 |
| AIH | artificial insemination-husband 人工授精—夫方 |
| AJ | ankle jerk 踝反射 |
| AK | above knee 膝上 (operation/amputation) |
| alb. | albumin 白蛋白 (laboratory/chemistry) |
| ALD | alcoholic liver disease 酒精性肝病 |
| ALG | antilymphocytic globulin 抗淋巴球蛋白 |
| alk. | alkaline 鹼性 |

| | |
|----------------|--|
| alk. phos. | alkaline phosphatase 酸性磷酸酶 (laboratory/chemistry) |
| alk. p'tase. | alkaline phosphatase 酸性磷酸酶 (laboratory/chemistry) |
| ALL | acute lymphocytic leukemia 急性淋巴細胞白血液 |
| ALS | amyotrophic lateral sclerosis 肌萎縮性脊髓側索硬化 |
| alt. | alternate 變通 |
| alv. | alveolar 肺泡 |
| AM | before noon (Latin: <i>ante meridiā</i>) 午前 |
| AMA | against medical advice 違背医嘱 |
| AMAP | as much as possible 罹量 |
| amb. | ambulate (ambulatory) 步行、徒步 |
| AMI | acute myocardial infarction 急性心肌梗塞 |
| AML | acute myelogenous leukemia 急性骨髓性白血症 |
| ammon. | ammonia 氨 |
| amorph. | amorphous 無定形的 |
| AMP | adenosine monophosphate 單磷酸核糖苷 |
| | ampicillin (on culture and 抗生素之一 sensitivity reports) |
| | average mean pressure 平均压 |
| amp. | ampere 安培 |
| | ampule 安瓿 (medication order) |
| | amputation 截肢 |
| amphet. | amphetamine 苯齊特林 |
| A-M prosthesis | Austin-Moore prosthesis 義肢 |
| amt. | amount 量 |
| ANA | antinuclear antibody 抗核抗體 (laboratory/serology) |
| anes. | anesthesia (anesthetic) 麻醉 |

| | |
|---------------|---|
| ANF | antinuclear factor 抗核因子 (laboratory/serology) |
| angio. | angiogram 血管圖 (procedure/cardiovascular) |
| aniso. | anisocytosis (of red blood cells) 紅血球大小不等 |
| ANLL | acute nonlymphocytic leukemia 急性非淋巴球性白血病 |
| ANS | arteriolonephrosclerosis 腎小動脈硬化 |
| | autonomic nervous system 自主神經系統 |
| ant. | anterior 前方 |
| ant. ax. line | anterior axillary line 前腋腺 |
| AOB | alcohol on breath 酒氣 |
| AOD | arterial occlusive disease 動脈閉塞性症 |
| aort. regurg. | aortic regurgitation 主動脈口反流 |
| aort. sten. | aortic stenosis 動脈口狹窄 |
| AP | alkaline phosphatase 主動脈瓣狹窄 (laboratory/chemistry) |
| | angina pectoris 鹼性磷酸酶 |
| | ante partum (obstetrics) 心絞痛 |
| | anterior pituitary 垂體前葉 |
| | anteroposterior 前後 |
| | aortic pressure 主動脈壓 |
| | apical pulse 尖脈 |
| | appendectomy 蘭尾切除術 |
| | artificial pneumothorax 人工氣胸 |
| A-P | anterior-posterior 前後 |
| A & P | auscultation and percussion 聽診與叩診 |
| $A_2 > P_2$ | aortic second sound is greater than pulmonic second sound 主動脈第二音大於肺第二音 |
| APB | atrial premature beat 心房早期跳動 |
| APC's | atrial premature contractions 心房早期收縮 |

| | |
|------------|---|
| APC tabs. | aspirin, phenacetin, and caffeine tablets 藥名 (medication orders/prescriptions) |
| A-P D | anteroposterior diameter 前後徑 |
| APH | ante partum hemorrhage (obstetrics) 產前出血 |
| A-P & Lat. | anterior-posterior and lateral 前後及側方 (x-ray/chest) (胸部X光) |
| appl. | appliance 用具 |
| | application 用途 |
| | applied 應用 |
| appt. | appointment 約診 |
| A-P repair | anterior-posterior repair 前後修補 (operation/gynecology) (婦科手術) |
| APTT | activated partial thromboplastin time 催化部份 (laboratory/coagulation) 血栓形成質時間 |
| aq. | aqueous 水 |
| aq. dist. | distilled water (Latin: <i>aqua distillata</i>) 蒸餾水 (medication orders/prescriptions) |
| AR | aortic regurgitation 主動脈口反流 |
| | apical rate 尖率 |
| A/R | apical/radial (pulse) 尖 / 機 (脈搏) |
| ARB | any reliable brand 任何信譽良好之牌子 (medication orders/prescriptions) |
| ARD | acute respiratory disease 急性呼吸系疾病 |
| ARDS | adult respiratory distress syndrome 成人氣促症 狀群 |
| ARF | acute renal failure 急性腎衰竭 |
| | acute respiratory failure 急性呼吸衰竭 |
| | acute rheumatic fever 急性風濕熱 |
| AS | aortic stenosis 主動脈狹窄 |
| | arteriosclerosis 動脈硬化 |
| | left ear (Latin: <i>auris sinistra</i>) 左耳 |

| | |
|-------------------|--|
| ASA | acetylsalicylic acid (aspirin) 乙醯柳酸 (medication orders/prescriptions) |
| ASAP | as soon as possible 盡速 |
| A-S attack | Adams-Stokes attack 人名 |
| ASCVD | arteriosclerotic cardiovascular disease 動脈硬化性心臟血管病 |
| ASD | atrial septal defect 房隔缺損 |
| ASH | asymmetrical septal hypertrophy 非對稱 性中隔增厚 |
| ASHD | arteriosclerotic heart disease 動脈硬化性心臟病 |
| ASLO titer | antistreptolysin-O titer 鏈球菌素抑制素價 (laboratory/serology) |
| ASO titer | antistreptolysin-O titer 鏈球菌素抑制素價 (laboratory/serology) |
| assn. | association 學會 |
| assoc. | associated 關連 |
| as tol | as tolerated 按其耐量 |
| ASV | antisnake venom 抗毒蛇血清 |
| at. fib | atrial fibrillation 心房纖維顫動 |
| ATG | antithymocyte globulin 抗血球蛋白 |
| ATN | acute tubular necrosis 急性小管性壞死 |
| ATP | adenosine triphosphate 三磷酸腺苷酸 |
| AU | both ears (Latin: <i>aures unitas</i>) 兩耳 |
| ¹⁹⁸ Au | radioactive gold 放射性金 (nuclear medicine) |
| AV | aortic valve 主動脈瓣 |
| | atrioventricular 房室的 |
| A-V | arteriovenous 靜動脈的 |
| AVF | augmented V lead, left leg (ECG) 左腿V 導升 |
| AVL | augmented V lead, left arm (ECG) 左手V導升高 |

| | |
|-------|--|
| AVN | atrioventricular node 房室結 |
| AVR | aortic valve replacement 主動脈瓣換補 (operation/cardiac) |
| | augmented V lead, right arm (ECG) |
| AVS | arteriovenous shunt 右臂V導升高 |
| Ax. | axillary 腋 |
| ax. | axis 軸 |
| A & W | alive and well 活及優 |

B

| | |
|-------|--|
| B | bacillus 桿菌 |
| | basophil (on white blood count reports) 嗜鹼白血球 |
| | black 黑 |
| | brother 兄弟 |
| | Brucella (on bacteriology reports) |
| b | born 生；自然的 布魯士菌屬 |
| BA | blood agar (culture medium) 血膠 |
| | bone age 骨齡 |
| | brachial artery 臂動脈 |
| | bronchial asthma 枝氣管哮喘 |
| Ba. | barium 銀 |
| bact. | bacteria (bacterial) 細菌 |
| Ba. E | barium enema 銀液灌腸 (x-ray/colon) |
| BAL | British anti-lewisite 2, 3 二硫丙醇 (medication order) |
| bands | banded neutrophils (on white blood count reports) 嗜中性白血球叢 |

| | |
|-------------|--|
| barb. | barbiturate 巴比特酸塩 |
| baso. | basophils (on white blood count reports) 嗜酸白血球 |
| Ba. swallow | barium swallow 吞鋇 (x-ray/esophagus) |
| BB | blood bank 血庫 |
| | both bones (regarding fractures) 雙骨 |
| | breakthrough bleeding 貫通性出血 |
| BBA | born before arrival 到達前出生 |
| BBB | bundle branch block (ECG) 束枝阻斷 |
| BBBB | bilateral bundle branch block (ECG) 兩側束枝阻斷 |
| BBT | basal body temperature 基礎體溫 |
| B Bx. | breast biopsy 乳房切片 |
| BC | birth control 生育控制 |
| | blood culture 血液培養 (laboratory/bacteriology) |
| | Blue Cross 藍十字 |
| | bone conduction (hearing test) 骨導 |
| B & C | bed and chair (rest) 床與椅 |
| | biopsy and curettage 活體組織與刮除 (operation/gynecology) |
| BCC | basal cell carcinoma 基細胞癌 |
| BCE | basal cell epithelioma 基細胞上皮癌 |
| BCG | bacille Calmette Guérin 桑菌 |
| | ballistocardiogram 心臟射出容量描記圖 (procedure/cardiology) |
| BCN | bilateral cortical necrosis 兩側皮質壞死 |
| BD | bile duct 胆管 |
| | bottle drainage 瓶引流 |

| | |
|-----------|--|
| BE | bacterial endocarditis 細菌性心內膜炎 barium enema 銀灌腸 (x-ray/colon) |
| | below elbow 肘下 (operation/amputation) |
| BEI | butanol extractable iodine 丁醇提取碘 (thyroid test) (laboratory/chemistry) |
| bev | billion electron volts 十億電子壓 (radiation therapy) |
| BF- | black female 女黑人 blood flow 血流 |
| BFP | biological false positive (test) 生物性的偽陽性 |
| BFR | blood flow rate 流血率 bone formation rate 成骨率 |
| BFR sol. | buffered Ringer's solution 緩衝液 (intravenous solution) |
| BG | blood glucose 血糖 (laboratory/chemistry) |
| | bone graft 置骨 (operation/orthopedics) |
| BHS | beta-hemolytic streptococcus B-溶血性鏈球菌 |
| BI | burn index 燃傷數 |
| bib. | drink (Latin: <i>bibe</i>) 飲 (medication order) |
| b.i.d. | twice a day (Latin: <i>bis in die</i>) 一日二次 |
| bilat. | bilateral 兩側 |
| bili. | bilirubin 胆紅素 (laboratory/chemistry) |
| bili. D/I | bilirubin, direct and indirect (laboratory/chemistry) 胆紅素，直接及簡接 |

| | |
|-------------|---|
| BISp | between ischial spines (pelvic measurement) 坐骨脊間(測量骨盆) |
| bisp. diam. | vispinous diameter (pelvic measurement) 兩脊間直徑 |
| BJ | biceps jerk 兩頭肌反射 bone and joint 骨及關節 |
| BJM | bones, joints, muscles 骨，關節，肌肉 |
| BJ protein | Bence-Jones protein 人名 (laboratory/urine) |
| BKA | below knee amputation 膝下截肢 (operation/orthopedics) |
| bkfst. | breakfast 早餐 |
| bl. | bleeding 出血 blood 血液 blue 藍色 |
| bl. cult. | blood culture 血液培養 (laboratory/bacteriology) |
| bl. obs. | bladder observation 膀胱視診 |
| BLT | blood-clot lysis time 血塊溶解時間 |
| Bl. T | blood type 血型 |
| bl. time | bleeding time 出血時間 (laboratory/coagulation) |
| bl. x | bleeding time 出血時間 (laboratory/coagulation) |
| BM | basal metabolism 基礎代謝 black male 男黑人 body mass 體塊 bone marrow 骨髓 bowel movement 排大便 |
| BMR | basal metabolic rate 基礎代謝率 |

| | |
|--------------|--|
| BNDD | Bureau of Narcotics and Dangerous Drugs (physician's narcotic number) 麻醉及危險藥品管理局 |
| BNO | bladder neck obstruction 膀胱頸阻塞 |
| BO | body odor 體臭 |
| | bowel obstruction 腸阻塞 |
| B & O | belladonna and opium 頤茄及鴉片 (medication orders/prescriptions) |
| bol. | bolus 巨丸 (medication orders/prescriptions) |
| BP | back pressure 背壓 bedpan 便盆 |
| | birthplace 出生地 |
| | blood pressure 血壓 |
| | bronchopleural 枝氣管肋膜的 |
| | bypass 便道 (operation/cardiovascular) |
| BPH | benign prostatic hypertrophy |
| BR | bathroom 浴室 良性前列腺肥大 |
| | bed rest 臥床休息 |
| Br. | bromide 溴化物 |
| | brown 棕色 |
| BRB | bright red blood 鮮紅血液 |
| BRP | bathroom privileges 浴室使用許可 |
| br. sounds | breath sounds 呼吸音 |
| BS | bedside 床邊 |
| | blood sugar 血糖 (laboratory/chemistry) |
| | Blue Shield 藍盾 |
| | bowel sounds 腸音 |
| | breath sounds 呼吸音 |
| B & S glands | Bartholin and Skene glands 人名 |