

# 线性代数引论

## Introduction Linear Algebra

(英文版·原书第5版)

李 W·约翰逊(Lee W.Johnson) (美) R·迪安 里斯(R.Dean Riess)

吉米 T.阿诺德(Jimmy T.Arnold





时代教育·国外高校优秀教材有远

## 线性代数引论

(英文版・原书第5版)

Introduction to Linear Algebra

李 W. 约翰逊 (Lee W. Johnson) (美) R. 迪安 里斯 (R. Dean Riess) 著 吉米 T. 阿诺德 (Jimmy T. Arnold)



机械工业出版社

English reprint copyright © 2002 by Pearson Education North Asia Limited and China Machine Press.

Original English language title: Introduction to Linear Algebra, Fifth edition by Dale Varberg, Edwin J. Purcell, Steven E. Rigdon.

Copyright ©2000 by Prentice-Hall. Inc.

All rights reserved.

Published by arrangement with the original publisher, Pearson Education, Inc., publishing as Prentice-Hall, Inc.

This edition is authorized for sale only in the People's Republic of China (excluding the Special Administrative Region of Hong Kong and Macau).

本书英文影印版由美国 Pearson Education (培生教育出版集团) 授权机械工业出版社在中国大陆境内独家出版发行,未经出版者许可,不得以任何方式抄袭、复制或节录本书中的任何部分。

本书封面贴有 Pearson Education 培生教育出版集团激光防伪标签, 无标签者不得销售。

北京市版权局著作权合同登记号:图字:01-2002-4707

#### 图书在版编目(CIP)数据

线性代数引论 = Introduction to Linear Algebra: 第 5 版/(美)约翰逊(Johnson, L.W.)等著.—北京: 机械工业出版社, 2002.7

(时代教育·国外高校优秀教材精选)

ISBN 7-111-10628-8

Ⅰ.线… Ⅱ.约… Ⅲ.线性代数-高等学校-教材-英文 Ⅳ.0151.2

中国版本图书馆 CIP 数据核字 (2002) 第 053677 号

机械工业出版社(北京市百万庄大街 22 号 邮政编码 100037) 责任编辑:刘小慧 封面设计:鞠 杨 责任印制:路 琳 北京蓝海印刷有限公司印刷·新华书店北京发行所发行 2003 年 4 月第 1 版·第 2 次印刷 787mm×1092mm 1/16·38.5 印张·2 插页·967 千字 定价: 36.00 元

凡购本书,如有缺页、倒页、脱页,由本社发行部调换本社购书热线电话(010)68993821、88379646 封面无防伪标均为盗版

### 因外高核优秀教材审定委员会

主任委员:

杨叔子

委员 (按姓氏笔画为序):

白峰杉 史荣昌 王先逵 王大康 朱孝禄 陆启韶 张润琦 张三慧 张福润 张 策 张延华 吴 宗 泽 吴 宋心琦 麒 李俊峰 陈文楷 **育正光** 佘 远 斌 陈立周 赵汝嘉 翁海珊 龚光鲁 章栋恩 黄永畅 谭泽光

本书是由约翰逊、里斯、阿诺德编著的《线性代数引论》第5版,出版于2002年。

线性代数是学习自然科学、工程和社会科学的学生的一门重要的基础课程,其核心内容包括矩阵理论以及向量空间理论。这些概念和理论不仅为各个专业领域提出相关问题时提供了准确的数学表达语言,而且也为解决问题提供了有力的工具。本书的主要内容有矩阵与线性方程组、二维和三维空间、向量空间 R<sup>n</sup>、特征值问题、向量空间和线性变换、行列式、特征值及其应用等。

作为线性代数课程的教材,本书有如下特点:

- 1. 内容覆盖了我国现行理工科大学线性代数课程的全部内容,与我国现行的线性代数 教学大纲和教材体系比较接近,但比国内现有教材的内容更为丰富,且更有深度。
- 2. 本书的编写采取了模块式的结构,便于使用者取舍。线性代数的核心内容主要由三部分组成,它们是矩阵理论与线性方程组、向量空间的基本概念以及特征值问题,作者将它们分别列入第1章、第3章、第4章。这样,对于学时较少,要求相对较低的专业和读者,可以只选这三章,用30学时左右就可以掌握线性代数的最基本的知识,对于学时充裕、要求较高的专业可以从容地增加其它章节。
- 3. 在内容处理上,及早引进一些重要的概念,例如在第1章就引入线性组合和线性无关的概念,从而帮助学生很快地从用一般方法解线性方程组过渡到用基、生成系等概念来处理和解决相应的问题。又如在第3章及时建立向量空间 R<sup>n</sup> 的概念和从 R<sup>n</sup> 到 R<sup>m</sup> 的线性变换,那么在第4章一开始简单地引入行列式概念后,就可以比较深入地讨论特征值问题。
- 4. 向量空间的概念是线性代数学习中的一个难点,为了分散难点,使学生能更平稳地、逐步地接受这个抽象概念,本书作了一系列的铺垫。例如第1章先引入线性无关的概念,然后在第2章讨论二维空间和三维空间,这是两个非常形象,又是学生很熟悉的空间,在这个基础上推广到  $R^n$  这个n 维空间,实现了从感性思维到理性思维的第一个飞跃。最后再进入完全抽象的一般线性空间。
- 5. 线性代数是一门既严谨又抽象的课程,为了使学生既易于入门,又能领会数学抽象的威力,作者通过许多有实际背景的例子,从具体计算入手,自然地、逐步地建立抽象的概念和理论。
- 6. 21 世纪是信息的时代,现代教学手段促进了教学改革的步伐,为进一步提高教学质量提供了有利的教学环境。本书通过例子介绍了在科技工作者中非常流行的数学软件 Matlab 在线性代数中的应用,并且每章结尾都附有专门用 Matlab 做的练习题,这对于培养学生运用现代数学软件学习线性代数和应用代数知识解决实际问题能起到很好的作用。

总之,本书系统新颖、内容丰富、联系实际、语言通畅,且结合数学软件提供了一个现代化的学习环境,相对于国内现行教学大纲,教师便于取舍内容组织教学,不失为一本很好的教科书和教学参考书。

本书可供理工科、经济管理各专业学生作为学习线性代数的教科书或教学参考书,也可供科技人员和自学者参考。

俞正光 清华大学数学科学系 2002年3月

### 出版说明

随着我国加入 WTO, 国际间的竞争越来越激烈,而国际间的竞争实际上也就是人才的竞争、教育的竞争。为了加快培养具有国际竞争力的高水平技术人才,加快我国教育改革的步伐,国家教育部近来出台了一系列倡导高校开展双语教学、引进原版教材的政策。以此为契机,机械工业出版社拟于近期推出一系列国外影印版教材,其内容涉及高等学校公共基础课,以及机、电、信息领域的专业基础课和专业课。


引进国外优秀原版教材,在有条件的学校推动开展英语授课或双语教学,自然也引进了 先进的教学思想和教学方法,这对提高我国自编教材的水平,加强学生的英语实际应用能力,使我国的高等教育尽快与国际接轨,必将起到积极的推动作用。

为了做好教材的引进工作,机械工业出版社特别成立了由著名专家组成的国外高校优秀教材审定委员会。这些专家对实施双语教学做了深入细致的调查研究,对引进原版教材提出许多建设性意见,并慎重地对每一本将要引进的原版教材一审再审,精选再精选,确认教材本身的质量水平,以及权威性和先进性,以期所引进的原版教材能适应我国学生的外语水平和学习特点。在引进工作中,审定委员会还结合我国高校教学课程体系的设置和要求,对原版教材的教学思想和方法的先进性、科学性严格把关。同时尽量考虑原版教材的系统性和经济性。

这套教材出版后,我们将根据各高校的双语教学计划,举办原版教材的教师培训,及时 地将其推荐给各高校选用。希望高校师生在使用教材后及时反馈意见和建议,使我们更好地 为教学改革服务。

机械工业出版社 2002年3月

## PREFACE



Linear algebra is an important component of undergraduate mathematics, particularly for students majoring in the scientific, engineering, and social science disciplines. At the practical level, matrix theory and the related vector-space concepts provide a language and a powerful computational framework for posing and solving important problems. Beyond this, elementary linear algebra is a valuable introduction to mathematical abstraction and logical reasoning because the theoretical development is self-contained, consistent, and accessible to most students.

Therefore, this book stresses both practical computation and theoretical principles and centers on the principal topics of the first four chapters:

matrix theory and systems of linear equations,

elementary vector-space concepts, and

the eigenvalue problem.

This core material can be used for a brief (10-week) course at the late-freshman/sophomore level. There is enough additional material in Chapters 5-7 either for a more advanced or a more leisurely paced course.

#### **FEATURES**

Our experience teaching freshman and sophomore linear algebra has led us to carefully choose the features of this text. Our approach is based on the way students learn *and* on the tools they need to be successful in linear algebra as well as in related courses.

We have found that students learn more effectively when the material has a consistent level of difficulty. Therefore, in Chapter 1, we provide early and meaningful coverage of topics such as linear combinations and linear independence. This approach helps the student negotiate what is usually a dramatic jump in level from solving systems of linear equations to working with concepts such as basis and spanning set.

#### TOOLS STUDENTS NEED (WHEN THEY NEED THEM)

The following examples illustrate how we provide students with the tools they need for success.

An early introduction to eigenvalues. In Chapter 3, elementary vector-space ideas (subspace, basis, dimension, and so on) are introduced in the familiar setting of  $R^n$ . Therefore, it is possible to cover the eigenvalue problem very early and in much greater depth than is usually possible. A brief introduction to determinants is given in Section 4.2 to facilitate the early treatment of eigenvalues.

An early introduction to linear combinations. In Section 1.5, we observe that the matrix-vector product Ax can be expressed as a linear combination of the columns of

A,  $A\mathbf{x} = x_1A_1 + x_2A_2 + \cdots + x_nA_n$ . This viewpoint leads to a simple and natural development for the theory associated with systems of linear equations. For instance, the equation  $A\mathbf{x} = \mathbf{b}$  is consistent if and only if  $\mathbf{b}$  is expressible as a linear combination of the columns of A. Similarly, a consistent equation  $A\mathbf{x} = \mathbf{b}$  has a unique solution if and only if the columns of A are linearly independent. This approach gives some early motivation for the vector-space concepts (introduced in Chapter 3) such as subspace, basis, and dimension. The approach also simplifies ideas such as rank and nullity (which are then naturally given in terms of dimension of appropriate subspaces).

Applications to different fields of study. Some applications are drawn from difference equations and differential equations. Other applications involve interpolation of data and least-squares approximations. In particular, students from a wide variety of disciplines have encountered problems of drawing curves that fit experimental or empirical data. Hence, they can appreciate techniques from linear algebra that can be applied to such problems.

Computer awareness. The increased accessibility of computers (especially personal computers) is beginning to affect linear algebra courses in much the same way as it has calculus courses. Accordingly, this text has somewhat of a numerical flavor, and (when it is appropriate) we comment on various aspects of solving linear algebra problems in a computer environment.

#### A COMFORT IN THE STORM

We have attempted to provide the type of student support that will encourage success in linear algebra—one of the most important undergraduate mathematics courses that students take.

A gradual increase in the level of difficulty. In a typical linear algebra course, the students find the techniques of Gaussian elimination and matrix operations fairly easy. Then, the ensuing material relating to vector spaces is suddenly much harder. We do three things to lessen this abrupt midterm jump in difficulty:

- 1. We introduce linear independence early in Section 1.7.
- 2. We include a new Chapter 2, "Vectors in 2-Space and 3-Space."
- 3. We first study vector space concepts such as subspace, basis, and dimension in Chapter 3, in the familiar geometrical setting of  $\mathbb{R}^n$ .

Clarity of exposition. For many students, linear algebra is the most rigorous and abstract mathematical course they have taken since high-school geometry. We have tried to write the text so that it is accessible, but also so that it reveals something of the power of mathematical abstraction. To this end, the topics have been organized so that they flow logically and naturally from the concrete and computational to the more abstract. Numerous examples, many presented in extreme detail, have been included in order to illustrate the concepts. The sections are divided into subsections with boldface headings. This device allows the reader to develop a mental outline of the material and to see how the pieces fit together.

Extensive exercise sets. We have provided a large number of exercises, ranging from routine drill exercises to interesting applications and exercises of a theoretical nature. The more difficult theoretical exercises have fairly substantial hints. The computational

exercises are written using workable numbers that do not obscure the point with a mass of cumbersome arithmetic details.

Trustworthy answer key. Except for the theoretical exercises, solutions to the oddnumbered exercises are given at the back of the text. We have expended considerable effort to ensure that these solutions are correct.

Spiraling exercises. Many sections contain a few exercises that hint at ideas that will be developed later. Such exercises help to get the student involved in thinking about extensions of the material that has just been covered. Thus the student can anticipate a bit of the shape of things to come. This feature helps to lend unity and cohesion to the material.

Historical notes. We have a number of historical notes. These assist the student in gaining a historical and mathematical perspective of the ideas and concepts of linear algebra.

Supplementary exercises. We include, at the end of each chapter, a set of supplementary exercises. These exercises, some of which are true—false questions, are designed to test the student's understanding of important concepts. They often require the student to use ideas from several different sections.

Integration of MATLAB. We have included a collection of MATLAB projects at the end of each chapter. For the student who is interested in computation, these projects provide hands-on experience with MATLAB.

A short MATLAB appendix. Many students are not familiar with MATLAB. Therefore, we include a very brief appendix that is sufficient to get the student comfortable with using MATLAB for problems that typically arise in linear algebra.

The vector form for the general solution. To provide an additional early introduction to linear combinations and spanning sets, in Section 1.5 we introduce the idea of the vector form for the general solution of  $A\mathbf{x} = \mathbf{b}$ .

#### **SUPPLEMENTS**

#### SOLUTIONS MANUALS

An Instructor's Solutions Manual and a Student's Solutions Manual are available. The odd-numbered computational exercises have answers at the back of the book. The student's solutions manual (ISBN 0-201-65860-7) includes detailed solutions for these exercises. The instructor's solutions manual (ISBN 0-201-75814-8) contains solutions to all the exercises.


New Technology Resource Manual. This manual was designed to assist in the teaching of the MATLAB, Maple, and Mathematica programs in the context of linear algebra. This manual is available from Addison-Wesley (ISBN 0-201-75812-1) or via [our website,] http://www.aw.com/jra.

#### **ORGANIZATION**

To provide greater flexibility, Chapters 4, 5, and 6 are essentially independent. These chapters can be taken in any order once Chapters 1 and 3 are covered. Chapter 7 is a mélange of topics related to the eigenvalue problem: quadratic forms, differential

#### x Preface

equations, *QR* factorizations, Householder transformations, generalized eigenvectors, and so on. The sections in Chapter 7 can be covered in various orders. A schematic diagram illustrating the chapter dependencies is given below. Note that Chapter 2, "Vectors in 2-Space and 3-Space," can be omitted with no loss of continuity.



We especially note that Chapter 6 (Determinants) can be covered before Chapter 4 (Eigenvalues). However, Chapter 4 contains a brief introduction to determinants that should prove sufficient to users who do not wish to cover Chapter 6.

A very short but useful course at the beginning level can be built around the following sections:

Section 1.1–1.3, 1.5–1.7, 1.9 Sections 3.1–3.6

Sections 4.1-4.2, 4.4-4.5

A syllabus that integrates abstract vector spaces. Chapter 3 introduces elementary vector-space ideas in the familiar setting of  $R^n$ . We designed Chapter 3 in this way so that it is possible to cover the eigenvalue problem much earlier and in greater depth than is generally possible. Many instructors, however, prefer an integrated approach to vector spaces, one that combines  $R^n$  and abstract vector spaces. The following syllabus, similar to ones used successfully at several universities, allows for a course that integrates abstract vector spaces into Chapter 3. This syllabus also allows for a detailed treatment of determinants:

Sections 1.1–1.3, 1.5–1.7, 1.9 Sections 3.1–3.3, 5.1–5.3, 3.4–3.5, 5.4–5.5 Sections 4.1–4.3, 6.4–6.5, 4.4–4.7

Augmenting the core sections. As time and interest permit, the core of Sections 1.1–1.3, 1.5–1.7, 1.9, 3.1–3.6, 4.1–4.2, and 4.4–4.5 can be augmented by including various combinations of the following sections:

- (a) Data fitting and approximation: 1.8, 3.8-3.9, 7.5-7.6.
- (b) Eigenvalue applications: 4.8, 7.1-7.2.

- (c) More depth in vector space theory: 3.7, Chapter 5.
- (d) More depth in eigenvalue theory: 4.6-4.7, 7.3-7.4, 7.7-7.8.
- (e) Determinant theory: Chapter 6.

To allow the possibility of getting quickly to eigenvalues, Chapter 4 contains a brief introduction to determinants. If the time is available and if it is desirable, Chapter 6 (Determinants) can be taken after Chapter 3. In such a course, Section 4.1 can be covered quickly and Sections 4.2–4.3 can be skipped.

Finally, in the interest of developing the student's mathematical sophistication, we have provided proofs for almost every theorem. However, some of the more technical proofs (such as the demonstration that det(AB) = det(A)det(B)) are deferred to the end of the sections. As always, constraints of time and class maturity will dictate which proofs should be omitted.

#### **ACKNOWLEDGMENTS**

A great many valuable contributions to the Fifth Edition were made by those who reviewed the manuscript as it developed through various stages:

Idris Assani, University of North Carolina, Chapel Hill

Satish Bhatnagar, University of Nevada, Las Vegas

Richard Daquila, Muskingum College

Robert Dobrow, Clarkson University

Branko Grunbaum, University of Washington

Isom Herron, Rennsselaer Polytechnic Institute

Diane Hoffoss, Rice University

Richard Kubelka, San Jose State University

Tong Li, University of Iowa

David K. Neal, Western Kentucky University

Eileen Shugart, Virginia Institute of Technology

Nader Vakil, Western Illinios University

Tarynn Witten, Trinity University

Christos Xenophontos, Clarkson University


In addition, we wish to thank Michael A. Jones, Montclair State University and Isom Herron, Rennsselaer Polytech Institute for their careful work in accuracy checking this edition.

Blacksburg, Virginia

L.W.J. R.D.R.

J.T.A.

## NDEX



Addition, of linear transformations, 411 of matrices, 47 Additive identity, 363 Additive inverse, 363 Adjoint matrix, 473 Algebraic multiplicity, 300, 548 Algebraic vector(s), 114, 118, 131 Augmented matrix, 7

Basis, 189, 195, 378
change of, 431
coordinate vectors, 379
natural, 189
ordered, 380
orthogonal, 214, 395
orthonormal, 216
unique representation, 195
Block matrix, 109, 353
eigenvalues and, 353
upper-triangular, 353

C[a, b], 364Cancellation laws for vector addition, 365 Cartesian coordinate system, 128 Cauchy-Schwarz inequality, 225 Cayley-Hamilton Theorem, 306, 540, 555 Change of basis, 431 matrix representation and, 435 transition matrix, 434 Characteristic equation, 300 Characteristic polynomial, 300 Chebyshev polynomials, 402 Cholesky decomposition, 554 Closure properties, 168 Coefficient matrix, 7 Cofactor expansions, 283, 288, 448 Collinearity, tests for, 145 Column form of a matrix, 55-56 Column space of a matrix, 182 Companion matrix, 306

Complex arithmetic, 316 Complex Eigenvalues, 315 Complex Eigenvectors, 315 Complex Gaussian elimination, 320 Complex numbers, 316 imaginary part, 316 magnitude, 317 real part, 316 Complex plane, 317 Complex vectors, 316 conjugate, 318 magnitude (norm), 318 Components, vector, 117, 131 Composition of linear transformation, 412 Condition number, 110 Conjugate vector, 318 Consistent system, 6 solution set, 28 Contraction, 230 Coordinate vector, 379 Coordinates, 217, 375 of a vector, 195, 379 Coplanarity, tests for, 145 Cramer's rule, 281, 465 Cross product, 135, 141 algebraic properties of, 143 definition of, 141 determinants and, 142 finding normals with, 155 geometric properties of, 144

Data fitting, 80
Defective matrix, 310
Determinants, 285, 450
block matrices, 353
cofactor, 283, 449
cofactor expansion, 284, 448
Cramer's rule, 468
eigenvalue problems and, 300
elementary operations and,
290, 455
of matrix inverses, 471

of nonsingular matrices, 287, 467 of products, 287, 466 singular matrices, 287, 465 three-by-three, 282 of triangular matrices, 453 two-by-two, 278, 448 Vandermonde, 297 Wronskian, 471 Diagonalizable. linear transformation, 431 matrix, 327 symmetric matrices, 333 Difference equations, 338 solution to, 340 Differential equations, 347, 493 Dilation, 230 Dimension, 202, 388 Distance formula, 256 Dot product, 50, 135 algebraic properties of, 137 definition of, 136 two vectors, 135

Echelon form, 14 Eigenspace, 307 Eigenvalues, 276, 298, 432 algebraic multiplicity, 300 characteristic equation, 300 characteristic polynomial, 300 complex, 315 computational considerations, 304, 508 conjugate pairs, 319 determinants and, 280 dominant, 354 eigenspace, 307 geometric multiplicity, 309 Hessenberg matrices and, 510 initial value problems, 495 MATLAB, 324 Rayleigh quotient, 352, 493 similar matrix, 327 singular matrix, 303

| Eigenvalues (Continued)             | Hermite interpolation, 91              | linear fit, 247                      |  |
|-------------------------------------|----------------------------------------|--------------------------------------|--|
| symmetric matrices, 319             | Hermitian matrix, 325                  | normal equations, 245                |  |
| triangular matrix, 303              | Hessenberg form, 502                   | polynomial fit, 272                  |  |
| Eigenvectors, 276, 298, 307, 432    | characteristic polynomial, 511, 542    | solution, 531                        |  |
| complex, 315                        | computational considerations, 508      | theory and practice of, 255          |  |
| dominant, 354                       | eigenvalues and, 510                   | using MATLAB to find, 248            |  |
| eigenspace and, 307                 | Householder reduction, 522             | Legendre polynomials, 402            |  |
| generalized, 350, 546               | matrix, 503                            | Length of a vector, 67, 124          |  |
| linearly independent, 306, 312      | reduced, 511                           | Linear combination, 49, 71, 370      |  |
| symmetric matrices, 333             | reduction to, 503                      | Linear                               |  |
| Electronic aids, 23                 | subdiagonal, 503                       | equation, 2                          |  |
| Elementary matrices, 476            | unreduced, 511                         | solution, 2                          |  |
| Elementary operations               | Hilbert matrix, 101                    | Linear independence and              |  |
| determinants and, 290, 455          | Homogeneous systems, 31                | dependence, 73                       |  |
| effects of, 291                     | nontrivial, 31                         | Linear transformations, 225, 403     |  |
| for linear systems, 8               | trivial, 31                            | composition, 412                     |  |
| for matrices, 10                    | zero solution, 31                      | contraction, 230                     |  |
| notation, 10                        | Householder matrix, 519                | definition of, 226                   |  |
|                                     |                                        | diagonalization, 431                 |  |
| Elementary row operations, 9        | construction of, 523                   | dilation, 230                        |  |
| Ellipsoid, 491                      | multiplication by, 520                 |                                      |  |
| Equal matrices, 46                  | Hyperboloid, 491                       | eigenvalue, 432                      |  |
| Equality test                       | Idomestant matrix 109 214              | examples of, 227                     |  |
| for geometric vectors, 117          | Idempotent matrix, 108, 314            | identity, 230, 405                   |  |
| Equations                           | Identity matrix, 65                    | inverse, 414                         |  |
| consistent/inconsistent, 6          | Identity transformation, 230, 405      | invertible, 413                      |  |
| Equivalent systems, 8               | Ill-conditioned matrix, 101            | isomorphism, 416                     |  |
| Error function, 446                 | Imaginary numbers, 316                 | matrix of, 230                       |  |
| Euclidean n-space, 48               | Inconsistent systems, 6, 19            | matrix representation, 419           |  |
| T 11 . 146                          | Indefinite quadratic form, 487         | null space (kernel), 233, 405        |  |
| Fresnel integral, 446               | Initial point, 115                     | nullity, 234, 406                    |  |
| Frobenius norm, 262                 | Initial value problems, 83, 495        | one to one, 406                      |  |
| Full rank, 252                      | Inner product, 393                     | onto, 413                            |  |
|                                     | Inner product space, 392               | orthogonal, 235                      |  |
| Gauss-Jordan elimination, 9, 12, 14 | Integer inverses, 481                  | range, 233, 405                      |  |
| General solution, 23                | Integer matrices, 481                  | rank, 234, 406                       |  |
| Generalized eigenvectors, 350, 547  | Integers, 26                           | reflection, 237                      |  |
| Geometric multiplicity, 309         | Interpolating polynomial, 81, 272      | rotation, 236                        |  |
| Geometric vector(s), 114, 131       | Inverse                                | scalar multiplication, 411           |  |
| adding, 120, 132                    | calculating, 95                        | sum, 411                             |  |
| angle between, 135, 137             | existence of, 94                       | zero, 230, 405                       |  |
| calculating algebraic               | matrix, 92                             | Lines                                |  |
| vectors for, 121                    | properties of matrix, 99               | equation of, 149                     |  |
| components, 117, 131                | Inverse,                               | parametric equations for, 149        |  |
| cross product, 135                  | linear transformations, 414            | segments, 151                        |  |
| dot product, 135                    | matrix representation, 419             | in space, 148                        |  |
| equality of, 115, 117               | Invertible linear transformations, 413 | vector form of, 149                  |  |
| initial point, 115                  | Isomorphic, 416                        |                                      |  |
| initial/terminal point, 131         |                                        | Markov chains, 338, 345, 354         |  |
| length of, 124, 132                 | Kernel                                 | MATLAB, 24                           |  |
| magnitude of, 129                   | linear transformation and, 405         | basic operations, AP1                |  |
| norm of <b>u</b> , 124              | of a matrix, 179                       | command window/line, AP1             |  |
| position, 116                       | Krylov's method, 511                   | elementary row operations,           |  |
| scalar multiplication, 122, 132     | ·                                      | matrix surgery, AP5                  |  |
| subtracting, 123                    | Law of Cosines, 135                    | entering matrices, AP2               |  |
| terminal point, 115                 | Least-squares                          | graphing in two dimensions, AP6      |  |
| unit, 124                           | approximation, 256, 397, 531           | matrix operations, AP8               |  |
| zero, 72                            | criterion, 246                         | M-files, scripts and functions, AP10 |  |
| Gram matrix, 444                    | general fits and, 250                  | numerical routines in, AP10          |  |
| Gram-Schmidt process, 219, 395      | inconsistent systems and, 260, 531     | RREF command, AP3                    |  |
| L                                   | • • • • • • • • • • • • • • • • • • •  |                                      |  |

| short/rat/long/numeric        | Vandermonde matrix, 82                  | Plane(s)                             |
|-------------------------------|-----------------------------------------|--------------------------------------|
| formats, AP2                  | zero, 61                                | coordinate, 128                      |
| transpose, norm, and          | Matrix inverse,                         | equation of, 153                     |
| inverse, AP8                  | computation, 97                         | normal vectors, 152                  |
| zeros, ones, eye, and         | definition, 92                          | parallel, 156                        |
| Rand, AP9                     | determinants, 473                       | scalar form for equation of, 154     |
| Matrix, 6                     | eigenvalues, 302                        | vector form for equation of, 154     |
| addition, 47                  | properties of, 99                       | Polyfit, AP10                        |
| adjoint, 473                  | in terms of adjoint, 473                | Polynomial interpolation, 80         |
| augmented, 7                  | two-by-two, 98                          | Polyval, AP10                        |
| block, 353                    | Matrix multiplication,                  | Population dynamics, 108             |
| coefficient, 7                | definition, 50                          | steady state, 109                    |
| column form, 54–56            | other formulations, 55                  | transition matrix, 108               |
| column space, 182             | Matrix of a transformation, 230         | Position vector, 116, 131            |
| defective, 310, 547           | Matrix polynomials, 540                 | Positive definite, matrix, 325, 401  |
| diagonalizable, 327           | Matrix representation of linear         |                                      |
| echelon form, 14              | transformation, 419                     | Positive semidefinite quadratic      |
| elementary, 476               | Midpoint formula, 130                   | form, 487                            |
| equality, 46                  | · · · · · · · · · · · · · · · · · · ·   | Power method, 306, 354               |
| Gram, 444                     | Minor matrix, 283, 449                  | Principle Axis Theorem, 492          |
| Hermitian, 325                | Nagativa definite avadentia forma 497   | Projection of a vector, 139, 397     |
|                               | Negative definite quadratic form, 487   | calculating, 139                     |
| Hessenberg, 503               | Negative semidefinite quadratic         | Pseudoinverse, 262                   |
| Hilbert, 101                  | form, 487                               |                                      |
| Householder, 519              | Nonsingular matrix, 76                  | QR Algorithm, 538                    |
| idempotent, 108, 314          | Norm of a vector, 67, 394               | QR factorization, 531                |
| identity, 65                  | Normal equations, 245, 444              | Quadratic forms, 484                 |
| ill-conditioned, 101          | Normal to a plane, 151                  | conic sections, 488                  |
| integer, 481                  | Normalized vector, 216                  | diagonalizing, 485                   |
| inverse, 92                   | Null space, of a linear transformation, | indefinite, 487                      |
| kernel, 179                   | 233, 405                                | matrix representation, 484           |
| main diagonal, 65             | Nullity, of a linear transformation,    | negative definite (semi), 487        |
| minor, 449                    | 234, 406                                | positive definite (semi), 487        |
| nonsingular, 76               | of a matrix, 208                        | quadric surfaces, 488                |
| null space of, 179            | Numerical differentiation, 88           | Quadric surface, 36, 488             |
| nullity, 208                  | Numerical integration, 84               |                                      |
| orthogonal, 108, 239, 325     |                                         | Damas                                |
| partitioned (block), 109      | Octants, 128                            | Range,                               |
| permutation, 331, 510         | Operator, 404                           | of a linear transformation, 181,     |
| positive definite, 325, 401   | Ordered basis, 380                      | 233, 405                             |
| product, 52                   | Orthogonal, basis, 214, 392, 395        | of a matrix, 181                     |
| range, 181                    | constructing an, 219                    | Rank,                                |
| rank, 208                     | linear transformation, 235              | of a linear transformation, 234, 406 |
| rank deficient, 252           | matrix, 108, 239, 325, 330              | of a matrix, 208                     |
| reduced echelon form, 15, 17  | projections, 397                        | Rank deficient, 252, 262             |
| row space, 183                | set, 395                                | Rational function, 273               |
| scalar multiplication, 47     | vectors, 138, 140                       | Rayleigh quotient, 352, 493          |
| similar, 326                  | Orthonormal basis, 216                  | Real vector space, 362               |
| singular, 76                  | Outer product, 69                       | Reduced echelon form, 16, 19         |
| skew symmetric, 297, 372, 479 | Overdetermined systems                  | Reflection, 237                      |
| square, 65                    | least-square solution, 243              | Relative error, 111                  |
| stochastic, 350               |                                         | Residual vector, 243                 |
| sum, 47                       | Parallel planes, 156                    | Right-hand rule, 128, 143            |
| symmetric, 64                 | Parallel vector, 124, 132               | Rotation, 236                        |
| transition, 108, 346, 434     | Parametric equations, 150               | Row equivalent matrices, 10          |
| tridiagonal, 522              | Partitioned matrix, 109                 | Row space of a matrix, 183           |
| transpose, 63                 | Permutation matrix, 331                 |                                      |
| unitary, 325                  | Physical vector(s), 114                 | Same direction vector, 124           |
| upper-trapezoidal, 532        | adding, 120                             | Scalar, 8, 46, 361                   |
| upper-triangular, 60          | resultant force and, 120                | form for equation of plane, 154      |
|                               |                                         |                                      |

| Scalar multiplication                | Systems   |
|--------------------------------------|-----------|
| linear transformation and, 411       | consi     |
| of a matrix, 47                      | Cram      |
| of a vector, 122                     | equiv     |
| Scalar product, 50                   | homo      |
| Scalar quantities, 114               | incon     |
| Schur decomposition                  | least-    |
| (factorization), 333                 | matri     |
| Sherman–Woodberry formula, 104       | soluti    |
| Similar matrices, 326                | Soluti    |
| Sine integral, 446                   | Terminal  |
| Singular matrix, 76                  | Transitio |
| determinants, 287, 481               | Transpos  |
| eigenvalues of, 303                  | deteri    |
|                                      |           |
| Skew symmetric matrix, 297, 372, 479 | eigen     |
| Solution sets                        | prope     |
| geometric interpretations of, 4      | Trapezoi  |
| Solution sets for consistent linear  | reduc     |
| systems, 28                          | Triangul  |
| Spanning set, 176, 189, 370          | deter     |
| Spectral decomposition, symmetric    | eigen     |
| matrix, 336                          | upper     |
| Square matrix, 65                    | Tridiago  |
| main diagonal, 65                    | Triple pr |
| State vectors, 60, 108               | scala     |
| Stochastic matrix, 350               | vecto     |
| Subspace, 168, 368                   |           |
| bases for, 185, 195                  | Unit vec  |
| column space of a matrix, 182        | Unitary 1 |
| dimension, 202                       | Upper-tr  |
| kernel of transformation, 405        |           |
| null space of a matrix, 179          | Vandern   |
| null space of a transformation,      | Vector. 3 |
| 233, 405                             | Vector. 3 |
| orthogonal bases for, 216            | Vector. A |
| properties of p-dimensional, 207     | Vector s  |
| of $R^n$ , 168                       | addit     |
| range of a matrix, 181               | addit     |
| range of a transformation, 233, 405  | basis     |
| row space of a matrix, 183           | C[a,      |
| spanning set, 176, 190               | cance     |
| verifying subsets as, 171            | dime      |
| Symmetric matrix, 64                 | infin     |
| diagonalizable, 333                  | inner     |
| Systems of differential equations,   | isom      |
| 347, 546                             | orde      |
| complex solutions, 498               | p-dii     |
| diagonalization and, 496             | prop      |
| Timboumination mile) 150             | r         |

of linear equations, 2 istent, 6, 28 ner's rule, 281, 469 alent, 8 ogeneous, 31 nsistent, 6, 19 -squares solution, 243, 533 ix equation, 54 ion, 2 d point, 115 on matrix, 108, 346, 434 se of a matrix, 63 rminant, 290, 471 nvalue, 305 erties, 63 idal form ction to, 531 lar matrix rminant, 287, 453 nvalues, 303 er. 60 onal matrix, 522 roducts, 145 ır, 145 or, 145 ctor, 74, 125, 132 matrix, 325 rapezoidal matrix, 532 nonde matrix, 82, 297 See also algebraic vectors See also geometric vectors See also physical vectors space, 164, 360 tive identity, 362 tive inverse, 362 s, 377 b1,364ellation laws, 365 ension, 388 ite dimensional, 388 r product, 392-393 norphic, 416 red basis, 380 imensional, 389 properties, 365

properties of  $R^n$ , 167 real, 362 zero, 366 Vector(s) basic i and j, 125 complex, 316 conjugate, 318 coordinate, 379 distance between, 256 Euclidean length (norm), 68 form for general solution, 48 form for plane equation, 153 length, 124 linear combination of, 370 linear independence and dependence, 73, 375 magnitude, 124 n-dimensional, 48 norm, 68 normal, 152 normalized, 216 opposite direction, 124 parallel, 124 projections of, 138, 397 quantity, 114 residual, 243 same direction, 124 state, 60, 108 unit, 74 zero, 72, 362

Weight functions, 444 Weighted sum, 449 Wheatstone bridge, 46 Wronskian, 471

Zero matrix, 61 Zero transformation, 230, 405 Zero vector, 72, 362 Zero vector space, 362, 366



## CONTENTS

序

3.1

3.2

3.3

3.4

3.5

3.6

3.7

3.8

3.9

Introduction

Dimension

Vector Space Properties of  $R^n$ 

Orthogonal Bases for Subspaces

with Applications to Data Fitting


Linear Transformations from  $R^n$  to  $R^m$ 

Theory and Practice of Least Squares

Least-Squares Solutions to Inconsistent Systems,

**Examples of Subspaces** Bases for Subspaces

出版说明



iv

vi

167

176

188

202

214

225

243 255

|             | MATRICES AND SYSTEMS OF LINEAR EQUATIONS |                                                          |     |
|-------------|------------------------------------------|----------------------------------------------------------|-----|
|             | 1.1                                      | Introduction to Matrices and Systems of Linear Equations | 2   |
|             | 1.2                                      | Echelon Form and Gauss-Jordan Elimination                | 14  |
|             | 1.3                                      | Consistent Systems of Linear Equations                   | 28  |
|             | 1.4                                      | Applications (Optional)                                  | 39  |
|             | 1.5                                      | Matrix Operations                                        | 46  |
|             | 1.6                                      | Algebraic Properties of Matrix Operations                | 61  |
|             | 1.7                                      | Linear Independence and Nonsingular Matrices             | 71  |
|             | 1.8                                      | Data Fitting, Numerical Integration, and                 |     |
|             |                                          | Numerical Differentiation (Optional)                     | 80  |
|             | 1.9                                      | Matrix Inverses and Their Properties                     | 92  |
| 2           | VEC'                                     | TORS IN 2-SPACE AND 3-SPACE                              | 113 |
|             | 2.1                                      | Vectors in the Plane                                     | 114 |
|             | 2.2                                      | Vectors in Space                                         | 128 |
|             | 2.3                                      | The Dot Product and the Cross Product                    | 135 |
|             | 2.4                                      | Lines and Planes in Space                                | 148 |
| 3           | Тне                                      | THE VECTOR SPACE $R^n$                                   |     |
| A SHOULD BE | 3.1                                      | Introduction                                             | 164 |