




MODERN CONSTRUCTION

国际建筑材料及设备目录

1986/87



The International Building & Construction Directory for China

一本为中国编印的国际建筑业名录

Contents

目 次

Building & Construction Products 建筑与施工用产品	15
Professional Services 专业服务	233
Company Profiles 公司简介	251
Company Master Index 公司名录总索引	271
Trade Name Index 商品名称索引	283

IMPORTANT

※ 9006—026 ※

The above is a sample of the "Reader Inquiry No" accompany all advertisements and listings shown in this directory. To obtain FREE product/service literature on any companies, please enter the relevant Reader Inquiry No(s) on the READER INQUIRY CARDS located inside the book and mail it TODAY.

需 知

※ 9006—026 ※

本目录内刊出的广告及名录索引，均附有读者查询编号。上述 9006—026 仅为示范查询编号，如欲免费获知有关公司的任何产品 / 服务资料，请利用目录内的读者查询表格，填上正确查询编号后寄回便可。

至誠爲您推出優質、前衛產品

○三○○類菊花牌悅亮漆(內、外牆)

○三○○類菊花牌悅亮漆(內、外牆)祇需用清水及洗潔精等清洗便能使到這種漆膜不受油污、手指印及霉菌等沾污。若漆膜被小孩手指印、食物或湯汁等弄污，只要用清水及普通洗潔精清洗便可。這具有粉飾作用的漆油，亦同時提供全面的保護性能。

這種性能優越的漆膜只需用最簡單的施工方法，便可一勞永逸、輕而易舉。塗髹時，可使用普通的油掃或滾輪。稀釋或清洗工具時，用清水便可。要親力親爲粉飾家居而又能達到專業水準的效果，則非用菊花牌悅亮漆(內、外牆)不可了。



971327d



○七○○類菊花牌防霉乳膠漆(內、外牆)

空氣潮濕、不流通或缺乏陽光，常會導致內、外牆發霉，發霉的牆壁不單只有礙觀瞻及不合衛生，更會對您的健康構成威脅。選擇正確的漆油能使您避免這個頭痛問題的發生。中華製漆(一九四六)有限公司有見及此，特別爲您介紹其轄下科技發展部所研究出的○七○○類菊花牌防霉乳膠漆，適用於室內室外的批灰、三合土、磚牆及木面。經美國BUCKMAN實驗室檢定證明○七○○類的防霉性能已符合美國ASTM D-3273-73T 檢定方法的最高防霉標準。菊花牌防霉乳膠漆是一綜合最佳保護功能和粉飾作用的優質產品。○七○○類五彩繽紛的顏色要爲您的家居粉飾得煥然一新。



China Paint 中華製漆

中華製漆(1946)有限公司

香港九龍觀塘道四一六號 電話：三·八九九二五五

電報：54224 PAINT HX 電掛："CHIPAINTCO"香港



中国建筑学会

序 言

建筑业是国民经济的一个重要产业部门。新中国建立三十七年来，建筑业已向全国提供了大量的各类房屋建筑。特别是近年来，我国实行“对内搞活经济，对外开放”政策，深入开展经济体制改革，使整个国民经济出现了持续、稳定、协调发展的局面。因而对建筑业的发展也提出了新的挑战。

近几年，我国城乡建筑建造量每年都以十亿平方米计。根据我国第七个五年计划和九十年代经济振兴的要求，今后十五年间，全国房屋建筑建造量，每年将有增无减，并且由于经济的发展和人民生活水平的逐步提高，人们对于房屋建筑的标准、质量和功能都将提出越来越高的要求，对于建筑式样、风格和形体环境也要求日益丰富多彩，并体现出时代的特征。

建筑材料和建筑设备都是建筑业发展的重要物质基础。对此，我国政府和建筑工作者都非常重视和关心，同时也非常需要了解国际上的信息 and 市场情况，以利于开展这方面的技术合作和促进经济贸易往来。《国际建筑材料及设备目录》的编辑出版，将对此做出积极的贡献，并且必将受到国内外广大从事建筑设计、施工、科研、教学的单位和建筑产品厂商，以及其他建筑工作者的热忱欢迎，从中获得莫大裨益。

许溶烈

中国建筑学会副理事长兼秘书长
中国城乡建设环境保护部总工程师

许溶烈

一九八六年六月十五日

The Architectural Society of China

P R E F A C E

The construction industry is an important section of the national economy. Since the founding of the People's Republic of China 37 years ago, large amount of various buildings have been constructed all over China. In recent years, China has implemented the policy of "invigorating domestic economy and opening to the outside world" and underwent economic structure reform. As a result, there appeared a promising situation in which the national economy developed continuously, steadily and in a well coordinated way. We are, therefore, facing a new challenge in the development of the construction industry.

In recent years, the yearly output of buildings in cities and rural areas amounts to 1,000,000,000 square metres. According to the targets of China's 7th Five-Year Plan and the expected economic promotion in the nineties, the yearly output of building construction in the next 15 years, will increase, but not decrease. The inhabitants' demands for better quality and functions in buildings will be higher than before due to economic progress and the gradual raising of their living standard. People need a wide variety of architectural forms, styles and physical environment based on current trends.

The Chinese government and construction professionals pay great attention to building materials and construction equipment which are the important material base on which the construction industry develops. It is important for them to collect international information on marketing etc. so as to facilitate the development of technical co-operation and the promotion of economic and trade relationships. The editing and publishing of "Modern Construction" — an International Building and Construction Directory for China will therefore contribute to this end and be welcomed by professional organizations in the architectural, design, construction, research and education circles, as well as by building products manufacturers both in China and abroad who will no doubt benefit from it.



徐荣烈

Xu Ronglie
Vice President, Secretary General, the
Architectural Society of China
Engineer-in-Chief, Ministry of Urban and
Rural Construction and Environmental
Protection, P. R. of China

Why some of the world's finest hotels specify American Standard plumbing fixtures!

It's a matter of long-lasting quality, practicality, reliability and beauty. And these distinctive products offer architects, specifiers and contractors everything they look for when planning new installations or renovating older ones. Just contact us for details.

American Standard Export Division, P.O. Box 200, New Brunswick, New Jersey 08903 USA.



ROMA 5 1/2 WHIRLPOOL. 1524mmx1067mmx406mm. Acrylic. Six multi-directional jets. Oval bathing well with slip-resistant surface, back support, and beveled headrest.

Telex: RCA 235 729. Cable: Amstandex New Brunswick. Hong Kong Showroom: ACME SANITARY WARE CO., LTD.,

益美洁具有限公司

香港九龙南京街22-28号益美大厦地下
Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong.
Phone: 3-302325, 3-887171.



**AMERICAN
STANDARD**
Export Division



BILDOR RECESS BATH. Available with right or left outlet. A wide tub for small areas. With toiletry ledge and slip-resistant surface. Enameled cast iron. 1524mmx762mmx356mm. 1372mmx762mmx356mm.



SPECTRA BATH. Available with right or left outlet. 1524mmx813mmx406mm. classic design in a standard-size tub. Enameled cast iron with slip-resistant surface. Back support and beveled headrest.



LEXINGTON. Low-profile tank. Saves water. High quality vitreous china.



ROMA II WATER SAVER. One-piece design. Elongated bowl. quiet and efficient. Vitreous china.



CADET ELONGATED. Our most popular model. Siphon jet flushing. Genuine vitreous china.



AQUALYN COUNTERTOP LAVATORY. 508mmx432mm. Oval elegance for small space. Self-rimming in vitreous china.



OVALYN COUNTER LAVATORY. Available in various sizes. Perfect for installation under marble or wood countertops. Quality vitreous china.

Contents

目 次

Building & Construction Products	
建筑与施工用产品	15
Professional Services	
专业服务	233
Company Profiles	
公司简介	251
Company Master Index	
公司名录总索引	271
Trade Name Index	
商品名称索引	283

IMPORTANT

※ 9006—026 ※

The above is a sample of the "Reader Inquiry No" accompany all advertisements and listings shown in this directory. To obtain FREE product/service literature on any companies, please enter the relevant Reader Inquiry No(s) on the READER INQUIRY CARDS located inside the book and mail it TODAY.

需 知

※ 9006—026 ※

本目录内刊出的广告及名录索引，均附有读者查询编号。上述9006—026 仅为示范查询编号，如欲免费获知有关公司的任何产品/服务资料，请利用目录内的读者查询表格，填上正确查询编号后寄回便可。



家具及地毯



塑胶地材

美国阿姆斯壮远东区总公司：
 香港中区德輔道中161—167号香港贸易中心21楼2102室
 电话：5-455145
ARMSTRONG AWI LTD. HONG KONG
 RM. 2102, HONG KONG TRADE CENTRE, 161-167 DES VOEUX RD.

美国阿姆斯壮公司于1860年在美国宾夕凡利亚州成立，经百多年的创新及改良，本公司以生产高品质饭店家具，防火吸音矿纤天花平顶，防火防静电地毯及塑胶地材而驰名于世，备受欢迎。国内颇多重要工程，均采用阿姆斯壮之室内建材。（请参阅案例）

- 北京长城饭店
- 北京京伦饭店
- 北京国际饭店
- 上海联谊大厦
- 上海华亭宾馆
- 南京金陵饭店
- 南京大学
- 广州花园酒店
- 珠海商业城
- 深圳海丰苑

Armstrong

美国著名高品质饭店家具，隔音天花平顶，
防潮防污地毯及无石棉塑胶地材制造商

一级大饭店采用 一级室内建材 相得益彰



天花平顶

中空玻璃

INSULATING GLASS

隔音 防霜露

绝热 防阳光

中空玻璃是现代建筑材料中一枝极其鲜丽的奇葩，它可以两片或多片性质相同或不同的玻璃加工而成，具有多种功能，同时使建筑体悦目壮观。

本公司生产过程由电脑控制，产品质量符合世界先进标准，欢迎国内外用户惠顾。

本公司并可提供玻璃门窗、玻璃幕墙、玻璃天棚等配套工程。

光学性能（根据所选用的玻璃原片而不同）：

可见光透过率：10~80%

光反射率：25~80%

总透过率：25~50%

隔热值：1.6~3.4W/m²·℃

一般可降低噪音：39~44分贝

中空玻璃内部露点：-40℃以下

GHA

深圳光华中空玻璃联合企业公司

SHENZHEN GUANG HUA INSULATING GLASS JOINT VENTURE COMPANY

地址：广东省深圳市水贝工业区
电话：23426
电挂：3788 SHENZHEN

MODERN CONSTRUCTION

国际建筑材料及设备目录

The International Building & Construction Directory for China

一本为中国编印的国际建筑业名录

1986/87

Published Annually by Vision Press (China) Publications Ltd.

1811, Hong Kong Plaza,

186-191, Connaught Road, West, Hong Kong.

Telephone: 5-477559

Telex: 61758 TATCO HX

Publisher:
M. Mohindar

Project Director:
Allan Ma

Group Marketing Director:
Lina Ross

Editorial Board:
Suresh Sharma
Danny So Tao Ho David Lung
Julia Fung Suen Mau Hing Iris Ha

Production Manager:
Timothy Wong

Asst. Production Manager:
Ross Wu Ruby Ho

出版人：
毛显达

统筹策划：
马家伦

广告业务总监：
马家叙

编辑：
Suresh Sharma
苏志明 何骏 龙炳怡
冯月珊 孙茂馨 夏洁仪

制作经理：
黄继添

助理制作经理：
胡维洪 何宝钊

Consultants:
The Architectural Society of China
Bai Wan Zhuang, West District, Beijing
The People's Republic of China
Telephone: 8992559
Telex: 22477 CSCEC CN

Zhang Zugang
Senior Architect
Deputy Secretary-General
The Architectural Society of China

Shao Huayu
Engineer
Director Technical Activities Department
The Architectural Society of China

Bo Gupei
Deputy Director
Science & Technology Consulting Centre
The Architectural Society of China

咨询：
中国建筑学会
中华人民共和国北京西郊百万庄
电话：8992559
电传号：22477 CSCEC CN

张祖刚
高级建筑师
中国建筑学会副秘书长

邵华郁
工程师
中国建筑学会学术部主任

薄贵培
中国建筑学会
科技咨询中心副主任

Copyright© 1986 by Vision Press (China) Publications Ltd. All rights reserved. Reproduction in whole or in part, without permission of the publisher is prohibited.

Accuracy: While every effort has been made to make this directory comprehensive and accurate, the publisher can not accept any liability for omission and/or errors.


此目录版权属 Vision Press (China) Publications Ltd 1986 所有。未经出版人许可，不得翻印或抄袭目录全部或部份内容。

本目录在筹备出版期间，所刊列机构资料及地址均力求广泛精确，如有任何遗漏及(或)错误，出版人毋需负任何责任。

中国建材机械部分产品介绍

高铬铸球

High chromium casting balls



机械性能：冲击韧性(α_K) 单位 $\text{kg} \cdot \text{M}/\text{mm}^2$
0.3—1.2

规格： $\phi 30$ 、 $\phi 40$ 、 $\phi 50$ 、 $\phi 60$ 、 $\phi 70$ 、 $\phi 80$
、 $\phi 90$ 、 $\phi 100$ 、 $\phi 110$ 、 $\phi 125$


生产厂家：唐山水泥机械厂

Mechanical performance:
Impact strength (α_K) unit $\text{kg.M}/\text{mm}^2$ 0.3 — 1.2
Size: $\phi 30$, $\phi 40$, $\phi 50$, $\phi 60$, $\phi 70$, $\phi 80$, $\phi 90$,
 $\phi 100$, $\phi 110$, $\phi 125$.

Producer:
Tang Shan Cement Machinery Factory.

中卸烘干原料磨

Control discharge raw material drying/grinding mill



规格： $\phi 3.5 \times 10\text{M}$ 球磨机

生产能力：T/H 70

单机重量：141T

生产厂家：唐山水泥机械厂

沈阳水泥机械厂

Size: $\phi 3.5 \times 10\text{m}$ ball mill

Capacity: 70t/h

Weight: 141t.

Producer:

Tang Shan Cement Machinery Factory.

Shen Yang Cement Machinery Factory.

An Introduction to China's Building and Construction Machinery

电式收尘机

Electrical dust collector



规格: 3M^2 、 5M^2 、 10M^2 、 15M^2 、 20M^2 、 30M^2 、 40M^2 、 50M^2 、 60M^2 、 70M^2 、 85M^2 、 92.4M^2
性能: 除尘效率 98—99%
适宜风量范围: $30000\text{M}^3/\text{H}$
风速: 0.5—3 米/秒
阻力: 10—20 毫米水柱
粉尘类别: 各种干粉尘
各种非纤维性干粉尘
粉尘粒径: >0.01 (微米)
粉尘浓度: <60 克/米³
耐温: <350 <80

生产厂家: 平顶山电收尘厂 西安矿山机器厂

Size: 3m^2 , 5m^2 , 10m^2 , 15m^2 , 20m^2 , 30m^2 , 40m^2 , 50m^2 , 60m^2 , 70m^2 , 85m^2 , 92.4m^2
Performance: Collecting ratio: 98 — 99%
Suitable wind volume range: $300,000\text{m}^3/\text{H}$
Windspeed 0.5 — 3 m/second.
Resistance: 10 — 20 mm Aq
Dust category: various dry dust, various dry non-fabric dust.
Diameter of dust grain (μ): >0.01
Dust concentration g/m³: <60
Temperature: <350 <80
Producer: Ping Ding Shan Electrical Dust Collector Factory.
Xi An Mining Machine Factory.

窑外分解窑

Kiln with precalcinator



正在建设中的江西万年水泥厂窑尾预热器 (73.5M) 和 $4 \times 60\text{M}$ 回转窑


窑的生产能力: $1.75\text{T}/\text{M}^3 \cdot \text{D} - 2.3\text{T}/\text{M}^3 \cdot \text{D}$
单位热耗: 800—920 千卡/公斤熟料
配套窑型: $\phi 3 \times 48\text{M}$
 $\phi 4 \times 60\text{M}$
生产厂家: 上海新建机器厂
唐山水泥机械厂
沈阳水泥机械厂

Output capacity of kiln:
 $1.75\text{T}/\text{m}^3 \cdot \text{D} - 2.3\text{T}/\text{m}^3 \cdot \text{D}$
Heat consumption: 800 — 920 Kcal/kg clinker
Kiln Size: $\phi 3 \times 48\text{m}$, $\phi 4 \times 60\text{m}$
Producer:
Shanghai New Building Machine Factory.
Tang Shan Cement Machinery Factory.
Shen Yang Cement Machinery Factory.

中国建材机械部分产品介绍

水泥抗折试验机

Bending Testing Machine




型 号：SKZ-500型数显抗折试验机
DKZ-500型电动抗折试验机
技术数据：最大击力：单 杠杆时100kg
双 杠杆时500kg
击力误差： $\pm 1\%$
加荷速度：(双杠杆) 5kg/秒
抗折夹具：加荷辊及支撑辊直径 $\phi 10\text{mm}$
支撑辊距 $100 \pm 0.1\text{mm}$
隔板间距 46mm
生产厂家：无锡建筑材料仪器机械厂

Bending Testing Machine by figuring, Type SKZ-500; Electrical Bending Testing Machine, Type DKZ-500 Technical data:

Max output force:
single lever 100 kg, double lever 500 kg.
Output force tolerance: $\pm 1\%$
Loading speed (double levers) 5 kg/second
Bending clamping apparatus:
Diameter of loading rollers and supporting rollers: $\phi 10\text{mm}$.
Supporting roller distance: $100 \pm 0.01\text{mm}$.
Distance between partition boards: 46mm
Producer:
Wu Xi Building Material Instrument Machinery Factory.

预应力钢筋混凝土电杆钢模

Steel model for prestressed reinforced concrete poles



小端直径mm	长度mm
产品规格: $\phi 150$	7000 8000 9000 10000
	12000 15000
$\phi 190$	9000 10000 12000 15000

生产厂家：无锡建筑材料机械厂
常州建设备厂
泰州建材机械厂


Size: diameter of small end (mm)	length (mm)
$\phi 150$	7000
$\phi 150$	8000
$\phi 150$	9000
$\phi 150$	10000
$\phi 150$	12000
$\phi 150$	15000
$\phi 190$	9000
$\phi 190$	10000
$\phi 190$	12000
$\phi 190$	15000

Producer: Wu Xi Building Material Machinery Factory.
Chang Chou Building Material Equipment Factory.
Tai Chou Building Material Machinery Factory.

An Introduction to China's Building and Construction Machinery

粘土砖挤出机

Extruder




规格: 280 350 360 410 500
设计能力(块/时): 2500 6000-8000 / 8000-10000
10000-13000 10000-14000
功率: 30Kw 40Kw 55Kw 55Kw 75Kw
生产厂家: 秦皇岛建材机械厂 哈尔滨建材机械厂
北京建材机械厂 信阳建材设备厂
武汉建材机械厂 湖南省建材机械厂
无锡利农砖瓦机械厂

Size: 280, 350, 360, 410, 500.
Designing capacity (P/h): 2500, 6000-8000,
8000-10000, 10000-13000, 10000-14000.
Power: 30kw, 40kw, 55kw, 55kw, 75kw.
Producer:
Qin Huang Dao Building Material Machinery
Factory.
Beijing Building Material Machinery Factory.
Wu Han Building Material Machinery Factory.
Wu Xi Li Nong brick and tile Machinery Factory.
Ha Er Bin Building Material Machinery Factory.
Xin Yang Building Material Equipment Factory.
Hu Nan Building Material Machinery Factory.

混凝土压力试验机

Compressive strength testing machine for concrete



规格: NYL-30 NYL-50 NYL-60 NYL-200D型
最大载荷: 30T 50T 60T 200T
测力示值精度: $\pm 1\%$ $\pm 2\%$ $\pm 2\%$ $\pm 2\%$
生产厂家: 无锡建筑材料仪器机械厂

Specifications:
NYL-30, NYL-50, NYL-60, NYL-200D
Max Loading:
30T, 50T, 60T, 200T
Instrument accuracy: $\pm 1\%$, $\pm 2\%$, $\pm 2\%$, $\pm 2\%$.
Producer:
Wu Xi Building Material Instrument
Machinery Factory.

美国联和公司

技术超群

设计独到/施工精细/服务忠诚



美国联和公司不
单是一间历史悠久、
名闻遐迩的建材供应
公司；它所提供的专
业性技术咨询与服务
也是有口皆碑、享誉全球的。

从设计构思，到建材选用，
以至施工建造，美国联和公司
经验丰富的工程师及技艺熟练
优秀的技术工人整体为您提供
一系列完美无瑕的服务。

积极进取精神与先进
工程技术是我们专业性服务的基础！



美国联和公司的工
程管理人员和建筑设计师
们合作无间，能够确保完成
设计师的构想及发展商的工程预
算。

美国联和公司不但在施工方
面选用国际著名厂商提供的最优
质产品；而且还将丰富的销售服
务经验与最先进的科技知识高度
结合起来；针对您的具体工作需
求，向您提供具体的意见！

作为世界最优质建材的供应
商，美国联和公司能够使建筑师
与发展商们选购到最尖端产品。
由于积累了大量产品技术资料以
及使用经验，我们已成为最全面

SIMPLEX

*Spider
Staging*

Modernfold

**FLOATING
FLOORS®**

Peabody Noise Control

GARTNER

Ceco

**OWENS/CORNING
FIBERGLAS
TRADEMARK®**

BALCO

AMPCO

ECLIPSE
Reflective Glass

**LOF
GLASS**

RUSSWIN

Kawneer

的产品性能专家。这种独有
的产品知识可直接使客户和
发展商受益。

提供全面性
服务使我们赢得客户的信任。



当工程完成后，
美国联和公司将随时
准备为您提供一切维
修保养服务！

如果您的工程需
要咨询，请按下列地
址与我公司驻香港代
表符均先生或者新加
坡代表陈家俊先生联
系。

欲悉有关美国联和公司及其业务的详情，请填上姓名、单位名称和
地址寄来本公司，我们会把有关资料寄给你。

姓名：

单位名称：

地址：

电话：



美国联和(香港)有限公司 香港中环都爹利街六号印刷行六楼 电话:5-251169 电传:86052 BFIHK HX
新加坡分公司 14 卡尔巷 裕廊 新加坡 2262 电话:8617277 电传:RS 50547 BFSPL

Building & Construction Products

建筑与施工用产品

This section lists product suppliers alphabetically under classified product headings. Each supplier listing contains company name, address, trade/brand names, telephone, telex, cable and specific products supplied. Classified product headings are indexed according to the six product divisions shown on the following pages.

此部份将各建筑与施工用产品供应商名字，在产品分类标题下，依英文字母排列次序列出。各供应商的名录，包括公司名称、地址、商品名称／商标、电话号码、电传号码、电报挂号以及所供应的特定产品。产品类别标题，依据后页所载六种产品分类而编排。