



WORKING TOGETHER
TO HELP PROTECT THE
WORLD'S FRESHWATER
RESOURCES

HSBC 
The world's local bank

WETLAND RESTORATION: SHANGHAI DALIAN LAKE PROJECT


Shuqing An limin Wang



Science Press
Beijing

Wetland Restoration: Shanghai Dalian Lake Project

Shuqing An Limin Wang



 Science Press
Beijing

Responsible Editors: Jinyi Gu, Dan Zhou

Copyright ©2013 by Science Press
Published by Science Press
16 Donghuangchenggen North Street
Beijing 100717 P. R. China

Printed in Beijing

All right reserved. No part of the material by this copyright notice may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, or by any information storage and retrieval system, without written permission from the copyright owners.

ISBN 978-7-03-040057-4

Foreword

I am glad to hear the book titled by “Wetland Restoration— Shanghai Dalian Lake Project” would be published very soon. Dalian Lake restoration project is a water source rehabilitation demonstration project launched by our cooperative partner, *i.e.*: World Wide Fund for Nature (WWF), under the support of the “HSBC Climate Partnership” program; in sense of the concerns about the drinking water safety of the megalopolis Shanghai, the project was launched for trying to solve the agricultural non-point source pollution and domestic community pollution in the water source area.

As the sponsor of the project, I was lucky to make a personal survey on the project in the field of Dalian Lake, and I am impressed on it: after rehabilitation, the wetland has not only the beautiful environment, but also the clean water source; the local communities participated in the water source area protection by launching the organic agriculture, which realized the win-win of water source protection and economic benefit. Such “1+1 partner in water source area” mode, namely the mode that attracts and absorbs the local communities, government, experts, NGO and enterprises to participate in, is very worthy of popularization for wetland rehabilitation, organic agriculture popularization and urban water source purification.

I am also glad to hear that the project had won multiple honors after it was implemented successfully, such as “the 1st occasion of Shanghai award for protection of mother river”, “Excellent Proposal Award of Shanghai Municipal CPPCC” and “Best Project of the 1st Occasion of Foundation for Guangcai Program”. I think this is the affirmation of the government and all circles in the society for the achievements of Dalian Lake project.

In June 2012, HSBC launched a new round of 5-year-term “HSBC Water Resource Program” with WWF and other cooperative partners, aiming to jointly boosting the protection, preservation and sustainable utilization of the water resources in the middle and lower reaches of the Yangtze River. We believe that the future of the Yangtze River basin is very important to the economic growth of China. By being established in enterprise’s sustainable development, HSBC is willing to boost the harmonious and healthy development of economy, community and enterprise with our cooperative partner WWF through species protection, wetland restoration, enterprise’s participation in water management, environmental friendly fishery industry and integrated watershed management, and then finally help out the green transformation of the Yangtze River basin.

To invest in water is to invest in future; I am herein sincere to express my best wishes for the publishing of the book.

Bijuan Huang

President & Chief Executive Officer
HSBC Bank (China) Company Limited

October 2013

Preface

After Jiangsu Jiangyan Qin Lake “Wetland Forum” conference was convened in April 2008, Dr. Wang Limin, the deputy director of World Wild Fund For Nature (WWF) China Programme Implementation and the director of World Wild Fund For Nature (WWF) Shanghai Programme Office came to my laboratory in Nanjing University for visiting and communication. Dr. Wang was impressed on the achievements of the wetland restoration engineering completed by the ecology department of Nanjing University; after that, Dr. Wang invited me and my wetland restoration engineering team to go to Shanghai Dianshan Lake for conducting the similar scientific research works so as to finally make a contribution to the protection of the water source area of Huangpu River in Shanghai City.

With the support of HSBC Climate Partnership China Programme, the wetland restoration engineering team of Nanjing University conducted a systematic and detailed survey in sense of the ecological environment, social economy and natural geography in Shanghai Dalian Lake, the area where the programme will be launched and its surrounding area in July 2008, and prepared the *Feasibility Study Report on Science & Technology Demonstration Programme for Shanghai Dalian Lake Wetland Restoration*. On such basis, with the vigorous supports of Shanghai Lake Construction and Development Co., Ltd. (formerly Shanghai Dianshan Lake Development Co., Ltd.) and Shanghai Administration for Afforestation and City Appearance, the wetland restoration engineering team of Nanjing University completed the *Protection Planning for Wetland Restoration and Water Source Area in Shanghai Dalian Lake* (2000 mu^①), *Construction Scheme design for Shanghai Dalian Lake Wetland Restoration* (625mu), and *Shanghai Dalian Lake Wetland Restoration Engineering Based on Community Participation* (150 mu). Among which, the first two were sponsored by Shanghai Municipal Development & Reform Commission and were almost completed; the last one was sponsored by WWF; which is the first “tough” subject in the field of engineering in the sponsorship history of WWF.

With the active collaboration and assistance of the relevant departments of Shanghai Municipality, Qingpu District Government and its related organizations, the 150 mu wetland restoration engineering has achieved satisfactory results. The acceptance & summary conference was convened in September 2010. At that time, the “Water Source Area Forum” was held in WWF exhibition hall of Shanghai Expo., which was highly acclaimed by the leaders and experts of State Forestry Administration, State Water Resources Administration, Ministry of Environmental Protection and relevant departments of Shanghai Municipal

① 1mu≈667m²

Government. The senior experts of WWF International, WWF Britain, WWF China, HSBC, and the external senior assessment experts were respectively invited to visit the construction field and make the field monitoring during the construction period; after hearing reports, all experts recognized and commented the project highly, and thought that the project was an example for the ecological rehabilitation of water resource area in megalopolis, and it was leading in the world and had the far-reaching significance.

This book is compiled on the basis of the above projects. This book provides a detailed description for every stage of the wetland restoration project, including the wetland background investigation, overall planning of wetland rehabilitation, detailed design, project construction, tracking, monitoring and assessment of engineering results. Upon the living example of Shanghai Dalian Lake Wetland restoration project, the book furnishes the first-hand data for the wetland restoration project construction and provides a complete and integral narration for the overall implementation process of the wetland restoration project. This book can be used as the reference for the similar wetland restoration project in future.

Shuqing An
December 2013

Acknowledgement

By integrating with the wisdom of Shanghai Huangpu River water resource area protection team and the selfless dedication of all partners, the book, *i.e.: Wetland Restoration: Shanghai Dalian Lake Project*, will be published. With the highly and sincerely appreciation, I'd like to thank all institutions and individuals that support and care about the programme on behalf of all team members herein.

Shanghai Administration for Afforestation and City Appearance: Youming Cai, Yimin Xie, Zhitong Zhang and Cheng Xue.

Shanghai Lake Construction and Development Co., Ltd.: Jinhua Shen, Ruiyun Zhang, Shuigen Chen, Xiaowei Zhang and Chunhua Chen.

Shanghai Wild Animal & Plant Protection and Management Station: Enle Pei, Shuzhong Xia.

Shanghai Fishery Machinery & Instrument Research Institute Chinese Academy of Fishery Sciences: Xingguo Liu.

School of Life Sciences East China Normal University: Tianhou Wang.

Shanghai Garden Science Research Institute: Xinhong Cui.

Shanghzai Academy of Environmental Sciences: Xianggen Shen, Yuchi Huang.

Shanghai Oasis Ecological Protection Exchange Center: Bing Li, Siwei Chen.

Shanghai Huangpu River Water Source Area Protection Team

World Wild Fund For Nature

Nanjing University

Fudan University

Shanghai Jiao Tong University

Table of Contents

Foreword

Preface

Acknowledgement

| | |
|--|----------|
| Part One Project Implementation Background..... | 1 |
| Chapter 1 Locational Features of Dalian Lake | 3 |
| 1.1 Geographical Location | 3 |
| 1.2 Natural Conditions | 5 |
| 1.3 Social Economic Conditions | 7 |
| Reference..... | 10 |
| Chapter 2 Regional Evolution of Dalian Lake | 11 |
| 2.1 Regional Wetland Type..... | 11 |
| 2.2 Regional Wetland Biology..... | 12 |
| 2.2.1 Plankton | 12 |
| 2.2.2 Aquatic vascular bundle plants | 14 |
| 2.2.3 Zoobenthos..... | 15 |
| 2.2.4 Fishes | 16 |
| 2.2.5 Birds..... | 17 |
| 2.2.6 Animals..... | 17 |
| 2.2.7 Endangered rare species..... | 17 |
| 2.2.8 Invasive species | 17 |
| 2.3 Regional Wetland Evolution | 17 |
| 2.3.1 Kinds of phytoplankton and evolution of dominant species..... | 18 |
| 2.3.2 Kinds and quantity evolution of zooplankton..... | 18 |
| 2.3.3 Type, quantity and distribution evolution of aquatic vascular bundle plants | 19 |
| 2.3.4 Type, quantity distribution and evolution of bentonic organism | 20 |
| 2.3.5 Composition, distribution characteristics and aquatic product types of fishes in Dianshan Lake..... | 21 |
| Reference..... | 22 |
| Chapter 3 Characteristics of Hydrologic Environment | 24 |
| 3.1 Hydrologic Characteristics..... | 24 |
| 3.2 Physical and Chemical Characteristics of Water Environment | 26 |
| 3.3 Biological Characteristics of Water Environment | 30 |
| 3.3.1 Density of phytoplankton..... | 30 |
| 3.3.2 Chlorophyll <i>a</i> Content of Phytoplankton in Dalian Lake | 30 |
| 3.3.3 Density of zooplankton..... | 30 |
| 3.3.4 Density of zoobenthos and biomass in Dalian Lake..... | 31 |

| | | |
|-----------------|--|-----------|
| Chapter 4 | Analysis on Pollution Source..... | 32 |
| 4.1 | Internal Source Pollution..... | 32 |
| 4.2 | Non-point Source Pollution..... | 35 |
| 4.2.1 | Farm chemical fertilizer pollution | 35 |
| 4.2.2 | Animal husbandry pollution | 35 |
| 4.2.3 | Fishery breeding pollution..... | 35 |
| 4.3 | Point Source Pollution..... | 35 |
| 4.3.1 | Pollution by rural life..... | 35 |
| 4.3.2 | Pollution by industries | 36 |
| | Reference..... | 36 |
| Part Two | Project Planning, Design and Construction..... | 37 |
| Chapter 5 | Wetland Restoration Strategy | 39 |
| 5.1 | Evaluation on Status of Dalian Lake Wetland | 39 |
| 5.1.1 | Analysis on ecological functions of Dalian Lake wetland | 39 |
| 5.1.2 | Integrated evaluation on status quo of Dalian Lake wetland..... | 42 |
| 5.2 | Wetland Restoration Thinking | 43 |
| 5.2.1 | Effect after Dalian Lake wetland is rehabilitated | 43 |
| 5.2.2 | Restoration strategy of Dalian Lake wetland..... | 45 |
| 5.2.3 | Management measures of wetland..... | 46 |
| 5.3 | Philosophy and Principle for Planning and Designing on Wetland Restoration Project | 47 |
| 5.3.1 | Design philosophy of wetland restoration | 47 |
| 5.3.2 | Design principle of wetland restoration..... | 48 |
| 5.4 | Overall Planning for Wetland Restoration Project..... | 49 |
| 5.4.1 | Project and its significance | 49 |
| 5.4.2 | Project planning objective and overall thinking | 50 |
| 5.4.3 | Planning content and scale of project | 51 |
| 5.4.4 | Anticipated effect of project | 52 |
| | Reference..... | 54 |
| Chapter 6 | Wetland Restoration Project Layout and Subarea Design..... | 56 |
| 6.1 | General Engineering Layout | 56 |
| 6.2 | Engineering Subarea Design | 58 |
| 6.2.1 | Design of wetland restoration and reconstruction area..... | 58 |
| 6.2.2 | Design of forest wetland cultivation area | 65 |
| 6.2.3 | Design of shoal wetland restoration and diversity conservation area | 67 |
| 6.3 | Water Conservation and Earthwork Design of the Project | 69 |
| 6.3.1 | The work conservation design of the project..... | 69 |
| 6.3.2 | Earthwork project | 74 |
| Chapter 7 | Other Designs for Wetland Restoration Project | 75 |
| 7.1 | Construction Organization Design..... | 75 |
| 7.1.1 | Engineering conditions | 75 |
| 7.1.2 | Drained waters in construction period..... | 76 |
| 7.1.3 | Construction methods | 76 |

| | | |
|-----------|--|-----|
| 7.1.4 | Construction layout..... | 77 |
| 7.1.5 | Soil balance..... | 78 |
| 7.1.6 | Construction area | 79 |
| 7.1.7 | Construction progress | 79 |
| 7.1.8 | The main machinery equipment for the construction | 80 |
| 7.1.9 | The main technical and economic indexes for the construction..... | 80 |
| 7.2 | Environment Protection Design | 80 |
| 7.2.1 | Environment protection goals..... | 80 |
| 7.2.2 | Environment protection standard..... | 81 |
| 7.2.3 | Analysis and appraisal for the affection of project construction on environment..... | 81 |
| 7.2.4 | Environment protection design | 84 |
| 7.2.5 | Environmental management and monitoring plan..... | 86 |
| 7.3 | Water and Soil Conservation Design | 87 |
| 7.3.1 | Design basis | 87 |
| 7.3.2 | Fundamental principle | 87 |
| 7.3.3 | The status quo of water and soil loss | 88 |
| 7.3.4 | Earthwork balance | 88 |
| 7.3.5 | The responsibility scope and subarea of water and soil loss prevention and control | 88 |
| 7.3.6 | The analysis of the affection of development and construction activities on water and soil loss..... | 89 |
| 7.3.7 | The goal of water and soil loss prevention and control | 90 |
| 7.3.8 | Measures of water and soil loss prevention and control..... | 90 |
| 7.3.9 | Water and soil loss monitoring | 92 |
| 7.4 | Project Management and Maintenance | 92 |
| 7.4.1 | Management institution and personnel composition | 92 |
| 7.4.2 | Management scope and contents | 93 |
| 7.4.3 | Water quality monitoring and biological investigation | 93 |
| 7.4.4 | Annual operation and management cost..... | 94 |
| 7.4.5 | Project operation and management..... | 94 |
| 7.4.6 | Planting and management methods of wetland plants..... | 95 |
| 7.4.7 | Management laws and regulations..... | 98 |
| Chapter 8 | Construction and Management of the Project..... | 99 |
| 8.1 | Construction Overview of the Project..... | 99 |
| 8.1.1 | Basic state of the project..... | 99 |
| 8.1.2 | Construction characteristics of the project..... | 99 |
| 8.1.3 | Overall construction layout..... | 99 |
| 8.2 | Construction Organization and On-site Management..... | 100 |
| 8.2.1 | Construction organization structure..... | 100 |
| 8.2.2 | Construction on-site management | 101 |
| 8.3 | Construction Solution of the Project..... | 102 |
| 8.3.1 | Main construction procedure | 102 |
| 8.3.2 | Construction preparation and temporary facilities..... | 102 |
| 8.3.3 | On-site clean up | 103 |

| | | |
|--|---|------------|
| 8.3.4 | Earthwork digging and refilling..... | 104 |
| 8.3.5 | Quick percolation system filling..... | 105 |
| 8.3.6 | Plant planting..... | 105 |
| 8.4 | Construction Progress and Guarantee System of the Project..... | 105 |
| 8.4.1 | Construction progress and the goals of construction period..... | 105 |
| 8.4.2 | Quality guarantee system and guarantee measures of the project..... | 105 |
| 8.4.3 | Safety guarantee system and safety guarantee measures..... | 107 |
| 8.4.4 | Technical measures of the construction in winter and monsoon..... | 108 |
| 8.4.5 | On-site civilized construction measures..... | 109 |
| 8.4.6 | Construction management and others..... | 109 |
| 8.5 | Supervision of the Project..... | 109 |
| 8.5.1 | Supervision goals and guidance..... | 109 |
| 8.5.2 | Supervision institution..... | 111 |
| 8.5.3 | Task and method of investment control..... | 112 |
| 8.5.4 | Tasks and methods of progress control..... | 112 |
| 8.5.5 | The tasks and methods of quality control..... | 113 |
| 8.5.6 | The supervision method of defect responsibility period..... | 114 |
| Part Three Effect Monitoring and Appraisal | | 115 |
| Chapter 9 Wetland Water Quality Monitor and Appraisal | | 117 |
| 9.1 | The Water Quality Monitoring Layout and Appraisal Methods of the Project..... | 117 |
| 9.1.1 | Monitoring layout and time..... | 117 |
| 9.1.2 | Water quality monitoring and appraisal methods..... | 118 |
| 9.2 | The Monitoring Results of the Water Quality of the Project..... | 119 |
| 9.2.1 | The physical property of the water..... | 119 |
| 9.2.2 | The chemical property of water..... | 121 |
| 9.2.3 | The biological nature of water..... | 126 |
| 9.3 | Other Monitoring Results of Wetland..... | 129 |
| 9.3.1 | Monitoring results from commissioned unit..... | 129 |
| 9.3.2 | Monitoring results from other units..... | 130 |
| Reference..... | | 134 |
| Chapter 10 Benefit Appraisal of the Wetland | | 135 |
| 10.1 | The Ecological and Environmental Benefit of the Project..... | 135 |
| 10.1.1 | Ecological benefit..... | 135 |
| 10.1.2 | Environmental benefit..... | 136 |
| 10.2 | Social and Economic Benefit of the Project..... | 137 |
| Reference..... | | 138 |
| Appendix | | 139 |
| Appendix 1..... | | 141 |
| Appendix 2..... | | 147 |
| Attachment 2.1 Environment Quality Standard for Surface Water of the People's Republic of China | | 147 |

| | |
|---|-----|
| Attachment 2.2 The Implementation Guidelines of the Protective Regulations of the Water Source of the Upper Reaches of Huangpu River in Shanghai | 159 |
| Appendix 3..... | 169 |
| Postscript & Testimonials..... | 199 |

Part One Project Implementation Background

