

Diagnostic  
Bacteriology  
Schaub and Foley

診斷細菌學

上海萬鐸書局印行

# DIAGNOSTIC BACTERIOLOGY

A Textbook for the Isolation and Identification  
of Pathogenic Bacteria

BY

**ISABELLE GILBERT SCHAUB, A.B.**

Technical Director, Clinical Bacteriology Laboratories, The Johns  
Hopkins Hospital ; Instructor in Bacteriology, The Johns  
Hopkins University School of Medicine and the  
Nurses Training Schools, The Johns  
Hopkins Hospital and  
Sinai Hospital

AND

**M. KATHLEEN FOLEY, M.A.**

Instructor in Bacteriology, Department of Biological Sciences, College  
of Notre Dame of Maryland ; Formerly Bacteriologist in  
Charge of the Diagnostic Bacteriological Labora-  
tory of the Medical Clinic, The  
Johns Hopkins Hospital

*Fourth Edition*

**VAN CHONG BOOK COMPANY**

House 9, Passage 7, Chengtu-Road  
Shanghai, China.  
Tel. 38397

1952

СОРУВІДНІТ, 1940, 1943, 1947, 1952,

# CONTENTS

## PART I BACTERIOLOGICAL METHODS

### CHAPTER I

PAGE

|                                                |    |
|------------------------------------------------|----|
| THE GRAM STAIN - - - - -                       | 21 |
| Preparation of Smears - - - - -                | 21 |
| Staining of Smears by the Gram Stain - - - - - | 22 |
| Reagents - - - - -                             | 23 |
| Staining Procedure - - - - -                   | 23 |
| Reading of Smears - - - - -                    | 24 |

### CHAPTER II

|                                                      |    |
|------------------------------------------------------|----|
| SELECTION AND STERILIZATION OF MEDIA - - - - -       | 26 |
| Selection of Media - - - - -                         | 26 |
| Sterilization of Media - - - - -                     | 30 |
| Heat Sterilization - - - - -                         | 30 |
| Sterilization by Filtration - - - - -                | 32 |
| Sterilization of Media by Chemical Methods - - - - - | 32 |

### CHAPTER III

|                                                                                                            |    |
|------------------------------------------------------------------------------------------------------------|----|
| PREPARATION AND USE OF AGAR PLATES FOR THE<br>ISOLATION OF BACTERIA - - - - -                              | 34 |
| Preparation of Plates - - - - -                                                                            | 35 |
| Streak (Surface) Plates - - - - -                                                                          | 35 |
| Deep (Pour) Plates - - - - -                                                                               | 36 |
| Isolation of Organisms From Mixed Cultures - - - - -                                                       | 37 |
| Separation of Several Gram-Negative Bacilli of the Enterobac-<br>teriaceae - - - - -                       | 37 |
| Separation of Several Gram-Positive Cocci - - - - -                                                        | 37 |
| Separation of Gram-Negative Bacilli and Gram-Positive Cocci - - - - -                                      | 38 |
| Directions for the Use of Phenylethyl Alcohol Medium for the<br>Isolation of Gram-Positive Cocci - - - - - | 39 |
| Directions for the Use of Thioglycollate Medium for the Isola-<br>tion of Gram-Positive Cocci - - - - -    | 40 |
| Directions for the Use of Tellurite Medium for the Isolation<br>of Gram-Positive Cocci - - - - -           | 41 |

|                                                                                                        |    |
|--------------------------------------------------------------------------------------------------------|----|
| Directions for the Use of Chloral Hydrate Medium for the<br>Isolation of Gram-Positive Cocci - - - - - | 42 |
|--------------------------------------------------------------------------------------------------------|----|

## PART II

### BACTERIOLOGICAL DIAGNOSIS

#### CHAPTER IV

|                                                                                             |    |
|---------------------------------------------------------------------------------------------|----|
| PROCEDURES FOR THE CULTIVATION OF PATHOGENIC<br>BACTERIA FROM CLINICAL AND AUTOPSY MATERIAL | 43 |
| Blood Cultures - - - - -                                                                    | 43 |
| Routine Procedure for Blood Cultures - - - - -                                              | 44 |
| Selection of Media - - - - -                                                                | 44 |
| Preparation of Cultures - - - - -                                                           | 45 |
| Examination of Cultures - - - - -                                                           | 47 |
| Special Procedures for Blood Cultures - - - - -                                             | 50 |
| If Pneumococci Are Suspected - - - - -                                                      | 51 |
| If Neisseria (Gonococcus or Meningococcus) Is Suspected - - - - -                           | 52 |
| If Brucella Is Suspected - - - - -                                                          | 53 |
| If Pasteurella tularensis Is Suspected - - - - -                                            | 56 |
| If Anaerobic or Microaerophilic Streptococci Are Suspected - - - - -                        | 57 |
| If Clostridium perfringens Is Suspected - - - - -                                           | 58 |
| If Bacteroides Are Suspected - - - - -                                                      | 58 |
| If Ratbite Fever Is Suspected - - - - -                                                     | 59 |
| Throat and Nasopharyngeal Cultures - - - - -                                                | 60 |
| Routine Procedure for Throat and Nasopharyngeal Cultures - - - - -                          | 61 |
| Preparation of Plates - - - - -                                                             | 61 |
| Examination of Plates - - - - -                                                             | 62 |
| Special Procedures for Throat and Nasopharyngeal Cultures - - - - -                         | 65 |
| If Whooping Cough Is Suspected - - - - -                                                    | 65 |
| If Diphtheria Is Suspected - - - - -                                                        | 65 |
| If Vincent's Infection Is Suspected - - - - -                                               | 67 |
| If Meningococcal Infection Is Suspected - - - - -                                           | 67 |
| Tonsil and Adenoid Cultures - - - - -                                                       | 68 |
| Ear and Mastoid Cultures - - - - -                                                          | 68 |
| Nose, Antrum, and Sinus Cultures - - - - -                                                  | 69 |
| Mouth Cultures - - - - -                                                                    | 70 |
| Sputum Cultures - - - - -                                                                   | 70 |
| Urine Cultures - - - - -                                                                    | 72 |
| Stool Cultures - - - - -                                                                    | 75 |
| Procedure for the Isolation of Salmonella and Shigella - - - - -                            | 77 |
| Spinal Fluid Cultures - - - - -                                                             | 78 |

|                                                                         | PAGE |
|-------------------------------------------------------------------------|------|
| Direct Smears - - - - -                                                 | 78   |
| <i>Neisseria meningitidis</i> - - - - -                                 | 78   |
| Beta streptococci - - - - -                                             | 79   |
| Pneumococci - - - - -                                                   | 79   |
| Staphylococci - - - - -                                                 | 79   |
| <i>Hemophilus influenzae</i> - - - - -                                  | 79   |
| <i>Cryptococcus neoformans</i> - - - - -                                | 80   |
| <i>Mycobacterium tuberculosis</i> - - - - -                             | 80   |
| Preparation of Cultures - - - - -                                       | 81   |
| Routine Procedure - - - - -                                             | 81   |
| If <i>Hemophilus influenzae</i> Is Suspected - - - - -                  | 81   |
| If <i>Neisseria meningitidis</i> Is Suspected - - - - -                 | 82   |
| If <i>Cryptococcus neoformans</i> Is Suspected - - - - -                | 82   |
| If <i>Mycobacterium tuberculosis</i> Is Suspected - - - - -             | 83   |
| If <i>Bacteroides</i> Are Suspected - - - - -                           | 83   |
| Cultures of Material for <i>Neisseria Gonorrhoeae</i> - - - - -         | 83   |
| Methods for Handling Original Material - - - - -                        | 83   |
| Preparation of Direct Smears - - - - -                                  | 85   |
| Selection of Media - - - - -                                            | 85   |
| Inoculation of Plates - - - - -                                         | 85   |
| Incubation of Cultures - - - - -                                        | 86   |
| Examination of Plates - - - - -                                         | 87   |
| Cultures of Material for <i>Hemophilus Ducreyi</i> - - - - -            | 87   |
| Joint Fluid Cultures - - - - -                                          | 87   |
| Routine Procedure - - - - -                                             | 88   |
| If <i>Neisseria gonorrhoeae</i> Is Suspected - - - - -                  | 88   |
| If <i>Streptobacillus moniliformis</i> Is Suspected - - - - -           | 88   |
| Uterine Cultures - - - - -                                              | 89   |
| Cervical and Vaginal Cultures - - - - -                                 | 90   |
| Abscesses, Ulcers, Wounds, Surgical Swabs - - - - -                     | 90   |
| Anaerobic Cultures - - - - -                                            | 91   |
| Material to Be Cultured for Anaerobes - - - - -                         | 91   |
| Preparation of Cultures - - - - -                                       | 92   |
| Reading of Plates - - - - -                                             | 92   |
| Notes on Thioglycollate Medium - - - - -                                | 93   |
| Optional Methods for the Cultivation of Anaerobes - - - - -             | 95   |
| Cooked Meat Medium - - - - -                                            | 95   |
| Brewer Anaerobic Plates - - - - -                                       | 95   |
| The Use of Anaerobe Jars for Producing Anaerobiosis - - - - -           | 96   |
| Cultures for Fungi - - - - -                                            | 97   |
| Material to Be Cultured for <i>Cryptococcus (Torula)</i> - - - - -      | 97   |
| Material to Be Cultured for <i>Candida albicans (Monilia)</i> - - - - - | 97   |
| Material to Be Cultured for Fungi - - - - -                             | 97   |

|                                                                                                                                                         | PAGE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Direct Examination of Clinical Material - - - - -                                                                                                       | 98   |
| Preparation of Cultures - - - - -                                                                                                                       | 98   |
| Morphology of Colonies - - - - -                                                                                                                        | 101  |
| Yeast-like Organisms - - - - -                                                                                                                          | 101  |
| Fungi - - - - -                                                                                                                                         | 101  |
| Smears and Moist Preparations From Cultures - - - - -                                                                                                   | 102  |
| Yeast-like Organisms - - - - -                                                                                                                          | 102  |
| Fungi - - - - -                                                                                                                                         | 102  |
| Identification - - - - -                                                                                                                                | 103  |
| Saccharomyces (Yeasts) and Cryptococcus neoformans - - - - -                                                                                            | 103  |
| Candida - - - - -                                                                                                                                       | 103  |
| Other Fungi - - - - -                                                                                                                                   | 105  |
| Examination of Material for Actinomyces - - - - -                                                                                                       | 106  |
| Cultivation of Actinomyces bovis (israeli) - - - - -                                                                                                    | 106  |
| Examination of Material for Mycobacterium Tuberculosis - - - - -                                                                                        | 107  |
| Microscopic Examination for Mycobacterium tuberculosis - - - - -                                                                                        | 108  |
| Direct Smears - - - - -                                                                                                                                 | 109  |
| Concentration of Material for Smears - - - - -                                                                                                          | 109  |
| Examination of Smears - - - - -                                                                                                                         | 110  |
| Cultivation of Mycobacterium tuberculosis - - - - -                                                                                                     | 111  |
| Selection of Media - - - - -                                                                                                                            | 111  |
| Cultivation of Mycobacterium tuberculosis From Sputum,<br>Voided Urine, Gastric Contents, Stool Specimens, etc. - - - - -                               | 112  |
| Cultivation Of Mycobacterium tuberculosis From Spinal<br>Fluid, Catheterized Urine, Body Fluids, or Other Mate-<br>rial Collected Aseptically - - - - - | 114  |
| Examination of Cultures - - - - -                                                                                                                       | 115  |
| Demonstration of Mycobacterium tuberculosis by Guinea Pig<br>Inoculation - - - - -                                                                      | 118  |
| Differentiation of Tubercle Bacilli - - - - -                                                                                                           | 118  |
| Bacteriological Methods for Handling Material Taken From<br>Autopsies - - - - -                                                                         | 119  |
| Methods for Taking Cultures From Autopsies - - - - -                                                                                                    | 119  |
| Methods for Culturing Autopsy Material - - - - -                                                                                                        | 120  |
| Heart-Blood Cultures - - - - -                                                                                                                          | 120  |
| Heart Valves From Cases of Bacterial Endocarditis—for<br>Gonococci, Alpha Streptococci, etc. - - - - -                                                  | 120  |
| Intestinal Material, Gall Bladder Cultures, etc.—for the Iso-<br>lation of Salmonella and Shigella - - - - -                                            | 121  |
| Trachea Cultures From Cases of Whooping Cough—for<br>Hemophilus pertussis - - - - -                                                                     | 122  |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| IDENTIFICATION OF PATHOGENIC BACTERIA BY COL-<br>ONY CHARACTERISTICS - - - - - | 123 |
| Organisms Most Likely to Be Isolated From Clinical Material -                  | 124 |
| Blood Cultures - - - - -                                                       | 124 |
| Throat—Sputum—Tonsil—Nasopharyngeal Cultures - - -                             | 125 |
| Ear—Mastoid—Sinus Cultures - - - - -                                           | 125 |
| Eye Cultures - - - - -                                                         | 126 |
| Wound Cultures - - - - -                                                       | 126 |
| Spinal Fluid Cultures - - - - -                                                | 126 |
| Urine Cultures - - - - -                                                       | 127 |
| Urethral—Vaginal Cultures - - - - -                                            | 127 |
| Uterine Cultures - - - - -                                                     | 127 |
| Stool Cultures - - - - -                                                       | 128 |
| Beta Streptococci - - - - -                                                    | 128 |
| Surface Colonies - - - - -                                                     | 128 |
| Deep Colonies - - - - -                                                        | 129 |
| Gram-Stained Smears - - - - -                                                  | 130 |
| Alpha Streptococci - - - - -                                                   | 131 |
| Surface Colonies—Respiratory Strains - - - - -                                 | 131 |
| Deep Colonies—Respiratory Strains - - - - -                                    | 131 |
| Surface Colonies—Intestinal Strains (Enterococci) - - -                        | 132 |
| Deep Colonies—Intestinal Strains - - - - -                                     | 133 |
| Gram-Stained Smears - - - - -                                                  | 133 |
| Gamma Streptococci - - - - -                                                   | 133 |
| Anaerobic and Microaerophilic Streptococci - - - - -                           | 134 |
| Deep and Surface Colonies - - - - -                                            | 134 |
| Gram-Stained Smears - - - - -                                                  | 135 |
| Pneumococci - - - - -                                                          | 135 |
| Surface Colonies - - - - -                                                     | 135 |
| Deep Colonies - - - - -                                                        | 136 |
| Gram-Stained Smears - - - - -                                                  | 136 |
| Staphylococci - - - - -                                                        | 136 |
| Surface and Deep Colonies - - - - -                                            | 136 |
| Gram-Stained Smears - - - - -                                                  | 138 |
| Neisseria Gonorrhoeae - - - - -                                                | 138 |
| Surface Colonies - - - - -                                                     | 138 |
| Oxydase Test - - - - -                                                         | 139 |
| Gram-Stained Smears - - - - -                                                  | 139 |
| Neisseria Meningitidis - - - - -                                               | 140 |
| Gram Stains - - - - -                                                          | 140 |
| Nonpathogenic Neisseria - - - - -                                              | 140 |
| Hemophilus Influenzae - - - - -                                                | 140 |
| Surface Colonies - - - - -                                                     | 140 |
| Deep Colonies - - - - -                                                        | 141 |
| Gram-Stained Smears - - - - -                                                  | 142 |

|                                                      | PAGE |
|------------------------------------------------------|------|
| Hemophilus Hemolyticus - - - - -                     | 142  |
| Deep Colonies - - - - -                              | 142  |
| Surface Colonies - - - - -                           | 143  |
| Gram-Stained Smears - - - - -                        | 143  |
| Hemophilus Pertussis - - - - -                       | 143  |
| Surface Colonies - - - - -                           | 143  |
| Gram-Stained Smears - - - - -                        | 144  |
| Intestinal Gram-Negative Bacilli - - - - -           | 144  |
| Escherichia coli and Escherichia communior - - - - - | 145  |
| Aerobacter aerogenes - - - - -                       | 145  |
| Paracolon Bacilli - - - - -                          | 145  |
| Salmonella - - - - -                                 | 146  |
| Shigella - - - - -                                   | 147  |
| Proteus - - - - -                                    | 147  |
| Surface Colonies - - - - -                           | 147  |
| Deep Colonies - - - - -                              | 148  |
| Gram-Stained Smears - - - - -                        | 148  |
| Friedländer's Bacilli - - - - -                      | 149  |
| Gram-Stained Smears - - - - -                        | 149  |
| Pseudomonas Aeruginosa - - - - -                     | 149  |
| Surface Colonies - - - - -                           | 149  |
| Broth Cultures - - - - -                             | 150  |
| Diphtheroids - - - - -                               | 150  |
| Surface Colonies - - - - -                           | 150  |
| Deep Colonies - - - - -                              | 151  |
| Gram-Stained Smears - - - - -                        | 151  |
| Corynebacterium Diphtheriae - - - - -                | 151  |
| Surface Colonies - - - - -                           | 151  |
| Methylene Blue Stained Smears - - - - -              | 152  |
| Bacillus Subtilis - - - - -                          | 152  |
| Surface Colonies - - - - -                           | 152  |
| Gram-Stained Smears - - - - -                        | 152  |
| Clostridium Perfringens - - - - -                    | 153  |
| Anaerobic Blood Agar Plates - - - - -                | 153  |
| Aerobic Blood Agar Plates - - - - -                  | 153  |
| Gram-Stained Smears - - - - -                        | 153  |

## CHAPTER VI

|                                                                                                |     |
|------------------------------------------------------------------------------------------------|-----|
| IDENTIFICATION OF GRAM-NEGATIVE BACILLI - - -                                                  | 154 |
| Enterobacteriaceae and Similar Organisms - - -                                                 | 154 |
| Preliminary Identification on Triple-Sugar-Iron (TSI) Agar and<br>Urease Test Medium - - - - - | 155 |
| Examination of Urease Test Medium - - - - -                                                    | 155 |
| Examination of Triple-Sugar-Iron (TSI) Agar - - -                                              | 157 |
| Interpretation of Results on Triple-Sugar-Iron Agar - - -                                      | 158 |

|                                                                                                                     | PAGE |
|---------------------------------------------------------------------------------------------------------------------|------|
| Confirmatory Serologic Tests for <i>Salmonella</i> and <i>Shigella</i> - -                                          | 158  |
| Biochemical Differentiation of Enterobacteriaceae and Similar Organisms - - - - -                                   | 163  |
| Identification of <i>Escherichia</i> , <i>Aerobacter</i> , and Intermediate Coliform Bacilli - - - - -              | 163  |
| Identification of <i>Paracolon</i> Bacilli - - - - -                                                                | 165  |
| Identification of <i>Proteus</i> - - - - -                                                                          | 171  |
| Identification of <i>Salmonella</i> - - - - -                                                                       | 175  |
| Identification of <i>Salmonella typhosa</i> and <i>Shigella</i> - - -                                               | 175  |
| Identification of Miscellaneous Gram-Negative Bacilli Included in TSI Group 4 - - - - -                             | 178  |
| Identification of <i>Pasteurella multocida</i> - - - - -                                                            | 181  |
| Biochemical and Serologic Identification of <i>Klebsiella Pneumoniae</i> (Friedländer's <i>Bacillus</i> ) - - - - - | 182  |
| <i>Brucella</i> - - - - -                                                                                           | 183  |
| Growth Requirements - - - - -                                                                                       | 183  |
| Colonial and Microscopic Morphology - - - - -                                                                       | 183  |
| Differentiation of <i>Brucella</i> - - - - -                                                                        | 183  |
| <i>Hemophilus</i> - - - - -                                                                                         | 185  |
| Growth Characteristics - - - - -                                                                                    | 185  |
| Identification of <i>Hemophilus</i> - - - - -                                                                       | 186  |
| <i>Pasteurella Tularensis</i> - - - - -                                                                             | 187  |
| Growth Characteristics - - - - -                                                                                    | 187  |
| Morphology - - - - -                                                                                                | 188  |
| Identification - - - - -                                                                                            | 188  |
| <i>Bacteroides</i> - - - - -                                                                                        | 188  |
| Morphology - - - - -                                                                                                | 189  |
| Cultivation - - - - -                                                                                               | 189  |
| Description of Growth - - - - -                                                                                     | 190  |
| Method of Isolation - - - - -                                                                                       | 190  |

## CHAPTER VII

|                                                             |     |
|-------------------------------------------------------------|-----|
| IDENTIFICATION OF GRAM-POSITIVE BACILLI - - - -             | 192 |
| <i>Corynebacterium Diphtheriae</i> - - - - -                | 192 |
| Virulence Tests for <i>C. diphtheriae</i> - - - - -         | 192 |
| <i>Clostridium</i> - - - - -                                | 193 |
| Methods of Isolation - - - - -                              | 193 |
| Colonial and Microscopic Morphology - - - - -               | 195 |
| Biochemical Differentiation of <i>Clostridium</i> - - - - - | 195 |
| Determination of Toxin Production - - - - -                 | 197 |
| Toxin Production by <i>Clostridium tetani</i> - - - - -     | 197 |
| Toxin Production by <i>Clostridium botulinum</i> - - - - -  | 198 |

## CHAPTER VIII

|                                                                    | PAGE |
|--------------------------------------------------------------------|------|
| IDENTIFICATION OF GRAM-POSITIVE COCCI - - - - -                    | 199  |
| Staphylococci - - - - -                                            | 199  |
| Streptococci and Pneumococci - - - - -                             | 200  |
| Determination of Hemolysis on Blood Agar Plates - - - - -          | 200  |
| Microscopic Appearance of Colonies of Beta Streptococci - - - - -  | 201  |
| Deep colonies of beta streptococci - - - - -                       | 201  |
| Surface colonies of beta streptococci - - - - -                    | 201  |
| Microscopic Appearance of Colonies of Alpha Streptococci - - - - - | 202  |
| Deep colonies of alpha streptococci - - - - -                      | 202  |
| Surface colonies of alpha streptococci - - - - -                   | 203  |
| Microscopic Appearance of Colonies of Gamma Streptococci - - - - - | 203  |
| Identification of Beta Streptococci - - - - -                      | 206  |
| Biochemical Differentiation of Serologic Groups - - - - -          | 206  |
| Biochemical Differentiation of Species - - - - -                   | 207  |
| Serologic Grouping of Beta Streptococci - - - - -                  | 211  |
| Identification of Alpha Streptococci - - - - -                     | 211  |
| Colonial and Microscopic Morphology - - - - -                      | 211  |
| Differentiation of Alpha Streptococci and Pneumococci - - - - -    | 211  |
| Biochemical Differentiation of Alpha Streptococci - - - - -        | 211  |
| Identification of Pneumococci - - - - -                            | 213  |
| Colonial and Microscopic Morphology - - - - -                      | 213  |
| Differentiation of Pneumococci and Alpha Streptococci - - - - -    | 213  |
| Identification of Gamma Streptococci - - - - -                     | 214  |
| Identification of Enterococci - - - - -                            | 215  |
| Anaerobic and Microaerophilic Streptococci - - - - -               | 216  |

## CHAPTER IX

|                                                            |     |
|------------------------------------------------------------|-----|
| IDENTIFICATION OF GRAM-NEGATIVE COCCI - - - - -            | 217 |
| Neisseria Meningitidis and Neisseria Gonorrhoeae - - - - - | 217 |
| Nonpathogenic Neisseria - - - - -                          | 219 |

## CHAPTER X

|                                                                       |     |
|-----------------------------------------------------------------------|-----|
| IDENTIFICATION OF ACTINOMYCES - - - - -                               | 220 |
| Actinomyces Bovis and Actinobacillus Actinomycetem-Comitans - - - - - | 220 |
| Identification of Actinomyces bovis - - - - -                         | 220 |
| Identification of Actinobacillus actinomycetem-comitans - - - - -     | 220 |
| Actinomyces-like Organisms - - - - -                                  | 222 |

# PART III

## DETERMINATION OF THE SENSITIVITY OF BACTERIA TO ANTIBIOTICS

### CHAPTER XI

|                                                                                           | PAGE |
|-------------------------------------------------------------------------------------------|------|
| THE TEST TUBE SERIAL DILUTION METHOD FOR DETERMINING SENSITIVITY TO ANTIBIOTICS - - - - - | 225  |
| Routine Procedure for Serial Dilution Tests - - - - -                                     | 226  |
| Preparation of Stock Solution of Antibiotics - - - - -                                    | 226  |
| Preparation of Penicillin Stock Solution - - - - -                                        | 226  |
| Preparation of Streptomycin Stock Solution - - - - -                                      | 227  |
| Preparation of Aureomycin Stock Solution - - - - -                                        | 227  |
| Preparation of Chloromycetin (Chloramphenicol) Stock Solution - - - - -                   | 228  |
| Preparation of Terramycin Stock Solution - - - - -                                        | 229  |
| Storage of Stock Solutions - - - - -                                                      | 229  |
| Selection of Media - - - - -                                                              | 230  |
| Procedures for Preparing Serial Dilutions for Sensitivity Tests - - - - -                 | 231  |
| Preparation of the Inoculum - - - - -                                                     | 233  |
| Medium for the Inoculum - - - - -                                                         | 233  |
| Time of Incubation of the Inoculum - - - - -                                              | 233  |
| Dilution of the Inoculum - - - - -                                                        | 234  |
| Adding Blood With the Inoculum (for Hemophilus and Other Fastidious Organisms) - - - - -  | 234  |
| Inoculation of Sensitivity Tests - - - - -                                                | 235  |
| Incubation of Sensitivity Tests - - - - -                                                 | 235  |
| Reading of Results - - - - -                                                              | 235  |
| Procedure for Preparing Multiple Serial Dilutions of Antibiotics - - - - -                | 237  |
| Procedure for Comparative Sensitivity Tests - - - - -                                     | 239  |
| Preparation of the Inoculum - - - - -                                                     | 241  |
| Technique of Comparative Sensitivity Tests - - - - -                                      | 242  |

### CHAPTER XII

|                                                                            |     |
|----------------------------------------------------------------------------|-----|
| THE PAPER DISC METHOD FOR DETERMINING SENSITIVITY TO ANTIBIOTICS - - - - - | 243 |
| Selection of Medium - - - - -                                              | 244 |
| Preparation of the Antibiotic Solutions - - - - -                          | 245 |
| Other Material Needed for the Paper Disc Technique - - - - -               | 246 |
| Technique of the Paper Disc Sensitivity Test - - - - -                     | 247 |
| Reading and Interpretation of Results - - - - -                            | 248 |

### CHAPTER XIII

|                                                                                      |     |
|--------------------------------------------------------------------------------------|-----|
| TESTS FOR THE SUSCEPTIBILITY OF MYCOBACTERIUM TUBERCULOSIS TO STREPTOMYCIN - - - - - | 249 |
|--------------------------------------------------------------------------------------|-----|

# PART IV

## SEROLOGIC DIAGNOSIS

### CHAPTER XIV

|                                                                                                              | PAGE |
|--------------------------------------------------------------------------------------------------------------|------|
| SEROLOGIC IDENTIFICATION OF ORGANISMS - - - -                                                                | 252  |
| Typing of Pneumococci by the Quellung Method - - - -                                                         | 252  |
| Typing of Pneumococci From Sputum by the Quellung Method                                                     | 252  |
| Gram Stain - - - - -                                                                                         | 253  |
| Quellung Preparations - - - - -                                                                              | 253  |
| Mouse Inoculation - - - - -                                                                                  | 255  |
| Typing of Pneumococci From Throat Cultures by the Quellung Method - - - - -                                  | 256  |
| Typing of Pneumococci From Spinal Fluid by the Quellung Method - - - - -                                     | 257  |
| Technique of the Test - - - - -                                                                              | 257  |
| Typing of Pneumococci From Material Obtained From Lung Puncture, or From Empyema Pus, by the Quellung Method | 258  |
| Precipitin Test for Grouping and Typing of Beta Streptococci by the Lancefield Method - - - - -              | 258  |
| Materials Needed - - - - -                                                                                   | 259  |
| Preparation of the Antigen - - - - -                                                                         | 259  |
| Technique of the Test - - - - -                                                                              | 260  |
| For Grouping Beta Streptococci - - - - -                                                                     | 260  |
| For Typing Beta Streptococci - - - - -                                                                       | 261  |
| Quellung Test on Spinal Fluid for the Diagnosis of Hemophilus Influenzae Meningitis - - - - -                | 262  |
| Quellung Test for Identification of Friedländer's Bacilli - - -                                              | 262  |
| Serologic Identification of Organisms by the Agglutination Test                                              | 263  |
| Salmonella - - - - -                                                                                         | 263  |
| Shigella - - - - -                                                                                           | 264  |
| Slide Agglutination Test - - - - -                                                                           | 264  |
| Test Tube Agglutination Method - - - - -                                                                     | 264  |
| Serologic Grouping of Neisseria Meningitidis - - - - -                                                       | 265  |

### CHAPTER XV

|                                                         |     |
|---------------------------------------------------------|-----|
| AGGLUTINATION TESTS ON PATIENTS' SERA - - - -           | 267 |
| Test Tube Agglutination Tests - - - - -                 | 267 |
| Preparation of Antigens - - - - -                       | 268 |
| Preparation of H Antigens - - - - -                     | 268 |
| Preparation of O Antigens - - - - -                     | 269 |
| Preparation of Brucella Antigen - - - - -               | 270 |
| Preparation of Pasteurella tularensis Antigen - - - - - | 270 |

|                                                                         | PAGE |
|-------------------------------------------------------------------------|------|
| Technique of the Agglutination Test - - - - -                           | 271  |
| Serial Dilution Method - - - - -                                        | 271  |
| Parallel Dilution Method - - - - -                                      | 272  |
| Period of Incubation - - - - -                                          | 274  |
| Reading the Agglutination Tests - - - - -                               | 275  |
| Interpretation of Results - - - - -                                     | 276  |
| Slide Agglutination Tests - - - - -                                     | 277  |
| Heterophile Agglutination Tests for the Diagnosis of Infectious         |      |
| Mononucleosis - - - - -                                                 | 277  |
| Sheep Cell Agglutination Test for the Detection of Heterophile          |      |
| Antibodies (Paul-Bunnell Test) - - - - -                                | 279  |
| Preparation of the Antigen - - - - -                                    | 279  |
| Preparation of Patient's Serum - - - - -                                | 281  |
| Technique of the Test - - - - -                                         | 281  |
| Reading of Results - - - - -                                            | 282  |
| Absorption Tests for the Differentiation of Heterophile Anti-           |      |
| bodies - - - - -                                                        | 282  |
| Guinea Pig Kidney Absorption Test - - - - -                             | 282  |
| Preparation of Fresh Guinea Pig Kidney - - - - -                        | 282  |
| Preparation of Dried Guinea Pig Kidney - - - - -                        | 282  |
| Absorption of Serum With Guinea Pig Kidney - - - - -                    | 283  |
| Procedure for the Heterophile Agglutination Test With Ab-               |      |
| sorbed Serum - - - - -                                                  | 283  |
| Beef Red Cell Absorption Test - - - - -                                 | 284  |
| Agglutination Tests for the Diagnosis of Primary Atypical Pneu-         |      |
| monia - - - - -                                                         | 284  |
| Cold Hemagglutination Test - - - - -                                    | 285  |
| Preparation of the Antigen - - - - -                                    | 285  |
| Preparation of Patient's Serum - - - - -                                | 285  |
| Technique of the Test - - - - -                                         | 286  |
| Reading of Results - - - - -                                            | 286  |
| Interpretation of Results - - - - -                                     | 286  |
| Streptococcus MG Agglutination Test - - - - -                           | 287  |
| Preparation of the Antigen - - - - -                                    | 287  |
| Technique of the Test - - - - -                                         | 288  |
| Reading of Results - - - - -                                            | 288  |
| Interpretation of Results - - - - -                                     | 288  |
| Hemagglutination Test for Tuberculosis - - - - -                        | 289  |
| Preparation of Patient's Serum - - - - -                                | 289  |
| Preparation of Washed, Packed Sheep Red Cells - - - - -                 | 291  |
| Sensitization of Sheep Red Cells - - - - -                              | 291  |
| Absorption of Test Serum With Untreated Sheep Red Cells - - - - -       | 291  |
| Preparation of the Suspension of Unsensitized Sheep Red Cells - - - - - | 292  |
| Procedure for the Test - - - - -                                        | 292  |
| Reading of Results - - - - -                                            | 292  |

# PART V

## MEDIA, STAINS AND STAINING TECHNIQUE, REAGENTS AND TESTS

### CHAPTER XVI

|                                                                    | PAGE    |
|--------------------------------------------------------------------|---------|
| FORMULAS AND METHODS FOR PREPARING BACTERIOLOGICAL MEDIA - - - - - | 293-324 |

### CHAPTER XVII

|                                                         |         |
|---------------------------------------------------------|---------|
| STAINING METHODS AND MICROSCOPIC PREPARATIONS - - - - - | 325-332 |
|---------------------------------------------------------|---------|

### CHAPTER XVIII

|                              |         |
|------------------------------|---------|
| REAGENTS AND TESTS - - - - - | 333-341 |
|------------------------------|---------|

## DIAGNOSTIC BACTERIOLOGY

