


Inorganic Materials Series



Functional Oxides

Editors

Duncan W. Bruce | Dermot O'Hare | Richard I. Walton

 WILEY

Functional Oxides

Edited by

Duncan W. Bruce
University of York, UK

Dermot O'Hare
University of Oxford, UK

Richard I. Walton
University of Warwick, UK



 **WILEY**

A John Wiley and Sons, Ltd, Publication

This edition first published 2010
© 2010 John Wiley & Sons, Ltd

Registered office

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, United Kingdom

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com.

The right of the author to be identified as the author of this work has been asserted in accordance with the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book. This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

The publisher and the author make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of fitness for a particular purpose. This work is sold with the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for every situation. In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of experimental reagents, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each chemical, piece of equipment, reagent, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. The fact that an organization or Website is referred to in this work as a citation and/or a potential source of further information does not mean that the author or the publisher endorses the information the organization or Website may provide or recommendations it may make. Further, readers should be aware that Internet Websites listed in this work may have changed or disappeared between when this work was written and when it is read. No warranty may be created or extended by any promotional statements for this work. Neither the publisher nor the author shall be liable for any damages arising herefrom.

Library of Congress Cataloging-in-Publication Data

Functional oxides / edited by Duncan W. Bruce, Dermot O'Hare, Richard I. Walton.
p. cm.

Includes bibliographical references and index.

ISBN 978-0-470-99750-5

1. Organic oxides. 2. Inorganic compounds. I. Bruce, Duncan W. II. O'Hare, Dermot.
III. Walton, Richard I.

QD181.O1F87 2010

546'.7212—dc22

2009041495

A catalogue record for this book is available from the British Library.

ISBN: 978-0-470-99750-5 (Cloth)

Set in 10.5/13 Sabon by Integra Software Services Pvt. Ltd, Pondicherry, India.

Printed and bound by TJ International, Padstow, Cornwall

Functional Oxides

Inorganic Materials Series

Editors:

Professor Duncan W. Bruce

Department of Chemistry, University of York, UK

Professor Dermot O'Hare

Chemistry Research Laboratory, University of Oxford, UK

Dr Richard I. Walton

Department of Chemistry, University of Warwick, UK

Series Titles

Functional Oxides

Molecular Materials

Porous Materials

Low-Dimensional Solids

Energy Materials

Inorganic Materials Series

Preface

Back in 1992, two of us (DWB and DO'H) edited the first edition of *Inorganic Materials* in response to the growing emphasis and interest in materials chemistry. The second edition, which contained updated chapters, appeared in 1996 and was reprinted in paperback. The aim had always been to provide the reader with chapters that, while not necessarily comprehensive, nonetheless gave a first-rate and well-referenced introduction to the subject for the first-time reader. As such, the target audience was from first-year postgraduate student upwards. Authors were carefully selected who were experts in their field and actively researching their topic, so were able to provide an up-to-date review of key aspects of a particular subject, whilst providing some historical perspective. In these two editions, we believe our authors achieved this admirably.

In the intervening years, materials chemistry has grown hugely and now finds itself central to many of the major challenges that face global society. We felt, therefore, that there was a need for more extensive coverage of the area and so Richard Walton joined the team and, with Wiley, we set about a new and larger project. The *Inorganic Materials Series* is the result and our aim is to provide chapters with a similar pedagogical flavour but now with much wider subject coverage. As such, the work will be contained in several themed volumes. Many of the early volumes concentrate on materials derived from continuous inorganic solids, but later volumes will also emphasise molecular and soft matter systems as we aim for a much more comprehensive coverage of the area than was possible with *Inorganic Materials*.

We approached a completely new set of authors for the new project with the same philosophy in choosing actively researching experts, but also with the aim of providing an international perspective, so to reflect the diversity and interdisciplinarity of the now very broad area of inorganic materials chemistry. We are delighted with the calibre of authors who have agreed to write for us and we thank them all for their efforts

and cooperation. We believe they have done a splendid job and that their work will make these volumes a valuable reference and teaching resource.

*DWB, York
DO'H, Oxford
RIW, Warwick
January 2010*

Preface

Metal oxides, particularly those containing one or more transition elements, for many years have been the foundation of solid-state inorganic chemistry. Here, the synthetic skill to manipulate the reactivity of diverse chemical elements, often at extreme temperatures and pressures, went hand-in-hand with developments in structural characterisation, including both spectroscopic and diffraction methods. A very good, and indeed already well-documented example, is the case of the cuprate superconductors, discovered in the early 1980s, which led to increasing complex structural chemistry and which continues to push the frontiers of knowledge of electronic properties of the solid-state. The interplay between the synthetic and structural work of chemists and the property measurement and theory of physicists led to the rapid development in understanding of a unique group of materials. When one also considers the role of the materials scientist in device fabrication of such electronic materials, the area is seen to be truly interdisciplinary.

Oxides continue to be the focus of much attention, and increasingly the area is driven by target properties. In this volume we have been largely concerned with properties arising from electronic structure but other applications, in catalysis or in optical media, are equally as important and are researched equally actively. The role of the chemist in synthesis is still paramount, and indeed it is very apparent that the scope for novel compositions and structures is far from being exhausted. More than ever the goal of a particular desirable property and the need to understand structure–property relationships is always in mind in contemporary research.

A complete review of the field of oxides would probably be impossible in a single volume, so instead we have selected five topical areas of functional oxides that illustrate their importance in modern materials chemistry. These highlight structural chemistry, magnetic properties, electronic properties, ionic conduction but also other emerging areas of importance in energy, such as thermoelectricity.

We approached five leading groups at the cutting edge of research to review these representative areas of functional oxides. We are very pleased that they agreed to write chapters for us, and that they have

done such a good job in clearly explaining complex topics in an accessible way. We hope you will agree that these chapters provide an excellent introduction to what is an international field of great breadth.

*DWB, York
DO'H, Oxford
RIW, Warwick
January 2010*

List of Contributors

Edmund Cussen Department of Pure and Applied Chemistry, University of Strathclyde, Glasgow, Scotland

John E. Greedan McMaster University, Department of Chemistry, Hamilton, Ontario, Canada

Martha Greenblatt Department of Chemistry and Chemical Biology, Rutgers University, New Jersey, USA

P. Shiv Halasyamani Department of Chemistry, University of Houston, Houston, Texas, USA

Sylvie Hébert Laboratoire CRISMAT, UMR 6508 CNRS et ENSICAEN, Caen Cedex, France

Antoine Maignan Laboratoire CRISMAT, UMR 6508 CNRS et ENSICAEN, Caen Cedex, France

Tapas Kumar Mandal Department of Chemistry and Chemical Biology, Rutgers University, New Jersey, USA

Contents

<i>Inorganic Materials Series Preface</i>	ix
<i>Preface</i>	xi
<i>List of Contributors</i>	xiii
1 Noncentrosymmetric Inorganic Oxide Materials: Synthetic Strategies and Characterisation Techniques	1
<i>P. Shiv Halasyamani</i>	
1.1 Introduction	1
1.2 Strategies toward Synthesising Noncentrosymmetric Inorganic Materials	3
1.3 Electronic Distortions	4
1.3.1 Metal Oxyfluoride Systems	8
1.3.2 Salt-Inclusion Solids	9
1.3.3 Borates	11
1.3.4 Noncentrosymmetric Coordination Networks	12
1.4 Properties Associated with Noncentrosymmetric Materials	16
1.4.1 Second-Harmonic Generation	18
1.4.2 Piezoelectricity	21
1.4.3 Pyroelectricity	25
1.4.4 Ferroelectricity	27
1.5 Outlook – Multifunctional Materials	30
1.5.1 Perovskites	31
1.5.2 Hexagonal Manganites	32
1.5.3 Metal Halide and Oxy-Halide Systems	32
1.6 Concluding Thoughts	33
1.6.1 State of the Field	33
Acknowledgements	34
References	34
2 Geometrically Frustrated Magnetic Materials	41
<i>John E. Greedan</i>	
2.1 Introduction	41

2.2	Geometric Frustration	42
2.2.1	Definition and Criteria: Subversion of the Third Law	42
2.2.2	Magnetism Short Course	43
2.2.3	Frustrated Lattices – The Big Four	46
2.2.4	Ground States of Frustrated Systems: Consequences of Macroscopic Degeneracy	46
2.3	Real Materials	52
2.3.1	The Triangular Planar (TP) Lattice	52
2.3.2	The Kagomé Lattice	57
2.3.3	The Face-Centred Cubic Lattice	72
2.3.4	The Pyrochlores and Spinel	76
2.3.5	Other Frustrated Lattices	105
2.4	Concluding Remarks	108
	References	109
3	Lithium Ion Conduction in Oxides	119
	<i>Edmund Cussen</i>	
3.1	Introduction	119
3.2	Sodium and Lithium β -Alumina	126
3.3	Akali Metal Sulfates and the Effect of Anion Disorder on Conductivity	132
3.4	LISICON and Related Phases	145
3.5	Lithium Conduction in NASICON-Related Phases	155
3.6	Doped Analogues of $\text{LiZr}_2(\text{PO}_4)_3$	164
3.7	Lithium Conduction in the Perovskite Structure	175
3.7.1	The Structures of $\text{Li}_{3x}\text{La}_{2/3-x}\text{TiO}_3$	181
3.7.2	Doping Studies of Lithium Perovskites	185
3.8	Lithium-Containing Garnets	187
	References	197
4	Thermoelectric Oxides	203
	<i>Sylvie Hébert and Antoine Maignan</i>	
4.1	Introduction	203
4.2	How to Optimise Thermoelectric Generators (TEG)	204
4.2.1	Principle of a TEG	204
4.2.2	The Figure of Merit	207
4.2.3	Beyond the Classical Approach	210
4.3	Thermoelectric Oxides	213

4.3.1	Semiconducting Oxides and the Heikes Formula	215
4.3.2	Na_xCoO_2 and the Misfit Cobaltate Family	221
4.3.3	Degenerate Semiconductors	240
4.3.4	All-Oxide Modules	249
4.4	Conclusion	251
	Acknowledgements	252
	References	252
5	Transition Metal Oxides: Magnetoresistance and Half-Metallicity	257
	<i>Tapas Kumar Mandal and Martha Greenblatt</i>	
5.1	Introduction	257
5.2	Magnetoresistance: Concepts and Development	258
5.2.1	Phenomenon of Magnetoresistance: Metallic Multilayers and Anisotropic Magnetoresistance (AMR)	258
5.2.2	Giant Magnetoresistance (GMR) Effect	259
5.2.3	Colossal Magnetoresistance (CMR) in Perovskite Oxomanganates	261
5.2.4	Tunnelling Magnetoresistance (TMR) and Magnetic Tunnel Junctions (MTJ)	263
5.2.5	Powder, Intrinsic and Extrinsic MR	263
5.3	Half-Metallicity	264
5.3.1	Half-Metallicity in Heusler Alloys	264
5.3.2	Half-Metallic Ferro/Ferrimagnets, Antiferromagnets	265
5.4	Oxides Exhibiting Half-Metallicity	266
5.4.1	CrO_2	266
5.4.2	Fe_3O_4 and Other Spinel Oxides	268
5.4.3	Perovskite Oxomanganates	270
5.4.4	Double Perovskites	272
5.5	Magnetoresistance and Half-Metallicity of Double Perovskites	273
5.5.1	Double Perovskite Structure	273
5.5.2	Ordering and Anti-Site (AS) Disorder in Double Perovskites	276
5.5.3	Electronic Structure and Magnetic Properties of Double Perovskites	281
5.5.4	Magnetoresistance and Half-Metallicity in Double Perovskites	284

5.5.5 High Curie Temperature (T_C) Double Perovskites and Room Temperature MR	285
5.6 Spintronics – The Emerging Magneto-Electronics	286
5.7 Summary	288
Acknowledgements	289
References	289
<i>Index</i>	295

1

Noncentrosymmetric Inorganic Oxide Materials: Synthetic Strategies and Characterisation Techniques

P. Shiv Halasyamani

Department of Chemistry, University of Houston, Houston, Texas, USA

1.1 INTRODUCTION

Materials that are crystallographically noncentrosymmetric (NCS), or acentric, are of current interest attributable to their functional properties, including piezoelectricity, ferroelectricity, and second-harmonic generation. Numerous relationships occur between these properties and crystal classes.^[1] These relationships are shown in Figure 1.1, along with several well-known materials. It is instructive if we examine this figure more closely. If we examine the left-side of Figure 1.1, the symmetry dependent property we encounter is enantiomorphism, and the chiral crystal classes. All chiral materials must crystallise in one of eleven crystal classes, 1 (C_1), 2 (C_2), 3 (C_3), 4 (C_4), 6 (C_6), 222 (D_2), 32 (D_3), 422 (D_4), 622 (D_6), 23 (T), or 432 (O). Materials found in any of these crystal classes have a 'handedness', and a nonsuperimposable mirror image. The well-known

Noncentrosymmetric Crystal Classes




Figure 1.1 The relationships with respect to symmetry-dependent property between the noncentrosymmetric crystal classes are given along with representative compounds. Note that only five crystal classes, 1 (C_1), 2 (C_2), 3 (C_3), 4 (C_4), and 6 (C_6) have the proper symmetry for all of the symmetry dependent properties. Adapted from Halasyamani and Poeppelmeier, 1998 [71]. Copyright 1998 American Chemical Society

chiral material $\alpha\text{-SiO}_2$ ^[2, 3] crystallises in crystal class 32 (D_3). If we examine the right-side of Figure 1.1, we encounter the ten polar crystal classes, 1 (C_1), 2 (C_2), 3 (C_3), 4 (C_4), 6 (C_6), m (C_s), $mm2$ (C_{2v}), $3m$ (C_{3v}), $4mm$ (C_{4v}), and $6mm$ (C_{6v}). Materials found in these crystal classes have a permanent dipole moment. In fact LiIO_3 ,^[4, 5] which crystallises in crystal class 6 (C_6) is both chiral and polar. The other materials shown: KTiOPO_4 (KTP)^[6] and $\text{Ba}_2\text{NaNb}_5\text{O}_{15}$ ($mm2$ for both),^[7] LiNbO_3 ^[8, 9] and $\beta\text{-BaB}_2\text{O}_4$ ($3m$ for both),^[10, 11] and BaTiO_3 ($4mm$) are all ‘purely’ polar. They all have a dipole moment, but are not chiral. Examples are also given of materials, $\text{CO}(\text{NH}_2)_2$ (urea)^[12] and $(\text{NH}_4)\text{H}_2\text{PO}_4$ (ammonium dihydrogen phosphate, ADP)^[13] that crystallise in crystal class $\bar{4}2m$, that are neither chiral nor polar, but are still noncentrosymmetric. Other symmetry-dependent properties that are of importance are second-harmonic

generation and piezoelectricity. Except for materials that are found in crystal class 432 (O), all NCS materials exhibit the correct symmetry for second-harmonic generation and piezoelectric behaviour.

Determining if a crystalline material is centrosymmetric or noncentrosymmetric is usually straightforward. From Friedel's law it is known that, during the diffraction process, if the incident wavelength is small compared with the absorption edge of any atom in the crystal, a centre of symmetry is introduced between oppositely related reflections. In other words $I(hkl) = I(-h-k-l)$. Friedel's law fails when the incident wavelength is similar to an atom's absorption edge. This anomalous scattering, when the imaginary part of the scattering factor becomes large, has been exploited to address a host of crystallographic problems.^[14] Also, with the diffraction data the intensity distribution between a centric and acentric crystal differs. Statistical indicators of centricity have been developed by Wilson and Howell,^[15, 16] but have been shown to be incorrect if the structure contains heavy atoms on special positions. Marsh has emphasised the importance of weak reflections if the centricity is in question.^[17, 18] If weak reflections are removed, the statistical distribution tests can be strongly biased toward an acentric indication. Marsh also argues that when the diffraction data do not provide a clear choice between centrosymmetric and noncentrosymmetric space groups the centrosymmetric space group is preferred, even if disorder occurs.^[17] The Platon suite of programs, specifically Addsym, can be used on refined structures to check for missing symmetry, *e.g.* inversion centres, as well as mistakes in crystal system or Laue class.^[19]

1.2 STRATEGIES TOWARD SYNTHESISING NONCENTROSYMMETRIC INORGANIC MATERIALS

In the past decade or so a number of strategies have been described whose aim was to increase the incidence of acentricity in any new material. In one manner or another, each of these strategies involves crystal engineering.^[20] One question that needs to be addressed is why there are so few (relatively) NCS materials? It is estimated that only ~15% of all inorganic materials are NCS. This would indicate that in the vast majority of inorganic materials, the 'building blocks' of the structure are centrosymmetric, *i.e.* made up of regular polyhedra. These regular polyhedra are usually related