Practice of Thin Layer Chromatography

JOSEPH C. TOUCHSTONE
MURRELL F. DOBBINS
University of Pennsylvania
School of Medicine

Practice of Thin Layer Chromatography

JOSEPH C. TOUCHSTONE MURRELL F. DOBBINS University of Pennsylvania School of Medicine

A Wiley-Interscience Publication

JOHN WILEY & SONS

New York • Chichester • Brisbane • Toronto

Copyright @ 1978 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Practice of Thin Layer

Chromatography

No part of this book may be reproduced by any means, nor transmitted, nor translated into a machine language without the written permission of the publisher.

Library of Congress Cataloging in Publication Data:

Touchstone, Joseph C
Practice of thin layer chromatography.

"A Wiley-Interscience publication."

Includes index.

1. Thin layer chromatography.

1. Dobbins,

QD79.C8T68 544'.92 77-22075 ISBN 0-471-88042-6

Murrell F., joint author. II. Title.

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

PRACTICE OF THIN LAYER CHROMATOGRAPHY

e mount a class applications. In face, the page, the confidence of the confidence of

and from the intention describing practical pathon in our money over the product of the product

Preface

There are several widely used texts on thin layer chromatography (TLC) each of which is composed of two major sections: one section dealing with basics; the other section dealing with specific compound class applications. In most instances, the chapters dealing with the basics of TLC do not cover their topics in enough depth and detail to enable the reader to carry out the operation described with confidence and success.

In this volume, we have attempted to describe in detail all the basic operations necessary for successful TLC in such a way that the reader may readily carry them out without hesitation. Rather than presenting complete literature reviews in each of the topic areas, we have drawn information from practical experience and from the literature describing practical methods. For best overall results, the beginning TLC practitioner should read this book from beginning to end before beginning any chromatography in order to familiarize himself or herself with the entire TLC process. This familiarity will allow each step to proceed more smoothly than might otherwise be possible.

Using this information, the worker in TLC can readily perform

the desired separations in his or her own laboratory.

This volume would not have been possible without the generous support of the Department of Obstetrics and Gynecology, School of Medicine, the University of Pennsylvania. Our thanks are also extended to the firms and individuals who granted permission to use graphs and illustrations of equipment and procedures. The inclusion of equipment from a given supplier should not be construed as a recommendation, nor should failure to cite any product or sup-

plier be construed as a lack of recommendation.

We also appreciate the devoted work of those who diligently worked to assemble the data: Mr. Philip Blackwood, Mrs. Clare Dobbins, and Miss Cheryl Crowder. A very special thanks to the late Mr. Eric Nyberg for constructive criticism of the manuscript.

tion dealing with basics, the other section dealing with specific Edupoind class applications, in most instances, the chapters

copic areas, we have describing practical experience and from the literature describing practical methods. For period

Hain's this intowartion, the worker in TLC can regulary perform

Joseph C. Touchstone Murrell F. Dobbins

Philadelphia, Pennsylvania June, 1977

Glossary of TLC Terms

the the least of the same region seems

absorbent

activation

adsorbent

adsorption chromatography

alumina

argentation TLC

Substance that absorbs others, usually on the basis of wetting ability.

The process of heating a TLC plate to drive off moisture resulting from layer preparation or adsorption from the atmosphere.

Substance adhering to another due to attraction between surface atoms of the two substances resulting from intermolecular forces such as hydrogen bonding, electrostatic forces, and charge-transfer forces:

Process whereby a sample is separated by interaction between 'adsorptive' forces of a medium (stationary phase) and a solvent (mobile phase).

Common adsorbent; Al₂O₃

TLC employing silver nitrate impregnated in the layer material, usually silica gel. This impregnation changes the separation characteristics of the silica gel. will be bitten for you amon I will a

ascending chromatography

Chromatography in which the mobile phase moves upwards in the medium.

bed

A column or layer of porous material containing the stationary phase, the interstices being filled with mobile phase.

band

Chromatographic zone; region where the separated substance is concentrated.

CC

Column chromatography.

cellulose

Common medium for separation on a TLC plate.

chamber

Tank, jar, or vessel in which chromatographic separation takes place.

chamber saturation

Equilibration of the chamber or tank with mobile phase before the plate is placed into it.

chromatogram ' chromatogram

A series of separated bands or zones in or on the stationary phase. The end product of the chromatography process.

chromatographic solvent

or sub restous of golve

Solvent or mixture of solven'ts used as the mobile phase.

chromatographic system

Combination of the solvent, the sorbent, and components of the sample mixture. The interactions of the system determine the selectivity of the separation.

chromatography

A method of analysis in which the flow of a mobile phase (gas or liquid) promotes the separation of substances by differential migration from a narrow initial zone in a sorptive medium.

chromatoplate

A thin layer plate; a layer of sorbent coated on a solid support such as glass, aluminum, or plastic.

continuous development

Development occurring over a distance that is usually greater than one plate length. Development is often expressed as a function of time rather than distance.

deactivation

The process of making the chromatographic layer less active to decrease its separation capabilities. Usually done with water.

densitometry

Measurement of a zone on a layer with an instrument that determines the density of the zone.

descending chromatography

Chromatography in which the mobile phase moves downwards in the sorptive medium.

destructive detection.

A detection process that changes the chemical nature of the substance being detected in an irreversible manner. Sulfuric acid charring is one example.

detection

The process of locating a separated substance on a chromatogram, whether by physical methods, chemical methods, or biological methods.

developing solvent

Mobile phase.

development bipel an

The movement of mobile phase in the chromatogram to effect separation.

diatomaceous earth

A naturally occurring fine white powder, formed from the skeletons of microscopic marine organisms. Also called kieselguhr.

distribution coefficient

amount of solute per unit of
stationary phase
amount of solute per unit of
mobile phase

eluent

Solvent that removes a sample from a medium.

xvii

eluotropic series

Series of solvents or solvent mixtures arranged in order of eluting power.

elution

Removal of a solute from a sorbent by passage of a suitable solvent.

flat-bed chromatography

Common term for thin layer or paper chromatography occurring in a single plane. Sometimes called planar chromatography.

front sevel a me anon a lo

The visible boundary at the junction of the mobile-phase wetted layer and the "dry" layer. If a trough chamber is used with equilibration for development, the "dry" layer can contain amounts of the mobile phase.

GC (GLC)

Gas (liquid) chromatography.

gradient TLC

Separation on a sorbent layer that has changing characteristics, that is, a gradient, from one portion of the layer through an adjoining portion of the layer.

gradient elution

Development using a solvent system whose composition is continuously changing to effect separation; normally done to increase the strength of the eluent.

HPLC TO THE WARRY STATES OF

High pressure liquid chromatography.

HPTLC SIEW BILL VELTINOSO

High performance thin layer chromatography.

hRe

100×Rf

impregnation and assures as

Loading of the sorbent with a liquid or a solid to change the chromatographic behavior of the layer. An example is NaNO₃ impregnated silica gel.

in situ

Occurring in place, e.g., on the thin layer.

xviii

ion exchange

Process whereby ions of the same charge replace each other in a given phase. In chromatography, it usually refers to symptoms where the stationary phase is made of an ionic polymer, which can be a synthetic resin or a specially treated mineral.

IR

Infrared spectrometry.

kieselguhr

Diatomaceous earth.

migration with today at a wills

Travel of sample in the medium in the direction of the mobile phase.

mobile phase

The moving phase (solvent or gas) of a chromatographic system.

and mobile phase in the s2M

Mass spectrometry.

multiple chromatography

Chromatography repeated a number of times using the same or different mobile phases.

nondestructive detection

Detection of a substance on a chromatogram by a process that will not permanently change the chemical nature of the substance being detected. Visualization with iodine vapor is one example of a nondestructive method.

origin slodt no shawah eta

Point where sample is applied.

partition

Divide or distribute between.

partition chromatography

separation between two

tw. of switteness tory

Process in which sample is separated by partition between two liquid phases or between a gas and a liquid. One liquid is stationary while the other is mobile.

partition coefficient or ratio (K_d)

Ratio of concentration of solute after partition between two immiscible phases.

xix

 $K_d = \frac{C_s}{C_m}$, where C_s and C_m are the con-

centrations in the stationary and mobile phases, respectively.

Paper chromatography.

Preparative layer chromatography. Used for the separation of larger amounts of substance than are normally separated with regular, analytical TLC. Normally a thicker layer (500-2000 μ) or sorbent is employed than in TLC.

Programmed multiple development. The repeated development of a TLC plate with the same mobile phase in the same direction for gradually increasing distances.

Highly charged, or with uneven electricalycharges. Degrees of solubility in water can be used as a measure of polarity. In organic chemistry a polar molecule is one with a large dipole moment. In chromatography a polar molecule is one whose distribution coefficient favors the polar phase. Affinity of substances for polar solvents depends on their dipole moments and their molecular volumes. It is clear that polarity in the strict sense is not always synonymous with solubility.

Commercially available than layer plates or sheets ready for use in TLC.

The degree of separation between two substances expressed as

Rs = $\frac{1}{4}(\alpha - 1) \sqrt{N} \left(\frac{k!}{k!+1}\right)$,

where a is the separation factor or

PC

PLC

PMD

polar

precoated plates or sheets

resolution

the ratio of the capacity factors between two solutes k1/k2; N is the number of theoretical plates in the sorbent bed; k' is the average of ki and k2. The capacity factor k is the equilibrium ratio of total solute in the stationary phase to total solute in the mobile phase.

reversed-phase chromatography

digostocres Where to

Chromatography on a sorbent impregnated with a nonpolar and nonvolatile liquid as a stationary phase. Separation is effected by a polar mobile phase.

Rf value

A ratio: the distance from the origin to the center of the separated zone divided by the distance from the origin to the solvent front.

R_m value

 $Log \left(\frac{1}{R_f} - 1\right)$

sandwich chamber

Developing chamber formed from the plate itself, a spacer, and another nonlayered cover plate that stands in a trough containing the mobile phase.

secondary front

An additional solvent (mobile phase) front, lower than the primary solvent front. Occurs because components of the mobile phase have demixed and migrated apart from the other components.

silica gel

Silicic acid. The most widely used sorbent for TLC. Also used in column chromatography.

solvent

Liquid used for mobile phase. Not identified a priori with mobile phase.

solvent front

The forwardmost point of the mobile phase during development. Leitzut beimt neit letend aftdes

sorbent

A generalized term for the chromatographic stationary phase in which the nature of the force (adsorption, ion exchange, or reversed phase) is not specified.

starting point line

Position on chromatogram where the sample is applied. Usually 10-20 mm from the bottom of the plate. Also called the origin.

stationary phase

The phase of the chromatographic system that is made up of the surface of an adsorbent or liquid held by the support of a partition or gel system.

stepwise elution

Development using an eluent whose composition is changed using discontinuous, stepped gradients, in contrast to gradient elution.

support

The sheet of glass, plastic, or aluminum upon which the TLC sorbent is coated. Gives physical strength to the layer.

tailing Incomplete separation of zones, often resulting in elongation of a zone.

TLC Thin layer chromatography (chromatogram).

TLG Thin layer gel chromatography employing a gel, such as Sephadex, coated on a glass plate for the separation of molecules predominantly according to molecules p

two-dimensional

Successive development of a chromatochromatography gram in directions orthogonal to each other with the same or different mobile phase.

two-dimensional A two-step development technique in development which a plate is first developed in one mobile phase, then dried, turned

through 90°, and developed in a second, different mobile phase.

Ultraviolet light.

The distribution of the solute or separated compound on the stationary phase before, during, and after chromatography.

UV

zone (also spot or band)

PRACTICE OF THIN LAYER CHROMATOGRAPHY

more filling to the state of the large property of the large transfer of the state of the state

The least Many departs the series and the manual of the content of the series of the s

various compose to "la linkes use de las la mineral vancilier de la linke de l

(18 world lighter 27 (2) thought lighter 3) gas-solid, of (6) years

roman de la comença de la presencia de la comença de l La comença de la comença d

Contents

GLOSSARY C	OF TLC TE	RMS	XV1	
CHAPTER 1	BASICS	OF THIN LAYER CHROMATOGRAPHY	133	
	1.2 1.3 1.4	Introduction. History. TLC Procedure. Other Forms of Chromatography. Advantages of TLC.	3 4 12	
CHAPTER 2	PREPAR	PREPARATION OF THIN LAYER PLATES		
	2.1 2.2 2.3	Backing Supports for Sorbent Layers Preparation of Glass Plates Prior to Coating Available Sorbents For Preparing Plates	18	
61	2.3.1 2.3.2 2.3.3	Introduction Binders UV Indicators		
	2.4	Silica Gel or Silicic Acid	23	
	2.4.1	Preparation of Silica Gel Slurry	25	
	2.5	Alumina	26	