



中国科学院教材建设专家委员会立项项目
土木工程科学研究暨研究生教学丛书

TORSIONAL ANALYSIS OF STEEL STRUCTURAL MEMBERS THEORY AND DESIGN

(2nd Edition)

(钢结构构件的扭转分析——理论与设计)
(第二版)

CHEN JI

陈骥 编著



科学出版社

中国科学院老
土木工程系

页目
书

**TORSIONAL ANALYSIS OF STEEL
STRUCTURAL MEMBERS THEORY
AND DESIGN
(2nd Edition)**

(钢结构构件的扭转分析——理论与设计)
(第二版)

CHEN JI

陈 骥 编著

科 学 出 版 社

北 京

内 容 简 介

本书介绍了薄壁开口截面扭转屈曲或弯扭屈曲、畸变屈曲、扭转塑性破坏,即均匀扭转塑性破坏和翘曲扭转塑性破坏的理论分析、试验研究和设计问题,包括均匀受扭、约束受扭、沙堆比拟方法和翘曲扭转诸多试验研究和设计问题。

本书给出了两端简支焊接工形截面,轴心受压柱的扭转屈曲荷载和轴心受压冷弯开口加劲卷边槽钢构件的弹性畸变屈曲荷载的计算实例,并按照澳大利亚冷弯薄壁规范 AS/NZS 4600—2005 2nd Ed. 确定弹性畸变屈曲荷载的计算实例。

本书可作为高等院校土建类和力学类专业的研究生教材,也可供相关领域的工程技术人员和科研人员学习和参考。

图书在版编目(CIP)数据

Torsional Analysis of Steel Structural Members Theory and Design (2nd Edition) (钢结构构件的扭转分析:理论与设计), 英文 / 陈骥编著. —2 版. —北京:科学出版社, 2015

(中国科学院教材建设专家委员会立项项目·土木工程科学研究暨研究生教学丛书)

ISBN 978-7-03-046330-2

I. ①钢… II. ①陈… III. ①钢结构-结构构件-英文 IV. ①TU391

中国版本图书馆 CIP 数据核字(2015)第 270026 号

责任编辑:童安齐 / 责任校对:王万红

责任印制:吕春珉 / 封面设计:耕者设计工作室

科学出版社出版

北京东黄城根北街 16 号

邮政编码:100717

<http://www.sciencep.com>

北京京华虎彩印刷有限公司印刷

科学出版社发行 各地新华书店经销

*

2014 年 9 月第 一 版 开本:787×1092 1/16

2015 年 11 月第 二 版 印张:7

2015 年 11 月第一次印刷 字数:150 000

定价:80.00 元

(如有印装质量问题,我社负责调换<京华虎彩>)

销售部电话 010-62136131 编辑部电话 010-62137026(BA08)

版权所有,侵权必究

举报电话:010-64030229; 010-64034315; 13501151303

PREFACE

With the enhanced property of steel materials and design requirements of twisting members in steel systems, thin-walled cold-formed steel structures are widely used in practical engineering projects. Therefore, teaching and engineering technical staffs who are engaged in the theoretical research and design of steel structures urgently need to understand the torsional, flexural-torsional and distortional buckling in terms of bending and torsion of thin-walled members. This text book is written towards post-graduates who major in steel structure.

Commonly, readers deal with the torsional and flexural-torsional buckling of thin-walled members while ignoring the distortional buckling. So staffs of steel structures need to have full master of the buckling modes of thin-walled members. In order to address this need, combined with years of practical teaching experience and engineering design projects, Professor Chen Ji stresses much importance on the elastic and elastic-plastic theoretical analysis of thin-walled torsional members, which can make the attention of readers towards the distortional buckling. The changes inside the structure and manifestation form of deformation of members under various external force are stressed in this book to predict the failure modes of structures.

The contents in this book are as follows: Torsion of thin-walled cold-formed open section, elastic torsion and bending-torsion of axial compression members, distortional buckling of cold-formed lipped channel section, distortional buckling under in-plane uniform bending of monosymmetric and bisymmetric I-shape beams and the latest scientific research results. Also contained in this book are references related of each chapter. The contents in this book have a common focal point that post-graduates should pay attention to the study of fundamental theory and practical use. The examples in this book have detailed explanation and provide readers with elaborate deriving processes, making readers fully understand the problems of thin-walled members.

Xu, S. J. , Song, W. J.
2014. 5

FOREWORD

(2nd Edition)

This book is written for graduate students in colleges and universities as a text book and also can be used by structural engineers and researchers, since the various design provisions of specifications are discussed in this book such as AS/NZS 4600-2005^{2nd} Ed. Standards Australian/New Zealand Standard on Cold-Formed Steel Structures, Sydney Australia 2005; CSA Standards S16—2009 Design of Steel Structures; Canadian Standards Association, Mississauga, Ontario, 2009; Din 18800—2; Stahbauten, Stabilitätsfälle, knicken von Stäben und Stabwerken, 1990; GB 50017—2014 Code for the Design of Steel Structures, China Plan Press, Beijing, 2014 (in Chinese) and GB 50018—2013 Specification of the Design of Cold-Formed Thin Walled Steel Structures, China Plan Press, Beijing, 2013 (in Chinese).

There are eleven chapters in this text book. Chapter 1 includes the history of torsion of steel structural members, such as the sand-heap analogy for the full plastic torque of solid section beam, developed by Nadai, A. in 1931, Chapter 2 Introduction gives the elastic-torsion shear and warping torsion stresses of I-section thin-walled steel member from Trahair, N. S. and Pi, Y. L. in 1997. Chapter 3 provides the linear elastic torsional behavior of I-section thin-walled steel member, in which the expression of thin-walled open cross-section member under torsion, graduated student on study, Xu, S. J. gives a good suggestion; Chapter 4 gives the elastic torsional buckling of axial compression under the twisting deformation as the angle α between the inclining fiber and the vertical line in which the effect of residual stress distribution and the end boundary conditions on elastic torsional buckling load are considered; Chapter 5 explains the elastic section distortional buckling stress of the cold-formed lipped channel involved the twist rotation and the lateral bending displacement of the compression flange. For calculation, an equilibrium method and a numerical method are used. Chapter 6 shows the simply supported bi-symmetrically welded I-beam under in-plane uniform bending in order to explain its distortional buckling. In 1995, Papangelis, J. P., Hancock, G. J. and Trahair, N. S. and in 2006, Samanta, A. and Kumar, A. indicate that, for the short mono-symmetric I-section beam, the distortional buckling mode is predominant and for long mono-I-section beam, the flexural buckling mode is predominate. Chapter 7 shows the simply supported bi-symmetrically welded I-beam under in-plane uniform bending in order to explain its distortional buckling. In 1980,

Hancock, G. J. , Bradford, M. A. and Trahair, N. S. used an energy method obtain the analytical solution of the elastic lateral-distortional buckling moment of bi-symmetrical I-section beam in uniform bending; Chapter 8 I-section beams and beam-columns under bending and torsion use different methods to calculate the out-of-plane stability, sometime take place flexural and torsional deformations before they reach their ultimate state; Chapter 9 in 1953, Timoshenko, S. P. predicts the elastic torsional behavior of a thin-walled steel I-section beam, in which the combination of twist rotations and stresses is stated. Chapter 10 First yield condition of steel structural I-section beam under torsion is obtained, in which, the combined warping normal stress with shear stress due to the uniform torsion and with shear stress due to the warping torsion are stated. Chapter 11 Inelastic torsional behavior is usually modeled as being elastic-plastic strain hardening in which the plastic collapse torsion and uniform-torsion plastic torque under combined bending and torsion are conducted by Dinno, K. S. and Merchant, W. in 1965 and testing results are given.

In Chapter 9, the computer programs to determine the twist rotation angle and stress resultants as well as in Chapter 10, the linear elastic torsional behavior.

Chen Ji

E-mail: chenji_jichen@163.com

May, 2015

FOREWORD

This book is written for graduate students in colleges and universities as a text book and also can be used by structural engineers and researchers, since the various design provisions of specifications are discussed in this book such as AS/NZS 4600-2005^{2nd} Ed. Standards Australian/New Zealand Standard on Cold-Formed Steel Structures, Sydney Australia 2005; CSA Standards S16—2009 Design of Steel Structures, Canadian Standards Association, Mississauga, Ontario, 2009; Din 18800—2; Stahbauten, Stabilitätsfälle, knicken von Stäben und Stabwerken, 1990; GB 50017—2014 Code for the Design of Steel Structures, China Plan Press, Beijing, 2014 (in Chinese) and GB 50018—2013 Specification of the Design of Cold-Form Thin Walled Steel Structures, China Plan Press, Beijing, 2013 (in Chinese).

There are eleven chapters in this book. Chapter 1 includes the history of torsion of steel structural members, such as the sand-heap analogy for the full plastic torque of solid section beam, developed by Nadai, in 1931. Chapter 2 Introduction gives the elastic-torsion shear and warping torsion stresses of I-section thin-walled steel member from Trahair, N. S. and Pi, Y. L. in 1997. Chapter 3 provides the linear elastic torsional behavior of I-section thin-walled steel member, in which the expression of thin-walled open cross-section member under torsion, graduated student on study, Xu, S. J. gives a good suggestion. Chapter 4 gives the elastic torsional buckling of axial compression under the twisting deformation as the angle α between the inclining fiber and the vertical line in which the effect of residual stress distribution and end boundary conditions on elastic torsional buckling load are considered. Chapter 5 explains the elastic section distortional buckling stress of the cold-formed lipped channel involved the twist rotation and the lateral bending displacement of the compression flange. For calculation, an equilibrium method and a numerical method are used. Chapter 6 shows the simply supported bi-symmetrically welded I-beam under in-plane uniform bending in order to explain its distortional buckling. In 1995, Papangelis, J. P., Hancock, G. J. and Trahair, N. S. and in 2006, Samanta, A. and Kumar, A. indicate that, for the short mono-symmetric I-section beam, the distortional mode is predominant and for long mono-I-section beam, the flexural buckling mode is predominate. Chapter 7 shows the simply supported bi-symmetrically welded I-beam under in-plane uniform bending in order to explain its distortional buckling. In 1980, Hancock, G. J., Bradford, M. A. and Trahair, N. S. used an energy method obtain the analytical solution of the elastic

lateral-distortional buckling moment of bi-symmetrical I-section beam in uniform bending. Chapter 8 I-section beams and beam-columns under bending and torsion use different methods to calculate the out-of-plane stability, sometime take place flexural and torsional deformations before they reach their ultimate state. Chapter 9 in 1953, Timoshenko, S. P. predicts the elastic torsional behavior of a thin-walled steel I-section beam, in which the combination of twist rotations and stresses is stated. Chapter 10 first yield condition of steel structural I-section beam under torsion is obtained, in which, the combined warping normal stress with shear stress due to the uniform torsion and with shear stress due to the warping torsion are stated. Chapter 11 inelastic torsion-behavior is usually modeled as being elastic-plastic strain hardening in which the plastic collapse torsion and uniform-torsion plastic torque under combined bending and torsion are conducted by Dinno, K. S. and Merchant, W. in 1965 and testing results are given.

Chen Ji

E-mail: chenji_jichen@163.com

May, 2014

SOME SYMBOLS USED IN TEXTBOOK

A	Area
B_w	Bi-moment
E	Elastic modulus
G	Shear modulus of elasticity
H	Height
I	Moment of inertia
I_t	Torsion section constant $I_t = \sum_{i=1}^n I_{it}$
I_w	I-section warping constant
M_u	Uniform-torque
M_w	Warping torque
P_w	Torsional buckling load
\bar{R}	Coefficient of Wagner effect
S	Shear center; static moment
S_w	Warping static moment
W	Second modulus
b_f	Width of flange
b_w	Width of web
r_0	Polar radius of sectional gyration
x_0	Coordinate of shear center
ρ_0	Polar distance
σ_w	Warping normal stress
τ_w	Warping shear stress
φ	Angle of twist rotation
ω_s	Sectorial coordinate

CONTENTS

PREFACE

FOREWORD (2nd Edition)

FOREWORD

SOME SYMBOLS USED IN TEXTBOOK

CHAPTER 1 HISTORY OF TORSION OF STEEL STRUCTURAL

MEMBERS 1

References 3

CHAPTER 2 INTRODUCTION 5

2.1 Introduction 5

2.2 Linear Elastic Torsional Behavior of Steel I-Section Members 7

2.3 First yield Condition of Steel Structural Member in Torsion 8

2.4 Plastic Collapse Analysis of I-Section Torsion 8

2.5 Uniform-Torsion Plastic Collapse 9

2.6 Warping Torsion Plastic Collapse 10

References 13

CHAPTER 3 LINEAR ELASTIC TORSIONAL BEHAVIOR 15

References 24

CHAPTER 4 ELASTIC TORSIONAL AND FLEXURAL-TORSIONAL BUCKLING

OF AXIAL COMPRESSION MEMBERS 26

4.1 Elastic Torsional Buckling of Centrally Compressed Members 26

4.2 Effect of Residual Stress Distribution on Elastic Torsional Buckling Load 28

4.3 Effect of End Boundary Conditions on Torsional Buckling Load 29

4.4 Elastic Flexural-torsional Buckling of Axial Compression Members 31

Problem 38

References 38

CHAPTER 5 ELASTIC DISTORTIONAL BUCKLING OF AXIAL COMPRESSION

MEMBERS 39

5.1 Elastic Section Distortional Buckling Stress 39

5.2 Equilibrium Method to Determine Elastic Distortional Buckling Load 39

5.3 To Determine Elastic Distortional Buckling Stresses and Loads According to Schafer, B. W. and Peköz, T. Handle Method 41

5.4 To Determine Elastic Distortional Buckling Stresses and Loads

According to AS/NZS 4600—2005 ^{2nd} Ed.	42
Problem	51
References	51
CHAPTER 6 DISTORTIONAL BUCKLING OF STEEL BI-SYMMETRIC	
I-SECTION BEAMS UNDER IN-PLANE UNIFORM BENDING	52
6.1 Theoretical Analysis on Distortional Buckling of Bisymmetric	
I-section Beams	54
6.2 Theoretical Analysis on Distortional Buckling of Monosymmetric	
I-section Beams	57
References	64
CHAPTER 7 DISTORTIONAL BUCKLING OF STEEL BI-SYMMETRIC	
I-SECTION BEAM-COLUMNS	65
Distortional Buckling of Steel Bi-symmetric I-section Beam-columns	65
References	67
CHAPTER 8 I-SECTION BEAMS AND BEAM-COLUMNS UNDER BENDING	
AND TORSION	68
8.1 Governing Differential Equations of Biaxial Bending Beam with	
Torsion	68
8.2 Two Methods to Check Stability for Biaxial Bending Beam with	
Torsion	70
Problem	83
References	84
CHAPTER 9 ELASTIC TORSIONAL BEHAVIOR	86
References	88
CHAPTER 10 FIRST YIELD CONDITION OF STEEL STRUCTURAL MEMBER	
UNDER TORSION	89
Linear Elastic Torsional Behavior	89
References	91
CHAPTER 11 INELASTIC TORSIONAL BEHAVIOR	92
11.1 Inelastic Torsional Behavior of I-section Beam	92
11.2 Plastic-Collapse Analysis of Torsion	93
11.3 Uniform-Torsion Plastic Collapse	94
11.4 Conclusions	96
References	96
ANSWERS TO SOME SELECTED PROBLEMS	98

CHAPTER 1 HISTORY OF TORSION OF STEEL STRUCTURAL MEMBERS

Although the torsional analysis of beams has attracted the interest of many researchers since Saint-Venant^[1.1] in 1855 solved the problem of elastic uniform torsion, it appears difficult to predict the ultimate strengths of steel I-beams in non-uniform torsion. Many researches have been carried out into elastic uniform torsion and expressions have been obtained for the warping displacements of the cross section. Some analytical solutions for the uniform elastic-plastic torsion of beams with various cross sections have also been obtained.

Nadai, A. ^[1.2] in 1931 developed the sand-heap analogy for the full plastic torque of solid section beams, Christopherson, D. G. ^[1.3] in 1940 obtained an elastic-plastic bending solution for an I-section, and, later, Nadai, A. ^[1.4] in 1954 used the rooftop membrane analogy for the elastic-plastic solution of various cross section beams. Sokolovsky, W. W. ^[1.5] in 1946 developed an elastic-plastic solution for an oval section beam, and Smith, J. O. and Sidebottom, O. M. ^[1.6] in 1965 derived an elastic-plastic bending solution for prismatic bars of rectangular sections. Billinghamurst, A. , Williams, J. R. L. , Chen, G. and Trahais, N. S. ^[1.7] in 1992 used the mitre method to obtain elastic-plastic bending solutions for various cross sections.

The linear elastic non-uniform torsion of thin-walled open section beams is studied by Timoshenko, N. S. and Gere, J. M. ^[1.8] in 1961, Vlasov, V. J. ^[1.9] in 1961 and Wagner, H. ^[1.10] in 1936 by considering small angles of cross-section rotation φ (so that $\sin\varphi \approx \varphi$, $\cos\varphi \approx 1$). Because of the complexity of the elastic-plastic analysis of the non-uniform torsion of beams, no analytical solutions have been obtained so far.

Approximate solutions for the small-rotation elastic-plastic nonuniform torsion of I-section cantilevers are suggested by Boulton, N. S. ^[1.11] in 1962, Dinno, K. S. and Merchant, W. ^[1.12] in 1965, Augusti, G. ^[1.13] in 1966 and Boulton, N. S. in 1962 presented a lower-bound theory, while Dinno, K. S. and Merchant, W. in 1965 developed a so-called Merchant upper bound for the full plastic torque-carrying capacities of I-section cantilevers. Augusti, G. in 1966 presented an additional theory that gave results between the upper and lower bounds and proved that the Merchant upper bounds a true upper bound.

Since thin-walled open sections have low torsional stiffness, the torsional deformations can be of such magnitudes that it is not adequate to treat the angles of

rotation as small. When finite twist rotation angles are considered, the elastic uniform torsion problem becomes nonlinear. Ashwell, D. G. ^[1.14] in 1951 and Gregory, M. ^[1.15] in 1960 study both theoretically and experimentally the elastic nonlinear behavior of twisted cantilevers of different cross sections under uniform torsion conditions. Tso, W. K. and Ghobarah, A. A. ^[1.16] in 1971 presented a study of the nonlinear non-uniform elastic torsion of thin-walled open sections.

Recently, numerical methods have been used by some researchers to investigate the elastic plastic uniform and non-uniform torsional behavior of beams. Yamada, Y. , Katagir, S. and Takatruka, K. ^[1.17] in 1972, Johnson, A. F. ^[1.18] in 1973, and Itani, R. Y. ^[1.19] in 1979 studied elastic-plastic uniform torsion. Baba, S. and Kajita, T. ^[1.20] in 1982 used a two-node, four-degree-of-freedom beam element for the uniform torsion analysis and a four-node, 12-degree-of-freedom rectangular section element for the warping analysis of the section. Their linear and nonlinear predictions of the deformations are quite similar and they concluded that the solutions for the plastic torque of beams should lie in-between the sand heap analogy and Merchant upper bound. Bathe, K. J. and Chaudhary, A. ^[1.21] in 1982 used warping displacement functions for beams of rectangular cross section in the formulation of a two-node Hermitian-based beam and in the formulation of a variable number of nodes isoparametric beam for the linear and nonlinear analysis of torsion. Bathe, K. J. and Wiener, R. M. ^[1.22] in 1983 employed a Hermitian beam element and a nine-node shell element for the elastic-plastic non-uniform torsion of I-beams. Gellin, S. , Lee, G. C. and Chern, J. M. ^[1.23] in 1983 presented a strip finite-element model for the analysis of the nonlinear material behavior of thin-walled members in non-uniform torsion. May, J. M. and Al-Shaarbaf, A. J. ^[1.24] in 1989 used a standard three-dimensional 20-node isoparametric quadratic brick element in the elastic-plastic analysis of uniform and non-uniform torsion of members subjected to pure and warping torsion. Their results supported Baba, S. and Kajita, T's. conclusions. Chen, G. and Trahair, N. S. ^[1.25] in 1991 developed a finite-element model for the inelastic analysis of non-uniform torsion of I-section beams by using the mitre model to describe the shear strain distribution over the cross section.

Some experimental studies for the elastic-plastic uniform torsion of I-sections are carried out by Boulton, N. S. in 1962 and Dinno, S. S. and Gill, K. S. ^[1.26] in 1964 included two tests with ends free to warp. The experimental torque results are much higher than those predicted by the Merchant upper bound and very large rotation angles are sustained before failure occur. The experimental torque result conducted by Farwell, C. R. Jr, and Galambos, T. V. ^[1.27] in 1969 is shown in Fig. 1.1.

The purposes of this paper are to present an elastic-plastic model for analyzing




Fig 1.1 Test setup of steel wide flange I-section beam under non-uniform torsion
(a) Under a load applied mid-span of beam 5 before testing; and (b) After testing until to failure

large torsional deformations of I-section beams, and to investigate the elastic-plastic behavior of I-section beams in non-uniform torsion.

References

- [1.1] Saint-Venant. Memoire Sur la Torsion des Prismes. Memoires des Savants Etrangers. France, XIV, 233-Inc. , New York, N. Y. , 1855.
- [1.2] Nadai, A. Plasticity. McGraw-Hill, New York, N. Y. , 1931.
- [1.3] Christopherson, D. G. A Theoretical Investigation of Plastic Torsion in an I-Beam. Journal of Applied Mechanism, 1940, Vol. 7; 1-4.
- [1.4] Nadai, A. Theory of Flow and Fracture of Solids. McGraw-Hill, New York, N. Y. , 1954.
- [1.5] Sokolovsky, W. W. Theory of Plasticity. Moscow, Russia (in Russian), 1946.
- [1.6] Smith, J. O. and Sidebottom, O. M. Inelastic Behavior of Load Carrying Members. John Wiley and Sons, Inc. , New York, N. Y. , 1965.
- [1.7] Billingham, A. , Williams, J. R. L. , Chen, G. and Trahair, N. S. Inelastic Uniform Torsion of Steel Members, Computers and Structures, 1992, Vol. 42, No. 6; 887-894.
- [1.8] Timoshenko, S. P. and Gere, J. M. Theory of Elastic Stability. McGraw-Hill, New York, N. Y. , 1961.
- [1.9] Vlasov, V. Z. Thin-Walled Elastic Beams, Israel Program for Scientific Transactions. Jcrusalem, 1961.
- [1.10] Wagner, H. Verdrehung und Knickung von Offenen Profilen (Torsion and Buckling of Open Sections) NACA Tech. , Memo. No. 807, NACA, Washington, D. C. , 1963.
- [1.11] Boulton, N. S. Plastic twisting and Bending of an I-Section in which the Warp is Restricted. Institute of Journal Mechanism Science. 1962, Vol. 4; 491-501.
- [1.12] Dinno, K. S. and Merchant, W. A Procedure for Calculating the Plastic Collapse of I-Section under Bending and Torsion, the Structural Engineering, 1995, Vol. 43, No. 7; 219-221.
- [1.13] Augusti, G. Full Plastic Torque of I-Beams. Institute of Journal Mechanism Science, 1966, Vol. 8; 641-649.
- [1.14] Ashwell, D. G. The Axis of Distortion of a Twist Prism. Phil. Mag. , 1951, Vol. 42; 820-832.
- [1.15] Gregory, M. The Bending and Shortening Effect of Pure Torque. Australian Journal Applied Science, Australia, 1960, Vol. 11; 209-216.

- [1.16] Tso, W. K. and Ghobarah, A. A. Non-Linear Non-Uniform of Thin-Walled Beams. Institute of Journal Mechanism Science, 1971, Vol. 13; 1039-1047.
- [1.17] Yamada, Y. , Katagiri, S. and Takatruka, K. Elastic-Plastic Analysis of Saint-Venant Torsion Problem by hybrid Stress Model. Institute Journal of Numerical Methods in Engineering, 1972, Vol. 5, No. 2; 193-207.
- [1.18] Johnson, A. F. Bending and Torsion of Anisotropic Bar. Institute Journal of Solid Structures, 1973, Vol. 9; 527-551.
- [1.19] Itani, R. Y. Elasto-Plastic Torsion of Axisymmetric Bars. Journal of Engineering Mechanism, Division ASCE, 1979, Vol. 105, No. 1; 1-12.
- [1.20] Baba, S. and kajita, T. Plastic Analysis of Torsion of a Prismatic Beam. Institute Journal of Numerical Methods in Engineering, 1982, Vol. 18, No. 6; 927-944.
- [1.21] Bathe, K. J. and Chaudhary, A. On the Displacement Formulation of Torsion of Shafts with Rectangular Cross-Sections. Institute Journal of Numerical Methods in Engineering, 1982, Vol. 18, No. 10; 1565-1580.
- [1.22] Bathe, K. J. and Winter, P. M. On Elastic Plastic Analysis of I-Beams in Bending and Torsion. Computers and Structures, 1983, Vol. 17, No. 5-6; 711-718.
- [1.23] Gellin, S. , Lee, G. C. and Chern, J. H. A Finite Element Model for Thin-Wall Members. Institute Journal of Numerical Methods in Engineering, 1983, Vol. 19, No. 1; 59-71.
- [1.24] May, I. M. and Al-Shaarbaf, A. S. Elasto-Plastic Analysis of Torsion Using Three-Dimensional Finite Element Model. Computers and Structures, 1989, Vol. 33, No. 3; 667-678.
- [1.25] Chen, G. and Trahair, N. S. Inelastic Non-Uniform Torsion of Steel Beams. Journal of Constructional Steel Research, 1992, Vol. 23; 180-207.
- [1.26] Dinno, K. S. and Gill, S. S. The Plastic Torsion of I-Sections with Warping Restraint. Institute of Journal Mechanism Science, 1964, Vol. 6; 27-43.
- [1.27] Farwell, C. R. Jr, and Galambos, T. V. Non-Uniform Torsion of Steel Beams in Inelastic Range. Journal of Structural Engineering, ASCE, 1969, Vol. 95, No. 12; 2813-2829.

CHAPTER 2 INTRODUCTION

2.1 Introduction

Torsion effects are rarely considered in the design of steel structures, usually because of the difficulty in analyzing them. Even when elastic computer analyses are used to predict torsion effects, there is a lack of advice on how to design for these except by a first-yield analysis of the critical member cross sections, which are difficult to determine and analyze. Torsion in a thin-walled steel member is resisted by a combination of the resistance to uniform torsion. Fig. 2.1 (a) developed by shear stresses that vary almost linearly across the thickness of the section wall, and the resistance to warping torsion [Fig. 2.1 (b)] developed by equal and opposite flange bending and shear actions from Trahair, N. S. and Pi, Y. L. [2.1] at 1997. Although an elastic theory for combining these two torsion actions is well developed, manual solutions are sufficiently difficult to discourage its use in routine design.




Fig. 2.1 Elastic-torsion shear stresses of I-section thin-walled steel member

(a) Uniform torsion shear stresses τ_u ; and (b) Warping torsion shear stresses τ_w

Furthermore, the apparently significant combinations of the shear stresses of uniform torsion with the normal and shear stresses of warping torsion lead to further difficulties. A first difficulty is the combinations of these different stresses, which cause first yield. More difficult is the determination of the most heavily stressed point in the

member, because these stresses vary in different ways around the cross section and along the member.

On the other hand, designs based on elastic analysis are likely to be extremely conservative, not only because of the significant difference between first yield in a cross section and full plasticity, but also because of the unaccounted for yet significant reserves of strength that are not mobilized in redundant members until after inelastic redistribution takes place.

This situation contrasts strongly with what has existed for many years in the design of braced steel beams, in which the use of plastic analysis not only simplifies the hand analysis of redundant beams, but also allows due account to be taken of both the difference between first yield and full plasticity as well as plastic redistribution as the collapse mechanism forms.

There have been a number of suggestions made for the plastic cross-section analysis (Boulton, N. S. ^[2.2] in 1962; Dinno, R. S. and Merchant, W. ^[2.3] in 1965; Augusti, G. ^[2.4] in 1966). Most of these have attempted to produce accurate methods for predicting the conditions of uniform and warping torsion that cause a section to become fully plastic. Because these studies ignore strain hardening and the strengthening effects of second-order longitudinal (Wagner, H. ^[2.5] in 1936) stresses that develop at large rotations (Wagner, H.), their concentration on producing accurate but safe predictions has led in many cases to unnecessarily complicated formulations that are conservative.

Recent numerical studies (Pi, Y. L. and Trahair, N. S. ^[2.6] in 1995) have validated a generalization of a simple method of predicting plastic-torsion collapse that is an extension of the so-called Merchant upper-bound approximation developed by Dinno, K. S. and Merchant, W. ^[2.3] in 1965 for cantilevers. In this method, fully plastic collapse capacities are evaluated separately for uniform and warping torsion, and then added together. Its predictions are very close to those of more accurate small-rotation inelastic analysis, yet substantially less than those of very accurate large-rotation analysis. This extension allows a direct transfer of the analysis methods for the plastic collapse of beams in bending to the plastic collapse of members under warping torsion, without any new concepts required. The purpose is to explain and demonstrate the use of this method of analyzing the plastic collapse of members in torsion. Only compact I-section members that have no local buckling limitations are considered. Procedures for the plastic design of members in torsion are presented elsewhere by Pi, Y. L. and Trahair, N. S. ^[2.7] in 1994a, who also consider local buckling, first yield, and first-hinge design; procedures for the design of members in combined bending and torsion by Pi, T. L. and Trahair, N. S. ^{[2.8],[2.9]} in 1994b, 1994c.