Demana Waits Clem[illegible]s

College Algebra & Trigonometry

A GRAPHING APPROACH



SECOND EDITION

College Algebra & Trigonometry

A GRAPHING APPROACH

SECOND EDITION

Franklin Demana
Bert K. Waits
The Ohio State University
Stanley R. Clemens
Bluffton College

with the assistance of

Alan Osborne
The Ohio State University
Gregory D. Foley
Sam Houston State University

ADDISON-WESLEY PUBLISHING COMPANY
Reading, Massachusetts • Menlo Park, California • New York • Don Mills, Ontario • Wokingham, England
Amsterdam • Bonn • Sydney • Singapore • Tokyo • Madrid • San Juan • Milan • Paris

Sponsoring Editor Bill Poole
Associate Editor Kathleen A. Manley
Developmental Editor Stephanie Botvin
Managing Editor Karen M. Guardino
Production Supervisor Jennifer Brownlow Bagdigian
Production Technology Consultant Laurie Petrycki
Text Designer Nancy Blodget/Books By Design
Copyeditor Susan Middleton
Proofreader Laura K. Michaels/Michaels Communications
Manufacturing Supervisor Roy Logan
Cover Designer Marshall Henrichs
Compositor ETP Services, Inc.
Illustrator Tech Graphics
Printer Murray Printing

This book was produced with TEX.

Reprinted with corrections, October 1992.

Library of Congress Cataloging-in-Publication Data

Demana, Franklin D., 1938-
College algebra and trigonometry : a graphing approach / Franklin Demana, Bert K. Waits ; with the assistance of Alan Osborne, Gregory D. Foley. -- 2nd ed.
p. cm.
Includes index.
ISBN 0-201-56294-4
1. Functions. 2. Algebra--Graphic methods. 3. Trigonometry.
I. Waits, Bert K. II. Title.
QA331.3.D46 1992
512'.9--dc20 91-37616
CIP

4 5 6 7 8 9 10-MU-95949392

Dedication

The authors dedicate this book to their wives, Christine Demana, Barbara Waits, and Joenita Clemens, without whose patience, love, and understanding this book would not have been possible.

Preface

College Algebra and Trigonometry: A Graphing Approach grew out of our strong conviction that incorporating graphing technology into the precalculus curriculum better prepares students for further study in mathematics and science. Before revising this text, we spoke to hundreds of teachers about their experiences using this approach in order to make this truly a user's revision. Our aim in preparing this second edition was to strengthen the technology-based approach while refining the organization and format of the text.

Our own research at The Ohio State University and at dozens of other test sites shows that the use of a calculator- or computer-based graphing approach dramatically changes results in the classroom. Instead of being bored and discouraged by conventional contrived problems, students suddenly grow excited by their ability to explore problems that arise from real world situations and learn from their experiences. The mathematics classroom is transformed into a mathematics laboratory, with a new interactive instructional approach that focuses on problem-solving. As a natural outgrowth of this excitement, students complete the course with a better understanding of mathematics and a solid intuitive foundation for calculus.

The Graphing Approach

As in the first edition, this text is designed to be used in a one or two semester college algebra and trigonometry course. We take advantage of the power and speed of modern technology to apply a graphing approach to the course. The characteristics of this approach are described below.

Integration of Technology Use of a graphing utility—whether a hand-held graphing calculator or computer graphing software—is not optional. Technology allows the focus of the course to be on problem solving and exploration, while building a deeper understanding of algebraic techniques. Students are expected to have regular and frequent access to a graphing utility for class activities as well as homework.

Problem Solving The ultimate power of mathematics is that it can be used to solve problems. Technology removes the need for contrived problems and opens the door for realistic and interesting applications. Throughout this text, we focus on what we call problem situations—situations from the physical world, from our social environment, or from the quantitative world of mathematics. Using real life situations makes the math understandable to the students, and students come to value mathematics because they appreciate its power.

Throughout this text, we use a three step problem solving process. Students will be asked to:

1. Find an algebraic representation of the problem;
2. Find a complete graph of the algebraic representation; and
3. Find a complete graph of the problem solving situation.

These three steps prepare the student to find either a graphical or algebraic solution to the problem. Problem situations are highlighted in the exercise sets, and we encourage students to complete all the exercises which deal with that problem. See page 157, exercises 107–111.

Multiple Representations A quantitative mathematical problem can often be approached using multiple representations. In a traditional precalculus course, problems are analyzed using an algebraic representation, and perhaps a numerical representation. However, modern technology allows us to take full advantage of a graphical, or geometric, representation of a problem. Our understanding of the problem is enriched by exploring it numerically, algebraically, and graphically. See pages 61 and 62.

Exploration We believe that a technology-based approach enriches the students' mathematical intuition through exploration. With modern technology, accurate graphs can be obtained quickly and used to study the properties of functions. Students learn to decide for themselves what technique should be used. The speed and power of graphing technology allows an emphasis on exploration. See page 125.

Geometric Transformations The exploratory nature of graphing helps students learn how to transform a graph geometrically by horizontal or vertical shifts, horizontal or vertical stretchs and shrinks, and reflection with respect to the axes. This develops students' abilities so that they can sketch graphs of functions quickly and understand the behavior of graphs. See page 131.

Foreshadowing Calculus We foreshadow important concepts of calculus through an emphasis on graphs. Using graphs, students can find maxima and minima of functions, and intervals where functions are increasing or decreasing and limiting behavior of functions are determined graphically. We do not borrow the techniques of calculus—rather we lay the foundation for the later study by providing students with rich intutitions about functions and graphs. See page 165.

Approximate Answers Technology allows a proper balance between exact answers that are rarely needed in the real world and accurate approximations. Graphing techniques such as zoom-in provide an excellent geometric vehicle for discussion about error in answers. Students can read answers from graphs with accuracy up to the limits of machine precision. See page 57.

Visualization Graphing helps students to gain an understanding of the properties of graphs and makes the addition of geometric representations to the usual numeric and algebraic representations very natural. Exploring the connections between graphical representations and problem situations deepens student understanding about mathematical concepts and helps them appreciate the role of mathematics.

About the Second Edition

This second edition of *College Algebra and Trigonometry: A Graphing Approach* grew out of the experiences of hundreds of classrooms. We have carefully listened to comments and suggestions of both teachers and students, and incorporated them fully into the text. The entire text has been extensively revised and rewritten.

Development of Functions In this edition, the topics of functions—including operations on functions, composition of functions, and inverse functions—have been combined in Chapter 3. Polynomial functions and their graphs remain in a separate chapter (Chapter 4).

Rational Functions Coverage of rational functions and functions involving radicals (Chapter 5) has been streamlined from seven sections to four.

Trigonometry Chapters The three chapters on trigonometry (Chapters 7–9) have been developed to make concepts even more accessible, and now contain an even greater emphasis on graphing. A more complete development of trigonometric identities and solving trigonometric equations has been included since students need to practice these skills to be successful in calculus.

Polar Coordinates and Parametric Equations These topics are now covered in a separate chapter (Chapter 11) together with conic sections. The material on conics is treated in two sections. Topics from this chapter may be incorporated earlier if the instructor chooses.

Systems of Equations Sections on solving systems of equations algebraically and graphically are now combined with material on matrices. This material is now found in Chapter 10. We develop conceptual understanding of systems of equations in Chapter 2. For those instructors who want to cover all of this material earlier, Chapter 10 is designed to be usable at any place after Chapter 2.

Permutations, Combinations, and Probability We now include treatment of these important topics in Chapter 12. In addition, we treat mathematical induction and the binomial theorem in separate sections.

Algebra Skills New sections in Chapter 1 have been added to review concepts of algebra while at the same time building familiarity with the graphing utility.

Sections added include the real number line, exponents, algebraic expressions, and fractional expressions. Use of this material as reference or review is optional.

Features

New pedagogical features have been incorporated into this text. It is our hope that these features will make the the text a stronger teaching and learning tool. The pedagogy now includes:

Explore with a Graphing Utility This recurring box places the student in the role of participant in the development of the mathematics. By introducing topics through this experience-based process, the book literally interacts with the student. Students develop their critical thinking skills, and form generalizations about the behavior of functions.

Sidelight Boxes Shaded boxes placed in the margin provide commentary on the mathematical development, and include problem solving tips, calculator hints, and reminders.

Color A functional use of color has been introduced to help the reader better navigate through the text. In addition to using color to mark beginnings and ends of examples, and to identify definitions and theorems, the text uses color in the artwork to help the student correctly identify the concept being illustrated.

Artwork We have made a visual distinction between graphs generated with a graphing utility and hand-sketched art. Art which has been derived from a grapher is outlined with a colored box; while the graphs have been drawn more smoothly we still try to emulate what the student sees on their grapher. Traditional art uses color within the graphs but is not boxed. The distinction between types of artwork underscores the difference between a sketch and a grapher-drawn complete graph.

Examples As in the first edition, we have included many examples to develop the concepts. Titled examples help the student focus on the purpose of the example.

Exercises We have closely focused on correlating end of section exercises to examples, and added many new exercieses. Writing to Learn and Discussion exercises have also been included in nearly every exercise set.

Supplements

Graphing Calculator and Computer Graphing Laboratory Manual This edition of the lab manual has been updated to include instructions for the latest calculators from Casio, Texas Instruments, Sharp, and Hewlett-Packard. As with previous versions, the lab manual provides the student with keystroke-level descriptions for using the technology in precalculus.

Instructor's Resource Guide Included in this guide for teachers are essays discussing the implementation of technology in the classroom, two forms of tests for each chapter, and section-by-section overviews with teaching goals.

Instructor's Solutions Manual The Instructor's Solutions Manual contains worked out solutions to every problem in the text.

Student's Solutions Manual This supplement contains worked out solutions to every odd-numbered problem in the text.

Answer Book Even and odd answers are provided in this supplement for instructors to make available to their students.

Master Grapher and 3D Grapher Software This software is available in versions for the IBM, MacIntosh, and Apple computers, and may be used for in-class demonstrations or laboratory use.

OmniTest II A unique algorithm-based test generator for Demana, Waits, Clemens, **College Algebra and Trigonometry**, produces virtually unlimited versions of problems appropriate for the graphing calculator. These printed problems include graphic representation of the images which appear on the graphing calculator. This provides a permanent record of the calculator image with which teachers and students may annotate instructional notes and illustrative comments. These printed problems are also useful in a cooperative learning environment.

Acknowledgments

We would like to thank the many wonderful teachers who participated in the development of this text. Their dedication and enthusiasm made this revision possible. Creative suggestions for this edition came from so many of our family of teachers that it would be impossible to name them all here. However, we particularly want to thank the reviewers of this edition and the participants of focus groups:

Carl Arvendsen, *Grand Valley State University*; Elinor Berger, *Columbus College*; David Jaspers, *University of South Carolina—Aiken*; Samuel Buchanan, *University of Central Arkansas*; Donald Davis, *Ohio State University—Newark*; Phil DeMarois, *William Rainey Harper College*; Yuanan Diao, *Kennesaw State College*; Patricia Ernst, *St. Clouds State University*; John Fink, *Kalamazoo College*; Marge Friar, *Grand Valley State University*; Jelena Gill, *Michigan State University*; Margaret Greene, *Florida Community College at Jacksonville*; Dwight Horan, *Wentsworth Institute*; Keith Kuchar, *Northern Illinois University*; Mercedes McGowen, *William Rainey Harper College*; Michael Perkowski, *University of Missouri at Columbia*; Hal Schoen, *University of Iowa*; Eddie Warren, *University of Texas*; Steven Wilkinson, *Northern Kentucky University*; Howard Wilson, *Oregon State University*.

We thank our colleagues, Greg Foley and Alan Osborne, for their constructive suggestions and their work on the Instructor's Guide. Special thanks are due to Penny Dunham, who coordinated the revision of the answer section and managed a team of teachers to solve and check the answers. We would like to thank the entire team for their valued contribution: Arne Engebretson, Babs Merkert, Tommy Eads, Pam Giles, Ray Barton, Karen Longhart, Betty Roseborough, and Jeri Nichols. We also thank Gerald White, of Western Illinois University, and Gloria Dion, of Penn

State—Ogontz Campus, for their assistance in checking the mathematical accuracy of the manuscript.

We would also like to thank Jenny Bagdigian, Stephanie Botvin, Kathy Manley, Laurie Petrycki, and Bill Poole of Addison-Wesley for their hard work in making this second edition a reality.

Bert K. Waits
Franklin Demana
Stan Clemens

Contents

CHAPTER 1

Fundamental Concepts of Algebra

1.1 Real Numbers and the Coordinate Plane



Figure 1.1 All integers are rational numbers, and all rational numbers are real numbers. A real number is either rational or irrational but not both.

The set of numbers used most frequently in algebra is known as the **real numbers**. Real numbers are either **rational** or **irrational**. The set of **integers** is a subset of the set of rational numbers, since for each integer a, $a = a/1$ (see Fig. 1.1). Following are some examples:

$$\begin{array}{rlll} \text{integers:} & 3, & -5, & 48 \\ \text{rational numbers:} & \dfrac{3}{8}, & -\dfrac{2}{3}, & \dfrac{22}{7} \\ \text{irrational numbers:} & \pi, & \sqrt{2}, & \sqrt{17}. \end{array}$$

Real numbers can be represented as decimal numbers. Integers have all zeros to the right of the decimal point. Rational numbers always have a block of numbers that repeat, and irrational numbers have no repeating blocks of digits. Some examples of rational and irrational numbers are:

$$\pi = 3.141592654\cdots, \quad \tfrac{5}{8} = 0.625, \quad \sqrt{2} = 1.414213562\cdots, \quad \tfrac{1}{3} = 0.33333\cdots.$$



Figure 1.2 When an irrational number is keyed into one calculator, the digits to the right of the ten digits displayed and the three additional check digits are usually interpreted to be zero. Thus the number displayed is a rational number approximation to the exact value of the number. What does your calculator give for π?

Since a calculator or computer display of a decimal number can show only a finite number of digits, usually 7 to 10, many displays represent only approximations to the number keyed in. However, they are very accurate approximations (Fig. 1.2).

Arithmetic Operations

There are four binary operations for numbers: addition, subtraction, multiplication, and division, represented by the symbols $+$, $-$, $\times$ (or $\cdot$), $\div$.

Addition and multiplication satisfy a set of properties that can be used to change the form of a mathematical expression into an equivalent form. These properties are summarized as follows.

Real Number Properties of Addition and Multiplication

Let a, b, and c represent real numbers. Then all of the following are true:

	Addition	*Multiplication*
Closure:	$a + b$ is real.	$a \cdot b$ is real.
Commutative:	$a + b = b + a$	$a \cdot b = b \cdot a$
Associative:	$a + (b + c) = (a + b) + c$	$a \cdot (b \cdot c) = (a \cdot b) \cdot c$
Identity:	$a + 0 = 0 + a = a$	$a \cdot 1 = 1 \cdot a = a$
Inverse:	$a + (-a) = (-a) + a = 0$	$a \cdot \left(\frac{1}{a}\right) = \left(\frac{1}{a}\right) \cdot a = 1 \quad (a \neq 0)$
Distributive:	$a(b + c) = ab + ac$	

An **equation** is a statement of equality between two expressions. For example, $3 + 4$ and $2 + 5$ both represent 7. We write the equation $3 + 4 = 2 + 5$. We can use the commutative property of addition to conclude that for any real number x, $x + 5 = 5 + x$. In solving problems involving equations, three important properties of equality will be useful.

Real Number Properties of Equality

Let a, b, and c be real numbers. Then the following properties are true:

Reflexive: $a = a$
Symmetric: If $a = b$, then $b = a$
Transitive: If $a = b$ and $b = c$, then $a = c$.

EXAMPLE 1 Using Properties of Real Numbers

If x is any real number, show that $2 \cdot (x+3) = 6 + 2 \cdot x$.

Solution

$$2 \cdot (x+3) = 2 \cdot x + 2 \cdot 3 \quad \text{distributive property}$$

$$2 \cdot x + 2 \cdot 3 = 6 + 2 \cdot x \quad \text{commutative property}$$

so $$2 \cdot (x+3) = 6 + 2 \cdot x. \quad \text{transitive property of equality}$$

Real Number Line

The set of all real numbers is often represented as points on a line (Fig. 1.3). To construct a **coordinate system** on a line, draw a line and label one point 0. This point is called the **origin**. Then mark equally spaced points on each side of 0. Label points to the right of zero $1, 2, 3, \ldots$ and to the left of zero $-1, -2, -3, \ldots$. The properties of *order* in Definition 1.1 describe the placement of all other numbers on the line. Figure 1.3 is called a **number line**.



Figure 1.3 Each real number corresponds to one and only one point on the number line, and each point on the number line corresponds to one and only one real number.

The number associated with a point P is called the **coordinate** of point P.

Figure 1.4 a is less than b.

Definition 1.1 Order on the Real Number Line

If a and b are any two real numbers, then $\boldsymbol{a}$ **is less than** $\boldsymbol{b}$ if $b-a$ is a positive number. In this case, a is to the left of b on the number line (Fig. 1.4). This order relation is denoted by the **inequality** $\boldsymbol{a < b}$. In all, there are four inequality symbols that express order relationships:

$a < b$	a is less than b
$a \leq b$	a is less than or equal to b
$a > b$	a is greater than b
$a \geq b$	a is greater than or equal to b