



ADVANCED TOPICS IN SCIENCE AND TECHNOLOGY IN CHINA

国家科学技术学术著作出版基金资助出版

“十二五”国家重点图书出版规划项目

Lanjuan Li *Editor*

Infectious Microecology

Theory and Applications



ZHEJIANG UNIVERSITY PRESS

浙江大学出版社



Springer

国家科学技术学术著作出版基金资助出版
“十二五”国家重点图书出版规划项目

Lanjuan Li *Editor*

Infectious Microecology

Theory and Applications

With 17 figures, 6 of them in color



ZHEJIANG UNIVERSITY PRESS
浙江大学出版社



Springer

图书在版编目(CIP)数据

感染微生态学：理论与实践 = Infectious
microecology: theory and applications: 英文 / 李兰
娟主编. —杭州：浙江大学出版社，2014.7
ISBN 978-7-308-12435-5

I. ①感… II. ①李… III. ①感染—病原微生物—微
生物学—英文 IV. ①R37

中国版本图书馆 CIP 数据核字(2013)第 255630 号

Not for sale outside Mainland of China

此书仅限中国大陆地区销售

感染微生态学：理论与实践
李兰娟 主编

责任编辑	张鸽 张凌静
封面设计	俞亚彤
出版发行	浙江大学出版社
	网址： http://www.zjupress.com
	Springer-Verlag GmbH
	网址： http://www.Springer.com
排 版	杭州理想广告有限公司
印 刷	浙江印刷集团有限公司
开 本	710mm×1000mm 1/16
印 张	42.5
字 数	1329 千
版 印 次	2014 年 7 月第 1 版 2014 年 7 月第 1 次印刷
书 号	ISBN 978-7-308-12435-5 (浙江大学出版社)
	ISBN 978-3-662-43882-4 (Springer-Verlag GmbH)
定 价	268.00 元

版权所有 翻印必究 印装差错 负责调换

浙江大学出版社发行部联系方式 (0571)88925591; <http://zjdxcs.tmall.com>

**ADVANCED TOPICS
IN SCIENCE AND TECHNOLOGY IN CHINA**

ADVANCED TOPICS IN SCIENCE AND TECHNOLOGY IN CHINA

Zhejiang University is one of the leading universities in China. In *Advanced Topics in Science and Technology in China*, Zhejiang University Press and Springer jointly publish monographs by Chinese scholars and professors, as well as invited authors and editors from abroad who are outstanding experts and scholars in their fields. This series will be of interest to researchers, lecturers, and graduate students alike.

Advanced Topics in Science and Technology in China aims to present the latest and most cutting-edge theories, techniques, and methodologies in various research areas in China. It covers all disciplines in the fields of natural science and technology, including but not limited to, computer science, materials science, life sciences, engineering, environmental sciences, mathematics, and physics.

Preface

The first edition of *Infectious Microecology* was published in 2002. After 10 years of basic research and clinical practice, microecology, especially infectious microecology, has made great progress in the world, which confirms the innovative and clinical value of this theory. The development of infectious microecology is based on the progress in molecular biology, metagenomics, metabolomics, proteomics, and it is also a supplement to existing theories and practice in the field of infectious diseases.

With the progress of human civilization and medical technology, the spectrum of diseases has greatly changed. The aging population is increasing in the world. These people have a relatively low immune function and this is often accompanied by one or more underlying diseases, such as hypertension, diabetes, chronic kidney disease, etc. In addition, with the wide use of antibiotics, immunosuppressants, radiochemotherapy, organ transplants and interventional therapy, the life of critically ill patients has been prolonged. Drug-resistant strains, especially multi-drug resistant strains, are prevalent throughout the world. These strains may be the normal flora for healthy people, but they can lead to severe or even fatal infections in the above mentioned populations. The research and development of new antibiotics are far from able to meet the needs of clinical practice, and antibiotics alone cannot solve this problem. Therefore, prevention and treatment of infectious diseases has become a major issue in the new century. It is against this backdrop and in need of new theoretical guidance that infectious microecology has emerged.

Microecology sprouted at the end of the 19th century. Since the 1970s the development of gnotobiology, anaerobic culture techniques, electron microscopy techniques and cellular molecular biology have promoted the development of microecology. In the past 10 years, microecology research in humans has gained extensive attention at home (China) and abroad. Studies have shown that the microecological system is like a human organ with physiological functions, and microecological flora plays an important role in the body's immune system, metabolism and nutrition, especially in the prevention and occurrence of

infections. American scholar, Professor Hannah Gordon, said, “To ignore our microbial side would be to ignore an important contributor to our health and our biology.” In the book *Infectious Microecology* published in 2002, we proposed the theory of “infectious microecology”, which was highly praised by Professor Jeremy K. Nicholson from Imperial College London. Our study “Infectious Microecology: Theory and Application” won second prize nationally for progress in science and technology in 2007, and another study titled “Intestinal Microecology and Infection” was sponsored by the National Basic Research Program of China (“973” Program). The latter has attracted a high degree of international attention, and the magazine *Science* gave a comprehensive introduction to it. The results of this project were published on *Hepatology* and it also attracted Professor Dusko S. Ehrlich to join in, who is in charge of the European human gut metagenomics project. With further research into microecology, people know more about both the useful and harmful effects that microecology brings to the host. What’s more, infectious microecology enriches the connotation of the theory of infectious diseases, so that people can look at the incidence, progression and prognosis of infection from the point of view of microecology. It improves the anti-infection strategy, proposing a new idea that the treatment of infection should be to “kill and promote bacteria” rather than only “kill bacteria”. In recent years a wider body of evidence has shown that microecology therapy is indeed an effective weapon in the prevention and treatment of bacterial infection.

Utilizing 10 years worth of research and clinical practice, referring to recent literature about the relationship between infection and microecology, and combined with the latest research findings of liver microecology, we updated the theory, knowledge and techniques in the field of infectious microecology. We hope this edition can provide new information for medical students and clinicians.

The book is divided into 23 chapters. Chapters 1 to 5 introduce the origin and development background of the concept “infectious microecology”, as well as the composition, physiological and immunological functions of normal microflora. It also details the relationship between normal microbiology host shift, translocation and infection; between normal microflora variation, microecology disturbance and infection, especially nosocomial infection. Chapters 6 to 9 introduce the latest research and technology platforms for infectious microecology. Chapters 10 to 21 systematically dissect the characteristics of infectious microecology, and detail the prevention and treatment of diseases in various systems from the infectious microecology viewpoint. Chapter 22 introduces types and functions of the microecological modulator and its development. Chapter 23 is about the future development of infectious microecology.

Even with the careful contributions of our friends and colleagues, errors of source and misinterpretation may have found their way into the book, so suggestions for improvement will be gratefully received.

Lanjuan Li
Hangzhou, China
May, 2014

Lanjuan Li

Professor Lanjuan Li, a M.D. supervisor, academician of the CAE (Chinese Academy of Engineering) and chief physician of the First Affiliated Hospital of Zhejiang University, is a famous infectious disease specialist in China and she has been engaged in clinical, teaching and scientific research work in the field of infectious diseases for 40 years. She has made great achievements in microecology research by developing new infectious microecology theories that explore the occurrence, development, and outcome of infection from the microecological perspective, and by proposing new strategies for the prevention and control of infections. Prof. Li is also a pioneer in the study of artificial liver in China and established a special and effective artificial liver system (Li's artificial liver system [Li-ALS]), which was a momentous breakthrough in the treatment of severe hepatitis. In addition, she has undertaken more than 10 key research projects such as the national science fund project, National 863 Program and National 973 Program and so on. She has 22 authorized invention patents and has published more than 360 papers, over 150 collected by SCI academic journals including *The Lancet* and *The New England Journal of Medicine*. Served as the first completed, she has won several prizes including first prize of National Science and Technology Progress, and second prize of National Science and Technology Progress twice, first prizes of Science and Technology Progress of Zhejiang Province five times, and the second prize of Popularization and Application of Award in Colleges and Universities granted by the Ministry of Education. Presently, she holds the post of director of the Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, director of the State Key Laboratory for the Diagnosis of Infectious Diseases, the Leader of State Key Discipline Department of Internal Medicine (Infectious Diseases), and also director of the Zhejiang Infectious Disease Key Laboratory.



Meanwhile, she is also the chairman of the International Human Microbiome Consortium (IHMC), director of the Department of Bio-Medicine of the Ministry of Education, vice chairman of the Chinese Medical Association (CMA), vice president of the Chinese Health Information Society (CHIA), deputy chairman of the Chinese Society of Biomedical Engineering (CSBE), and director of the National Artificial Liver Training Base, Division Chief of the Microecology Branch of Chinese Preventive Medicine Association (CPMA), division chief of the Infectious Diseases Branch of Chinese Medical Doctor Association (CDMA), a vice-chairman member of the Third Cloud Computing Expert Committee of Chinese Institute of Electronics (CIE), Board trustees of the International Society for Apheresis (ISFA), President of Zhejiang Medical Association, editor-in-chief of the *Chinese Journal of Clinical Infectious*

Diseases, Chinese Journal of Microecology and Zhejiang Medical Journal, vice editor-in-chief of the *Chinese Journal of Infectious Diseases* and *International Journal of Epidemiology and Infectious Disease*. She has edited and published 28 monographs including the first edition of “*Artificial Liver*” and “*Infectious Microecology*” of China; and planned textbooks of Epidemiology. Furthermore, she also holds the position of vice chief engineer of the “Twelfth Five-Year Plan” — a major science-technology project titled “Prevention and Treatment of AIDS and Viral Hepatitis and Other Major Infectious Diseases” and is the expert team leader of “Field Study at Comprehensive Prevention and Control Demonstration Area”. In 2010, she won the title of “National Excellent Science and Technology Workers” for her great contribution to the diagnosis and treatment of infectious disease.

Contributors

Hongqi Chen

The Sixth People's Hospital Affiliated to Shanghai Jiao Tong University, 600 Yishan Road, Shanghai, 200233, China

Jianing Chen

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Nan Chen

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Yanfei Chen

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Yu Chen

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Guangying Cui

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Hongyan Diao

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Hong Fang

Department of Dermatology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Hongchao He

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Wei He

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Xinjun Hu

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Zhou Hua

The First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Jian Huang

Department of Hematology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Feng Ji

Department of Gastroenterology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Jianwen Jiang

Key Lab of Combined Multi-Organ Transplantation, Ministry of Public Health, Department of Hepatobiliary and Pancreatic Surgery, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Jie Jin

Department of Hematology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Konstantinos Krampis

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Lanjuan Li

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Tao Li

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Yongtao Li

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Zongxin Ling

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Chenyu Mao

Department of Medical Oncology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Xiaohui Miao

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Jason Miller

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Karen E. Nelson

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Huanlong Qin

Shanghai Tenth People's Hospital of Tongji University, 301 Yanchangzhong Road, Shanghai, 200072, China

Zhigang Ren

Key Lab of Combined Multi-Organ Transplantation, Ministry of Public Health, Department of Hepatobiliary and Pancreatic Surgery, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Douglas B. Rusch

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Sakaliya

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Yuan Shao

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Zhoujun Shen

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Granger Sutton

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Huiru Tang

State Key Laboratory of Magnetic Resonance and Atomic and Molecular Physics, Center for Biospectroscopy and Metabonomics, Wuhan Institute of Physics and Mathematics, Chinese Academy of Sciences, Wuhan, 430071, China

Andrey Tovchigrechko

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Baohong Wang

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Xianjin Wang

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Yina Wang

Department of Dermatology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Yulan Wang

State Key Laboratory of Magnetic Resonance and Atomic and Molecular Physics, Center for Biospectroscopy and Metabonomics, Wuhan Institute of Physics and Mathematics, Chinese Academy of Sciences, Wuhan, 430071, China

Yingfeng Wei

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Jian Wu

Hepatobiliary Pancreatic Surgery, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Nanping Wu

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Charlie Xiang

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Xiaorong Xiao

State Key Laboratory of Oral Diseases, West China Hospital of Stomatology, Sichuan University, Chengdu, 610041, China

Yonghong Xiao

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Ao Xie

Department of Microecology, School of Basic Medical Sciences, Dalian Medical University, Dalian, 116044, China

Liang Xu

Department of Gastroenterology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Nong Xu

Department of Medical Oncology, the First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Jing Xue

State Key Laboratory of Oral Diseases, West China Hospital of Stomatology, Sichuan University, Chengdu, 610041, China

Jin Yang

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Jingyun Yang

Medical College, Jiamusi University, Jiamusi, 154007, China

Xuesong Yang

Medical College, Jinan University, Guangzhou, 510632, China

Shibu Yooseph

J. Craig Venter Institute, 9704 Medical Center Drive, Rockville, Maryland, 20850, USA

Jieli Yuan

Department of Microecology, School of Basic Medical Sciences, Dalian Medical University, Dalian, 116044, China

Chenjing Zhang

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Qiong Zhang

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Kekai Zhao

The State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Shusen Zheng

Key Lab of Combined Multi-Organ Transplantation, Ministry of Public Health, Department of Hepatobiliary and Pancreatic Surgery, the First Affiliated Hospital, School of Medicine, Zhejiang University; Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, 310003, China

Shan Zhong

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

Jianying Zhou

The First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, 310003, China

Yu Zhu

Department of Urology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, 200025, China

