



# 德英汉 综合科技大词典

Deutsch-Englisch-Chinesisch  
Polytechnisches  
Wörterbuch

German-English-Chinese  
Polytechnical  
Dictionary

科学技术文献出版社

# ● 德英汉综合科技大词典

---

● Deutsch-Englisch-Chinesisch  
Polytechnisches  
Wörterbuch

---

● German-English-Chinese  
Polytechnical  
Dictionary

---

吕文超 主编

科学技术文献出版社

德英汉综合科技大词典(上下卷)

吕文超 主编

科学技术文献出版社出版

一二〇二工厂印刷

新华书店科技发行所发行 各地新华书店经售

787×1092毫米 16开本 169印张 9900千字

1988年6月北京第一版第一次印刷

印数: 1—8000册

科技新书目: 156—052

统一书号: 17176·559 定价: 65元

ISBN 7-5023-0065-1/G·55



# 德英汉综合科技大辞典

(英文索引)





A

|                                                  |                           |                                     |                          |                                           |                                      |
|--------------------------------------------------|---------------------------|-------------------------------------|--------------------------|-------------------------------------------|--------------------------------------|
| abaca                                            | 1L, 613L                  | abdominal trauma                    | 1037R                    | A-bomb                                    | 1L, 68L, 923L                        |
| abaca fibre                                      | 1L                        | abdominal tumor                     | 108R                     | aborbate                                  | 996R                                 |
| aback                                            | 100L                      | abduction                           | 4R                       | abortifacient                             | 644R                                 |
| abacus                                           | 1L                        | abductor                            | 4R                       | abortive measles                          | 617R                                 |
| abaft                                            | 28L, 100L                 | abeam                               | 233R                     | abortive treatment                        | 13R                                  |
| abaft the beam                                   | 28L, 100R                 | abeam off                           | 233R, 758R               | abortus                                   | 13R                                  |
| abampere                                         | 1L                        | Abegg's rule                        | 783R                     | aboutsledge                               | 1124L, 1198L                         |
| abandon                                          | 25L, 71R, 73R, 968L, 995L | Abelian integral                    | 471L                     | above ground                              | 1004L                                |
| abandon a call                                   | 73R, 244R                 | abepithymia                         | 920L                     | above-lying hydroelectrical power station | 1141R                                |
| abandon the aeroplane                            | 20L, 94R                  | abernathyite                        | 4R                       | above normal                              | 681R                                 |
| abandoned                                        | 71R                       | aberrate                            | 9L                       | above sea level                           | 624L                                 |
| abandoned luggage                                | 375L                      | aberration                          | 4R, 9L, 24R              | above-water form                          | 1060R                                |
| abandonment                                      | 1L, 23R, 71R, 736R        | aberration coefficient              | 595R                     | above zero                                | 683L                                 |
| abandon permanently                              | 25L                       | aberrationfree optical system       | 1001R                    | abrade                                    | 14L, 15L, 16L, 23L                   |
| abarognosis                                      | 1L                        | aberration free optical system      | 1002L                    | abrade with emery                         | 17L                                  |
| abate                                            | 6R, 9R, 279R, 660R        | aberrationsfree pencil              | 976L                     | abrasion                                  | 13L, 14L, 15L, 16L, 23R, 860L, 1103L |
| abatement                                        | 117L, 450R, 452L          | abetalipoproteinemia                | 5L                       | abrasion mark                             | 847R                                 |
| abating                                          | 16R                       | abfarad                             | 6L                       | abrasion resistance                       | 13L, 14R, 16R, 788R, 1103L, 1166L    |
| abatis                                           | 66R, 1157L                | abhenry                             | 9L                       | abrasion test                             | 13R, 16R, 804R, 860L                 |
| A-battery                                        | 433L                      | abietic acid                        | 9L, 426R                 | abrasive                                  | 859L                                 |
| abattoir                                         | 855L, 1113R               | ability                             | 290L, 379L, 1009L, 1100R | abrasive belt                             | 730R                                 |
| abaxial ray                                      | 974R                      | ability of fuel to ignite           | 1195R                    | abrasive belt for polishing               | 730R                                 |
| Abbe illuminating device                         | 2L                        | ability test                        | 239L                     | abrasive-belt grinding                    | 105R                                 |
| Abbe prism                                       | 2L                        | ability to be magnetized            | 610L                     | abrasive-belt machine                     | 105R                                 |
| Abbe refractometer                               | 2L                        | ability to maintain cutting power   | 869L                     | abrasive-belt polishing                   | 730R                                 |
| Abbe sine condition                              | 917L                      | ability to resist high temperatures | 1015R                    | abrasive blade                            | 1039R                                |
| Abbe's invariant                                 | 683R                      | ability to retain a cutting edge    | 869L                     | abrasive cloth                            | 859L, 860L                           |
| Abbe's law of imagery                            | 2R                        | ability to vibrate                  | 892L                     | abrasive-coated belt                      | 858R                                 |
| Abbe spectrometer                                | 2L                        | ablactation                         | 10L                      | abrasive cutting                          | 232L, 1039R                          |
| Abbe's sine condition                            | 917L                      | ablation                            | 10R                      | abrasive cut-off wheel                    | 1039R                                |
| Abbe's sine theorem                              | 917R                      | ablatio retinae                     | 673L                     | abrasive cutting-off                      | 1039R                                |
| Abbe theory of image formation                   | 1019R                     | able-bodied                         | 113R, 896L               | abrasive for blasting                     | 978L                                 |
| Abbe theory of image formation in the microscope | 1019R                     | able-bodied seaman                  | 478R, 1117R              | abrasive for seating of valves            | 1085R                                |
| Abbe vertical microscope                         | 2L                        | ablepharia                          | 12L                      | abrasive friction cutting                 | 788L                                 |
| Abble substage                                   | 119L                      | able seaman                         | 896R, 1117R              | abrasive grain                            | 859L                                 |
| Abbot silver-disk pyrheliometer                  | 916R                      | able vessel                         | 851R                     | abrasive grain for grinding               | 859L                                 |
| abbreviate                                       | 10L                       | ablutomania                         | 12R                      | abrasive grain for lapping                | 572R                                 |
| abbreviated                                      | 7R                        | AB method                           | 1L                       | abrasive grit                             | 860L                                 |
| abbreviated notation                             | 877R                      | abnormal                            | 4R, 48R                  | abrasive hardness                         | 788L, 804R                           |
| abbreviated spinning process                     | 560L                      | abnormal behavior                   | 422L                     | abrasive jet drilling                     | 332L                                 |
| abbreviation                                     | 3R, 10L, 560R             | abnormal constitution               | 528L                     | abrasive machining                        | 1023L                                |
| abcoulomb                                        | 3R                        | abnormal delivery                   | 365R                     | abrasive paper                            | 829R, 859L, 867L                     |
| A.B.C. telegraph                                 | 170R                      | abnormal ingredient                 | 127L                     | abrasive powder                           | 859L                                 |
| abdominal angina                                 | 41R                       | abnormality                         | 785R                     | abrasive reduction                        | 1043L                                |
| abdominal belt                                   | 108R                      | abnormal menstruation               | 630L                     | abrasive resistant                        | 14R                                  |
| abdominal binder                                 | 108R                      | abnormal pregnancy                  | 884R                     | abrasive saw                              | 1039R                                |
| abdominal breathing                              | 67R                       | abnormal psychology                 | 749L                     | abrasive-stick dresser                    | 14R                                  |
| abdominal cavity                                 | 108R                      | abnormal sexual desire              | 379R                     | abrasive stone for honing                 | 452R                                 |
| abdominal distension                             | 108R                      | abnormal sexual function            | 379L                     | abrasive test                             | 14R                                  |
| abdominal fistula                                | 108R                      | abnormal spin                       | 1046R                    | abrasive tool                             | 859L                                 |
| abdominal pain                                   | 108R                      | abnormal temperature distribution   | 1016R                    | abrasive-wheel cutting-off machine        | 1039R                                |
| abdominal pressure                               | 108R                      | aboard                              | 157R                     | abraum salt                               | 14L                                  |
| abdominal respiration                            | 67R                       | abohm                               | 13R                      | abreast                                   | 233R                                 |

- |                                          |                   |                                     |                                              |                                       |                   |
|------------------------------------------|-------------------|-------------------------------------|----------------------------------------------|---------------------------------------|-------------------|
| abreast of                               | 448L, 758R        | absolute number                     | 1172L                                        | absorption bottle                     | 18R               |
| abridge                                  | 10L, 1099L        | absolute orientation                | 697L                                         | absorption capacity                   | 18R, 74R          |
| abridged                                 | 559L              | absolute permittivity               | 198L, 714L                                   | absorption cell                       | 19L               |
| abridged call                            | 820R              | absolute permittivity constant      | 466R                                         | absorption circuit                    | 19L               |
| abridged call sign                       | 821R              | absolute pressure                   | 221R                                         | absorption coefficient                | 19L               |
| abridgement                              | 559L              | absolute register                   | 1051R                                        | absorption coil                       | 684L              |
| abrupt                                   | 7R, 959L          | absolute rest                       | 821R                                         | absorption control                    | 19L               |
| abrupt border                            | 1040L             | absolute scale of temperature       | 498R, 1016R                                  | absorption cross section              | 19L, 71L          |
| abrupt division                          | 945L, 959R        | absolute system                     | 1001R                                        | absorption current                    | 19L, 663L         |
| abruption                                | 1075L             | absolute system of electrical units | 1001L                                        | absorption curve                      | 19L, 884L         |
| abrupt taper                             | 496L              | absolute temperature                | 1015R                                        | absorption discontinuity              | 19L               |
| absciss                                  | 22L               | absolute term                       | 18R                                          | absorption due to water vapour        | 1140R             |
| abscissa                                 | 22R, 1170L        | absolute terminal velocity          | 96L                                          | absorption dynamometer                | 582R              |
| abscissa axis                            | 22R               | absolute thermoelectric force       | 1020L                                        | absorption econometer                 | 19L               |
| abscissa of point of cut-off             | 164R              | absolute threshold                  | 18R, 888R                                    | absorption edge                       | 19L               |
| abscissa scale expansion                 | 918L              | absolute unit                       | 18L                                          | absorption factor                     | 19L               |
| absence                                  | 25L, 301L, 676R   | absolute value                      | 18R, 130L, 1156L                             | absorption filter                     | 18R               |
| absence of backlash                      | 938R              | absolute-value element              | 18R                                          | absorption limit                      | 19L               |
| absence of current                       | 990R              | absolute value of the force         | 18R                                          | absorption line                       | 19L               |
| absence of distortion                    | 1111L, 1111R      | absolute velocity                   | 18L, 380L                                    | absorption mean free path             | 19L               |
| absence of flicker                       | 323L              | absolute viscosity                  | 1172L                                        | absorption modulation                 | 19L, 55R          |
| absence of friction between moving parts | 788R              | absolute zero                       | 684L                                         | absorption of charged particles       | 18R               |
| absence of light                         | 227L              | absorb                              | 3R, 18R, 74R, 183R, 832R, 1024L              | absorption of gas                     | 361L              |
| absence of texture                       | 993L              | absorbability                       | 18R, 74R, 832R                               | absorption of light                   | 590L              |
| absence of vibration                     | 1113L             | absorbable                          | 18R, 74L                                     | absorption of moisture                | 314R              |
| absence time                             | 25L               | absorbed                            | 30L                                          | absorption of oxygen                  | 832L              |
| absentecism                              | 61R, 302L         | absorbed dose                       | 268R, 979R                                   | absorption of power                   | 540R, 582L        |
| absentee service                         | 78L               | absorbed dose rate                  | 268R                                         | absorption of quanta                  | 756L              |
| absent subscriber service                | 78L               | absorbed dye                        | 297L                                         | absorption of vibration               | 893R              |
|                                          | 310L              | absorbed gas                        | 861L                                         | absorption of vibrations              | 18R               |
| absent subscriber's service              | 310L              | absorbed oxygen                     | 831R                                         | absorption of waves                   | 1150L             |
| absolute                                 | 18L, 1080L, 1141L | absorbed photon                     | 720R                                         | absorption of work                    | 61R               |
| absolute activity                        | 33L               | absorbed voltage                    | 927L                                         | absorption of X-rays                  | 811R              |
| absolute address                         | 30L               | absorbency                          | 18R, 832R                                    | absorption spectrum                   | 19L               |
| absolute age                             | 35L               | absorbent                           | 18R, 19L, 832R                               | absorption tower                      | 19L               |
| absolute altitude                        | 448L              | absorbent carbon                    | 33L                                          | absorption trap                       | 18R               |
| absolute brightness                      | 434R              | absorbent cotton                    | 1087L                                        | absorption tube                       | 19L, 362L         |
| absolute calculus                        | 18R               | absorbent finish                    | 19L                                          | absorption-type frequency meter       | 18R, 19L, 345L    |
| absolute ceiling                         | 389L              | absorbent paper                     | 704L                                         | absorption-type refrigeration machine | 19L               |
| absolute clearance pressure              | 924R              | absorber                            | 18R, 1024L                                   | absorption-type refrigerator          | 19L               |
| absolute colorimeter                     | 18R               | absorber circuit                    | 832R                                         | absorption vessel                     | 18R               |
| absolute counting                        | 18R               | absorber of light                   | 590L                                         | absorption wavemeter                  | 19L               |
| absolute cross section                   | 1165R             | absorb heat                         | 74R                                          | absorption wave trap                  | 1150L, 1150R      |
| absolute cumulative error                | 620R, 998L        | absorbing                           | 75R                                          | absorption wedge                      | 19L               |
|                                          | 885R              | absorbing agent                     | 18R                                          | absorptive capacity                   | 19L, 74R          |
| absolute density                         | 18L               | absorbing capacity                  | 18R, 74R, 832R                               | absorptive capacity for water         | 1140L             |
| absolute determination                   | 186L              |                                     | 19L                                          | absorptive height                     | 832R              |
| absolute dullness                        | 186L              | absorbing circuit                   | 1063L                                        | absorptive power                      | 18R, 19L, 74R     |
| absolute dynamic viscosity               | 1172L             | absorbing filter                    | 864L                                         |                                       | 980L              |
| absolute electrometer                    | 929L              | absorbing power                     | 18R                                          | absorptivity                          | 18R, 19L, 74R     |
| absolute entrance velocity               | 253R              | absorbing rod                       | 1133R                                        | abstinence symptoms                   | 21R               |
| absolute error                           | 301L              | absorbing substance                 | 18R                                          | abstract                              | 14R, 97R, 97L     |
| absolute fluctuation                     | 884R              | absorbing wall                      | 19L, 884L                                    | abstraction                           | 18R               |
| absolute frequency                       | 126R, 427L        | absorb power                        | 1088R                                        | abstraction of a pillar               | 772L              |
| absolute geological age                  | 35L               | absorb sound                        | 864L                                         | abstraction of heat                   | 11L               |
| absolute glaucoma                        | 393L              | absorbance                          | 19L                                          | abstract number                       | 1172R             |
| absolute humidity                        | 314R, 604L        | absorptiometer                      | 19L                                          | abstractor                            | 203R              |
| absolute index of refraction             | 160R              | absorption                          | 18R, 74L, 75R, 186L, 242L, 796R, 884L, 1024L | abstract space                        | 773L              |
| absolute inlet velocity                  | 253R              | absorption apparatus                | 18R                                          | abundance                             | 278L, 427L, 1051R |
| absolute kinematic viscosity             | 1172L             | absorption band                     | 18R, 19L                                     | abundance of isotopes                 | 476R              |
| absolute leukocytosis                    | 589R              | absorption basin                    | 123R                                         | abundance ratio                       | 427L              |
| absolutely convergent                    | 532L              |                                     |                                              | abundant                              | 789L              |
| absolutely convergent series             | 789R              |                                     |                                              | abut                                  | 41R, 54L, 127R    |
| absolute measurement                     | 18R               |                                     |                                              |                                       |                   |
| absolute motion                          | 18L               |                                     |                                              |                                       |                   |



- |                               |                   |                                             |                         |                          |                                  |
|-------------------------------|-------------------|---------------------------------------------|-------------------------|--------------------------|----------------------------------|
| abut against                  | 18L               | acceleration                                | 40L, 125R               | of the boiler            | 113R                             |
| abutylon fibre                | 23R               | acceleration along the path                 | 101R                    | accessible               | 1192L                            |
| abutment                      | 266R, 487R, 1158L | acceleration area                           | 125R                    | access duct              | 1192L                            |
| abutment pier                 | 1158L             | acceleration constant                       | 46L                     | access fitting           | 26L, 1087R                       |
| abutment pressure             | 487R, 1158L       | acceleration curve                          | 125R                    | access of air            | 605R                             |
| abutment stone                | 1158L             | acceleration due to attraction              | 59R                     | accessories              | 127L, 1191L                      |
| abutment zone                 | 487R              | acceleration due to gravity                 | 276L, 293L, 377L, 890L  | accessory                | 60L                              |
| abutting                      | 41R, 54L          | acceleration error                          | 125R                    | accessory agent          | 439R                             |
| abutting end                  | 973R              | acceleration error coefficient              | 125R                    | accessory breast         | 669L                             |
| abutting surface              | 974L              | acceleration formula                        | 125R                    | accessory charges        | 669L                             |
| abvolt                        | 23R               | acceleration guage                          | 125R                    | accessory circuit        | 1197R                            |
| abyssal region                | 25R               | acceleration identities                     | 125R                    | accessory finder         | 1197R                            |
| Abyssinian pump               | 5L                | acceleration lane                           | 1054L                   | accessory minerals       | 641R                             |
| Abyssinian well               | 5L                | acceleration misalignment                   | 125R                    | accessory shoe           | 77L, 997L                        |
| a.c.                          | 1145R             | acceleration misalignment coefficient       | 125R, 125R              | accessory unit           | 1197R                            |
| acacia                        | 31R               | acceleration nozzle                         | 125R                    | access platform          | 77R                              |
| acacia gum                    | 31R, 410R         | acceleration of gravity                     | 889R                    | access ramp              | 71L                              |
| academically trained engineer | 201R              | accentuation of harmonic                    | 690L                    | access speed             | 1193R                            |
|                               | 446L, 467R        | acceleration of translation                 | 349L                    | access time              | 12L, 997L, 1193R                 |
| academic year                 | 993R              | acceleration potential                      | 125R                    | access tunnel            | 1192L                            |
| acalculia                     | 31R               | acceleration pressure                       | 125R                    | access way               | 1191R                            |
| a.c. ammeter                  | 1146L             | acceleration space                          | 125R                    | accident                 | 430L, 1073L, 1073R, 1191R, 1204L |
| a.c. analogue computer        | 1145R             | accelerative force                          | 125R                    | accidental               | 1191R                            |
| a-c anode voltage             | 48R               | accelerator                                 | 2R, 125L, 126L, 355L    | accidental coincidence   | 519L, 1191R                      |
| acantholysis                  | 26R               |                                             | 362R, 374L, 777R, 1011L | accidental contact       | 124L, 529L                       |
| acanthosis nigricans          | 26R               | accelerator anode                           | 125R                    | accidental damage        | 124R                             |
| acanthus                      | 31R               | accelerator pedal                           | 125R, 355L              | accidental earth         | 276R                             |
| a.c. arc                      | 1146L             | accelerator spring                          | 125R                    | accidental error         | 301L                             |
| acaricide                     | 31R               | accelerometer                               | 125R                    | accidental exposure      | 127R, 1072L                      |
| acaroid resin                 | 31R, 1170R        | accendibility                               | 270R                    | accident at work         | 63L                              |
| acataphasia                   | 31R, 707L         | accent                                      | 987L                    | accident boat            | 1071R                            |
| acaustic impedance of water   | 461L              | accentuation                                | 1106R                   | accident hazard          | 1071R                            |
| a.c. behaviour                | 1146R             | accentuation of contrasts                   | 530R                    | accident incidence       | 1071R                            |
| a.c. bridge                   | 1146L             | accept                                      | 13L, 47L, 74R, 1056L    | accident insurance       | 1072L                            |
| accelerate                    | 125L, 364R, 559L  | acceptable                                  | 47L                     | accident prevention      | 1072L                            |
| accelerated ageing            | 35R               | acceptable quality level                    | 412R, 755R              | accident-proof           | 1072L                            |
| accelerated ageing test       | 35R               | accept a call                               | 6R,                     | accident report          | 1071R, 1072L                     |
| accelerated aging test        | 869R              | acceptance                                  | 13L, 33L, 39R, 47L      | accident surgery         | 1071R                            |
| accelerated bed-return        | 491R              |                                             | 1056L                   | accident toll            | 1097R                            |
| accelerated dislocation       | 1104R             | acceptance angle                            | 635L                    | accident whilst landing  | 569L                             |
| accelerated fatigue test      | 279R              | acceptance band                             | 230L                    | a.c. circuit             | 1146L                            |
| accelerated goods traffic     | 239R              | acceptance cone                             | 692L                    | acclimate                | 387R                             |
| accelerated motion            | 133L              | acceptance criterion                        | 47L                     | acclimatize              | 387R                             |
| accelerated movement          | 133L              | acceptance number                           | 47L                     | acclivity                | 670R                             |
| accelerated particle          | 1011L             | acceptance sampling                         | 47L                     | accommodate              | 31R, 74R, 1075R                  |
| accelerated storage test      | 35R, 566L         | acceptance test                             | 13L                     | accommodate a vessel     | 579R                             |
| accelerated tannage           | 870L              | acceptance tolerance                        | 13L                     | accommodation            | 31R, 74L                         |
| accelerated test              | 559R, 560R        | acceptance trial-trip                       | 13L                     |                          | 1175L, 1175R, 1177L              |
| accelerated weathering        | 559L              | accept a signal                             | 74R                     | accommodation bulkhead   | 248L, 1167L                      |
| accelerating agent            | 2R                | accepted bill                               | 33L                     | accommodating            | 74L                              |
| accelerating chamber          | 125R              | accepted stock                              | 312L, 413R              | accommodation            | 1167L                            |
| accelerating contactor        | 45R               | acceptor                                    | 33L, 230R, 261R         | accommodation ladder     | 293R                             |
| accelerating electrode        | 125R              | acceptor circuit                            | 230R                    | accompanying bed         | 115L                             |
| accelerating electronic lens  | 125R              | acceptor density                            | 33L                     | accompanying documents   | 115R                             |
| accelerating field            | 125R              | acceptor impurity                           | 33L                     | accompanying mineral     | 115R                             |
| accelerating force            | 125R              | acceptor level                              | 33L                     | accompanying tank        | 115R                             |
| accelerating gap              | 125R              | accepts                                     | 312L, 413L              | accomplish               | 83R, 134R, 229L                  |
| accelerating impact           | 125R              | access                                      | 1192L, 1193L            | a.c. component           | 1146L                            |
| accelerating loss             | 40L               | access canal                                | 242L, 1191R             | a.c. conductivity        | 1146L                            |
| accelerating losses           | 125R              | access cycle                                | 1193R                   | a.c. converter           | 1145R                            |
| accelerating pump             | 125R              | accessibility                               | 113R, 1192L             | accord                   | 394L                             |
| accelerating relay            | 339L              | accessibility of the exterior of the boiler | 1192L                   | according                | 373L                             |
| accelerating slit             | 125R              | accessibility of the interior and exterior  |                         | according to             | 373L                             |
| accelerating tube             | 125R              |                                             |                         | according to a power law | 734R                             |
| accelerating unit             | 125R              |                                             |                         | according to the plan    | 723L                             |
| accelerating voltage          | 125R              |                                             |                         |                          |                                  |

- |                                      |                                             |                          |                   |                                |                 |
|--------------------------------------|---------------------------------------------|--------------------------|-------------------|--------------------------------|-----------------|
| according to tariff                  | 1006R                                       | accuracy of fire         | 881L, 1038L       | acetylate                      | 99R             |
| accordion door                       | 294L, 424L                                  | accuracy of index        | 839L              | acetylating agent              | 99R             |
| accordion folding                    | 588L                                        | accuracy of indexing     | 839L, 1011R       | acetylation                    | 99R             |
| accordion partition                  | 294L                                        | accuracy of location     | 698L              | acetylation number             | 99R             |
| accost                               | 46L                                         | accuracy of measurement  | 632L              | acetylene burner               | 99R             |
| account                              | 530L                                        | accuracy of pitch        | 1013R             | acetylene cutter               | 164R            |
| accountancy book                     | 848L, 867R                                  | accuracy of positioning  | 247L              | acetylene generator            | 99R             |
| accountant                           | 780R                                        |                          | 565R, 733L, 1183R | acetylene stones               | 486R            |
| account holder                       | 530L                                        | accuracy of reading      | 12L               | acetylic acid                  | 99R             |
| accounting department                | 539R, 780R                                  | accuracy of registration | 1050R             | acetyl number                  | 99R             |
| accounting detail card               | 1068L                                       | accuracy of reproduction | 659R              | acetylsalicylic acid           | 99R             |
| accounting form                      | 530L                                        | accuracy of separation   | 1039L             | Acheson graphite               | 260L            |
| accounting machine                   | 171L, 173L, 292R                            | accuracy of shape        | 337L              | achieve                        | 280R            |
|                                      |                                             | accuracy of spacing      | 1011R, 1013R      | achievement                    | 280R            |
| account section                      | 780R                                        | accuracy to size         | 619R, 620L        | Achilles tendon                | 26R             |
| accounts payable remittance          | 544L                                        | accurate                 | 373R              | acholia                        | 26R             |
| accounts receivable                  | 189R                                        | accurate cut             | 871R              | achondroplasia                 | 26R             |
| a.c. coupled                         | 1146L                                       | accurate design          | 83R               | achroite                       | 26R, 1049L      |
| accretion                            | 53L, 1199L                                  | accurate determination   | 634R              | achromat                       | 26R             |
| accretion of crystals                | 53L                                         | accurate ground control  | 709L              | achromatic                     | 26R             |
| accretions of a shaft furnace        | 50R                                         | accurate hole location   | 565R              | achromatic beam splitter       | 980R            |
| accretive crystallization            | 829L                                        | accurate in size         | 619R              | achromatic fringe              | 984R            |
| accumulate                           | 32L, 42L, 50R, 77L, 427L                    | accurate length          | 569L              | achromaticity                  | 26R             |
|                                      |                                             | accurate levelling       | 303L              | achromatic lens                | 26R, 595L, 690L |
| accumulate at random                 | 998R                                        | accurately ruled scale   | 918L              | achromatic locus               | 1148R           |
| accumulated dose                     | 210L                                        | accurate to gauge        | 580L              | achromatic point               | 751R            |
| accumulated tooth spacing error      | 998L                                        | accurate to geometry     | 337L              | achromatic prism               | 738R            |
|                                      |                                             | accurate to size         | 618L, 620L        | achromatic region              | 1071L           |
| accumulating register                | 932L                                        | accurate within          | 373R              | achromatic stimulus            | 792L            |
| accumulating speed                   | 828R                                        | accurate workmanship     | 83R, 437L         | achromatism                    | 26R             |
| accumulating stimulus                | 792L                                        | ac-dc power supply       | 34R               | achromatism of magnification   | 26R             |
| accumulation                         | 31R, 42L, 49R, 50R, 427L, 554L, 797L, 1196R | ac-dc set                | 34R               | achromatism of position        | 26R             |
|                                      |                                             | ac-dc valve              | 34R               | achromatization curve          | 26R             |
| accumulation of the error components | 998R                                        | a.c. dialling            | 1146R             | achromatize                    | 26R             |
|                                      |                                             | a.c. engineering         | 1146L             | achromatonuria                 | 26R             |
| accumulation of heat                 | 1135R, 1137R                                | acephalocardius          | 26R               | acicular                       | 663R            |
|                                      |                                             | acephalopodius           | 26R               | acicular crystal               | 548L            |
| accumulation of mud                  | 857R                                        | acephalus                | 26R               | acicular fracture              | 167R            |
| accumulation point                   | 427L                                        | a.c. equipment           | 1146L             | acid                           | 831R, 833R      |
| accumulation region                  | 31R, 50L                                    | acerb                    | 436L              | acid amide                     | 833R            |
| accumulative dosimetry               | 209R                                        | acerbity                 | 436L              | acid Bessemer converter        | 126R            |
| accumulative error                   | 301L, 828R                                  | acescency                | 832L              | acid Bessemer low carbon steel | 126R            |
| accumulative indexing error          | 998L                                        | acescent                 | 831R              |                                |                 |
| accumulative process                 | 50L                                         | acetabulum               | 26R, 715L         | acid brittleness               | 117L            |
| accumulator                          | 31R, 32L, 332L, 829L, 831L                  | acetal                   | 99L               | acid catalyst                  | 834L            |
|                                      |                                             | acetaldehyde             | 99L               | acid catalyzed resin           | 426L            |
| accumulator acid                     | 32L, 829R                                   | acetate                  | 99L               | acid chloride                  | 834L            |
| accumulator battery                  | 31R                                         | acetate base             | 99L               | acid cleavage                  | 834L            |
| accumulator cell                     | 32L                                         | acetate fibre            | 99L               | acid component                 | 834L            |
| accumulator charging device          | 563R                                        | acetate foil             | 1182L             | acid content                   | 834L            |
| accumulator charging set             | 32L, 108L                                   | acetate of alumina       | 1026R             | acid converter                 | 532R            |
|                                      |                                             | acetate of lead          | 146R              | acid converter process         | 126R            |
| accumulator charging unit            | 563L                                        | acetate rayon            | 99L               | acid converter steel           | 126R            |
| accumulator container                | 108L, 829L                                  | acetic acid              | 283R              | acid dye                       | 834L            |
| accumulator jar                      | 829R                                        | acetic anhydride         | 283R              | acid dye stuff                 | 834L            |
| accumulator plant                    | 32L, 829L                                   | acetification            | 283R              | acid-etched                    | 622L            |
| accumulator rack                     | 829R                                        | acetoacetic acid         | 99L               | acid fast property             | 834L            |
| accumulator storage battery          | 829L                                        | acetoacetic ester        | 99L               | acid fermentation              | 361L            |
| accumulator switch                   | 1182L                                       | acetone                  | 99L               | acid fixer                     | 320L, 332R      |
| accumulator voltage                  | 829R                                        | acetone chloride         | 177L              | acid-flotation method          | 834L            |
| accuracy                             | 301R, 372R                                  | acetone odor             | 99L               | acid-formation                 | 834L            |
| accuracy in hole positioning         | 565R                                        | acetone-soluble          | 99R               | acid-forming                   | 833R            |
| accuracy in lead                     | 959L                                        | acetophenone             | 99R               | acid-forming                   | 834L            |
| accuracy of alignment                | 327R                                        | acetosalicylic acid      | 65R, 99R          | acid hydroextractor            | 834L            |
| accuracy of division                 | 1013R                                       | acetous fermentation     | 283R              | acidic                         | 831R, 834L      |
|                                      |                                             | acetulene gas            | 99R               | acidic solution                | 834L            |
|                                      |                                             |                          |                   | acidiferous                    | 831R, 834L      |

|                                |                        |                                         |             |                             |            |
|--------------------------------|------------------------|-----------------------------------------|-------------|-----------------------------|------------|
| acidification                  | 15L, 50R, 834L         | a.c. light source                       | 1145L       | acoustic mass               | 618L       |
| acidified solution             | 600L                   | acinal                                  | 920L        | acoustic memory             | 1062R      |
| acidity                        | 15L, 50R, 831R         | aclinic                                 | 32L         | acoustic mode               | 894L       |
| acidifying bath                | 15L                    | a.c. machine                            | 1146L       | acoustic-optical            | 837L       |
| acidimeter                     | 834L                   | a.c. -magnetizing                       | 1146L       | acoustic pattern            | 508R, 509L |
| acidimetry                     | 99R, 833R, 834L        | a.c. mains                              | 1146L       | acoustic pick-up            | 1026L      |
| acid intolerant crop           | 554L                   | a.c. meter                              | 1146R       | acoustic plaster            | 753R       |
| acidity                        | 99R, 834L              | acme thread                             | 1037R       | acoustic pressure           | 836R       |
| acidity degree                 | 99R, 834L              | acne                                    | 28R         | acoustic properties         | 33L        |
| acid leach                     | 576R, 833R             | acne cornee                             | 28R         | acoustic radiation pressure | 837L       |
| acidless                       | 834L                   | a.c. network                            | 1145R       | acoustic ray                | 837L       |
| acid lining                    | 89L, 117R, 355R, 1199L | acne vulgaris                           | 28R         | acoustic reflection         | 837L       |
| acid-melting                   | 1192R                  | acnode                                  | 752L        | acoustic refraction         | 160R       |
| acid melting hearth            | 865R                   | a-contact                               | 32L         | acoustic resistance         | 1158L      |
| acid number                    | 834L                   | a.c. operated                           | 862R        | acoustics                   | 33L, 454L  |
| acid of lemon                  | 1190L                  | a.c. operation                          | 1146L       | acoustics scattering        | 986R       |
| acid open-hearth furnace       | 913R                   | acorea                                  | 32L         | acoustic sounding           | 837L       |
| acid open-hearth process       | 913R                   | acorn                                   | 237R, 1161R | acoustic stimulus           | 837L       |
| acidophil                      | 99R                    | acorn nut                               | 456R        | acoustic tile               | 1134R      |
| acidosis                       | 99R                    | acorn valve                             | 237R        | acoustic wave               | 837R       |
| acid parting                   | 834L                   | acousmatagnosis                         | 32L         | acoustoelectric effect      | 237L       |
| acid process                   | 834L                   | acousmatamnesia                         | 32L         | a.c. output power           | 1146L      |
| acid-proof                     | 833R, 834L             | acoustic                                | 33L         | a.c. -powered               | 1146L      |
| acid-proof cement              | 834L                   | acoustic-absorbent silencer             | 836R        | a.c. power supply           | 1146R      |
| acid-proof lining              | 86R                    | acoustic absorption                     | 18R, 836R   | a.c. pulse                  | 1146L      |
| acid-proof varnish             | 562R                   | acoustic acid                           | 32L         | acquire                     | 282L       |
| acid radical                   | 834L                   | acoustic admittance                     | 587L        | acquire a craft             | 279L       |
| acid reaction                  | 777R                   | acoustical                              | 33L         | acquire a licence           | 596L       |
| acid reservoir                 | 833R                   | acoustical absorptivity                 | 836R        | acquisition                 | 277R, 674L |
| acid residue                   | 834L                   | acoustical current                      | 988R        | acre                        | 28R        |
| acid resistance                | 833R                   | acoustical impedance                    | 461L        | a.c. rectifier              | 1146L      |
| acid-resistant                 | 833R, 834L             | acoustical insulation                   | 836R        | acremeter                   | 434R       |
| acid-resisting                 | 833R, 834L             | acoustically compensated volume control | 577L        | a.c. resistance             | 1146R      |
| acid-resisting paint           | 54L                    | acoustically inactive                   | 837R        | acribometer                 | 32L        |
| acid-resisting steel           | 949L                   | acoustically live room                  | 418R        | acrid                       | 436L       |
| acid salt                      | 828L                   | acoustical reactance                    | 147R        | acridic acid                | 32L        |
| acid siphon                    | 834L                   | acoustical resistance                   | 1166L       | acridine dye                | 32L        |
| acid slagging practice         | 855R                   | acoustical resonator                    | 796R        | acritical                   | 1074L      |
| acid sludge                    | 834L                   | acoustical-tooptical conversion         | 1070L       | acroanesthesia              | 32L        |
| acid solution                  | 834L                   | acoustical vibration                    | 892R        | acrobatic flight            | 554L       |
| acid stop bath                 | 970L                   | acoustic board                          | 33L, 836R   | acrobatic pilot             | 554L       |
| acid swollen sole leather      | 920L                   | acoustic bridge                         | 168R        | acrocyanosis                | 32L        |
| acid tester                    | 457R, 834L             | acoustic buoy                           | 376R        | acrodermatitis              | 32L        |
| acid tolerant crop             | 554L                   | acoustic click                          | 513R        | acrolein                    | 32L        |
| acid tower                     | 834L                   | acoustic compliance                     | 300R        | acromegaly                  | 32L        |
| acid trap                      | 363L                   | acoustic damping                        | 186L        | acromiocr                   | 32L        |
| acid trap of storage batteries | 363L                   | acoustic delay line                     | 931L        | acromion                    | 32L        |
| acid treatment                 | 833R                   | acoustic delay memory                   | 931L        | acron                       | 329L       |
| acidulate                      | 50R, 831R              | acoustic direction finding              | 370R        | acroparesthesia             | 32L        |
| acidulated water               | 1139R                  | acoustic engineering                    | 1028L       | acrophobia                  | 28R        |
| acidulation                    | 50R                    | acoustic feedback                       | 817L        | acrophotodysia              | 32L        |
| acidulous                      | 831R                   | acoustic field                          | 453L        | acrosclerosis               | 32L        |
| acid value                     | 834L                   | acoustic figures                        | 509L        | across                      | 758R       |
| acid vat                       | 834L                   | acoustic filter                         | 317R        | across flight overlap       | 761L       |
| acid wash                      | 15L                    | acoustic flowmeter                      | 1062L       | across the grain            | 758R       |
| a.c. impedance bridge          | 1146L                  | acoustic generator                      | 374L, 836R  | acrylate                    | 32L        |
| a.c. interference              | 1146L                  | acoustic grating                        | 389R        | acrylic acid                | 32L        |
| acknowledge                    | 761R                   | acoustic impedance                      | 837L, 846L  | acrylic fibre               | 32L        |
| acknowledgement                | 39R                    | acoustic inertia                        | 618L, 837L  | acrylic plastic             | 32L        |
| acknowledgement of a signal    | 127L                   | acoustic interferometer                 | 837L        | acrylic resin               | 32L        |
| acknowledgement signal         | 762L                   | acoustic irradiation                    | 124R        | acrylonitrile               | 32L        |
| acknowledger                   | 762L                   |                                         |             | a.c. saturated reactor      | 1146L      |
| acknowledge signal             | 265R                   |                                         |             | a.c. servo system           | 1146L      |
| acknowledging circuit          | 762L                   |                                         |             | a.c.shunt motor             | 1146L      |
| acknowledging switch           | 762L                   |                                         |             | a.c. signal                 | 1145L      |
|                                |                        |                                         |             | a.c. standard               | 1145R      |



- |                                         |                        |                              |                         |                            |                   |
|-----------------------------------------|------------------------|------------------------------|-------------------------|----------------------------|-------------------|
| a.c. supply                             | 1146L                  | activator                    | 32R, 49R, 125L          | actual cost                | 383L              |
| a.c. -supply apparatus                  | 1146L                  | activator atom               | 32R                     | actual deviation           | 476R              |
| a.c. switch                             | 1146L                  | active                       | 32R, 117R, 765R,        | actual dimension           | 476R, 477L        |
| act                                     | 41R, 254L, 1165L       |                              | 927L, 988L, 989R, 1165L | actual drilling time       | 156R              |
| a.c. tachometer                         | 1146L                  | active admittance            | 1165L                   | actual enlargement         | 1095R             |
| a.c. technique                          | 1146L                  | active aerial                | 54R, 55L                | actual error               | 301L              |
| act for eugenic protection              | 883R                   | active area                  | 320R                    | actual feed rate           | 477L              |
| actin                                   | 32R                    | active balance return loss   | 301R,                   | actual grey-value          | 403L              |
| acting in one direction                 | 1165L                  |                              | 659L                    | actual load                | 1165L             |
| acting in opposite phases               | 719L                   | active clay                  | 145R                    | actual moving target       | 330L              |
| acting time                             | 785R                   | active coil                  | 1162L                   | actual output              | 335L              |
| actinic radiation                       | 978R                   | active component             | 1144L, 1165L            | actual position            | 477L              |
| actinide                                | 32R                    | active current               | 1165L                   | actual power               | 237L, 582L, 1165L |
| actinide series                         | 32R                    | active cutting edge          | 428R                    | actual range               | 789L              |
| actinism                                | 32R, 592R              | active deposit               | 678L                    | actual ray trace           | 976R, 977R        |
| actinium                                | 32R                    | active detergent             | 996R                    | actual resistance          | 1158R             |
| actinium series                         | 32R                    | active earth                 | 145R                    | actual response curve      | 121R              |
| actinium uranium                        | 32R, 1080R             | active earth pressure        | 276L                    | actual size                | 477L              |
| actino-chemical                         | 976L                   | active electric network      | 840R                    | actual steam consumption   | 186R              |
| actinochemistry                         | 32R, 976L              | active electrode             | 259L, 271R              | actual temperature         | 477L, 1015R       |
| actinoelectric                          | 32R                    | active element               | 263R                    | actual ton-kilometre       | 686R              |
| actinolite                              | 32R                    | active emanation             | 264R                    | actual value               | 477L              |
| actinometer                             | 32R, 976R              | active energy                | 1165L                   | actual volumetric delivery | 335R              |
| Actinomyces                             | 32R                    | active-energy meter          | 1144L, 1166L            | actuarial                  | 1105L             |
| actinomycosis                           | 32R                    | active fuse                  | 131R                    | actuarial theory           | 1105L             |
| action                                  | 32R, 254L, 379L, 421L, | active homing                | 1188L                   | actuate                    | 53L, 128R         |
|                                         | 1121L, 1165L, 1166L    | active hot metal mixer       | 1121L                   | actuating                  | 53L, 128R         |
| action and reaction                     | 1165L                  | active immunity              | 461L                    | actuating arm              | 58L, 839L, 961L   |
| action condition                        | 1166L                  | active immunization          | 461L                    | actuating cam              | 128R, 973L        |
| action of the distributing-valve motion |                        | active input                 | 1165L                   | actuating current          | 53L, 128R         |
|                                         | 966R                   | active lattice               | 924R                    | actuating mechanism        | 960R              |
| action of light                         | 591R                   | active lesion                | 1086R                   | actuating piston           | 965L              |
| action of the mass                      | 619R                   | active line                  | 1178R                   | actuating pressure         | 61R, 960R         |
| action quantity                         | 1165R                  | active load                  | 1165L                   | actuating quantity         | 406L              |
| action turbine                          | 32R, 225L, 393R        | active material              | 621L                    | actuating rod              | 840L              |
| action turbine with pressure stages     | 225L                   | active network               | 673R                    | actuating switch           | 128R              |
|                                         | 225L                   | active power                 | 1165L                   | actuation                  | 128R              |
| action variable                         | 718L, 1166L            | active power meter           | 1165L, 1166L            | actuation by foot          | 355L              |
| activate                                | 32R, 118R, 125L, 563R  | active power relay           | 1165L                   | actuation of valves        | 1085L             |
| activated blade                         | 856R                   | active power transmission    | 1165L                   | actuator                   | 364R, 960L        |
| activated cathode                       | 494R                   | active principle             | 1165L                   | act upon                   | 254L              |
| activated charcoal filter               | 33L                    | active product               | 1184R                   | acuity                     | 454L              |
| activated coal                          | 33L                    | active region of the surface | 121R                    | acuity of hearing          | 454L              |
| activated coal plough                   | 856R                   | active resistance            | 1166L                   | acupuncture                | 33L               |
| activated deflector plate               | 879R                   | active return loss           | 235R, 301R              | acute                      | 33L, 940R         |
| activated earth                         | 145R                   | active rudder                | 33L, 171R               | acute abdomen              | 4R                |
| activated push button                   | 225L                   | active singing point         | 893R                    | acute alcoholism           | 34L               |
| activated sludge                        | 33L, 118R, 461L        | active surface               | 848R                    | acute angle                | 1162R             |
|                                         | 857L                   | active system                | 1001R                   | acute-angled               | 941R              |
| activated sludge chamber                | 118R                   | active transducer            | 269L, 1134L             | acute bronchitis           | 167L              |
| activated sludge process                | 33L, 118R              | active transformer           | 1134L                   | acute catarrhal rhinitis   | 799L              |
| activated surface                       | 687L                   | active vessel                | 851R                    | acute disease              | 542R              |
| activating agent                        | 32R                    | active voltage               | 1165L                   | acute endocarditis         | 267L              |
| activating impulse                      | 128R                   | activity                     | 33L, 765R, 777R, 1165L  | acute exacerbation         | 284R              |
| activating isotope                      | 476L                   | activity analysis            | 33L, 746L               | acute exposure             | 127R, 560R        |
| activation                              | 32R, 118R, 125R        | activity coefficient         | 33L                     | acute gastric catarrh      | 608R              |
| activation analysis                     | 32R                    | activity curve               | 33L                     | acute hearing              | 370R              |
| activation cross section                | 33L                    | activity decay               | 33L                     | acute inflammation         | 275L              |
| activation energy                       | 32R                    | activity distribution        | 33L                     | acute irradiation          | 560R              |
| activation equation                     | 32R                    | activity graph               | 33L                     | acuteness                  | 941R              |
| activation foil                         | 33L                    | activity level               | 33L                     | acute otitis media         | 699L              |
| activation number                       | 33L                    | activity limit               | 33L                     | acute pharyngitis          | 717R              |
| activation of a surface                 | 687R                   | activity unit                | 33L                     | acute pneumonia            | 728L              |
| activation of thermionic cathodes       |                        | a.c. to d.c. converter       | 1146L                   | acute radiation sickness   | 976R              |
|                                         | 337L                   | act on needles               | 254L                    | acute rhinitis             | 799L              |
| activation overvoltage                  | 33L                    | actual cathode               | 495L                    | acute stadium              | 948R              |

- acute stage 948R  
 acute suppurative otitis media 699L  
 acute tonsillitis 1028L  
 acute triangle 217R  
 acute urticaria 91L  
 acute yellow atrophy of the liver 577R  
 a.c. voltage 1145R  
 a.c. voltmeter 1145R  
 a.c. welding equipment 1146L  
 acyclic 99R, 1080R  
 acyclical 99R  
 acyclic generator 1073L  
 acyclic machine 680L, 1073L  
 acylate 99R  
 acylation 99R  
 acyl group 99R  
 adactylia 28R  
 adamantine 196L  
 adamantane drill 878R  
 adamantinoma 28R  
 adamite 28R  
 Adam's apple 28R  
 adamsite 28R  
 adapt 29L, 48R  
 adaptability 49L, 58R  
 adaptable 49L  
 adaptation 28R, 49L  
 adaptation enzyme 29L  
 adaptation medicine 29L  
 adaptation syndrome 29L  
 adapted for 244L, 366L  
 adapter 29L, 455R, 709L, 782L, 1052R, 1123R, 1204R, 1205L, 1205R  
 adapter jack 957R  
 adapter plug 556R, 1205L  
 adapter sleeve 1204R  
 adapter transformer 1205R  
 adapting piece 299L  
 adapting pipe 338L, 709L  
 adapting transformer 49L, 966L  
 adaption brightness 29L  
 adaption of the transformer 1034R  
 adaptive logic 598L  
 adapt the laboratory information to everyday use 338R  
 adaptometer 29L  
 Adcock aerial 29L  
 add 29L, 45L, 116R, 441R, 998R, 1104R, 1191R, 1192R, 1194L, 1198L  
 add-and-subtract counting chain 29L  
 add counter 1173L  
 added 1197R  
 added filter 1197R  
 added heat 1135L  
 added lens 1197R  
 added load 573R  
 added metal 887R, 1197R  
 added plus lens power 728L  
 addend 29L, 733R, 997R  
 addendum 534L, 997R, 1174R  
 addendum angle 534R  
 addendum circle 534L  
 addendum factor 534L  
 addendum modification 742L  
 addendum modification coefficient 742L  
 adder 29L  
 adder accumulator 29L  
 add hops 452R  
 adding 1104R  
 adding circuit 29L  
 adding listing machine 29L  
 adding machine 29L, 827R  
 adding metal 1198L  
 adding of lime 484R  
 adding register 827R  
 adding surface sizing 90L  
 addition 29L, 38R, 45L, 998R, 1104R, 1192L, 1197L, 1197R, 1198L  
 addition agent 117L  
 additional 1197R  
 additional air 66L  
 additional attachment 1197R  
 additional background radiation 1076R  
 additional bias 1125L  
 additional charges 626L, 660R, 669L  
 additional component 1197R  
 additional cooler 660R  
 additional expenses 626L  
 additional fee 1198L  
 additional layer 848L  
 additional lift 1197R  
 additional load 116R, 573R, 1197R  
 additional noise 776R  
 additional optics 1197R  
 additional patent 1197R  
 additional payment 659L  
 additional plating in spaced armour 1123L  
 additional resistance 1198L  
 additional steam 1197R  
 additional treatment 658R  
 additional turbine wheel 1124L  
 additional twist 659L  
 additional unit 1197R  
 addition compound 29L, 45L  
 addition of selenium 905L  
 addition polymerization 29L  
 addition reaction 45L  
 addition to food 1197R  
 additive 29L, 116R, 998R, 1165L, 1197R  
 additive action 45L  
 additive colour photography 297L  
 additive colour television system 296R  
 additive mixing 643L  
 additive primary colour 408L  
 additive process of colour photography 218R  
 additive transformation 1034R  
 additivity of binding energy 29L  
 additivity of variances 29L  
 additron 29L  
 add a layer 1056R  
 add-on module 1197R  
 add-on unit 111L, 1124L  
 add pulse 29L  
 address 30L, 49R  
 address code 30L  
 address decoding 30L  
 addressed 30L  
 addressed register 931R  
 addressee 30L  
 addressing machine 30L, 52R  
 address modification 30L  
 address register 30L  
 address selection 30L  
 address unit 30L  
 add significantly to 958R  
 addition theorem 29L  
 adduct 29L, 249R  
 adduction 29L  
 adductor 29L  
 add up 998L, 1197L  
 add up the light 998R  
 add weight to the steam 126L  
 adenitis 225R  
 adenocarcinoma 29L  
 adenocyte 225R  
 adenoid vegetation 1084L, 1168R  
 adenoma 29L  
 adenomalacia 29L  
 adenomyosis 29L  
 adenomyosis uteri 29L  
 adenomyxoma 29R  
 adenosine triphosphate 29R  
 adenosine triphosphoric acid 29R  
 adequately stabilized 947R  
 adermin 29R  
 ADF 721R  
 adhere 29R, 415R, 423R, 510L, 1098L  
 adhere by casting 52R  
 adherence 29R, 415R, 416L  
 adherent 41R, 415R, 510L  
 adherent cataract 494R  
 adherent corneal leucoma 589R  
 adherent glaucoma 393L  
 adnering 415R, 510L  
 adhering joint 510L  
 adhesion 9L, 29R, 140R, 415R, 416L, 510L  
 adhesion strength 415R  
 adhesion weight 788R  
 adhesive 29R, 41R, 510L  
 adhesive agent 415R  
 adhesive backing 510L  
 adhesive bandage 432L  
 adhesive binding 510L  
 adhesive bonding of metal 636L  
 adhesive bonding of metal to metal 636L  
 adhesive capacity 416L  
 adhesive capsulitis 490L  
 adhesive dispersion 510L  
 adhesive foil 510L  
 adhesive force 29R, 140R  
 adhesive label 415R  
 adhesive lamination of foam 567R  
 adhesive lamination of polyester foam on knitted goods 567R  
 adhesive mine 415R

- adhesiveness 416L, 510L, 1196R  
 adhesive 29R, 140R, 415R,  
 adhesive paste 511R  
 adhesive pericarditis 713L  
 adhesive peritonitis 713R  
 adhesive pitch 482L  
 adhesive plaster 432L  
 adhesive power 29R, 415R, 416L  
 adhesive resin 510L  
 adhesive stress 416L  
 adhesive tape 104R, 432L,  
 510L, 716R  
 adhesive tension 416L  
 adhesive test 100R  
 adhesive value 416L  
 adhesive weight 788R  
 adiabatic 29R  
 adiabatic approximation 64R  
 adiabatic calorimeter 29R  
 adiabatic change of conditions 1198R  
 adiabatic curve 29R, 558R  
 adiabatic demagnetization 272L  
 adiabatic efficiency 1165R  
 adiabatic expansion 82L, 285L  
 adiabatic factor 29R  
 adiabatic gradient 366R  
 adiabatic line 29R  
 adiabatic precession 735R  
 adiabatic principle 29R  
 adiadochokinesis 29R  
 adiathermic 1137R  
 ad infinitum 1071R  
 adion 29R  
 adipic acid 29R  
 adipocere 314R  
 adipocerite 426R  
 adipose cell 314R  
 adipose tissue 314L  
 adipositas dolorosa 29R  
 adit 970L, 1192L  
 adjacency effects 658R  
 adjacent 41R, 46R, 119R, 668R  
 adjacent channel 658R  
 adjacent-channel interference 658R,  
 900R, 972L  
 adjacent channel picture-carrier 658R  
 adjacent-city telephone-traffic 658R  
 adjacent double bond 204R  
 adjacent exchange 658R  
 adjacent frequency 658R  
 adjacent layer 847R  
 adjacent pitch error 1012L  
 adjacent picture 658R  
 adjacent picture carrier 658R  
 adjacent region 658R  
 adjacent slit 923L  
 adjacent sound-carrier 658R  
 adjacent strip 658R  
 adjacent turns 658R, 1162L  
 adjacent zone 658R  
 adjective 29R  
 adjective dye 117L, 297L  
 adjective dyestuff 117L  
 adjoin 29R  
 adjoining 54L, 119R  
 adjoining concession 658R  
 adjoining slit 923L  
 adjoint operator 696L  
 adjunction 29R  
 adjust 8L, 48R, 123L, 252L, 302R,  
 479R, 483R, 784R, 787R, 874R,  
 960R, 1107L, 1191L  
 adjustable 29R, 53R, 85L, 251R,  
 479R, 662L, 960R, 1107L  
 adjustable blade 328R  
 adjustable blade reamer 787R  
 adjustable block 398L, 512L  
 adjustable capacitor 526L, 961L,  
 1042L  
 adjustable detector 960R  
 adjustable dog 51L  
 adjustable dropper 211R  
 adjustable footstep plate 947L  
 adjustable gauge 580L  
 adjustable gib strip 662L  
 adjustable-head horizontal milling ma-  
 chine 723L  
 adjustable-height 449L  
 adjustable height stand 952L,  
 955L  
 adjustable hemmer 833R  
 adjustable inductor 220R, 465R  
 adjustable in steps 784L  
 adjustable iris diaphragm 526R  
 adjustable levelling screw 679R  
 adjustable open-end wrench 864R  
 adjustable-pitch airscrew 604R  
 adjustable plate 725R  
 adjustable-plug coil 957R, 970R  
 adjustable point 523L  
 adjustable rail milling machine 342L  
 adjustable resistance 785R  
 adjustable resistor 8R, 252R, 785R,  
 1158R  
 adjustable screw restriction valve 221L  
 adjustable slide 715L  
 adjustable slit 923L  
 adjustable-speed 216R  
 adjustable-speed motor 652L  
 adjustable spindle 633R  
 adjustable-spindle drilling machine 372L  
 adjustable-spindle machine 615R  
 adjustable-spindle milling machine 723L  
 adjustable spindles 627L  
 adjustable stop 251R  
 adjustable tube-scraper 808L  
 adjustable tension spring 300L  
 adjustable thread guide 289R  
 adjustable transformer 784R, 961L  
 adjustable transversely 761R  
 adjustable trip dog 51R  
 adjustable universal finder 1073R  
 adjustable viewing angle 912L  
 adjustability 53R, 252L, 662L,  
 1107L  
 adjust central with 1183R  
 adjusted 7R, 244L  
 adjuster 252L, 479R  
 adjust the governor 252L  
 adjusting 29R, 252L, 483R  
 adjusting condenser 8L  
 adjusting device 479R, 785R, 961R  
 adjusting device for the bearing 662L  
 adjusting dog 961L  
 adjusting error 252L  
 adjusting gear 961R  
 adjusting gear of the governor 1030R  
 adjusting gib 662L  
 adjusting key 27R, 961L  
 adjusting knob 214L, 961L,  
 1107L  
 adjusting nut 479R, 961L  
 adjusting pan 85L, 479R  
 adjusting point 252R  
 adjusting range 960R  
 adjusting ring 961L  
 adjusting screw 224R, 252R, 479R,  
 961L, 1107L  
 adjusting spring 960R  
 adjusting sleeve 252L  
 adjusting slider 530L  
 adjusting strip 662L  
 adjusting time 662L  
 adjusting wedge 27R  
 adjust to the standard 252L  
 adjustment 84R, 123L, 252L,  
 479R, 787R, 1107L  
 adjustment accuracy 252L  
 adjustment by hand wheel 422R  
 adjustment for position of stroke 454R  
 adjustment of machinery 479R  
 adjustment of planimetry 565L  
 adjustment pan 569R  
 adjustment procedure 479R  
 adjustmentscale correction 29R  
 adjustment torque 252L  
 admeasure 74L  
 admeasurement 74L  
 administration 187L, 429L, 585R,  
 1110R  
 administration launch 1110R  
 administration method 60R  
 administration party to an associa-  
 tion 643R  
 administration party to a union 643R  
 administrative building 1110R  
 administrative office 1110R  
 admiralty brass 29R  
 admiralty coefficient 29R  
 Admiralty Court 29R, 896L  
 admiralty knot 29R  
 Admiralty List of Lights 315L,  
 589L  
 admiralty metal 29R, 921L  
 admissible 279L, 1194L  
 admission 30L, 74L, 112R, 246L,  
 1191R, 1199L  
 admission chamber 253R  
 admission diameter 112R  
 admission edge 246L  
 admission lead 1120R



- |                                |                                       |                                     |                                                     |                                  |             |
|--------------------------------|---------------------------------------|-------------------------------------|-----------------------------------------------------|----------------------------------|-------------|
| admission of steam             | 183R                                  | advanced                            | 338R, 339L                                          | aerial capacitance               | 55R         |
| admission port                 | 246L                                  | advanced airport                    | 305L                                                | aerial chair-lift                | 899R        |
| admission potential            | 253R                                  | advanced ignition                   | 347R, 1127R                                         | aerial change-over switch        | 55R, 56L    |
| admission pressure             | 30L, 40L, 246L                        | advanced optical system             | 1001R                                               | aerial circuit                   | 55R         |
| admission pressure curve       | 30L                                   | advance element                     | 199R                                                | aerial circuit keying            | 55R         |
| admission section              | 246L, 253R                            | advance freight                     | 340R                                                | aerial coil                      | 56L         |
| admission space                | 350L                                  | advance the ignition timing         | 252L                                                | aerial conductor                 | 603R        |
| admission steam cock           | 183R                                  | advance mechanism                   | 1037L, 1195L                                        | aerial connection                | 55L         |
| admission steam port           | 183R                                  | advance of the spindle              | 1122R                                               | aerial corridor                  | 329R, 603R  |
| admission steam valve          | 183R                                  | advance order                       | 1119R                                               | aerial coupling circuit          | 55L         |
| admission tube                 | 246L, 1191R                           | advance per conveyor move           | 815R                                                | aerial coupling feeder           | 55R         |
| admission valve                | 246L                                  | advance per round                   | 16L                                                 | aerial current                   | 56L         |
| admission velocity             | 253R                                  | advance planning                    | 1119L                                               | aerial damping                   | 55L         |
| admission velocity of steam    | 253L, 253R                            | advance rate                        | 1R, 1126L                                           | aerial dip                       | 55L         |
| admit                          | 74R, 112R, 246L, 1194L                | advance of a signal                 | 366R, 396R                                          | aerial directivity pattern       | 55R         |
| admittance                     | 30L, 587L, 846L                       | advance sheet                       | 86L                                                 | aerial dust filter               | 30R         |
| admit to the university        | 461L                                  | advancing-and-retreating work-      |                                                     | aerial dusting                   | 1166L       |
| admix                          | 116R, 983L, 1194L                     | ing                                 | 1126L                                               | aerial effect                    | 55L, 56L    |
| admixed air                    | 116R, 669L                            | advancing face                      | 982R                                                | aerial efficiency                | 56L         |
| admixed substance              | 537R                                  | advancing wave                      | 1149R, 1150L                                        | aerial feeder                    | 55R         |
| admixture                      | 116R, 1197R                           | advantage                           | 1125R, 1127R                                        | aerial feed impedance            | 55R         |
| admixture of scraps            | 879L                                  | advantage factor                    | 127R                                                | aerial feeding                   | 56L         |
| adherence                      | 510L                                  | advection                           | 30R                                                 | aerial fertilizing               | 1166L       |
| adnexitis                      | 30L                                   | advection fog                       | 30R                                                 | aerial gain                      | 55R, 56L    |
| adobe                          | 580L, 605R, 1186R                     | adventitia                          | 30R                                                 | aerial impedance                 | 55R         |
| adrenal                        | 669L                                  | adventitious light                  | 986L                                                | aerial inductance                | 55R         |
| adrenal cortex                 | 669L                                  | adventurine feldspar                | 30R                                                 | aerial jack                      | 55L         |
| adrenal cortical hormone       | 669L                                  | adverse visibility conditions       | 912L                                                | aerial lead-in                   | 55R         |
| adrenal cortical insufficiency | 669L                                  | advertise                           | 1153R                                               | aerial loading coil              | 56L         |
| adrenaline                     | 30L                                   | advertisement                       | 470L                                                | aerial loss                      | 56L         |
| adrenal medulla                | 669L                                  | advertising department              | 1153R                                               | aerial loss damping              | 56L         |
| adrenal virilism               | 669L                                  | advertising expense                 | 1153R                                               | aerial mapping                   | 605R        |
| adrift                         | 1038L                                 | advertising film                    | 1153R                                               | aerial mapping camera            | 602L        |
| adsorb                         | 30L, 45L, 74R                         | advertising poster                  | 596L                                                | aerial mast                      | 55R         |
| adsorbable                     | 30L                                   | advertizing art                     | 365R                                                | aerial matching and compensating | 55L         |
| adsorbability                  | 30L                                   | advice boat                         | 98R, 193R, 628R                                     | means                            | 55L         |
| adsorbate                      | 30L, 922R, 969L                       | advice note                         | 628R                                                | aerial matching circuit          | 55L         |
| adsorbed substance             | 30L, 30R                              | advice of availability of a paid-on |                                                     | aerial measurement               | 634L        |
| adsorbed particle              | 1011L                                 | for value                           | 661L                                                | aerial navigation                | 329R, 604R  |
| adsorbent                      | 30L, 922R                             | advice of damage                    | 835R                                                | aerial noise                     | 55R         |
| adsorbent bed                  | 30L                                   | advice of delivery                  | 12L                                                 | aerial overload protection       | 56L         |
| adsorption                     | 30L, 45L                              | advice of excess parcels            | 1061L                                               | aerial panoramic camera          | 703L        |
| adsorption chromatography      | 30L                                   | advice of irregularity              | 119R, 1074L                                         | aerial perspective               | 603R, 1116R |
| adsorption displacement        | 30R                                   | advice of loss                      | 1099R                                               | aerial photoexposure meter       | 602L        |
| adsorption filtration          | 30L                                   | advice of traffic on hand           | 1071L                                               | aerial photograph                | 330L, 602L  |
| adsorption isotherm            | 30L                                   | advisory committee                  | 121L                                                | aerial photographer              | 602L        |
| adsorption law                 | 30L                                   | adze                                | 99L, 116R, 181R, 189R, 192R, 240R, 426R, 451R, 549R | aerial photographic system       | 602L        |
| adsorption medium              | 30L                                   | adzed surface                       | 189R                                                | aerial photography               | 602L        |
| adsorptive power               | 30L, 30R                              | aerate                              | 119R, 602R                                          | aerial power                     | 55R         |
| adsorption processes           | 30R                                   | acerated concrete                   | 361R                                                | aerial reconnaissance            | 602L        |
| adsorption thermostat          | 30R                                   | aeration                            | 30R, 119R, 605L                                     | aerial reconnaissance photo      | 602L, 602R  |
| adularia                       | 30R                                   | aceration chamber                   | 603L                                                | aerial reconnaissance photograph | 602L, 602R  |
| adult alopecia                 | 34R                                   | aeration of the feed water          | 605L                                                | aerial reel                      | 55R         |
| adult education                | 281R                                  | aeration tank                       | 119R, 605L                                          | aerial reflector                 | 56L         |
| adulterant                     | 1093L, 1104L                          | aerial                              | 54R, 689L, 977R                                     | aerial rod                       | 56L         |
| adulterate                     | 294L, 1093L, 1104L, 1110L, 1198L      | aerial amplifier insert             | 56L                                                 | aerial ropeway                   | 211R, 900L  |
| adulterated turpentine         | 1018L                                 | aerial aperture                     | 55R                                                 | aerial rotation speed            | 55L         |
| adulteration                   | 1093L                                 | aerial array                        | 56L, 799R                                           | aerial seeding                   | 1166L       |
| adumbration                    | 15R                                   | aerial attenuator                   | 55L                                                 | aerial shortening coefficient    | 56L         |
| adurol                         | 30R                                   | aerial base                         | 55R                                                 | aerial spray                     | 30R         |
| ad valorem tariff              | 1156L                                 | aerial booster                      | 56L                                                 | aerial spraying                  | 1166L       |
| advance                        | 70R, 339L, 1119R, 1120R, 1122R, 1124L | aerial cable                        | 603L                                                | aerial strain                    | 56L         |
| advance borehole               | 1119R                                 | aerial cable line                   | 603L                                                | aerial support                   | 19R, 56L    |
|                                |                                       | aerial cableway                     | 211R, 900L                                          | aerial survey camera             | 602L, 790L  |
|                                |                                       | aerial camera                       | 138R, 602L                                          |                                  |             |

- |                                      |                       |                        |                  |                                      |                              |
|--------------------------------------|-----------------------|------------------------|------------------|--------------------------------------|------------------------------|
| aerial surveying                     | 602L, 6aer            | 05Rosol filter         | 30R, 956L        | after-heat                           | 662 R, 797R                  |
| aerial survey (ing) camera           | 602L, 790L            | aerosol therapy        | 30R              | after hold                           | 28L, 441L, 564L              |
| aerial suspension                    | 55L                   | aerospace telemetry    | 774L             | after-image                          | 659L                         |
| aerial switch                        | 55R                   | aerostat               | 603L             | after leech                          | 28L, 93L                     |
| aerial telecommunication cable       | 308L                  | aerostatics            | 30R              | after mast                           | 28L                          |
| aerial tilt indicator                | 55R                   | aerostation            | 602R, 604R       | aftermath                            | 30R, 407R, 661L, 930R, 1202R |
| aerial torpedo                       | 604R                  | aerotaxis              | 30R              | afternoon shift                      | 644R                         |
| aerial tower                         | 56L                   | aerotriangulate        | 1040R            | afterpains                           | 662R                         |
| aerial transformer                   | 56L                   | aeruginous             | 410L             | after peak                           | 28L, 441L                    |
| aerial triangulation                 | 30R, 605L             | aerugo                 | 410L, 709R       | after peak bulkhead                  | 963R, 970L                   |
| aerial tuning                        | 55L                   | a.f.                   | 65L              | after-plan                           | 855L                         |
| aerial tuning equipment              | 55L                   | affect                 | 113R, 254L       | after-portion of the fuselage        | 441L                         |
| aerial unit                          | 977R                  | affected overburden    | 254L             | after-potential                      | 661L                         |
| aerial view                          | 602L                  | affected with cancer   | 544L             | after-product                        | 333R                         |
| aerial voltage                       | 55R                   | affiliated company     | 1025R            | after-product crystalizer            | 661L                         |
| aerial winch                         | 55R                   | affinated sugar        | 30R              | after propeller                      | 431R                         |
| aerial wire                          | 55L, 55R              | affine                 | 30R              | after pulse                          | 461R, 660R                   |
| aerie                                | 325R                  | affine space           | 773L             | after quarter                        | 28L, 441L                    |
| aerobic                              | 30R                   | affine transformation  | 1034R            | after rib                            | 431R, 441L                   |
| aerocamera                           | 138R                  | affinity               | 30R, 1110R       | after ripening                       | 661L                         |
| aerocartograph                       | 30R                   | affinity curve         | 30R              | after-sales service                  | 360L, 554L                   |
| aero-concrete                        | 843R                  | affinity for dyes      | 40R              | after sails                          | 28L, 440R                    |
| aerodrome                            | 329R                  | affinity for dyestuffs | 40R              | after-tank                           | 1140L                        |
| aerodrome beacon                     | 329L                  | affinity to the fibre  | 298L, 1187R      | after timber                         | 431R                         |
| aerodrome control tower              | 329R                  | affix                  | 42L, 1191R       | after treat                          | 98R, 658R                    |
| aerodrome identification sign        | 329L                  | affix a label          | 135L             | after treatment                      | 98R, 658R                    |
| aerodrome meteorological forecast    | 727L                  | affix a stamp to       | 961R             | after treatment with a metallic salt | 636R                         |
| aerodrome of departure               | 7L, 954R              | affluent               | 669L             | after treatment with a metallic salt | 636R                         |
| aerodrome of destination             | 127R                  | afflux                 | 1191R, 1199L     | after treatment with a metallic salt | 636R                         |
| aerodrome proximity light            | 329R                  | afforest               | 71L, 133L        | after treatment with a metallic salt | 636R                         |
| aerodynamic                          | 30R                   | afforestation          | 71L              | after treatment with a metallic salt | 636R                         |
| aerodynamic drag                     | 605R, 1158L           | affreight              | 117R             | after treatment with a metallic salt | 636R                         |
| aerodynamic force                    | 603R                  | affreightment          | 115L, 176L, 852R | after treatment with a metallic salt | 636R                         |
| aerodynamic heating                  | 281R                  | afloat                 | 114R, 327R, 891L | after treatment with a metallic salt | 636R                         |
| aerodynamics                         | 30R, 329R             | afocal system          | 1001R            | after treatment with a metallic salt | 636R                         |
| aerodynamic volume displacement      | 605L                  | A-frame                | 217R             | after treatment with a metallic salt | 636R                         |
| aero-elasticity                      | 30R                   | aft                    | 28L              | after treatment with a metallic salt | 636R                         |
| aero-engine                          | 329R                  | aft cavitation         | 496L             | after treatment with a metallic salt | 636R                         |
| aero-engine industry                 | 329R                  | after                  | 28L              | after treatment with a metallic salt | 636R                         |
| aerofoil                             | 328R                  | after-acceleration     | 658R             | after treatment with a metallic salt | 636R                         |
| aerology                             | 30R                   | afterbirth             | 660L             | after treatment with a metallic salt | 636R                         |
| aeromechanics                        | 30R                   | afterbirth-pains       | 660L             | after treatment with a metallic salt | 636R                         |
| aerometer                            | 1009L                 | afterblow              | 659L             | after treatment with a metallic salt | 636R                         |
| aeronautical chart                   | 668L                  | after body             | 28L, 441L        | after treatment with a metallic salt | 636R                         |
| aeronautical engineering             | 603L                  | after-body plan        | 441L             | after treatment with a metallic salt | 636R                         |
| aeronautical industry                | 603L                  | after braces           | 28L              | after treatment with a metallic salt | 636R                         |
| aeronautical information publication | 421L                  | after bridge           | 28L, 203R        | after treatment with a metallic salt | 636R                         |
| aeronautical radio                   | 329L                  | after burner           | 659L, 662R       | after treatment with a metallic salt | 636R                         |
| aeronautical radio beacon            | 329L                  | afterburning           | 659L             | after treatment with a metallic salt | 636R                         |
| aeronautics                          | 30R, 330L, 602R, 604R | after-contraction      | 662L             | after treatment with a metallic salt | 636R                         |
| aerootitis                           | 30R                   | aftercooler            | 660R             | after treatment with a metallic salt | 636R                         |
| aeroplane                            | 330L                  | aftercount             | 659L, 1161L      | after treatment with a metallic salt | 636R                         |
| aeroplane engine                     | 330L                  | aftercrop              | 660L             | after treatment with a metallic salt | 636R                         |
| aeroplane-engine supercharging       | 330L                  | after cuddy            | 441L             | after treatment with a metallic salt | 636R                         |
| aeroplane flutter                    | 330L                  | after-damp             | 662L             | after treatment with a metallic salt | 636R                         |
| aeroplane framework                  | 330L                  | after deck             | 28L, 440R        | after treatment with a metallic salt | 636R                         |
| aerose                               | 632R                  | after-discharge        | 659L, 1161L      | after treatment with a metallic salt | 636R                         |
| aerosinusitis                        | 604R                  | after-effect           | 662R             | after treatment with a metallic salt | 636R                         |
| aerosol                              | 30R, 603R, 886R       | aftereffect            | 659L, 663L       | after treatment with a metallic salt | 636R                         |
|                                      |                       | after-end arrangement  | 28L              | after treatment with a metallic salt | 636R                         |
|                                      |                       | afterfinish            | 658L             | after treatment with a metallic salt | 636R                         |
|                                      |                       | after-flow             | 659R             | after treatment with a metallic salt | 636R                         |
|                                      |                       | after frame            | 431R, 441L       | after treatment with a metallic salt | 636R                         |
|                                      |                       | after frames           | 28L              | after treatment with a metallic salt | 636R                         |
|                                      |                       | afterglow              | 660L, 661L       | after treatment with a metallic salt | 636R                         |
|                                      |                       | afterglow of picture   | 138R             | after treatment with a metallic salt | 636R                         |

|                                  |                                             |                                                 |                                          |                                      |                         |
|----------------------------------|---------------------------------------------|-------------------------------------------------|------------------------------------------|--------------------------------------|-------------------------|
| age of suckling                  | 832R                                        | agree                                           | 1051L                                    | air boiler                           | 605R                    |
| age-protecting agent             | 35R                                         | agreement                                       | 1051L, 1109R                             | air borne                            | 605L                    |
| ager                             | 182R, 183R                                  | agricultural                                    | 569L                                     | air-borne all-round search apparatus | 763L                    |
| age theory                       | 31L, 35R                                    | agricultural building                           | 109L, 569L                               | air-borne contamination              | 605R, 1105L             |
| agglomerant                      | 140R, 141L                                  | agricultural chemistry                          | 31L                                      | airborne direction finder            | 158L                    |
| agglomerate                      | 31L, 364L, 917L, 1196R                      | agricultural engineering                        | 31L, 568R                                | airborne dust                        | 886R                    |
| agglomerated                     | 364L                                        | agricultural hydraulics                         | 1140L                                    | airborne equipment                   | 330L                    |
| agglomerated cake                | 31L, 917L                                   | agricultural implements                         | 28R                                      | airborne intercept radar             | 157R                    |
| agglomerating plant              | 31L, 917L                                   | agricultural machine                            | 568R                                     | airborne radar                       | 158L                    |
| agglomeration                    | 31L, 42L, 104L, 1196R                       | agricultural machinery                          | 568R                                     | airborne radioactivity               | 602L                    |
| agglutinant                      | 510L                                        | agricultural physics                            | 31L                                      | airborne rocket                      | 158L, 330L              |
| agglutinate                      | 44R, 140R, 1098L                            | agricultural production co-operative            | 741L                                     | air-borne sound                      | 604L                    |
| agglutinating value              | 100R                                        | agricultural science                            | 31L                                      | airborne system                      | 157R                    |
| aggravation                      | 1103R                                       | agricultural sciences                           | 569L                                     | airborne transmitter                 | 158L                    |
| aggregate                        | 232L, 370L, 373R, 525L, 1110L, 1196R, 1198L | agricultural technics                           | 568L                                     | airborne troops                      | 603R                    |
| aggregate gradation              | 536R                                        | agricultural technology                         | 31L, 568R                                | air bottle                           | 602L                    |
| aggregate grading                | 536R                                        | agricultural tools                              | 28R                                      | air box                              | 603R, 1161R             |
| aggregate heating surface        | 378R                                        | agricultural worker                             | 305L, 568L                               | air brake                            | 223L, 602L, 604L, 1039R |
| aggregate of particles           | 752R                                        | agriculture                                     | 31L, 305L, 568L, 569L                    | air brake hose                       | 163L                    |
| aggregate recoil                 | 31L, 649L                                   | agrogeology                                     | 151L                                     | air-brattice                         | 1157L                   |
| aggregate thickness              | 378L                                        | agronomist                                      | 31L                                      | air-break circuit breaker            | 604L                    |
| aggregation                      | 31L, 42L, 1110L                             | agronomy                                        | 31L                                      | air-break contactor                  | 604R                    |
| aggregation of minerals          | 641R                                        | aground                                         | 383R                                     | airbreaking                          | 851L                    |
| aggregative fluidized bed        | 1164R                                       | agrypnia                                        | 856L                                     | air brick                            | 605R, 1186R             |
| aggregative polarization         | 31L                                         | ahead indication                                | 1119L                                    | air brush                            | 603R, 798R              |
| aggressive                       | 31L                                         | ahead of schedule                               | 1121L                                    | air brush coater                     | 602L                    |
| aggressive action                | 31L                                         | ahead turbine                                   | 1047R, 1127L                             | air bubble                           | 602L                    |
| aggressiveness                   | 31L                                         | A hoe                                           | 825R                                     | air buffer                           | 604L                    |
| aggressive tack                  | 1043R                                       | A-horizon                                       | 1L, 87R                                  | air caisson                          | 223R                    |
| aggressivity                     | 31L                                         | Ahrens polarizer                                | 729R                                     | air camera                           | 602L                    |
| aging                            | 10L, 35L, 35R, 183L                         | Ahrens polarizing prism                         | 729R                                     | air capacitor                        | 526L, 603R              |
| aging at room temperature        | 485L                                        | aid                                             | 438R                                     | air casing                           | 603R                    |
| aging crack                      | 35R                                         | aid to tuning                                   | 21L                                      | air cell                             | 604L                    |
| aging phenomenon                 | 35R                                         | aid to vision                                   | 898L                                     | air-cell battery                     | 604L                    |
| aging process                    | 35R                                         | ailanthus silkworm                              | 31R                                      | air-cell brake cylinder              | 604R                    |
| aging resistance                 | 35R                                         | aileron                                         | 760L                                     | air-chamber                          | 603L, 603R, 1161R       |
| aging resistant                  | 35R                                         | aileron balance                                 | 84R                                      | air change                           | 605R                    |
| aging test                       | 35R                                         | aim                                             | 799R, 1187R                              | air channel                          | 603L                    |
| aging time                       | 660R                                        | aim at                                          | 799R                                     | air chimney                          | 605L, 1168L             |
| aging treatment                  | 35R                                         | aiming device                                   | 1187R                                    | air chuck                            | 737L                    |
| aging with increased temperature | 1135L                                       | aiming post                                     | 800L                                     | air chucking                         | 223R                    |
| agitate                          | 49R, 75R, 822L, 881R, 1068L                 | air                                             | 12R, 119R, 231L, 601R, 602R, 604L, 1156R | air chute                            | 603L, 605L              |
| agitated sea                     | 895R                                        | air accumulator                                 | 32L, 223R                                | air circuit breaker                  | 604L                    |
| agitate the fuel bed             | 880R                                        | air accumulator employing a differential piston | 223L                                     | air-circulation                      | 605L                    |
| agitating truck                  | 822L, 1036R, 1037L                          | air-acetylene flame                             | 164L                                     | air-circulation furnace              | 605L                    |
| agitating vane                   | 822L                                        | air-actuated                                    | 223L                                     | air cleaner                          | 603L, 604L              |
| agitation                        | 49R, 1067R, 1068L                           | air actuation                                   | 223L                                     | air cleaning                         | 604L                    |
| agitator                         | 643R, 822L, 1068L                           | air admission                                   | 605R                                     | air clearance                        | 605R                    |
| agitator driving gear            | 822L                                        | air base                                        | 325R, 995R                               | air classification                   | 604R, 1162L             |
| agitator-froth machine           | 822L                                        | air bath                                        | 602L                                     | air-classifier                       | 1162L                   |
| agitator truck                   | 822L, 1036R, 1037L                          | air bearing                                     | 603R                                     | air coater                           | 603R                    |
| aglossia                         | 31L                                         | air-bed                                         | 603R                                     | air compartment                      | 602R, 1157L             |
| aglutition                       | 31L                                         | air belt                                        | 1161R                                    | air compensator                      | 602L, 603R              |
| aglow                            | 377R                                        | air blast                                       | 604R                                     | air compressor                       | 223L                    |
| agonic curve                     | 31L                                         | air-blast breaker                               | 223R                                     | air-condition                        | 512L                    |
| agonic line                      | 31L                                         | air-blast circuit breaker                       | 223R                                     | air-conditioned                      | 512L                    |
| agony                            | 31L, 126L                                   | air-blast gin                                   | 365L                                     | air-conditioned plant                | 512L                    |
| agranulocytosis                  | 31L                                         | air-blast transformer                           | 604R, 1034R                              | air-conditioner                      | 512L                    |
| agrarian science                 | 31L                                         | air-bleed duct                                  | 272L                                     | air-conditioning                     | 512L, 602L              |
| agrarian sciences                | 569L                                        | air bleeder                                     | 162R                                     | air-conditioning cabinet             | 512L                    |
|                                  |                                             | air-bleed opening                               | 669L                                     | air-conditioning plant               | 512L, 512R              |
|                                  |                                             | air blowing                                     | 1161R                                    | air-conditioning system              | 512L, 512R              |
|                                  |                                             |                                                 |                                          | air conduit                          | 1156R                   |



- |                             |                          |                                     |                                            |                           |                  |
|-----------------------------|--------------------------|-------------------------------------|--------------------------------------------|---------------------------|------------------|
| air consumption             | 605L                     | air cushioning                      | 603L                                       | airfoil                   | 1032R            |
| air contamination           | 605R                     | air-cushion vehicle                 | 603R                                       | airfoil flowmeter         | 509L, 991R       |
| air content of water        | 603L                     | air damping                         | 602L                                       | airfoil profile           | 1032R            |
| air control                 | 223L, 605L               | air-damping piston                  | 712L                                       | air force signal corps    | 603R             |
| air coolant                 | 552R                     | air data computer                   | 330L                                       | air for combustion        | 1089L            |
| air-cooled                  | 603L                     | air dehumidifier                    | 605L                                       | airframe                  | 1181R            |
| air-cooled reactor          | 778R                     | air-depolarized cell                | 604L                                       | air friction              | 604L             |
| air-cooled solenoid         | 604R, 920L, 945R         | air dielectric                      | 602L                                       | air fuel mixture          | 541R             |
| air-cooled superheater      | 1053R                    | air diffuser                        | 605R                                       | air gap                   | 603R, 604R, 605R |
| air-cooled transformer      | 604R, 1034R, 1044R       | air discharge                       | 602R                                       | air-gap choke             | 604R             |
| air cooler                  | 603R                     | air distance                        | 329L                                       | air-gap flux density      | 604R             |
| air-cooling                 | 601R, 603R               | air dope                            | 330L                                       | air-gap overlap span      | 605L             |
| air-cooling fan             | 552R                     | air dose                            | 343L, 602L                                 | air-gap transformer       | 1034R            |
| air-core                    | 256R                     | air douche                          | 602L                                       | air-gap voltage           | 604R             |
| air-core choke              | 220R, 602R               | air draft                           | 605R                                       | air gate                  | 601R, 1157L      |
| air-core coil               | 604R, 945R               | air drain                           | 605L                                       | air germ                  | 603R             |
| air-cored choke             | 602R                     | airdrain petcock                    | 272L                                       | air hammer                | 223R             |
| air-cored coil              | 220R                     | air-drain valve                     | 272L                                       | air-hardened              | 603L             |
| air-cored inductor          | 220R                     | air draught                         | 605R                                       | air hardening             | 603L             |
| air-cored transformer       | 604R, 1034R              | air-dried                           | 603L, 605L                                 | air-hardening lime        | 603L             |
| air course                  | 603L, 603R, 1156R, 1157L | air-dried hide                      | 430L                                       | air-hardening steel       | 603L, 949L       |
| air course board            | 349R, 901L               | air-dried timber                    | 450R                                       | air heater                | 602R, 605R       |
| aircraft                    | 330L, 603L               | air drill                           | 223L, 737L                                 | air hole                  | 293L             |
| aircraft aerial             | 330L                     | air drive                           | 602L                                       | air humidifying           | 602L             |
| aircraft armament           | 158L                     | air-dry                             | 605L                                       | air humidity              | 603L             |
| aircraft auxiliary          | 330L                     | air-drying                          | 605L, 904L                                 | air hunger                | 603L             |
| aircraft camera             | 602L                     | air-drying machine                  | 605L                                       | air-hydraulic accumulator | 32L, 223R        |
| aircraft carrier            | 330L                     | air duct                            | 553L, 603L, 605L, 605R, 607L, 1156R, 1161R | air inclusion             | 602R             |
| aircraft compass            | 330L                     | air ducting system                  | 603L                                       | air indicator             | 1156R            |
| aircraft component          | 330L                     | air-elutriator                      | 1162L                                      | air-infection             | 603L             |
| aircraft director           | 964R                     | air embolism                        | 602R                                       | air-inflation indicator   | 350L             |
| aircraft dusting            | 1166L                    | air entering above the grate        | 689R, 690L                                 | airing                    | 119R, 272L       |
| aircraft factory            | 330L                     | air-entrained concrete              | 601R, 604L                                 | airing space              | 191L, 744R       |
| aircraft fertilizing        | 1166L                    | air entraining                      | 604L                                       | air injection             | 602R             |
| aircraft homing device      | 158L                     | air-entraining admixture            | 601R, 604L                                 | air-injection engine      | 602R             |
| aircraft industry           | 330L                     | air-entraining cement               | 604L                                       | air inlet                 | 246L, 602R       |
| aircraft intercom           | 328R                     | air-entrainment agent               | 601R, 604L                                 | air-inlet cock            | 602R             |
| aircraft interphone         | 158L                     | air-equivalent                      | 602L                                       | air-inlet valve           | 333L             |
| aircraft manufacture        | 330L                     | air escape                          | 602L, 1156R                                | air intake                | 119R, 602L       |
| aircraft material           | 603L                     | air escape cock                     | 272L                                       | air intake casing         | 253R             |
| aircraft navigation lights  | 961R                     | air escape valve                    | 601R                                       | air-intake duct           | 602R             |
| aircraft passenger          | 329L                     | air exhaust                         | 272L                                       | air intake hose           | 604L             |
| aircraft position           | 330L                     | air-exit hole                       | 602L                                       | air intake nozzle         | 602R             |
| aircraft propeller          | 604R                     | air-felted fibreboard               | 298R                                       | air intake pipe           | 602L, 604L       |
| aircraft radio              | 158L, 329L               | air-felting process                 | 605L                                       | air-intake ring           | 602L             |
| aircraft radio equipment    | 158L, 330L               | air-felting unit                    | 605L                                       | air ionization            | 603L             |
| aircraft radio mechanic     | 330L                     | air field                           | 325R, 329R                                 | air ionization chamber    | 474L, 603L       |
| aircraft radio room         | 158L                     | airfield beacon                     | 329R                                       | air jet                   | 863R             |
| aircraft reporting service  | 329R                     | airfield lighting                   | 727L                                       | air jet-propulsion engine | 604R             |
| aircraft rocket             | 158L, 330L               | airfield surface movement indicator | 329L, 763R                                 | air jig                   | 602R, 604R       |
| aircraft seeding            | 1166L                    | air-filled                          | 367R                                       | air knife                 | 602L, 603R, 604L |
| aircraft spraying           | 1166L                    | air-filled ionization chamber       | 474L, 603L                                 | air knife coater          | 604L             |
| aircraft station            | 330L                     | air filter                          | 603L, 604L                                 | air-knife coating         | 603R             |
| aircraft tail warning radar | 431R                     | air filtering                       | 604L                                       | air layer                 | 604R             |
| aircraft transmitter        | 330L                     | air filter intake silencer          | 603L                                       | air leak                  | 602L             |
| aircraft wireless service   | 329L                     | air flap                            | 603R                                       | air leg                   | 155L             |
| aircrew                     | 604R                     | airflow                             | 604R, 1157L                                | air lens                  | 603R             |
| air crossing                | 1156R                    | airflow conveyor                    | 223R, 737L                                 | air level                 | 589R             |
| air curing                  | 602R                     | airflow-reversal                    | 1157L                                      | air-lift                  | 612R             |
| air curtain                 | 604R                     | air flue                            | 1156R, 1168L                               | air-lift agitator         | 642R             |
| air curtain door            | 604R                     | air flushing                        | 604R                                       | air-lift pump             | 612R             |
| air-cushion                 | 603R                     |                                     |                                            | air line                  | 329R, 605L       |
| air-cushion boat            | 454R                     |                                     |                                            | air-line network          | 605L             |
|                             |                          |                                     |                                            | air-liner                 | 708R, 1097R      |
|                             |                          |                                     |                                            | air liquefying plant      | 605L             |