

LABORATORY DIAGNOSIS OF KIDNEY DISEASES

Compiled and Edited by

F. WILLIAM SUNDERMAN, M.D., Ph.D., Sc.D.

Director, Institute for Clinical Science

Director of Education, Association of Clinical Scientists

Clinical Professor of Medicine, Jefferson Medical College

Philadelphia, Pennsylvania

and

F. WILLIAM SUNDERMAN, JR., M.D.

Professor and Head

Department of Laboratory Medicine

University of Connecticut School of Medicine

Hartford, Connecticut

ADAM HILGER LTD

LONDON

Published by

WARREN H. GREEN, INC..
10 South Brentwood Blvd.
St. Louis, Missouri 63105, U.S.A.

All rights reserved.

© 1970 by WARREN H. GREEN, INC.

Library of Congress Catalog Card No. 73-76164

*Published in Great Britain, Europe
and the Commonwealth by*

ADAM HILGER LTD
Rank Precision Industries Ltd
31 Camden Road, London NW1 9LP

SBN 85274 197 9

Printed in the United States of America

Seminar Faculty

DIRECTOR OF SEMINAR

F. WILLIAM SUNDERMAN, M.D., Ph.D., Sc.D.

*Institute for Clinical Science
Philadelphia, Pennsylvania*

ERNEST C. ADAMS, JR., Ph.D.

*Ames Research Laboratory
Elkhart, Indiana*

GONZALO E. APONTE, M.D.

*Jefferson Medical College
Philadelphia, Pennsylvania*

ROBERT W. BERLINER, M.D.

*National Heart Institute
NIH, Bethesda, Maryland*

GEORGE P. BLUNDELL, M.D., Ph.D.

*Oscar B. Hunter Memorial Laboratory
Washington, D.C.*

JOSEPH S. BURKLE, M.D.

*York General Hospital
York, Pennsylvania*

ROBERT CADE, M.D.

*University of Florida
College of Medicine
Gainesville, Florida*

F.A. CARONE, M.D.

*Northwestern University
Medical School
Chicago, Illinois*

SIDNEY CASSIN, Ph.D.

*University of Florida
College of Medicine
Gainesville, Florida*

HERBERT DERMAN, M.D.

*City of Kingston Laboratory
Kingston, New York*

MONO J. DOSHI, M.S.

*Miami Valley Hospital
Dayton, Ohio*

KURT M. DUBOWSKI, Ph.D.

*University of Oklahoma
School of Medicine
Oklahoma City, Oklahoma*

GEORGE H. FETTERMAN, M.D.

*Children's Hospital
Pittsburgh, Pennsylvania*

MARVIN FORLAND, M.D.

*University of Texas Medical School
San Antonio, Texas*

AFRED H. FREE, Ph.D.

*Ames Research Laboratory
Elkhart, Indiana*

HELEN M. FREE, B.S.

*Ames Research Laboratory
Elkhart, Indiana*

ERVIN A. GOMBOS, M.D.

*New York University
School of Medicine
New York, N. Y.*

FRANCESCO DEL GRECO, M.D.

*Northwestern University
Medical School
Chicago, Illinois*

FARID I. HAURANI, M.D.

*Jefferson Medical College
Philadelphia, Pennsylvania*

ROBERT H. HEPTINSTALL, M.D.

*Johns Hopkins Hospital
Baltimore, Maryland*

PETER B. HERDSON, Ph.D.

*University of Auckland
Medical School
Auckland, New Zealand*

HOWARD C. HOPPS, M.D.

*Armed Forces Institute
of Pathology
Washington, D. C.*

BENJAMIN N. HORWITT, Ph.D.

*Bio-Science Laboratories
Van Nuys, California*

J. DE LA HUERGA, M.D., Ph.D.

*Northwestern University
Medical School
Chicago, Illinois*

- ROBERT B. JENNINGS, M.D.
*Northwestern University
Medical School
Chicago, Illinois*
- FRANK B. JOHNSON, M.D.
*Armed Forces Institute
of Pathology
Washington, D. C.*
- BERNARD J. KATCHMAN, Ph.D.
*Miami Valley Hospital
Dayton, Ohio*
- GEOFFREY KENT, M.D., Ph.D.
*West Suburban Hospital
Oak Park, Illinois*
- P. A. KHAIRALLAH, M.D.
*Cleveland Clinic Foundation
Cleveland, Ohio*
- PATRICK KNIGHT, M.D.
*University of Arkansas
School of Medicine
Little Rock, Arkansas*
- WILLIAM T. KNIKER, M.D.
*University of Texas
Medical School at San Antonio
San Antonio, Texas*
- LEOPOLD G. KOSS, M.D.
*Memorial Hospital
New York City, New York*
- MICHAEL LUBRAN, M.D., Ph.D.
*University of Chicago
College of Medicine
Chicago, Illinois*
- JOHN T. McCALL, Ph.D.
*The Mayo Clinic
Rochester, Minnesota*
- MEYER M. MELICOW, M.D.
*College of Physicians & Surgeons
New York City, New York*
- AUGUST MIALE, Jr., M.D.
*Georgetown University Hospital
Washington, D. C.*
- MANFORD D. MORRIS, Ph.D.
*University of Arkansas
School of Medicine
Little Rock, Arkansas*
- F. K. MOSTOFI, M.D.
*Armed Forces Institute
of Pathology
Washington, D. C.*
- ROBERT C. MUEHRCKE, M.D.
*West Suburban Hospital
Oak Park, Illinois*
- J. M. BRIAN O'CONNELL, M.D.
*Georgetown University Hospital
Washington, D. C.*
- RODGER PALMER, M.D.
*University of Florida
College of Medicine
Gainesville, Florida*
- EDMUND A. PETRUS, M.D.
*Passavant Memorial Hospital
Chicago, Illinois*
- PIN H. PU, M.D.
*University of Florida
College of Medicine
Gainesville, Florida*
- HOWARD QUITTNER, M.D.
*University of Arkansas
School of Medicine
Little Rock, Arkansas*
- IRENE E. ROECKEL, M.D.
*University of Kentucky
School of Medicine
Lexington, Kentucky*
- SEYMOUR ROSEN, M.D.
*Beth Israel Hospital
Boston, Massachusetts*
- JOHN SAVORY, Ph.D.
*University of Florida
College of Medicine
Gainesville, Florida*
- GEORGE E. SCHREINER, M.D.
*Georgetown University Hospital
Washington, D. C.*
- CHARLES O. SENNETT, JR. M.D.
*U. S. Naval Medical School
Bethesda, Maryland*
- JOSEPH C. SHERRICK, M.D.
*Passavant Memorial Hospital
Chicago, Illinois*
- LYNWOOD H. SMITH, M.D.
*Mayo Clinic
Rochester, Minnesota*
- BENJAMIN H. SPARGO, M.D.
*University of Chicago
College of Medicine
Chicago, Illinois*

F. WILLIAM SUNDERMAN, JR., M.D. FREDERICK I. VOLINI, M.D.
University of Connecticut *Northwest Community Hospital*
School of Medicine *Arlington Heights, Illinois*
Hartford, Connecticut

EARL B. WERT, M.D.
Mobile Infirmary
Mobile, Alabama

JENO E. SZAKACS, M.D.
St. Joseph's Hospital
Tampa, Florida

J. HENRY WILKINSON, D.Sc., Ph.D.
University of Pennsylvania Hospital
Philadelphia, Pennsylvania

BETTY VOGH, Ph.D.
University of Florida
College of Medicine
Gainesville, Florida

ROBERT E. ZIPF, M.D.
Miami Valley Hospital
Dayton, Ohio

Preface

This book contains the edited proceedings of an Applied Seminar on the Laboratory Diagnosis of Kidney Diseases, held in Washington, D.C., under the auspices of the Association of Clinical Scientists. In organization and format, this volume is similar to the published proceedings of eight previous seminars.

Never in the history of civilization has scientific knowledge advanced with such rapidity as it does now. Compared to the last century, the advancements during this century represent a great upheaval. In recent years, one of the most striking changes in clinical science is the accelerated rate of change itself. The Applied Seminars of the Association of Clinical Scientists are designed to cope with these changing times so that the dissemination of knowledge in clinical science may keep pace with the acquisitions.

The furtherance of clinical science depends in large measure upon developments in methodology. It is for this reason that a number of procedures are included in this volume which are not currently undertaken in many clinical laboratories; nevertheless, in our opinion these procedures may play increasingly important diagnostic roles in future years. It is our hope that clinical scientists will find the chapters on methodology helpful in initiating newer procedures in their laboratories. It is also our hope that the chapters pertaining to fundamental considerations and clinical interpretations may be useful in applying the current concepts of renal diseases to patients at the bedside.

Our grateful appreciation is expressed to the lecturers who have generously contributed their time and energies to the success of the Applied Seminar and to the preparation of these proceedings. Our thanks are given to our publisher, Mr. Warren H. Green, and his staff for their gracious cooperation.

Contents

	<i>Page</i>
SEMINAR FACULTY	v
PREFACE	ix
<i>Chapter</i>	
1. ANATOMY AND ULTRASTRUCTURE OF THE KIDNEY	3
Jeno E. Szakacs, M.D.	
2. CORRELATIONS OF RENAL FUNCTION AND MORPHOGENESIS IN THE EMBRYO AND NEONATE	21
Betty Vogh, Ph.D., and Sidney Cassin, Ph.D.	
3. MICRODISSECTION OF THE NEPHRON: THE METHOD AND ITS APPLICATION	32
George H. Fetterman, M.D., Nancy S. Fabrizio, B.S., and Frances M. Studnicki, B.S.	
4. PATHO-PHYSIOLOGY OF RENAL CONCENTRATING DEFECTS	46
Frank A. Carone, M.D.	
5. THE CONTROL OF RENAL EXCRETION OF SODIUM	55
Robert W. Berliner, M.D.	
6. MECHANISMS FOR THE RENAL EXCRETION OF PHOSPHATE AND CALCIUM	59
Frank A. Carone, M.D.	
7A. MECHANISMS OF DIURETICS	66
Roger F. Palmer, M.D.	
7B. TABULATION OF DIURETIC AGENTS	70
Roger F. Palmer, M.D.	
8. THEORETICAL CONSIDERATIONS OF MEASUREMENTS OF RENAL CLEARANCE	77
Sidney Cassin, Ph.D., and Betty Vogh, Ph.D.	
9A. RENAL CLEARANCE MEASUREMENTS IN MAN	86
William J. Flanigan, M.D.	
9B. THE MEASUREMENT OF INULIN, P-AMINOHIPPURIC ACID AND DIODRAST IN BIOLOGICAL FLUIDS	93
Howard Quittner, M.D., and Patrick L. Knight, M.D.	

<i>Chapter</i>	<i>Page</i>
10. MEASUREMENTS OF UREA IN SERUM AND URINE AND THE ESTIMATION OF UREA CLEARANCE	100
J. de la Huerga, M.D., Ph.D., Joseph C. Sherrick, M.D., and Edmund A. Petrus, M.D.	
11A. THE MEASUREMENT OF CREATININE CLEARANCE	126
Irene E. Roeckel, M.D.	
11B. THE MEASUREMENT OF CREATININE IN SERUM AND URINE AND THE ESTIMATION OF CREATININE CLEARANCE	130
Irene E. Roeckel, M.D.	
11C. NOMOGRAMS FOR CREATININE CLEARANCE	133
J. de la Huerga, M.D., Ph.D., and Joseph C. Sherrick, M.D.	
12. PHENOLSULPHONPHTHALEIN EXCRETION AND CONCENTRATION- DILUTION TESTS IN THE EVALUATION OF RENAL FUNCTION.	136
Frederick Volini, M.D., J. de la Huerga, M.D., Ph.D., and Frank Madera-Orsini, Ph.D.	
13. PHYSICAL AND PHYSICOCHEMICAL TECHNIQUES OF URINE EXAMINATION	151
Michael Lubran, M.D., Ph.D.	
14. SCREENING TESTS FOR CHEMICAL COMPONENTS OF URINE	164
Alfred H. Free, Ph.D., and Helen M. Free, B.S.	
15. QUALITATIVE IDENTIFICATION OF URINARY PIGMENTS	174
Earl B. Wert, M.D.	
16. DIFFERENTIATION OF HEMOGLOBINURIA AND MYOGLOBINURIA IN RENAL DISEASES	194
Ernest C. Adams, Jr., Ph.D., and Margaret J. Rozman, B.S.	
17. ESTIMATION OF URINARY REDUCING SUBSTANCES	210
Manford D. Morris, Ph.D., and Howard Quittner, M.D.	
18A. THE CLINICAL INTERPRETATION OF MEASUREMENT OF URINE AND SERUM PROTEINS IN KIDNEY DISEASES	217
F. William Sunderman, Jr., M.D., and John Savory, Ph.D.	
18B. METHODS FOR MEASUREMENT AND FRACTIONATION OF PROTEINS IN URINE AND SERUM	228
John Savory, Ph.D., F. William Sunderman, Jr., M.D., and Pin H. Pu, M.D.	
19A. ENZYME TESTS IN RENAL DISEASES	243
J. Henry Wilkinson, D.Sc., Ph.D.	

Chapter	Page
19B. MEASUREMENT OF URINARY LACTATE DEHYDROGENASE	250
J. Henry Wilkinson, D.Sc., Ph.D.	
20A. ALTERATIONS OF URIC ACID IN SERUM AND URINE	257
IN KIDNEY DISEASES	
Robert E. Zipf, M.D., and Bernard J. Katchman, Ph.D.	
20B. THE MEASUREMENT OF URIC ACID IN SERUM AND URINE	261
F. William Sunderman, M.D.	
21. SPECIFIC ION ACTIVITY DETERMINATION FOR MEASUREMENT OF	271
SERUM AND URINE ELECTROLYTES IN RENAL DISEASE	
Kurt M. Dubowski, Ph.D.	
22. MEASUREMENT OF ALDOSTERONE IN URINE	279
Benjamin N. Horwitt, Ph.D.	
23A. COMMENTS ON METHODS FOR MEASUREMENT OF RENIN	287
ACTIVITY IN PLASMA	
Philip A. Khairallah, M.D., F. Merlin Bumpus, Ph.D.,	
and Robert R. Smeby, Ph.D.	
23B. A METHOD FOR THE MEASUREMENT OF RENIN ACTIVITY	292
IN HUMAN PLASMA	
Philip A. Khairallah, M.D., F. Merlin Bumpus, Ph.D.,	
and Robert R. Smeby, Ph.D.	
24. IDENTIFICATION AND QUANTITATION OF FORMED ELEMENTS	297
IN THE URINE	
Herbert Derman, M.D.	
25. CYTOLOGIC EXAMINATION OF URINE FOR THE DIAGNOSIS	305
AND DETECTION OF CANCER	
Leopold G. Koss, M.D.	
26A. CHEMICAL ANALYSIS OF CALCULI FROM THE URINARY TRACT	309
John T. McCall, Ph.D., and Lynwood H. Smith, M.D.	
26B. IDENTIFICATION OF CRYSTALS IN THE KIDNEY AND URINE	313
Frank B. Johnson, M.D.	
27A. COMMENTS ON THE QUANTITATION OF BACILLURIA	316
Charles O. Sennett, Jr., M.D.	
27B. QUANTITATIVE MEASUREMENTS OF BACILLURIA	319
Charles O. Sennett, Jr., M.D., and Phyllis Warren, B.S.	
28. FLUORESCENT DYE STAINING OF MYCOBACTERIUM TUBERCULOSIS	323
George P. Blundell, Ph.D., M.D.	

<i>Chapter</i>	<i>Page</i>
29A. IMMUNOPATHOGENESIS OF RENAL DISEASES	334
William T. Kniker, M.D.	
29B. IMMUNOFLUORESCENT METHODS IN THE DIAGNOSIS OF RENAL DISEASES	341
William T. Kniker, M.D.	
30. RADIOISOTOPE SCANNING TECHNIQUES IN THE DIAGNOSIS OF RENAL DISEASE	347
August Miale, Jr., M.D., and Joseph S. Burkle, M.D.	
31. AUTOMATED DATA PROCESSING IN RENAL DISEASES	362
Howard C. Hopps, M.D., and Elemer Gabrieli, M.D.	
32. PERCUTANEOUS RENAL BIOPSY: AN ADJUNCT TO THE MANAGEMENT OF PATIENTS WITH RENAL DISEASES	369
Robert C. Muehrcke, M.D., and Anil K. Mandal, M.B.	
33A. THE RENAL BIOPSY IN PRIMARY GLOMERULAR DISEASE	377
Robert B. Jennings, M.D., and Peter B. Herdson, M.B., Ch.B., Ph.D.	
33B. THE RENAL BIOPSY OF FOCAL GLOMERULAR DISEASE	390
Robert H. Heptinstall, M.D.	
34. FUNCTIONAL CORRELATES OF THE JUXTAGLOMERULAR APPARATUS	394
John P. Capelli, M.D., Gonzalo E. Aponte, M.D., and Laurence G. Wesson, Jr., M.D.	
35. CLINICOPATHOLOGICAL CORRELATIONS IN THE NEPHROTIC SYNDROME	405
Marvin Forland, M.D., and Benjamin H. Spargo, M.D.	
36. DRUG-INDUCED NEPHROPATHY	418
Geoffrey Kent, M.D., Ph.D., Robert C. Muehrcke, M.D., and Frederick I. Volini, M.D.	
37. ACUTE RENAL FAILURE: CORRELATIVE CLINICAL-PATHOLOGICAL STUDY	431
Robert C. Muehrcke, M.D.	
38. LABORATORY TESTS AS A GUIDE TO THERAPY BY ACUTE DIALYSIS	450
Francesco del Greco, M.D., and Norman M. Simon, M.D.	
39. LABORATORY TESTS FOR THE MANAGEMENT OF PATIENTS UNDERGOING CHRONIC DIALYSIS	460
Ervin A. Gombos, M.D.	

<i>Chapter</i>	<i>Page</i>
40. THE CLINICAL PATHOLOGY OF RENAL HOMOTRANSPLANTATION	466
Robert Cade, M.D., and Alejandro de Quesada, M.D.	
41. CLINICAL SIGNIFICANCE OF THE RENAL PRESSOR SYSTEM	474
Francesco del Greco, M.D., and Norman Simon, M.D.	
42. HYPERTENSION IN UNILATERAL RENAL DISEASE	490
J. M. B. O'Connell, M.D., James M. Hayes, M.D. and George E. Schreiner, M.D.	
43. CURRENT CONCEPTS OF URINARY TRACT INFECTION	494
Robert H. Heptinstall, M.D.	
44. RENAL COMPLICATIONS OF DIABETES MELLITUS	497
Benjamin H. Spargo, M.D., and Roberta Penska	
45. IDIOPATHIC RENAL LITHIASIS	514
Lynwood H. Smith, M.D.	
46. HEMATOLOGIC DISTURBANCES IN RENAL DISEASES	518
Farid I. Haurani, M.D.	
47. PATHOLOGIC ASPECTS OF "BLACKWATER FEVER"	528
Seymour Rosen, M.D.	
48. EFFECTS OF RADIATION ON THE KIDNEY	536
F. K. Mostofi, M.D.	
49. ASSOCIATION OF RENAL DISEASE WITH LIVER DISEASE	541
Frederick I. Volini, M.D., and Geoffrey Kent, M.D., Ph.D.	
50. THE DIAGNOSIS OF RENAL TUMORS	551
Meyer M. Melicow, M.D.	
INDEX	561

LABORATORY DIAGNOSIS
OF
KIDNEY DISEASES

Anatomy and Ultrastructure of the Kidney

JENO E. SZAKACS, M.D.

INTRODUCTION

The kidneys are vital excretory organs that regulate the internal environment of the body. In adult man, they weigh 120 to 150 gm each and through their vascular tree flows approximately 1200 ml of blood per minute, some 25% of the total cardiac output. The vascular and epithelial elements form special functional units, the nephrons, consisting each of a *glomerulus* and a *tubule*.

The special apposition of blood vessels and tubules gives a characteristic gross appearance to the kidney and this organization assures the required degree of function. A renal cortex and medulla can be differentiated on a cut surface of the mammalian kidney, and the demarcation is usually enhanced by the arcuate arteries, though not in all species. The cortex contains all glomeruli and the convoluted tubules. The medulla contains some or all of the parallel descending and ascending segments of the renal tubules, called the loops of Henle, and the collecting ducts. The schematic diagram (Fig. 1) from Pitts (13) illustrates the organization of the different layers of the kidney. In man, most nephrons are cortical and only 1/8 of the nephrons are juxtamedullary, with long thin loops of

Henle extending into the renal pyramids, while in desert animals most or all nephrons are provided with long thin loops of Henle that allow them to conserve water by concentrating the urine to a high degree. Pitts' diagram also illustrates the relationship of blood




Fig. 1. Distribution of nephrons in the different layers of the kidney. Drawing from Pitts (13).

vessels to the nephron. Blood is carried through interlobar branches of the renal artery to the arcuates, interlobular arteries and afferent arterioles to the renal glomerulus. It leaves the glomerulus via the efferent artery which provides branches to form vascular loops around the convoluted tubules, and the vasa recta to parallel the loops of Henle. The venous blood is emptied into the interlobular veins and returns to the renal veins by vessels paralleling the similarly named arteries.

THE RENAL GLOMERULUS

The structure of the renal glomerulus has been studied extensively and our understanding of its function is better than that of the tubules. The identification of the anatomical site where each of the physiological processes takes place is the great challenge of our time.

The renal glomerulus is a specialized arterial capillary network between the afferent and efferent arterioles, and it serves to form about 180 liters of ultrafiltrate per day in an average adult man. The two arterioles form the vascular pole and from there the capillary loops project into Bowman's capsule. Bowman's capsule surrounds the entire capillary glomerulus and gives origin to the proximal convoluted tubule opposite to the vascular pole.

The glomerular capillaries are lined by an endothelial layer continuous with that of the arterioles. The endothelium is supported by a basement membrane and the mesangium. Opposite to the lumen, the basement membrane is covered by the visceral epithelial cells. At the vascular pole, this epithelial layer and the basement membrane reflects to form Bowman's capsule. The epithelium becomes flattened and is referred to as the

The following is a brief illustrated description of the salient points and of the more recent information about renal structures, including that obtained by electron microscopy. Much has been written on this subject. Classical histologic techniques culminated in the works of Möllendorff (20) and Goormaghtigh (4) in the 1930's. More recently, classical chapters on the ultrastructure of the kidney were written by Rhodin (16), Spargo (18), and Latta (10).

parietal epithelium of the glomerulus (Fig. 2).



Fig. 2. Photomicrograph of the renal glomerulus. Note the vascular pole, macula densa and laciniae. The basement membrane at the macula densa is ill defined and continuous with the fibrils of the laciniae. Only the afferent artery is in the plane of section. The capillary basement membrane, endothelial and epithelial cells are easily identified at the periphery of the lobules. (x 500)

Silver impregnation and thin sectioning permitted the light microscopist to visualize the capillary basement membrane with its reflections and continuity with that of Bowman's capsule, but only electron microscopy allowed resolution of the fine structure of the mesangium between the capillaries. The mesangial space between two or three capillary loops is filled by cells and intercellular matrix and it is enclosed by the endothelial side of the basement membrane. The mesangium provides points of attachments for the basement membrane (Bohle and Herfarth (1)).

The Capillary Endothelium. The capillary wall is supported by the basement membrane at the periphery and by the mesangial cells between capillary loops. Endothelial cells line the entire capillary lumen covering the basement membrane and at the mesangium they are directly apposed to the mesangial cells. The nucleus is usually in the mesangial area and is surrounded by cytoplasm containing most of the cellular organelles: The Golgi apparatus, mitochondria, some rough endoplasmic reticulum and the centriole. The remaining cytoplasm is attenuated, forming a thin layer covering the peripheral portion of the capillary. On cross-section the attenuated endothelium appears discontinuous with interruptions at regular intervals. Tangential sections reveal round or elliptical openings about 1000 Å in diameter. The apparent openings are referred to as endothelial "fenestrae." High resolution electron micrographs reveal the fenestrae to be closed by a thin diaphragm (Rhodin, 1962 (14)). According to Ito (1964) (8), this diaphragm is formed by two outer protein layers of the plasma membrane, while the inner protein and lipid layers reach only to the edge of the

fenestration. This protein-mucoprotein diaphragm is considered by Rhodin to provide the kidney's filtering action,—thus permitting small molecules to pass through while retaining larger ones. In addition, large molecules were shown to be actively transported through the endothelium (Meneffe (11)), from the lumen both to the basement membrane and to the mesangium or juxtacollicular region in a form of modified phagocytosis. Pinocytotic vacuoles are seen as well as a complex system of vacuoles in the endothelial cytoplasm close to the mesangium. These participate in the transport of fluids and several other particles including those experimentally marked, such as globin.

Glomerular Basement Membrane. The basement membrane envelopes the capillary loops together with the mesangium much the same way as the mesentery envelopes the intestinal tract. The reflections of the basement membrane are well illustrated in Figures 2, 3 and 4. The illustrations also show that in preparations stained with uranyl acetate and lead hydroxide the basement membrane is resolved into three layers—a central dense layer and an inner and outer electron lucent layers. The thickness of the basement membrane varies from species to species. In man, it measures 3500 Å. Electron micrographs of fixed material reveal a fibrillar substructure that impressed many investigators by its similarity to filters. It was thought that the basement membrane could form a filtration barrier, but more recent evidence indicates that the basement membrane is a thixotropic gel. This would explain diffusion of small molecules through the basement membrane and retention of some larger ones while large aggregates would produce enough mo-