
纯粹数学与应用数学专著



第42号

An Introduction to Stochastic Dynamics (随机动力系统导论)

Duan Jinqiao (段金桥)






纯粹数学与应用数学专著丛书 第 42 号

An Introduction to Stochastic Dynamics

(随机动力系统导论)

Duan Jinqiao (段金桥)





Responsible Editors: Li Xin Zhao Yanchao

Copyright© 2015 by Science Press Published by Science Press 16 Donghuangchenggen North Street Beijing 100717, P. R. China

Printed in Beijing

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright owner.

ISBN 978-7-03-043857-7

Dedicated to the memory of my grandparents, Duan Chongxiang and Ye Youxiang and my parents, Duan Jianhua and Chen Yuying

《纯粹数学与应用数学专著》丛书编委会

主编:杨乐

编 委: (以姓氏笔画为序)

马志明 龙以明 朱熹平 张伟平

肖 杰 陈志明 宗传明 范更华

段海豹 洪家兴 席南华 郭柏灵

彭实戈 程崇庆

Preface

Dynamical systems are often subject to random influences, such as external fluctuations, internal agitation, fluctuating initial conditions, and uncertain parameters. In building mathematical models for these systems, some less-known, less well-understood, or less well-observed processes (e.g., highly fluctuating fast or small scale processes) are ignored because of a lack of knowledge or limitations in our analytical skills and computational capability. This ignorance also contributes to the uncertainty in mathematical models of complex dynamical systems. However, the uncertainty or randomness may have a delicate and profound impact on the overall evolution of complex dynamical systems. Indeed, there is a clear recognition of the importance of taking randomness into account when modeling complex phenomena in biological, chemical, physical, and other systems.

Stochastic differential equations are usually appropriate models for randomly influenced systems. Although the theoretical foundation for stochastic differential equations has been provided by stochastic calculus, better understanding dynamical behaviors of these equations is desirable.

Who is this book for?

There is growing interest in stochastic dynamics in the applied mathematics community. This book is written primarily for applied mathematicians who may not have the necessary background to go directly to advanced reference books or research literature in stochastic dynamics. My goal is to provide an introduction to basic techniques for understanding solutions of stochastic differential equations, from analytical, deterministic, computational and structural perspectives. In deterministic dynamical systems, invariant manifolds and other invariant structures provide global information for dynamical evolution. For stochastic dynamical systems, in addition to these invariant structures, certain computable quantities, such as the mean exit time and escape probability (reminiscent of the quantities like "eigenvalues" and "Poincaré index" in deterministic dynamics, and "entropy" in statistical physics), also offer insights into global dynamics under uncertainty. The mean exit time and escape probability are computed by solving deterministic, local or nonlocal, partial differential equations. Thus, I treat them as deterministic tools for understanding stochastic dynamics. It is my hope that this book will help the reader in accessing advanced monographs and research literature in stochastic dynamics.

What does this book do?

A large part of the materials in this book is based on my lecture notes for the graduate course Stochastic Dynamics that I have taught for many times since 1997. Among the students who have taken this course, about two-thirds are from applied mathematics, and the remaining one-third are from departments such as physics, computer science, bioengineering, mechanical engineering, electrical engineering, and chemical engineering. I would like to thank those graduate students for helpful feedback and for solutions to some exercises. For this group of graduate students, selection of topics and choice of presentation style are necessary. Thus, some interesting topics are not included. The choice of topics is personal but is influenced by my teaching to these graduate students, who have basic knowledge in differential equations, dynamical systems, probability, and numerical analysis. Some materials are adopted from my recent research with collaborators, and these include most probable phase portraits in Chapter 5, and random invariant manifolds in Chapter 6, together with mean exit time, escape probability and nonlocal Fokker-Planck equations for systems with non-Gaussian Lévy noise in Chapter 7.

I have tried to strike a balance between mathematical precision and accessibility for the readers of this book. For example, some proofs are presented, whereas some are outlined and others are directed to references. Some definitions are presented in separate paragraphs starting with *Definition*, but many others are introduced less formally as they occur in the body of the text. As far as possible, I have tried to make connections between new concepts in stochastic dynamics and old concepts in deterministic dynamics.

After some motivating examples (Chapter 1), background in analysis and probability (Chapter 2), a mathematical model for white noise (Chapter 3), and a crash course in stochastic differential equations (Chapter 4), I focus on three topics:

- Quantities that carry stochastic dynamical information (Chapter 5): This includes moments, probability densities, most probable phase portraits, mean exit time, and escape probability.
- Structures that build stochastic dynamics (Chapter 6): This includes the multiplicative ergodic theorem and Hartman-Grobman theorem for linearized stochastic systems, and invariant manifolds for nonlinear stochastic systems.
- Non-Gaussian stochastic dynamics (Chapter 7): This is an introduction to systems driven by non-Gaussian, α-stable Lévy motions.

This book is full of examples, together with many figures. There are separate Matlab simulation sections in Chapters 2–4, whereas in Chapters 5 and 7, numerical simulations are included inside various sections. Although Chapter 6 contains no numerical simulations for its nature, it has *Examples* and *Problems* that require

detailed derivations or calculations by hand. At the end of each chapter, there are homework problems, including some numerical simulation problems; Matlab is sufficient for this purpose. Most of these problems have been tested in the classroom. Hints or solutions to most problems are provided at the end of the book.

A section with an asterisk may be skipped on a first reading.

Some additional references are provided in the "Further Readings" section, for more advanced readers.

What prerequisites are assumed?

For the reader, it is desirable to have basic knowledge of dynamical systems, such as the material contained in

- Chapters 1–2 of Nonlinear Oscillations, Dynamical Systems, and Bifurcations of Vector Fields by J. Guckenheimer and P. Holmes; or
- Chapters 1–2 of Introduction to Applied Nonlinear Dynamical Systems and Chaos by S. Wiggins; or
- Chapters 1–2 of Differential Equations and Dynamical Systems by L. Perko; or
- Chapters 1–3 of Nonlinear Dynamics and Chaos by S. H. Strogatz.

Ideally, it is also desirable to have elementary knowledge of stochastic differential equations, such as

- Chapters 1–6 of Stochastic Differential Equations by L. Arnold; or
- Chapters 1–5 of An Introduction to Stochastic Differential Equations by L. C. Evans; or
- Chapters 1–5 of Stochastic Differential Equations by B. Oksendal; or
- Chapters 1–3 of Stochastic Methods by C. Gardiner.

Realizing that some readers may not be familiar with stochastic differential equations, I review this topic in Chapter 4.

Acknowledgements

I would like to thank Philip Holmes for suggesting that I write this book back in 2004, when we were taking an academic tour in China. Steve Wiggins has also encouraged me to publish this book. I am especially grateful to Ludwig Arnold, who has always inspired and encouraged my learning and research in stochastic dynamics. I appreciate Bernt Oksendal's encouragement and comments. I have benefited from many years of productive collaboration and interaction with many colleagues, especially Peter Bates, Peter Baxendale, Dirk Blomker, Tomas Caraballo, Michael Cranston, Hans Crauel, Manfred Denker, David Elworthy, Franco Flandoli, Hongjun Gao, Martin Hairer, Peter Imkeller, Peter E. Kloeden, Kening

iv Preface

Lu, Navaratnam Sri Namachchivaya, Anthony Roberts, Michael Scheutzow, Bjorn Schmalfuss, Richard Sowers, Xu Sun, Yong Xu, and Huaizhong Zhao. My interest in non-Gaussian stochastic dynamics started with a joint paper with D. Schertzer, M. Larcheveque, V. V. Yanovsky and S. Lovejoy in 2000 and was further inspired and enhanced by Peter Imkeller and Ilya Pavlyukevich during my sabbatical leave at Humboldt University in Berlin in 2006.

Ludwig Arnold proofread this entire book and provided invaluable comments and suggestions. Han Crauel, Peter Imkeller, Peter Kloeden, Liu Jicheng, Lu Guangying, Mark Lytell, Bjorn Schmalfuss, Song Renming, Wang Xiangjun, Wu Jianglun proofread part of this book and their comments and corrections helped improve the book in various ways.

I thank Yan Jia-an for helpful discussions about topics in Chapter 4. I am very grateful to Chen Zhenqing, Li Xiaofan, Qiao Huijie, Song Renming, Wang Xiangjun and Wu Jianglun for helpful discussions about topics in Chapter 7. My former and current graduate students, especially Chen Xiaopeng, Fu Hongbo, Gao Ting, Guo Zhongkai, Jiang Tao, Kan Xingye, Mark Lytell, Ren Jian, Yang Jiarui and Zheng Yayun, have helped with generating figures, proofreading some chapters, and providing solutions to some *Problems*.

I would also like to acknowledge the National Science Foundation for its many years' generous support of my research. A part of this book was written while I was at the Institute for Pure and Applied Mathematics (IPAM), Los Angeles, during 2011–2013. Diana Gillooly at Cambridge University Press, and Zhao Yanchao and Li Xin at Science Press have provided valuable professional help for the completion of this book.

My wife, Xiong Yan, and my children, Victor and Jessica, are constant sources of inspiration and happiness. Their love and understanding made this book possible.

Duan Jinqiao Wuhan, April 2014

Notations

```
\triangleq: Is defined to be |x|: Absolute value of x \in \mathbb{R}^2 ||x||: Euclidean norm of x \in \mathbb{R}^n a \wedge b \triangleq \min\{a,b\} a \vee b \triangleq \max\{a,b\} a^+ \triangleq \max\{a,0\} a^- \triangleq \max\{-a,0\} B_t: Brownian motion \mathcal{B}(\mathbb{R}^n): Borel \sigma-field of \mathbb{R}^n \mathcal{B}(S): Borel \sigma-field of state space S Supp(f) \triangleq Closure of \{x \in \mathbb{R}^n : f(x) \neq 0\}: The support of function f(\mathbb{R}^n): Space of continuous functions on \mathbb{R}^n which have compact support C^k(\mathbb{R}^n): Space of continuous functions on \mathbb{R}^n which have up to k-th order continuous derivatives
```

 $C_0^k(\mathbb{R}^n)$: Space of continuous functions on \mathbb{R}^n which (i) have up to k-th order continuous derivatives, and (ii) have compact support

 $C^{\infty}(\mathbb{R}^n)$: Space of continuous functions on \mathbb{R}^n which have derivatives of all orders

 $C_0^{\infty}(\mathbb{R}^n)$: Space of continuous functions on \mathbb{R}^n which (i) have derivatives of all orders, and (ii) have compact support

 $C^{\alpha}(D)$: Space of functions which are locally Hölder continuous in D with exponent α

 $C^{\alpha}(\bar{D})$: Space of functions which are uniformly Hölder continuous in D with exponent α

 $C^{k,\alpha}(D)$: Space of continuous functions in D whose k-th order derivatives are locally Hölder continuous in D with exponent α

 $\delta(\xi)$: Dirac delta function

E: Expectation

 \mathbb{E}^x : Expectation with respect to the probability measure \mathbb{P}^x induced by a solution process starting at x

 $F_X(x)$: Distribution function of the random variable X

 \mathcal{F}^X or $\sigma(X)$: σ -field generated by the random variable X

Notations

 $\mathcal{F}^{X_t} = \sigma(X_s, s \in \mathbb{R})$: σ -field generated by a stochastic process X_t . It is the smallest σ -field with which X_t is measurable for every t.

 \mathcal{F}^{ξ} : σ -field generated by the stochastic process ξ_t

 $\mathcal{F}_t^B \triangleq \sigma(B_s: s \leqslant t)$: Filtration generated by Brownian motion B_t

 $\mathcal{F}_{\infty} \triangleq \sigma(\bigcup_{t \geq 0} \mathcal{F}_t)$

 $\mathcal{F}_{t^+} \triangleq \bigcap_{\varepsilon > 0} \mathcal{F}_{t+\varepsilon}$

 $\mathcal{F}_{t^-} \triangleq \sigma(\bigcup_{s < t} \mathcal{F}_s)$

 $\mathcal{F}_t^X \triangleq \sigma(X_s: 0 \leqslant s \leqslant t)$: Filtration generated by a stochastic process X_t

 $\mathcal{F}^t_{-\infty} \triangleq \sigma(\cup_{s\leqslant t}\mathcal{F}^t_s)$: Also denoted as $\bigvee_{s\leqslant t}\mathcal{F}^t_s$

 $\mathcal{F}_s^{\infty} \triangleq \sigma(\cup_{t \geqslant s} \mathcal{F}_s^t)$: Also denoted as $\bigvee_{t \geqslant s} \mathcal{F}_s^t$

H(f): Hessian matrix of a scalar function $f: \mathbb{R}^n \to \mathbb{R}^1$

 $H(\xi)$: Heaviside function

 $H^k(D)$: Sobolev space

 $H_0^k(D)$: Sobolev space of functions with compact support

 $\|\cdot\|_k$: Sobolev norm in $H^k(D)$ or $H_0^k(D)$

lim in m.s.: Convergence in mean square, i.e., convergence in $L^2(\Omega)$

 l^p : Space of infinite sequences $\{x_i\}_{i=1}^{\infty}$ such that $\sum_{i=1}^{\infty} |x_i|^p < \infty$

 $L^2(\mathbb{R}^n)$: Space of square-integrable functions defined on \mathbb{R}^n

 $L^p(\mathbb{R}^n)$: Space of p-integrable functions defined on \mathbb{R}^n , with $p \geqslant 1$

 $L^p(D)$: Space of p-integrable functions defined on a domain $D \subset \mathbb{R}^n$, with $p \geqslant 1$

 $L^2(\Omega)$ or $L^2(\Omega, \mathbb{R}^n)$: Space of random variables, taking values in Euclidean space \mathbb{R}^n , with finite variance

 $L^2(\Omega)$ or $L^2(\Omega, H)$: Space of random variables, taking values in Hilbert space H, with finite variance

 $L^p(\Omega)$ or $L^p(\Omega,\mathbb{R}^n)$: $\{X: \mathbb{E}|X|^p < \infty\}$ for $p \geqslant 1$

 $L_t(\omega)$: Lévy motion

 $L_t^{\alpha}(\omega)$: α -stable Lévy motion

 \mathbb{N} : Set of the natural numbers

 $\mathcal{N}(\mu, \sigma^2)$: Normal (or Gaussian) distribution with mean μ and variance σ^2

 $\nu(dy)$: Lévy jump measure

P: Probability measure

 $\mathbb{P}(A)$ or $\mathbb{P}\{A\}$: Probability of an event A

 P^X : Distribution measure induced by the random variable X

 \mathbb{P}^x : Probability measure induced by a solution process starting at x

 $P(\lambda)$: Poisson distribution with parameter $\lambda > 0$

R: Two-sided time set

 \mathbb{R}^+ : One-sided time set $\{t: t \ge 0\}$

 \mathbb{R}^1 : One dimensional Euclidean space

Notations

 \mathbb{R}^n : n-dimensional Euclidean space

 $\sigma(X)$ or \mathcal{F}^X : σ -field generated by the random variable X. It is the smallest σ -field with which X is measurable.

Tr(A): Trace of A

U(a,b): Uniform distribution on the interval [a,b]

 $\bigvee_{s \leqslant t} \mathcal{F}_s^t \triangleq \sigma(\bigcup_{s \leqslant t} \mathcal{F}_s^t)$: Also denoted as $\mathcal{F}_{-\infty}^t$

 $\bigvee_{t\geqslant s} \mathcal{F}_s^t \triangleq \sigma(\bigcup_{t\geqslant s} \mathcal{F}_s^t)$: Also denoted as \mathcal{F}_s^{∞}

Contents

| Chapt | er 1 | Introduction····· | 1 | | |
|--------|---|---|----|--|--|
| 1.1 | | mples of deterministic dynamical systems · · · · · · · · · · · · · · · · · · · | | | |
| 1.2 | Exar | 8 | | | |
| 1.3 | Matl | hematical modeling with stochastic differential equations $\cdots \cdots$ | 10 | | |
| 1.4 | Outl | line of this book · · · · · · · · · · · · · · · · · · | 11 | | |
| 1.5 | Prob | olems · · · · · · · · · · · · · · · · · · · | 12 | | |
| Chapt | er 2 | Background in Analysis and Probability · · · · · · · · · | 13 | | |
| 2.1 | | idean space····· | | | |
| 2.2 | Hilbert, Banach and metric spaces · · · · · · · · · · · · · · · · · · · | | | | |
| 2.3 | Taylo | Taylor expansions······15 | | | |
| 2.4 | Impr | roper integrals and Cauchy principal values · · · · · · · · · · · · · · · · · · · | 16 | | |
| 2.5 | Some | e useful inequalities······ | 18 | | |
| | 2.5.1 | Young's inequality····· | 18 | | |
| | 2.5.2 | Gronwall inequality····· | 18 | | |
| | 2.5.3 | Cauchy-Schwarz inequality · · · · · · · · · · · · · · · · · · · | 19 | | |
| | 2.5.4 | Hölder inequality · · · · · · · · · · · · · · · · · · · | 20 | | |
| | 2.5.5 | Minkowski inequality · · · · · · · · · · · · · · · · · · · | 20 | | |
| 2.6 | Höld | ler spaces, Sobolev spaces and related inequalities · · · · · · · · · · · | 21 | | |
| 2.7 | Prob | pability spaces · · · · · · · · · · · · · · · · · · · | 25 | | |
| | 2.7.1 | Scalar random variables····· | 26 | | |
| | 2.7.2 | Random vectors····· | 27 | | |
| | 2.7.3 | Gaussian random variables · · · · · · · · · · · · · · · · · · · | 29 | | |
| | 2.7.4 | Non-Gaussian random variables | 30 | | |
| 2.8 | Stock | hastic processes · · · · · · · · · · · · · · · · · | 33 | | |
| 2.9 | Conv | vergence concepts · · · · · · · · · · · · · · · · · · · | 35 | | |
| 2.10 | Sim | nulation····· | 36 | | |
| 2.11 | Pro | blems···· | 38 | | |
| Chapte | | Noise···· | | | |
| 3.1 | Brow | vnian motion····· | | | |
| | 3.1.1 | Brownian motion in \mathbb{R}^1 | | | |
| | 3.1.2 | Brownian motion in \mathbb{R}^n | 46 | | |

vi

| | 3.2 | Wha | t is Gaussian white noise······47 |
|------|---|-------|--|
| | 3.3* A mathematical model for Gaussian white noise $\cdots\cdots\cdots$ | | |
| | | 3.3.1 | Generalized derivatives · · · · · 48 |
| | | 3.3.2 | Gaussian white noise · · · · · 49 |
| | 3.4 | Simu | lation·····52 |
| | 3.5 | Prob | lems · · · · · · 54 |
| Chap | | er 4 | A Crash Course in Stochastic Differential Equations $\cdots 57$ |
| | 4.1 | | rential equations with noise · · · · · · 57 |
| | 4.2 | Riem | nann-Stieltjes integration · · · · · · 58 |
| | 4.3 | Stock | nastic integration and stochastic differential equations · · · · · · · 59 |
| | | 4.3.1 | Motivation · · · · · · 59 |
| | | 4.3.2 | Definition of Itô integral $\cdots 61$ |
| | | 4.3.3 | Practical calculations · · · · · · 62 |
| | | 4.3.4 | Stratonovich integral · · · · · 63 |
| | | 4.3.5 | Examples · · · · · · 64 |
| | | 4.3.6 | Properties of Itô integrals · · · · · · · 67 |
| | | 4.3.7 | Stochastic differential equations · · · · · · 69 |
| | | 4.3.8 | SDEs in engineering and science literature $\cdots \sim 70$ |
| | | 4.3.9 | SDEs with two-sided Brownian motions $\cdots \cdots 70$ |
| | 4.4 | Itô's | $formula - \cdots - 70$ |
| | | 4.4.1 | Motivation for stochastic chain rules · · · · · · · · · · · · 70 |
| | | 4.4.2 | Itô's formula in scalar case $\cdots 71$ |
| | | 4.4.3 | Itô's formula in vector case $\cdots 74$ |
| | | 4.4.4 | Stochastic product rule and integration by parts · · · · · · · · · · · · 76 |
| | 4.5 | | ar stochastic differential equations · · · · · · · · · · · · · · · · · · · |
| | 4.6 | Nonl | inear stochastic differential equations · · · · · · · 82 |
| | | 4.6.1 | Existence, uniqueness and smoothness · · · · · · 82 |
| | | 4.6.2 | Probability measure \mathbb{P}^x and expectation \mathbb{E}^x associated with an SDE \cdots 83 |
| | 4.7 | | version between Itô and Stratonovich stochastic differential |
| | | equa | tions·····84 |
| | | 4.7.1 | Scalar SDEs · · · · · 84 |
| | | 4.7.2 | SDE systems·····85 |
| | 4.8 | _ | act of noise on dynamics · · · · · · · · · · · · · · · · · · · |
| | 4.9 | | lation · · · · · 88 |
| | 4.10 | | blems·····89 |
| CI | ant | er 5 | Deterministic Quantities for Stochastic Dynamics 93 |

| 5 | .1 | Mom | ents · · · · · · 94 |
|-----|-----|-------|---|
| 5 | .2 | Proba | ability density functions · · · · · · · 96 |
| | | 5.2.1 | Scalar Fokker-Planck equations · · · · · · 97 |
| | | 5.2.2 | Multidimensional Fokker-Planck equations · · · · · · 99 |
| | | 5.2.3 | Existence and uniqueness for Fokker-Planck equations $\cdots 102$ |
| | | 5.2.4 | Likelihood for transitions between different dynamical regimes under |
| | | | uncertainty · · · · · · · · · · · · · · · · · · · |
| 5 | .3 | Most | probable phase portraits · · · · · · · · · · · · · · · · · · · |
| | | 5.3.1 | Mean phase portraits · · · · · · · · · · · · · · · · · · · |
| | | 5.3.2 | Almost sure phase portraits · · · · · · · · · · · · · · · · · · · |
| | | 5.3.3 | Most probable phase portraits $\cdots 105$ |
| 5 | .4 | Mean | n exit time · · · · · · · · · · · · · · · · · · · |
| 5 | .5 | Escap | pe probability······115 |
| 5 | .6 | Probl | $lems \cdots 121$ |
| Cha | pte | er 6 | Invariant Structures for Stochastic Dynamics $\cdots 125$ |
| 6 | .1 | Deter | eministic dynamical systems······126 |
| | | 6.1.1 | Concepts for deterministic dynamical systems $\cdots 126$ |
| | | 6.1.2 | The Hartman-Grobman theorem · · · · · · · 128 |
| | | 6.1.3 | Invariant sets $\cdots 128$ |
| | | 6.1.4 | Differentiable manifolds · · · · · · · · · · · · · · · · · · · |
| | | 6.1.5 | Deterministic invariant manifolds · · · · · · · · · · · · · · · · · · · |
| 6 | .2 | Meas | urable dynamical systems······139 |
| 6 | .3 | Rand | om dynamical systems······140 |
| | | 6.3.1 | Canonical sample spaces for SDEs $\cdots \cdots 141$ |
| | | 6.3.2 | Wiener shift $\cdots 142$ |
| | | 6.3.3 | Cocycles and random dynamical systems $\cdots 143$ |
| | | 6.3.4 | Examples of cocycles · · · · · · · · · · · · · · · · · · · |
| | | 6.3.5 | Structural stability and stationary orbits $\cdots 148$ |
| 6 | .4 | Linea | r stochastic dynamics · · · · · · 150 |
| | | 6.4.1 | Oseledets' multiplicative ergodic theorem and Lyapunov exponents $\cdots 150$ |
| | | 6.4.2 | A stochastic Hartman-Grobman theorem $\cdots \cdots 157$ |
| 6 | .5* | Ran | dom invariant manifolds · · · · · · · 159 |
| | | 6.5.1 | Definition of random invariant manifolds $\cdots 159$ |
| | | 6.5.2 | Converting SDEs to RDEs · · · · · · · · 160 |
| | | 6.5.3 | Local random pseudo-stable and pseudo-unstable manifolds $\cdots \cdots 163$ |
| | | 6.5.4 | Local random stable, unstable and center manifolds $\cdots\cdots 165$ |

viii Contents

| 6.6 | Prob | lems····· | . 168 |
|-----------|---------------|---|-------------|
| Chapter 7 | | Dynamical Systems Driven by Non-Gaussian Lévy | |
| | | Motions | $\cdot 175$ |
| 7.1 | Mod | eling via stochastic differential equations with Lévy motions · · · · | . 176 |
| 7.2 | Lévy | motions····· | $\cdot 177$ |
| | 7.2.1 | Functions that have one-side limits · · · · · · · · · · · · · · · · · · · | . 178 |
| | 7.2.2 | Lévy-Itô decomposition · · · · · · · · · · · · · · · · · · · | $\cdot 179$ |
| | 7.2.3 | Lévy-Khintchine formula····· | .180 |
| | 7.2.4 | Basic properties of Lévy motions · · · · · · · · · · · · · · · · · · · | . 181 |
| 7.3 | α -sta | able Lévy motions····· | · 183 |
| | 7.3.1 | Stable random variables · · · · · · · · · · · · · · · · · · · | · 183 |
| | 7.3.2 | α -stable Lévy motions in \mathbb{R}^1 · · · · · · · · · · · · · · · · · · · | . 191 |
| | 7.3.3 | α -stable Lévy motion in \mathbb{R}^n | |
| 7.4 | Stoc | hastic differential equations with Lévy motions · · · · · · · · · · · · · · · · · · · | |
| | 7.4.1 | Stochastic integration with respect to Lévy motions | |
| | 7.4.2 | SDEs with Lévy motions····· | |
| | 7.4.3 | Generators for SDEs with Lévy motion · · · · · · · · · · · · · · · · · · · | |
| 7.5 | Mean | n exit time····· | |
| | 7.5.1 | Mean exit time for α -stable Lévy motion · · · · · · · · · · · · · · · · · · · | . 207 |
| | 7.5.2 | Mean exit time for SDEs with α -stable Lévy motion \cdots | |
| 7.6 | Esca | pe probability and transition phenomena | |
| | 7.6.1 | Balayage-Dirichlet problem for escape probability · · · · · · · · · · · · · · · · · · · | |
| | 7.6.2 | Escape probability for α -stable Lévy motion \cdots | |
| | 7.6.3 | Escape probability for SDEs with α -stable Lévy motion \cdots | |
| 7.7 | Fokk | ter-Planck equations | |
| | 7.7.1 | Fokker-Planck equations in \mathbb{R}^1 | |
| | 7.7.2 | Fokker-Planck equations in \mathbb{R}^n | |
| 7.8 | Prob | $ ho$ lems \cdots | |
| Hints | and S | $\operatorname{Solutions} \cdots \cdots$ | . 228 |
| Furthe | r Rea | adings | . 255 |
| | | | |
| Index | | | . 274 |
| Color | Pictu | res | |