











Flow Measurement Handbook

INDUSTRIAL DESIGNS, OPERATING PRINCIPLES, PERFORMANCE, AND APPLICATIONS

Second Edition

Roger C. Baker



CAMBRIDGE UNIVERSITY PRESS

One Liberty Plaza, 20th Floor, New York, NY 10006, USA

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning, and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781107045866

© Roger C. Baker 2016

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First edition 2000

Second edition published 2016

Printed in the United Kingdom by TJ International Ltd. Padstow Cornwall

A catalogue record for this publication is available from the British Library.

Library of Congress Cataloguing in Publication Data

Baker, R. C., author.

Flow measurement handbook: industrial designs, operating principles, performance, and applications / Roger C. Baker – 2nd edition.

pages cm

Includes bibliographical references and index.

ISBN 978-1-107-04586-6 - ISBN 1-107-04586-6

1. Flow meters – Handbooks, manuals, etc. 2. Flow meters – Design and construction – Handbooks, manuals, etc. 3. Fluid dynamic measurements – Handbooks, manuals, etc. I. Title.

TA357.5.M43.B35 2016

681'.28-dc23 2015030767

ISBN 978-1-107-04586-6 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party Internet Web sites referred to in this publication and does not guarantee that any content on such Web sites is, or will remain, accurate or appropriate.

DISCLAIMER

In preparing the second edition of this book every effort has been made to provide up-to-date and accurate data and information that is in accord with accepted standards and practice at the time of publication and has been included in good faith. Nevertheless, the author, editors, and publisher can make no warranties that the data and information contained herein is totally free from error, not least because industrial design and performance is constantly changing through research, development, and regulation. Data, discussion, and conclusions developed by the author are for information only and are not intended for use without independent substantiating investigation on the part of the potential users. The author, editors, and publisher therefore disclaim all liability or responsibility for direct or consequential damages resulting from the use of data, designs, or constructions based on any of the information supplied or materials described in this book. Readers are strongly advised to pay careful attention to information provided by the manufacturer of any equipment that they plan to use and should refer to the most recent standards documents relating to their application. The author, editors, and publisher wish to point out that the inclusion or omission of a particular device, design, application, or other material in no way implies anything about its performance with respect to other devices, etc.

FLOW MEASUREMENT HANDBOOK

Flow Measurement Handbook is a reference for engineers on flow measurement techniques and instruments. It strikes a balance between laboratory ideas and realities of field experience and provides practical advice on design, operation and performance of flowmeters.

It begins with a review of essentials: accuracy, flow, selection and calibration methods. Each chapter is then devoted to a flowmeter class and includes information on design, application, installation, calibration and operation.

Among the flowmeters discussed are differential pressure devices such as orifice and Venturi; volumetric flowmeters such as positive displacement, turbine, vortex, electromagnetic, magnetic resonance, ultrasonic and acoustic; multiphase flowmeters; and mass meters such as thermal and Coriolis. There are also chapters on probes, verification and remote data access.

Roger C. Baker has worked for many years in industrial flow measurement. He studied at Cambridge and Harvard Universities and has held posts at Cambridge University, Imperial College and Cranfield, where he set up the Department of Fluid Engineering and Instrumentation. He has held visiting professorships at Cranfield and Warwick University.

To Liz and all the family

Preface

This is a book about flow measurement and flowmeters written for all in the industry who specify and apply, design and manufacture, research and develop, maintain and calibrate flowmeters. It provides a source of information both on the published research, design and performance of flowmeters, and also on the claims of flowmeter manufacturers. It will be of use to engineers, particularly mechanical and process engineers, and also to instrument companies' marketing, manufacturing and management personnel as they seek to identify future products.

I have concentrated on the mechanical and fluid engineering aspects and have given only as much of the electrical engineering details as is necessary for a proper understanding of how and why the meters work. I am not an electrical engineer and so have not attempted detailed explanations of modern electrical signal processing. I am also aware of the speed with which developments in signal processing would render out of date any descriptions that I might give.

I make the assumption that the flowmeter engineer will automatically turn to the appropriate standard and I have, therefore, tried to minimise reproducing information which should be obtained from those excellent documents. I recommend that those involved in new developments should keep a watching brief on the regular conferences which carry much of the latest developments in the business, and are illustrated by the papers in the reference list.

I hope, therefore, that this book will provide a signpost to the essential information required by all involved in the development and use of flowmeters, from the field engineer to the chief executive of the entrepreneurial company which is developing its product range in this technology.

In this book, following introductory chapters on accuracy, flow, selection and calibration, I have attempted a clear explanation of each type of flowmeter so that the reader can easily understand the workings of the various meters. I have, then, attempted to bring together a significant amount of the published information which enlightens us on the performance and applications of flowmeters. The two sources for this are the open literature and the manufacturers' brochures. I have also introduced, to a varying extent, the mathematics behind the meter operations, but to avoid disrupting the text, I have consigned some of this to the appendices at the end of the chapters.

xxiv Preface

However, by interrogating the appropriate databases for flowmeter papers it rapidly becomes apparent that inclusion of references to all published material is unrealistic. I have attempted a selection of those which appeared to be more relevant and available to the typical reader of this book. However, it is likely that, owing to the very large number of relevant papers, I have omitted some which should have been included.

Topics not covered in this book, but which might be seen as within the general field of flow measurement, are: metering pumps, flow switches, flow controllers, flow measurement of solids and granular materials, open channel flow measurement, hot wire local velocity probes or laser Doppler anemometers and subsidiary instrumentation.

In this second edition, I have left in much of the original material, as I am aware of the danger of losing sight of past developments and unnecessary reinvention. I have attempted to bring up to date items which are out of date, but am conscious that I may have missed some, and I have attempted to introduce the new areas and new developments of which I have become aware. In two areas where I know myself to be lacking in first-hand knowledge, I have changed the focus of the chapters and greatly reduced their length. Modern Control Methods has gone and been replaced by Remote Data Access Systems, and the chapter on manufacturing by a brief chapter entitled Final Considerations which touches on manufacturing variation and ISO quality standards and also takes in final comments.

I have included three new chapters covering magnetic resonance flowmeters, sonar and acoustic flowmeters and verification. They are brief chapters, but represent new developments since the first edition. I have also separated multiphase flowmeters into another new chapter, but have done so recognising that my knowledge of the subject is minimal and the coverage in the chapter is very superficial.

The techniques for precise measurement of flow are increasingly important today when the fluids being measured, and the energy involved in their movement, may have a very high monetary value. If we are to avoid being prodigal in the use of our natural resources, then the fluids among them should be carefully monitored. Where there might be pressure to cut corners with respect to standards and integrity, we need to ensure that in flow measurement these features are given their proper treatment and respect.

Acknowledgements

My knowledge of this subject has benefitted from many others with whom I have worked and talked over the years. These include colleagues from industry, national laboratories and academia, visitors and students, whether on short courses or longer-term degree courses and research. I hope that this book does justice to all that they have taught me.

In writing this book, I have drawn on information from many manufacturers, and some have been particularly helpful in agreeing to the use of information and diagrams. I have acknowledged these in the captions to the figures. Some went out of their way to provide artwork, and I am particularly grateful to Katrin Faber and Ruth O'Connell.

In preparing this second edition, I have been conscious of the many changes and advances in the subject, and so I have depended on many friends and colleagues, near and far, to read sections for me and to comment, criticise and correct them. In the middle of already busy lives they kindly made time to do this for me. In particular I would like to thank:

Anders Andersson, Matthias Appel, Andy Capper, Marcus Conein, Andrew Cowan, Paul de Waal, Steve Dixon, Mark England, Chris Gimson, John Hemp, Jankees Hogendoorn, Daniel Holland, Geoff Howe, Foz Hughes, Ian Hutchings, Masahiro Ishibashi, Edward Jukes, Peter Lau, Chris Lenn, Tony Lopez, Larry Lynnworth, George Mattingly, Gary Oddie, Christian O'Keefe, Michael Reader-Harris, Masaki Takamoto, Scott Pepper, Janis Priede, Michael Sapack, Steve Seddon, Takashi Shimada, Henk Versteeg, Takeshi Wakamatsu, Tao Wang, Ben Weager, Charles Wemyss and Xiao-Zhang Zhang.

I am extremely grateful to them for taking time to do this, and for the constructive comments which they gave. Of course, I bear full responsibility for the final script, although their help and encouragement is greatly valued.

I have had the privilege of being based back at my alma mater for the past 15 years, and they have been some of the most enjoyable of my working life. I am very grateful to Mike Gregory, who was key in making this possible; to Ian Hutchings, with whom I have collaborated; and to others of the Department of Engineering, particularly librarians and technical support staff, who have facilitated my experimental

and theoretical research. I have also appreciated the friendship of the late Yousif Hussain, who provided a strong industrial link over this period.

I acknowledge with thanks the following organisations which have given permission to use their material:

American Society of Mechanical Engineers

Elsevier based on the STM agreement for the use of figures from their publications and for agreement to honour my right to use material from papers of my own for Chapters 10 and 20.

National Engineering Laboratory (NEL)

Professional Engineering Publishing for permission to draw on material from the Introductory Guide Series of which I was editor, and to the Council of the Institution of Mechanical Engineers for permission to reproduce material which is identified in the text from Proceedings Part C, *Journal of Mechanical Engineering Science*, Vol. 205, pp. 217–229, 1991.

Permission to reproduce extracts from British Standards is granted by BSI Standards Limited (BSI). No other use of this material is permitted. British Standards can be obtained in pdf or hard copy formats from the BSI online shop: www.bsigroup.com/shop.

I have also been grateful for the help and encouragement given to me by many in the preparation of this book. It would be difficult to name them, but I am grateful for each contribution.

I have found the support of my family invaluable and particularly that of Liz, my wife, whose patience with my long hours at the computer, her willingness to assist with her proofreading skills, her encouragement and help at every stage, have made the task possible and I cannot thank her enough.

Finally, I am grateful to Cambridge University Press for the opportunity of preparing this second edition.

Nomenclature

Chapter 1

c_{i}	sensitivity coefficient
f(x)	function for normal distribution
K	K factor in pulses per unit flow quantity
k	coverage factor
M	mean of a sample of n readings
m	index
$N(\mu,\sigma^2)$	normal curve
n	number of measurements, index
p	probability, index
\overline{q}	mean of n measurements q_i , index
$q_{ m j}$	test measurement
$q_{ m v}$	volumetric flow rate
r	index
S	index
$s(\overline{q})$	experimental standard deviation of mean of group $q_{\rm j}$
$s(q_{\rm j})$	experimental standard deviation of q_j
t	Student's t
U	expanded uncertainty
$u(x_i)$	standard uncertainty for the ith quantity
$u_{\rm c}(y)$	combined standard uncertainty
X	coordinate
x_i	result of a meter measurement, input quantities
\overline{x}	mean of n meter measurements
y	output quantity
Z	normalised coordinate $(x-\mu)/\sigma$
μ	mean value of data for normal curve
ν	degrees of freedom
σ	standard deviation (σ^2 variance)

xxviii Nomenclature

area under normal curve e.g. $\Phi(0.5)$ is the area from $z = -\infty$ to $\Phi(z)$ z = 0.5

 $\phi(z)$ function for normalised normal distribution

Chapter 2

cross-section of pipe C local speed of sound specific heat at constant pressure C_{p} specific heat at constant volume C_{v}

diameter of pipe D

A

diameter of flow conditioner plate holes d

Darcy friction factor: $f_D = 4f_F$ $f_{\rm D}$

Fanning friction factor $f_{\rm F}$ acceleration due to gravity g

Н Hodgson number Equation (2.13)

pressure loss coefficient K

length of pipe (sometimes given as a multiple of D e.g. 5D) L

Mach number M

index as in Equation (2.4) n

pressure p

stagnation pressure p_0

pressure loss across a pipe fitting $\Delta p_{\rm loss}$

volumetric flow rate $q_{\rm v}$ mass flow rate q_{m} radius of pipe RRe Reynolds number

radial coordinate (distance from pipe axis)

Ttemperature

stagnation temperature T_0

velocity in pipe, total volume of pipework used in

Hodgson number

 V_0 velocity on pipe axis, maximum axial velocity at a cross-section

fluctuating component of velocity $V_{\rm rms}$

mean velocity in pipe local fluid velocity

friction velocity $v_{\tau} = \sqrt{\frac{\tau_{\rm w}}{\rho}}$ V_{τ}

distance from pipe axis in horizontal plane X

distance from the pipe wall = (R-r)V

viscous sublayer thickness y_1 extent of buffer layer y_2 elevation above datum Z

Nomenclature xxix

γ	ratio of specific heats				
μ	dynamic viscosity				
V	kinematic viscosity				
ρ	density				
τ	shear stress				
$ au_{ m w}$	wall shear stress: $\tau_{\rm w} = f_{\rm F} \frac{\rho \overline{V}^2}{2}$				
Subscripts					
1,2	pipe sections				
Chapter 4					
C_{d}	concentration of tracer in the main stream at the downstream				
C _d	sampling point				
$C_{ m dmean}$	mean concentration of tracer measured downstream				
$C_{ m i}$	concentration of tracer in the injected stream				
$C_{ m u}$	concentration of tracer in the main stream upstream of injection				
O _U	point (if the tracer material happens to be present)				
c_{i}	sensitivity coefficient				
K_{fm}	mass flowmeter factor				
k_{S}	factor for the weigh scale				
$M_{\rm n}$	net mass of liquid collected in calibration				
$M_{ m D}$	weight of deadweight				
$M_{\rm s}$	conventional mass of material of density 8,000 kg/m ³				
$M_{ m L}$	mass of water in weigh tank				
$M_{ m G}$	mass of air displaced				
$\Delta M_{ m LDV}$	change in mass within the connection pipe between the				
	flowmeter and the weir				
$m_{ m CAL}$	reading of the weigh scale when loaded with deadweights				
$m_{ m L}$	weigh scale reading				
P	pulse count				
p	pressure				
$q_{ m v}$	volumetric flow rate in the line				
$q_{ m vi}$	volumetric flow rate of injected tracer				
R	gas constant for a particular gas				
T	temperature				
t	collection time during calibration				
V	amount injected in the sudden injection (integration) method				
ν	specific volume				
ρ	liquid density				
	4 1 1 2 4 C 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 2 1				

actual density of deadweight

 $ho_{ exttt{D}}$

xxx Nomenclature

 $\rho_{\rm G}$ air density $\rho_{\rm LW}$ liquid density

Chapter 5

 $\begin{array}{lll} A & & \text{function of Re_D} \\ a_1 & & \text{expression in orifice plate-bending formula} \\ a_{\varepsilon} & & \text{constant} \\ b_{\varepsilon} & & \text{constant} \\ C & & \text{discharge coefficient} \\ C_{\text{Re}} & & \text{part of discharge coefficient affected by Re} \\ \end{array}$

 C_{∞} discharge coefficient for infinite Reynolds number

 $C_{\text{Small orifice}}$ correction for small orifice sizes

 c_1 expression in orifice plate-bending formula

 $c_{\scriptscriptstyle E}$ constant

D pipe diameter (ID)

D' orifice plate support diameter

d orifice diameter

E thickness of the plate, velocity of approach factor $(1 - \beta^4)^{-1/2}$ E_T total error in the indicated flow rate of a flowmeter in

pulsating flow

E* elastic modulus of plate material

e thickness of the orifice (Figure 5.3), Napierian constant

F correction factor used to obtain the mass flow of a (nearly) dry

steam flow

f frequency of the pulsation

H Hodgson number

h thickness of orifice plate

K loss coefficient, related to the criterion for Hodgson number

 $L_1 = l_1/D$

 L'_2 = l'_2/D' signifies that the measurement is from the downstream

face of the plate.

 l_1 distance of the upstream tapping from the upstream face of

the plate

 l_2' distance of the downstream tapping from the downstream

face of the plate.' signifies that the measurement is from the

downstream face of the plate.

 $M'_{2} = 2L'_{2}/(1-\beta)$

 M_1 numerical value defined in text

n index

p static pressure

p_u upstream static pressure

Nomenclature xxxi

downstream static pressure $p_{\rm d}$ static pressure at upstream tapping p_1 static pressure at downstream tapping p_2 differential pressure, pressure drop between pulsation source Δp and meter mass flow rate $q_{\rm m}$ volumetric flow rate $q_{\rm v}$ Re Reynolds number Rep Reynolds number based on the pipe ID radius of upstream edge of orifice plate r $T_{\rm f}$ temperature of the fluid at flowing conditions time Vvolume of pipework and other vessels between the source of the pulsation and the flowmeter position \bar{V} mean velocity in pipe with pulsating flow $V_{\rm cl}$ centre line velocity $V_{\rm max}$ maximum velocity rms value of unsteady velocity fluctuation in pipe with $V_{
m rms}$ pulsating flow dryness fraction, displacement of the centre of the orifice hole X from the pipe axis (m) = CE the flow coefficient α B diameter ratio d/D ratio of specific heats Y $\delta q_{\rm m}$ small changes or errors in q_m etc. expansibility (or expansion) factor ε expansibility (or expansion) factor at upstream tapping ε_1 K isentropic exponent density ρ density at the upstream pressure tapping ρ_1 density of gas ρ_{g} density of liquid ρ_1 yield stress for plate material $\sigma_{\rm v}$ angle defined in Figure 5.B.1 caused by deposition on the θ leading face of the orifice plate $\Phi_{\rm fo}^{2}$ ratio of two-phase pressure drop to liquid flow pressure drop maximum allowable percentage error in pulsating flow

Chapter 6

C coefficient of discharge

 C_{tp} coefficient for wet-gas flow equation C_{dry} discharge coefficient for fully dry gas

xxxii Nomenclature

 C_{fullywet} discharge coefficient for fully wet gas $X \ge X_{\text{lim}}$

where $X_{\text{lim}} = 0.016$

D pipe ID

d throat diameter

E velocity of approach factor = $1/\sqrt{(1-\beta^4)}$

Fr_g superficial gas Froude number Fr_{g,th} Froude number at the throat g gravitational acceleration

n index

 p_1 upstream pressure tapping p_2 downstream pressure tapping

 Δp differential pressure $q_{\mathrm{m,g}}$ mass flow rate of gas $q_{\mathrm{m,l}}$ mass flow rate of liquid

 $q_{\rm m}$ mass flow rate

 $q_{\rm tp}$ apparent flow rate when liquid is present in the gas stream

 $q_{\rm v}$ volume flow rate Ra roughness criterion Re Reynolds number $V_{\rm sg}$ superficial gas velocity diameter ratio d/D

 ε expansibility (or expansion) factor

κ isentropic exponent

 ρ_1 density at upstream pressure tapping

 ρ_1 liquid density

 $\rho_{1,g}$ gas density at upstream tapping point

 τ pressure ratio $\frac{p_2}{p_1}$

 ϕ defined in Equation (6.1)

Chapter 7

 A_2 outlet cross-sectional area throat cross-sectional area

a constant b constant

C discharge coefficient

 $C_{\rm R} = C_* \sqrt{Z}$

 C_* critical flow function

 C_{*} critical flow function for a perfect gas

c speed of sound

 $c_{\rm p}$ specific heat at constant pressure $c_{\rm v}$ specific heat at constant volume c_* speed of sound in the throat