

連平

LIANPING

气象資料

QIXIANG

ZILIAO

(温度、湿度、降水、日照、风等)

WENDU SHIDU JIANGSHUI RIZHAO FENG DENG

• 广东省气象科学研究所資料室編 •

GUANGDONGSHENG QIXIANG KEXUE YANJIUSUO ZI-
LIAOSHIBIAN

1960.3

延平

平均气温

年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								26.8	25.2	21.3	17.4	9.1	—
1953	10.8	13.0	16.5	(17.5)	22.0	26.4	27.5	28.4	24.1	23.3	17.3	12.7	20.1
1954	13.0	15.1	12.4	19.5	24.4	25.1	27.3	26.8	23.3	20.1	17.7	11.0	19.5
1955	8.0	13.1	17.0	20.2	24.1	25.3	25.9	26.3	26.2	20.1	14.4	12.4	14.4
1956	8.2	11.2	15.5	21.4	23.5	25.6	27.4	26.8	25.3	20.9	14.3	10.1	19.2
1957	11.8	7.6	15.0	24.3	23.1	25.11	27.3	27.4	24.6	19.7	16.3	13.0	19.4
1958	9.5	10.3	17.3	24.6	24.2	25.7	27.0	25.1	24.8	19.4	15.1	12.1	19.5
合计	61.3	67.3	43.7	121.5	423	154.3	162.4	121.3	151.1	123.4	15.3	69.6	117.1
平均	10.2	11.2	15.6	20.3	23.7	25.7	27.1	27.2	25.2	20.6	15.9	11.6	19.5

延平

极端最高气温(°C)

1952								33.2	31.4	34.1	29.3	24.8	—
日期								3	12	21	12	1	
1953	24.2	22.1	30.3	32.3	32.5	34.5	35.4	31.5	23	32.1	30.2	27.1	39.5
日期	11	13	2	10	8	27	18	12	9	29	6	15	7/8
1954	26.3	27.8	27.8	29.8	32.6	32.5	34.2	36.8	34.3	34.1	29.0	24.0	26.8
日期	20	26	26	30	21	28	19	14	6	6	13	23	17/8
1955	23.7	27.7	29.9	32.2	33.3	33.0	33.5	35.4	34.7	32.2	24.2	25.5	35.4
日期	24	18	18	10	17	11.30	30	10	12	1	1	14	10/8
1956	26.5	24.1	29.4	33.5	31.3	34.1	38.0	36.2	35.4	33.4	27.2	25.3	36.2
日期	31	7	25	23	20	23	6.31	10	3	2	1.9	3	8/8
1957	25.9	21.5	26.0	30.9	31.0	33.4	36.5	38.1	34.6	32.6	27.3	24.9	28.1
日期	10	2	20	26	2	16	15	14	1	14	4	13	14/8
1958	24.9	25.2	26.5	31.6	33.2	34.0	36.2	34.4	34.4	32.3	31.7	25.8	36.2
日期	13	25	14	30	28	2	16	25	4	21	11	22	16/8
极值	26.3	28.1	32.3	33.5	33.5	34.3	36.5	37.5	35.4	34.1	27.1	27.1	37.5
日期	20	13	2	23	8	27	15	12	3	21.6	11	15	12/8
年份	1954	1953	1953	1956	1953	1953	1957	1953	1956	1952 1954	1958	1953	1953

连平

极端最低气温

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								21.0	17.0	12.7	4.0	-2.4	—
日期								4	29	12	22	¹⁰ 11	
1953	0.4	2.0	7.0	7.0	14.4	12.4	24.8	22.3	18.1	16.0	3.4	1.8	0.4
日期	7	19	29	2	8	6	24	24	26	22	20	12	7/1
1954	1.0	-2.8	1.9	11.2	10.5	11.7	21.4	20.3	16.2	13.5	2.3	-1.5	2.3
日期	26	8	23	20	10	2	17	21	27	26	20	17	8/2
1955	-5.4	-1.7	6.8	4.0	14.7	16.1	21.2	20.4	18.0	9.1	3.6	-0.2	-5.4
日期	12	21	14	5	4	3	1	9	29	24	24	3	12/1
1956	-3.2	2.5	4.0	12.3	16.2	19.6	21.4	22.4	13.9	0.4	1.1	0.8	-3.2
日期	11	19	2	2	2	1	30	6	10	21	27	10	11/1
1957	0.2	-3.3	3.0	4.3	17.0	18.4	22.1	21.2	17.4	8.0	-5.0	7.2	-3.3
日期	19	11	14	4	8	7	15	12	12	30	14	16	11/2
1958	0.1	1.9	-0.2	12.3	15.0	18.0	21.6	19.0	15.4	6.9	2.5	7.7	0.1
日期	16	3/4	8	15	26	18	2	13	27	31	25	21	16/1
极值	-5.4	-3.3	1.9	7.8	14.4	16.1	21.2	19.8	13.4	2.7	1.1	-1.5	-5.4
日期	12	11	23	2	8	3	1	13	27	31	27	17	1/1
年份	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964

延平

降水量

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								260.7	177.7	71.6	0.7	49.6	—
1953	119.4	99.4	190.6	226.1	550.8	297.8	165.2	106.4	167.3	68.5	18.9	(107.4)	2126.8
1954	17.4	38.1	40.5	310.4	268.7	422.1	111.8	247.1	114.1	7.8	5.2	18.7	1691.9
1955	7.0	25.2	49.5	68.8	477.7	310.6	413.8	258.4	71.6	0	29.1	18.5	1730.2
1956	29.9	126.1	103.3	149.2	282.8	316.9	100.9	141.3	33.4	6.0	75.1	46.2	1411.1
1957	9.7	166.8	196.6	127.2	485.3	326.6	83.7	121.2	263.7	138.6	12.2	35.8	1967.4
1958	90.8	145.5	96.3	187.0	139.3	269.7	202.6	75.6	98.4	43.7	0.9	8.1	1355.9
合計	274.2	601.1	676.8	1069.7	2213.6	1943.7	1076.0	950.0	742.5	262.6	141.4	234.7	10998.3
6年平均	45.7	100.2	112.8	178.1	368.9	324.0	179.3	158.3	124.8	44.1	23.6	39.1	1678.9

延平

降水日数

1952								20	17	6	1	12	—
1953	9	20	21	19	25	20	12	12	16	12	7	9	182
1954	7	8	13	26	22	24	13	19	11	3	5	4	155
1955	5	10	11	8	17	21	24	20	9	0	8	3	136
1956	6	19	14	12	26	20	11	16	7	4	7	4	146
1957	11	18	19	17	23	20	18	20	15	7	4	12	184
1958	15	13	18	12	19	18	16	14	15	5	2	2	149
合計	53	88	96	94	132	123	94	101	73	31	33	34	952
6年平均	8.8	14.7	16.0	15.7	22.0	20.5	15.7	16.8	12.2	5.2	5.5	5.7	158.7

连平

一日最大降水量

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								61.4	30.8	50.3	0.7	32.5	—
日期								14	5	30	1	26	
1953	51.1	14.1	46.3	27.4	70.1	100.2	58.8	36.7	38.5	21.2	8.3	27.2	108.2
日期	26	17	18	17	12	14	5	22	12	14	2	3	14/6
1954	7.2	4.3	15.9	58.4	68.4	85.2	29.7	41.0	37.7	4.5	3.2	11.2	85.2
日期	24	20	29	27	17	20	8	2	10	8	6	7	26/6
1955	4.0	8.7	19.6	51.0	71.3	81.9	50.3	56.7	30.4	0	7.0	8.5	21.9
日期	1	3	31	1	31	10	20	18	19	12.8	9	30	10/6
1956	9.1	26.6	24.3	52.5	48.8	134.9	31.4	46.4	12.9	4.7	38.9	24.1	134.9
日期	2	26	19	30	19	16	18	15	14	24	10	14	16/6
1957	4.4	39.1	35.1	25.9	84.2	82.9	42.5	25.6	80.0	74.8	1.2	11.1	84.2
日期	12	21	23	20	11	2	17	24	23	28	5	25	11/6
1958	26.7	39.6	25.8	56.8	34.1	49.4	51.8	25.3	35.3	20.0	0.8	7.0	49.4
日期	31	17	18	6	12	7	27	27	20	1	14	25	7/6
极值	51.1	39.6	46.3	58.4	84.2	134.9	58.8	61.4	80.0	74.8	38.9	32.5	134.9
日期	26	17	18	27	11	16	5	14	23	28	10	26	16/6
年份	1953	1958	1953	1954	1957	1956	1953	1952	1957	1957	1956	1952	1956

延平

最長連續降水日數及其量

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								7	11	3	3	4	—
起訖日期								3-9	13-23	4-11	$\frac{39}{10}$ -1	25-28	
量								31.9	104.2	6.8	58.9	41.9	
1953	3	9	10	4	13	10	5(3)	6	8	3	4(4)	7	13
起訖日期	24-26	$\frac{29}{1}$ -6	13-22	10-18	15-27	$\frac{29}{5}$ -7	$\frac{28}{6}$ -2	18-23	2-9	5-7	$\frac{30}{10}$ -2	2-8	15- $\frac{27}{5}$
量	64.8	152.4	129.0	130.1	200.0	201.9	35.4	58.0	103.0	12.9	21.1	(100.3)	220.0
1954	3	3	4	17	9	13	4	7	9	2	2	2	17
起訖日期	23-25	15-17	3-6	13-29	4-17	5-17	7-10	2-8	$\frac{29}{8}$ -6	7-8	6-7	6-7	13- $\frac{27}{4}$
量	15.9	20.5	14.0	195.7	150.1	148.1	53.8	109.4	90.0	7.0	3.3	17.5	195.7
1955	3	7	5	5	8	7	14	6	2	0	4	2	14
起訖日期	3-5	5-11	23-27	$\frac{30}{3}$ -3	20-27	13-19	15-28	25-30	1-2		14-17	14-20	15- $\frac{28}{1}$
量	2.8	13.0	22.3	84.5	185.5	133.3	276.7	24.9	17.3	0	14.8	10.0	276.7
1956	3	10	4	5	20	24(7)	9	5	2	1	3	2	24
起訖日期	5-7	17-26	8-11	17-21	12-31	$\frac{12}{5}$ -4	16-24	15-19	26-27	24	3-5	13-14	$\frac{12}{5}$ - $\frac{17}{6}$
量	13.0	76.8	26.9	26.8	252.1	326.0	82.7	74.8	12.0	4.7	22.9	43.4	326.0
1957	5	6	10	6	12	7	5	7	9	10(2)	3	4	12
起訖日期	12-16	20-25	11-20	18-23	6-17	$\frac{31}{5}$ -6	16-20	15-21	22-30	$\frac{23}{4}$ -1	5-7	11-14	6- $\frac{17}{5}$
量	8.2	77.1	104.3	49.9	302.4	203.5	48.0	45.3	231.8	234.6	11.9	3.6	302.4
1958	6	5	9	6	9	7	7	4	3	6	1	2	9
起訖日期	14-19	3-7	20-28	2-7	5-13	22-28	25-31	27-30	18-20	$\frac{29}{4}$ -3	14	24-25	5- $\frac{13}{5}$
量	19.8	52.4	16.7	135.4	99.3	80.2	132.5	34.3	38.0	24.4	0.8	8.1	99.3
極值	6	10	10	17	20	24	14	7	11	10	4	7	24
起訖日期	14-19	17-26	13-22	13-29	12-31	$\frac{12}{5}$ -4	15-28	2-8	13-23	$\frac{31}{4}$ -1	$\frac{30}{10}$ -2	2-8	$\frac{12}{5}$ - $\frac{17}{6}$
量	10.8	76.8	129.8	195.7	252.1	326.0	276.7	109.4	104.2	234.6	21.9	(20.8)	326.0
年份	1958	1956	1953	1954	1956	1956	1955	1954	1952	1957	1953	1953	1956

逐日

平均相对湿度

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								81	82	(75)	74	68	—
1953	76	83	85	84	86	82	82	77	81	81	76	79	81
1954	78	75	74	88	85	86	81	82	79	73	70	69	78
1955	61	76	78	73	80	84	87	83	83	86	66	71	76
1956	67	83	81	78	86	85	79	82	76	70	64	71	77
1957	77	79	85	80	86	83	81	80	76	77	77	81	80
1958	77	78	84	82	81	84	82	81	82	73	68	67	78
合計	436	474	487	485	504	504	492	485	477	440	421	438	470
6年平均	73	79	81	81	84	84	82	81	81	73	70	73	78

逐日

蒸发量(mm)

1952								(168.3)	120.5	154.0	118.4	96.8	—
1953	76.2	53.8	61.5	62.5	(47.0)	127.5	(152.1)	177.1	(91.8)	104.7	85.1	(66.9)	(116.2)
1954	67.6	67.5	84.7	54.7	90.6	(128.8)	184.6	175.8	155.1	58.8	131.5	22.5	(142.1)
1955	102.1	12.9	71.9	142.7	131.9	135.6	141.3	183.3	173.4	171.5	117.6	102.9	158.1
1956	36.7	43.3	81.0	122.5	102.3	(144.0)	12.6	(80.9)	170.7	153.7	115.1	73.2	(151.6)
1957	72.7	57.8	52.8	104.9	(45.4)	132.8	171.5	174.0	162.4	120.4	107.9	65.6	(135.2)
1958	54.2	62.3	69.5	107.7	138.1	128.7	186.6	180.0	138.6	137.5	123.4	110.6	140.2
合計	537.7	339.1	448.4	545.0	(687.3)	(717.0)	(1076.7)	(1071.1)	(927.0)	881.5	809.6	(521.7)	(816.5)
6年平均	72.5	56.5	74.7	99.2	111.2	152.9	170.5	178.5	154.5	147.4	113.4	87.0	141.4

運 平

日 照 時 數

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								(190.1)	146.9	175.6	(206.9)	143.4	—
1953	118.4	64.4	57.6	60.4	94.0	167.9	212.3	244.1	103.5	125.1	123.9	119.2	1479.8
1954	110.2	110.5	115.1	40.5	105.8	89.1	182.9	200.9	214.3	218.5	177.7	122.5	1688.0
1955	162.2	(70.3)	77.3	99.1	—	112.8	(118.3)	—	209.1	271.8	182.4	222.4	—
1956	139.4	64.8	41.3	94.2	(41.9)	170.8	269.7	237.2	171.3	171.4	164.5	182.7	1827.7
1957	108.6	(44.9)	51.7	87.6	85.7	127.4	253.1	189.0	182.7	166.5	179.5	118.2	1620.7
1958	78.3	46.6	44.4	112.6	136.5	145.1	227.7	238.1	156.4	165.5	229.9	215.4	1818.0
合 計	574.4	(381.1)	316.1	396.3	(491.9)	700.3	1145.7	1109.5	823.7	873.5	900.5	759.1	2471.3
6年平均	115.0	76.2	63.2	79.3	98.4	140.1	229.1	221.9	165.7	174.7	180.1	151.8	1695.5

運 平

日 照 百 分 率

1952								(49)	40	49	(65)	44	—
1953	35	20	16	16	23	41	51	61	28	35	38	36	34
1954	33	35	31	11	26	22	44	50	58	61	54	37	38
1955	49	(23)	21	26	—	28	(30)	—	57	76	56	68	—
1956	48	13	17	25	18	42	65	59	47	55	52	56	42
1957	33	15	16	23	21	31	61	47	50	47	61	36	37
1958	23	30	12	30	33	36	55	59	43	46	70	66	42
合 計	172	113	92	105	121	172	276	276	226	244	275	231	193
6年平均	34	23	18	21	24	34	55	55	45	49	55	46	39

惠平

平均日速

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								1.0	1.1	1.6	1.4	1.8	—
1953	1.5	1.7	1.7	1.6	1.4	2.2	2.2	1.4	2.1	1.5	2.3	2.1	1.9
1954	1.8	1.8	2.0	1.4	1.6	1.9	1.9	1.4	1.4	1.7	2.0	2.4	1.8
1955	1.9	1.3	1.2	1.2	1.0	1.1	1.1	0.8	0.9	1.5	1.7	1.3	1.3
1956	1.8	1.0	1.2	1.2	1.1	1.0	1.1	1.1	1.1	1.3	1.4	1.5	1.2
1957	1.3	1.1	0.7	1.3	0.5	0.6	1.4	0.7	0.9	0.7	0.9	0.9	0.9
1958	1.1	0.9	0.9	1.0	0.4	0.6	0.8	0.7	0.5	1.4	1.6	1.5	1.0
合計	9.4	7.8	7.7	7.7	7.0	7.4	8.5	6.6	6.4	8.1	9.4	9.7	8.1
6年平均	1.6	1.3	1.3	1.3	1.2	1.2	1.4	1.1	1.2	1.4	1.7	1.6	1.4

惠平


霜日数

年 \ 月	10月	11月	12月	1月	2月	3月	4月	总日数	初日	终日	初终间日数
1952—1953	0	0	5	4	0	0	0	9	10/12	28/1	50
1953—1954	0	0	3	1	3	1	0	8	12/12	23/3	102
1954—1955	0	2	3	7	3	0	0	15	20/11	23/2	46
1955—1956	0	3	13	8	0	0	0	24	22/11	30/1	70
1956—1957	0	4	4	2	4	0	0	14	25/11	14/2	82
1957—1958	0	0	0	2	2	0	0	4	5/1	12/2	41
1958—1959	0	4	5	6	0	0	0	17	23/11	24/1	63
合計	0	13	33	32	12	1	0	91			503.0
7年平均	0.0	1.9	4.7	4.6	1.7	0.1	0.0	13.0	4/12	3/2	71.4
極值									20/11	23/3	
年份									1954	1954	


降水(毫米) 连平

图例:


— 降水量
▨ 蒸发量



1953—1958年逐月平均降水量、蒸发量分布图



1953—1958年逐月平均气温分布图



1953—1958年逐月平均日照时数分布图

