

連 縣

LIANXIAN

气 象 資 料

QIXIANG

ZILIAO

(温度、湿度、降水、日照、风等)

WENDU SHIDU JIANGSHUI RIZHAO FENG DENG

• 广东省气象科学研究所资料室编 •

GUANGDONGSHENG QIXIANG KEXUE YANJIUSUO ZI-
LIAOSHIBIAN

1960.3

平均气温 (°C)

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952年							28.8	27.4	25.7	20.7	16.8	8.8	—
1953	8.9	11.4	15.7	17.5	24.1	27.6	29.5	29.7	25.1	22.9	15.9	10.7	19.9
1954	10.1	10.9	11.8	18.7	24.1	27.0	29.6	25.0	26.2	21.4	15.8	8.0	19.4
1955	6.3	11.8	14.5	19.0	24.7	26.4	27.5	27.1	27.2	26.4	13.9	11.8	19.2
1956	6.7	10.1	13.4	21.1	23.0	27.3	29.0	28.2	26.0	21.2	14.2	9.4	19.2
1957	9.8	6.2	13.9	20.8	23.3	25.8	28.8	28.1	25.1	19.9	12.8	12.8	19.2
1958	8.7	9.3	16.2	21.3	23.4	26.7	28.1	27.4	25.4	19.2	14.3	11.6	19.3
合计	20.5	23.8	25.6	11.80	14.20	19.08	1.25	16.85	195.0	126.4	32.7	13.3	118.2
6年平均值	8.4	10.0	14.3	19.7	23.8	26.8	28.8	28.1	25.8	20.3	13.0	10.6	19.4

极端最高温度 (°C)

1952年							39.0	37.0	36.0	34.2	30.2	22.9	—
日期							5	5	11	21	11	1	
1953	25.0	28.9	34.0	34.0	37.0	38.0	39.0	33.8	34.4	34.0	28.4	26.8	39.8
日期	11	12	2	28	22	28	18.19	12	5	6	9	1	12/8
1954	24.2	27.0	29.6	32.4	33.4	34.4	36.2	37.8	35.6	35.8	30.3	23.3	37.8
日期	7	26	25	16	12.25	15	21	15	2	6	13	22	13/6
1955	21.5	28.4	28.6	33.4	33.6	33.9	35.1	36.6	36.9	33.9	28.7	26.4	36.9
日期	23	28	8	11	17	29.30	30	10	2	1	1	11	21/9
1956	21.1	23.5	28.8	34.4	23.8	25.4	38.1	37.4	36.8	35.0	28.3	24.8	38.1
日期	18	10	16	23	22	22	6	28	13	1	2	7	6/2
1957	25.9	16.1	26.4	32.9	31.8	24.8	37.1	26.5	34.7	31.6	28.3	28.0	28.5
日期	10	4	20	22.24	2	21	16	4	20	14	10	12	4/6
1958	25.7	25.0	29.4	29.1	34.1	35.1	37.6	35.2	34.8	23.5	30.2	24.8	37.6
日期	12	25	25	30	28	14	23	1.20	4	21	12	23	23/7
极值	25.9	28.9	30.2	34.4	37.0	38.0	39.0	33.8	36.9	31.8	30.2	28.0	39.8
日期	10	13	2	23	22	28	18.19	12	21	6	12	12	12/8
年份	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964

连县

极端最低温度(°C)

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952年							23.9	23.3	16.5	12.5	9.3	-31	—
日期							23	25	30	12	26	10	
1953	-1.8	-2.3	6.5	3.2	16.1	20.4	23.0	23.6	18.2	15.2	3.6	-31	-10
日期	7	19	28	2	13	2, 8, 14	7	31	21	22	20	12	3/1
1954	0.0	-2.4	3.1	11.0	14.0	18.2	23.3	22.2	16.0	21	3.4	-33	-30
日期	24	8	6	20	10	2	14	21	26	26	21	15	15/12
1955	-8.9	-20	-9.9	8.7	15.1	18.3	22.7	21.9	19.2	9.5	1.3	-23	-6.3
日期	12	21	10	5	4	4	23	4, 31	28	22	30	2, 3	12/1
1956	-4.6	2.8	2.6	10.8	15.8	20.7	22.3	23.6	18.0	2.4	-0.8	-0.5	-4.6
日期	24	19	4	8	16	1	30	10	28, 29	21	26	26	24/1
1957	-23	-3.5	2.7	10.5	14.6	13.3	23.5	21.8	17.5	7.1	6.0	3.7	-3.5
日期	12	11	14	11	7, 9	12	22	11	20	30	30	31	1/2
1958	-0.8	-0.6	4.0	11.3	13.5	19.0	22.4	21.8	16.9	4.9	0.4	0.4	-0.8
日期	5	2	8	12	13	12	2	8	22	31	25	20	5/1
1959	-6.9	-3.5	2.6	8.2	13.5	18.3	22.3	21.8	16.0	4.9	-0.8	-3.5	-6.9
日期	12	11	4	2	13	4	30	11, 8	26	31	26	12	12/1
年份	1955	1957	1956	1953	1958	1905	1956	1957 1953	1954	1958	1956	1954	1955

连累

降水量

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952年							261.5	259.0	108.1	98.2	3.8	31.8	—
1953	73.4	45.4	102.3	171.1	457.6	251.4	70.8	120.7	154.4	137.1	40.7	204.1	1203.0
1954	22.4	33.0	51.9	419.5	280.3	242.0	31.0	151.2	23.5	4.2	3.0	55.3	1204.3
1955	10.3	35.7	177.4	93.0	302.0	324.1	171.2	183.6	64.2	0.5	67.3	21.9	1453.0
1956	43.7	122.4	120.4	153.2	368.6	230.0	31.1	63.4	25.0	13.5	102.8	2.6	1349.7
1957	24.3	182.7	186.0	156.9	324.7	265.2	39.5	187.4	25.3	166.1	23.3	35.7	1687.9
1958	43.2	100.7	138.7	163.1	153.6	244.4	200.3	31.0	95.3	8.4	1.1	10.4	125.5
合计	222.3	524.6	696.7	1058.8	1857.0	1261.1	640.5	736.3	433.5	233.3	250.7	331.0	3353.0
6年平均	37.1	87.4	116.1	176.1	311.2	210.2	106.8	122.7	72.3	38.9	41.8	55.2	558.8

降水日数

1952年							22	22	15	7	1	10	—
1953	14	17	18	22	21	17	10	9	14	11	10	11	174
1954	8	9	11	26	24	17	14	19	7	1	4	5	145
1955	8	13	16	13	22	19	17	16	11	1	8	5	143
1956	9	20	22	15	22	16	13	12	7	2	3	3	144
1957	6	19	24	19	19	22	14	19	8	11	12	10	123
1958	13	13	17	16	23	17	13	13	12	3	1	4	156
合计	59	91	108	111	131	108	86	88	56	38	38	28	351
平均	9.7	15.2	18.0	18.5	21.8	18.0	14.3	14.7	9.3	6.3	6.3	4.7	58.5

连县

一日最大降水量

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952年							40.7	52.1	28.6	62.3	3.8	7.3	—
日期							10	25	15	30	1	27	
1953	25.0	11.4	13.9	33.2	87.3	8.3	12.6	65.0	42.3	37.1	12.6	52.1	87.3
日期	31	20	13	11	27	11	27	19	2	22	1	6	27/10
1954	15.7	12.3	16.0	87.8	39.8	70.9	8.6	20.0	10.5	4.2	2.6	32.7	70.9
日期	23	13	4	24	16	6	25	1	11	6	7	6	24/4
1955	4.9	10.0	73.3	39.4	78.6	67.2	40.6	41.8	25.3	0.1	21.0	12.9	78.6
日期	22	13	31	12	10	10	23	28	12	28	15	19	10/10
1956	20.5	33.3	17.8	32.5	103.4	107.8	27.0	13.1	10.0	7.2	45.6	7.1	108.4
日期	2	18	28	21	10	13	19	31	28	3	4	14	19/5
1957	17.8	33.2	49.7	59.5	79.3	80.7	7.3	34.1	54.3	64.6	12.9	9.3	80.7
日期	22	5	23	19	14	5	4.5	21	24	10	5	19	5/6
1958	17.6	28.6	22.1	44.5	26.9	155.0	50.8	23.2	24.7	4.5	0.1	7.5	155.0
日期	31	1	20	21	6	23	23	24	2	13	16	25	23/6
数值	25.0	33.3	73.3	87.8	108.4	155.0	50.8	65.5	54.3	64.6	45.6	32.1	155.0
日期	31	13	31	24	10	23	23	19	24	10	4	6	24/6
年份	1953	1956	1955	1954	1956	1958	1958	1953	1957	1957	1956	1953	1958

果

海豐

最大連續日數及其量

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1954年							9	12	7	2	3	3	—
起迄日期							23-31	3-10	4-20	20-31	7/10-1	23-24	
量							138.5	120.1	260	85.2	89.0	27.6	
1953	7	8	6	12	7	8	4	4	7	3	4	6	12
起迄日期	14-20	21-26	27-31	1-6	7-13	14-20	21-23	24-25	26-28	29-30	31-1	2-5	6-13
量	4.2	52.6	24.5	124.7	158.3	102.4	33.0	38.1	13.1	4.4	43.8	46.3	124.7
1952	4	4	4	11	6	7(5)	5	12	3	1	3	2	12
起迄日期	23-25	12-20	11-12	13-11	26-31	1/2-4	23-24	25-31	3-11	12-13	6-6	26-27	28-30
量	13.0	15.9	3.3	124.9	31.6	106.2	20.3	117.8	10.4	4.2	4.7	44.2	117.8
1951	2	3	2	5	14	10	15	6	3	1	4	3	12
起迄日期	28-29	12-14	20-26	27-31	1-13	14-21	22-23	24-25	26-28	29-30	31-1	2-10	11-13
量	3.6	11.7	68.3	126.7	177.3	46.0	168.0	46.8	12.9	2.1	44.4	15.4	177.3
1950	3	6	5	6	9	11(5)	3	2	4	1	2	2	11
起迄日期	5-7	3-8	27-31	25-30	23-31	1/2-2	25-27	28-4	5-25	26-28	3-3	13-14	15-26
量	12.3	42.8	20.6	92.7	41.0	126.4	57.0	16.3	4.3	7.2	39.7	8.3	221.4
1949	2	7	10	6	6	9	7(5)	9	4	5	5	5	10
起迄日期	21-22	23-26	11-20	15-21	19-24	15-23	24-25	26-28	29-30	31-2	3-5	12-14	15-23
量	13.6	77.2	55.0	88.0	121.4	51.9	44.6	130.7	80.3	43.3	24.8	15.5	55.0
1948	5	5	4	4	12	5	3	10(7)	3	7	1	2	12
起迄日期	21-25	3-7	20-23	1-4	12-24	21-25	26-31	1/2-1	18-21	11-15	16-18	24-25	26-31
量	12.7	25.5	24.2	46.2	98.8	244.6	92.8	104.8	34.1	5.2	0.1	9.2	98.8
極值	7	8	10	12	14	11	10	12	7	7	3	6	14
起迄日期	4-20	21-26	27-31	1-6	7-15	16-21	22-25	26-28	29-30	31-1	2-5	6-10	11-23
量	4.2	60.5	55.0	124.7	177.3	226.4	163.0	120.1	93.1	5.8	24.8	44.3	177.3
年分	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945	1944	1943	1942

班县

平均相对湿度(%)

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1932年							81	82	82	78	75	73	—
1933	80	82	83	84	83	80	78	75	79	83	81	82	81
1934	78	79	76	85	85	84	72	80	77	66	69	70	77
1935	63	70	81	77	78	82	83	81	81	77	74	77	77
1936	71	84	81	77	84	79	84	79	75	63	69	69	70
1937	75	83	86	81	83	86	75	73	75	79	82	78	81
1938	75	77	82	79	82	82	79	75	80	72	69	70	77
合计	448	482	482	488	495	498	461	469	465	440	411	407	488
平均	75	81	82	81	83	82	78	79	78	74	72	73	77

蒸发量(mm)

1932年							1164	1133	993	1022	631	375	—
1933	30.3	40.6	41.3	46.4	—	(1170)	175.1	201.1	154	(92.4)	60.9	(92)	—
1934	42.1	51.4	73.4	—	84.1	(111.4)	214.6	173.7	155.4	164.2	236	61.6	—
1935	62.3	53.4	(61.3)	108.5	109.2	(133.6)	150.7	162.4	148.5	149.6	86.7	(102)	(120.5)
1936	61.8	(31.6)	51.5	99.2	(92.3)	163.2	222.7	174.8	173.5	158.2	110.0	82.0	141.0
1937	69.7	(55)	49.9	103.8	(116.1)	(111.6)	225.6	198.8	160.5	107.2	81.0	66.1	(208.3)
1938	55.3	48.1	65.5	137.2	120.0	(143.3)	(204.3)	(97.2)	152.5	126.0	113.5	94.9	(121.6)
合计	410.1	(508.8)	(208.4)	450.7	(403.1)	(552.3)	(203.9)	(204.3)	636.0	551.5	303.5	(21.3)	(201.6)
平均	62.3	(53.8)	51.1	112.7	(114.3)	(132.1)	201.0	183.2	157.0	157.8	79.4	77	(120.7)

連雲

日照时数

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952年							(157.8)	135.2	157.2	130.2	172.5	157.8	—
1953	76.0	69.1	84.1	73.0	130.6	102.1	254.6	278.2	120.4	123.0	74.1	70.0	135.2
1954	83.0	85.2	109.6	54.4	84.2	115.2	250.6	208.3	196.6	203.4	185.4	109.3	109.5
1955	112.4	84.8	57.3	111.0	120.0	134.6	167.8	196.7	234.1	262.3	186.5	115.3	124.3
1956	112.6	84.8	48.2	87.8	57.9	192.2	282.5	228.9	196.1	242.5	205.5	127.0	186.5
1957	96.3	97.8	44.2	64.2	95.4	91.6	271.9	223.0	175.5	124.4	147.2	113.7	145.2
1958	70.3	62.9	40.1	111.1	157.3	153.7	253.8	231.7	197.2	167.3	203.2	122.5	182.4
全年	61.6	35.1	26.5	50.5	62.6	222.9	472.2	136.8	1119.3	122.3	1003.2	870.6	1021.8
全年平均	101.9	52.5	60.6	83.6	104.6	148.3	241.5	227.8	186.7	187.2	167.2	146.4	122.3

日照百分率

1952年							(28)	49	43	45	53	41	—
1953	23	23	17	19	32	45	61	69	33	34	23	21	34
1954	25	28	30	14	20	28	60	57	54	57	57	28	39
1955	42	27	15	29	29	28	40	49	64	73	57	66	44
1956	43	7	13	23	14	47	67	57	53	63	63	54	42
1957	29	9	12	17	23	22	65	51	48	35	45	35	33
1958	21	20	11	29	33	38	61	58	54	47	62	59	41
全年	18.4	11.4	9.8	13.1	15.1	21.8	35.4	34.1	30.6	31.4	30.7	26.8	23.3
全年平均	31	19	16	22	25	36	59	57	51	60	51	45	39

连云

平均风速

	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952年							0.8	0.7	0.7	0.7	0.7	0.8	—
1953	0.7	0.8	0.7	0.5	0.7	0.9	1.0	1.0	1.2	0.6	1.6	1.8	1.0
1954	2.1	2.2											—
1955	2.0	1.6	1.6	1.5	1.2	1.1	1.1	0.9	0.9	1.3	1.4	0.8	1.3
1956	1.9	1.3	1.6	1.3	1.1	1.0	1.0	0.8	1.0	1.4	1.5		—
1957	1.8	1.6	1.0	1.8	1.4	0.8	1.6	1.3	1.5	1.0	1.0	1.4	1.4
1958	2.0	1.4	1.6	1.7	1.0	1.2	1.1	1.3	1.0	1.5	1.3	0.9	1.2
合计	6.5	5.4	4.8	5.7	4.3	4.0	4.6	4.5	4.6	4.4	5.3	4.9	9.0
全年内	1.6	1.4	1.2	1.4	1.1	1.0	1.2	1.1	1.2	1.1	1.3	1.2	1.3


霜日数

	10	11	12	1	2	3	霜日数	初日	终日	初终日数
1952—1953	0	0	4	1	0	0	5	10/12	2/1	23
1953—1954	0	0	3	1	3	0	7	10/12	3/2	32
1954—1955	0	0	3	5	1	0	9	10/12	2/2	43
1955—1956	0	1	6	9	0	0	16	23/11	29/1	61
1956—1957	0	6	8	4	3	0	21	25/11	4/2	82
1957—1958	0	0	0	2	1	0	3	2/1	2/2	29
1958—1959	0	6	13	5	0	0	26	1/1	24/1	85
合计	0	13	37	29	3	0	87			416
7年平均	0.0	1.9	5.3	4.1	1.1	0.0	12.4	9/12	2/2	82.4
极值								1/1	2/2	
年份								1953	1955	

续表


说明

— 降水量
■ 蒸发量




1953—1958年逐月平均降水量、蒸发量分布图

果



1953—1958年逐月平均气温分布图



1953—1958年逐月平均日照时数分布图

