

汕 头

SHANTOU

气 象 資 料

QIXIANG

ZILIAO

(温度、湿度、降水、日照、风等)

WENDU SHIDU JIANGSHUI RIZHAO FENG DENG

• 广东省气象科学研究所资料室編 •

GUANGDONGSHENG QIXIANG KEXUE YANJIUSUO ZI
LIAOSHIBIAN

1960.3

站名

平均气温(°C)

— 1 —

年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1951	13.4	14.6	14.0	13.5	23.7	25.9	27.8	27.9	27.3	21.3	19.7	16.7	21.1
1952	14.4	14.5	17.4	20.3	26.0	27.3	28.3	28.3	27.3	23.9	21.1	14.4	21.9
1953	14.0	15.0	17.0	17.9	23.2	27.6	29.0	28.9	26.7	24.8	20.8	16.9	21.8
1954	15.4	14.3	14.5	20.4	25.0	28.5	28.8	28.3	27.1	23.3	19.9	14.7	21.7
1955	11.9	14.9	17.9	20.3	24.5	26.2	27.2	27.7	27.4	21.9	17.3	15.0	21.0
1956	11.9	13.7	16.1	21.1	24.3	27.6	28.5	28.1	27.2	23.1	17.6	14.7	21.2
1957	14.5	11.1	14.5	20.6	24.1	26.4	28.4	28.3	25.9	21.9	19.3	16.5	21.0
1958	12.9	12.4	17.3	20.1	25.0	28.6	27.7	27.4	26.8	22.6	18.0	15.0	21.2
合计	108.4	110.5	129.2	161.2	196.8	215.1	225.7	224.9	215.7	185.8	153.7	123.9	171.0
平均值	13.6	13.8	16.2	20.2	24.6	26.9	28.2	28.1	27.0	23.2	19.2	15.5	21.4

绝对最高气温(°C)

1951	26.9	25.6	25.3	29.5	32.0	33.3	34.4	35.0	36.7	33.2	29.8	27.2	26.7
日期	7	22	10	28	27	26	31	20	14	7	7	31	4/6
1952	24.7	27.2	29.9	30.1	34.1	34.0	35.6	34.9	35.2	31.9	29.0	28.0	25.6
日期	23	15	31	12, 20	23	4	9	16	11	10	13	1	9/6
1953	26.2	28.2	29.6	30.3	32.3	33.2	36.1	37.3	34.5	31.4	30.0	27.3	27.3
日期	11	25	25	20, 29	8, 23	25	18	16	11	7	9	1	16/8
1954	25.9	25.1	25.1	29.3	35.7	33.4	35.5	36.9	34.2	33.6	28.4	25.8	26.9
日期	4	27	1	15	21	30	28	15	6	3	9	1	13/6
1955	21.6	26.2	27.2	30.9	33.0	33.0	32.8	31.6	33.6	29.4	26.2	25.2	24.6
日期	25	27	17	16	21, 22	8	14	15	10	6	15	12	9/6
1956	23.8	24.4	28.8	33.2	33.3	33.5	36.6	37.6	36.5	31.7	26.3	24.5	27.6
日期	1	10	16	23	23	26	31	1	3	11	10	4	1/6
1957	22.4	21.5	24.6	30.6	31.8	33.9	34.3	35.0	31.3	28.1	29.5	25.0	25.0
日期	10	3	30	25	10	20, 26	24	9	13	16	10	3	9/6
1958	25.2	25.1	26.8	31.4	32.7	32.7	35.0	35.7	35.0	31.5	28.2	22.3	25.0
日期	13	26	17	25	22	28	15	1	4	15	10	4	9, 4/6
极值	26.9	28.2	29.9	33.2	35.7	35.2	36.6	37.6	36.5	33.6	30.0	28.0	27.6
日期	7	25	31	23	21	25	31	1	14	3	9	1	1/6
年份	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963

汕头

绝对最低气温(°C)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	年					
1951	3.4	6.5	7.2	12.6	15.4	21.1	23.2	25.9	21.3	13.9	10.1	4.8	3.4					
日期	14	18	3	9	13	17	26	9	17	30	24	16	4/1					
1952	3.8	3.6	10.8	13.7	18.6	22.1	24.1	24.2	21.0	16.6	14.5	3.3	3.3					
日期	8	20	21	1	15	11	25	22	26	26	22	10	10/12					
1953	4.1	7.6	9.6	11.0	15.9	23.0	23.5	24.1	21.3	19.7	9.4	7.2	4.1					
日期	7	21	31	1	1	13	5	21	20	25	12	20	12	7/1				
1954	5.8	5.8	7.2	14.0	18.4	21.7	24.7	24.2	20.9	15.6	9.7	4.2	4.2					
日期	26	9	7	1	1	3	9	7	30	22	20	17	15/12					
1955	0.4	3.3	11.7	11.2	16.9	20.0	23.7	23.8	22.3	14.0	8.8	4.3	0.4					
日期	11	21	14	5	15	3	4	1	3	30	26	22	24	2	11/1			
1956	1.1	7.4	8.3	13.4	18.1	23.0	22.7	23.2	18.9	16.1	4.9	8.6	1.1					
日期	3	10	10	12	3	3	15	29	30	8	28	20	26	6	11	26	9	10/1
1957	4.8	1.1	8.4	8.6	18.3	20.7	23.0	24.2	19.0	12.2	11.5	8.5	1.1					
日期	19	12	14	4	16	9	5	17	3	27	30	21	18	12/2				
1958	4.3	3.5	10.4	14.4	18.8	18.2	23.4	22.5	19.8	11.6	7.9	8.4	3.5					
日期	5	13	3	16	13	17	18	8	25	27	21	10	13/2					
极值	0.4	1.1	7.2	8.6	15.4	18.2	22.7	22.5	18.9	11.6	4.9	3.3	0.4					
日期	11	12	3	7	4	19	17	29	30	8	28	27	26	10	11/1			
年分	1955	1957	1951 1954	1957	1951	1958	1956	1958	1956	1958	1956	1952	1955					

站名

降水量 (mm)

年	1	2	3	4	5	6	7	8	9	10	11	12	年
1951	52.6	21.8	55.6	123.0	405.5	332.0	103.4	349.4	60.3	38.5	104.0	3.7	1699.8
1952	24.1	55.5	144.5	122.2	150.5	303.6	213.9	154.3	214.3	3.8	0.5	26.7	1424.5
1953	39.6	102.7	111.7	157.9	556.1	302.6	235.5	118.8	226.0	81.7	44.9	32.5	2090.0
1954	54.3	32.4	54.5	114.3	125.6	593.3	90.8	126.7	78.6	3.0	112.5	0.9	1457.2
1955	7.3	0.4	4.2	112.7	367.0	221.2	205.0	212.4	6.1	0.3	48.1	11.9	1201.6
1956	74.8	95.8	92.1	59.7	128.2	206.8	68.6	41.3	47.3	35.0	53.5	20.2	923.9
1957	7.7	65.6	112.1	176.7	661.7	233.9	122.0	96.8	311.9	73.3	0.3	8.1	1860.3
1958	61.7	134.5	132.4	49.0	126.8	124.8	585.1	135.4	162.6	25.0	4.8	15.6	1857.7
合计	322.1	508.4	707.1	965.5	2521.4	2323.8	2119.5	1310.7	1187.1	260.6	268.6	120.2	12715.0
年平均	40.3	63.6	88.4	120.7	315.2	290.5	264.9	163.8	148.4	32.6	46.1	15.0	1589.4

降水日数

1951	9	7	13	13	12	21	16	17	12	6	9	3	144
1952	7	11	12	21	17	25	19	14	16	4	1	10	157
1953	10	17	17	20	23	17	9	14	18	3	8	7	168
1954	10	12	11	15	12	17	16	13	9	4	9	3	131
1955	6	2	8	8	13	25	19	15	5	0	5	4	110
1956	12	11	12	8	22	14	14	8	12	10	7	9	139
1957	8	14	14	8	17	15	13	11	13	9	0	4	132
1958	16	13	16	8	15	17	19	12	15	5	1	8	145
合计	78	87	103	107	131	151	131	104	100	46	40	48	1126
年平均	9.8	10.9	12.9	13.4	16.4	18.9	16.4	13.0	12.5	5.8	5.0	6.0	140.8

汕头

一日最大降水量 (mm)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	年
1951	13.7	15.6	16.0	42.2	133.4	64.4	28.1	66.2	32.4	20.7	40.3	1.6	133.4
日期	13	15	23	6	17	30	7	16	25	7	11	27	17/5
1952	9.5	27.4	46.8	19.2	28.1	55.1	56.8	46.5	43.2	3.1	0.5	8.4	56.8
日期	13	16	21	5	12	12	26	19	13	30	16	3	24/7
1953	18.1	47.3	23.0	24.8	173.8	88.5	34.3	34.8	150.6	26.3	21.0	11.6	173.8
日期	31	28	28	17	31	10	5	21	18	30	2	3	3/5
1954	16.3	13.8	25.3	50.5	57.3	195.7	15.7	43.7	40.3	2.1	21.6	0.4	195.7
日期	24	18	29	20	30	4	2	20	10	4	12	6	4/6
1955	4.2	0.2	1.6	63.3	191.3	45.4	297.4	59.8	3.8	0	37.7	8.8	297.4
日期	5	11	31	2	11	15	21	23	15	23	17	20	21/5
1956	38.7	25.8	62.1	18.6	34.8	90.8	18.3	16.4	15.0	16.3	24.6	9.7	90.8
日期	3	14	21	27	31	14	27	7	26	23	21	13	14/6
1957	3.4	21.1	34.6	113.0	220.3	45.8	39.2	45.3	86.3	21.5	0	5.2	220.3
日期	28	5	24	20	23	28	5	27	25	16	6	25	23/5
1958	19.0	38.6	41.5	30.7	33.1	29.8	148.3	44.2	58.1	22.0	4.6	6.3	148.3
日期	31	4	26	4	7	15	18	30	11	2	15	22	18/7
极值	38.7	47.3	62.1	113.0	220.3	195.7	297.4	66.2	150.6	36.9	21.6	11.6	297.4
日期	3	28	21	20	25	4	21	16	18	30	12	3	21/7
月份	1956	1953	1956	1957	1957	1954	1955	1951	1953	1953	1954	1955	1955

汕头

最长连续降水日数及其量

	1	2	3	4	5	6	7	8	9	10	11	12	年
1951	4	3	4	14	4	9	11	6	5	3	6	1	14
起日期	10-13	13-15	23-31	$\frac{23}{15}$ 10-12	15-1-9	3-13	13-18	13-19	7-9	10-15	27	$\frac{28}{15}$ 10-14	
量	40.7	19.1	26.1	138.0	106.6	132.8	84.9	223.0	12.7	36.5	93.3	1.6	138.0
1952	3	3	5	8	8	17	6	7	5	3	1	3	17
起日期	23-25	16-18	13-22	19-26	24-31	$\frac{24}{15}$ 9-15	15-20	19-25	17-21	22-31	16	1-3	$\frac{24}{15}$ 9-16
量	5.1	49.5	98.2	33.1	75.2	132.8	55.7	123.9	46.5	3.3	0.5	14.1	132.8
1953	3	8	6	13	13	6	11	3	10	5	2	4	13
起日期	9-11	13-20	26-31	11-23	12-24	$\frac{23}{15}$ 3	$\frac{27}{16}$ 7-21	21-23	$\frac{31}{18}$ 8-5	5-9	1-2	1-4	$\frac{12}{15}$ 24-15
量	1.7	33.4	56.1	126.6	40.1	386.1	217.5	61.6	116.1	41.8	33.3	20.3	140.1
1954	4	3	4	5	4	5	6	4	8	2	4	1	8
起日期	23-26	20-22	3-6	18-22	12-15	4-8	9-14	4-7	$\frac{27}{18}$ 5-17	1-2	10-3	6	$\frac{23}{18}$ 27-19
量	35.8	6.1	17.4	87.0	5.2	229.0	24.3	112.9	36.3	0.8	107.4	0.4	36.3
1955	3	1	2	5	6	9(8)	7	8	9(2)	0	3	1	9
起日期	3-5	11	11-12	$\frac{31}{15}$ 4-13	$\frac{31}{15}$ 7-17	17-23	24-31	$\frac{24}{18}$ 1		16-18	20	$\frac{26}{15}$ 15	
量	5.8	0.2	1.0	107.1	286.6	104.3	546.2	151.1	151.1	0.0	40.8	8.8	151.1
1956	4	4	3	4	11	7	5	3	6	4	3	5	11
起日期	17-20	21-24	21-23	27-30	11-21	$\frac{30}{15}$ 5-16	16-20	6-8	12-13	23-26	19-21	12-16	$\frac{11}{15}$ 21-15
量	21.6	48.4	63.7	50.7	40.4	72.0	16.1	28.6	16.3	26.1	41.3	18.2	40.4
1957	4	4	5	2	6	12	9	3	6	4	0	2	12
起日期	3-6	3-6	23-27	20-21	26-31	$\frac{26}{15}$ 6-2	2-10	26-28	31-26	15-18		25-26	$\frac{26}{15}$ 15
量	2.7	42.3	55.3	127.1	186.6	315.5	34.8	57.2	44.9	47.0	0.0	6.4	315.5
1958	6	7	7	3	6	6	11	6	3(4)	2	1	2	11
起日期	8-13	4-10	22-28	3-5	5-10	21-27	21-31	26-31	$\frac{26}{18}$ 3-24	24-25	13	21-22	$\frac{21}{15}$ 21-15
量	26.4	91.5	35.9	43.7	72.3	47.8	396.4	82.0	163.0	2.7	4.6	6.5	396.4
极值	6	8	7	14	13	17	11	8	10	5	6	5	17
起日期	3-13	13-20	22-28	$\frac{23}{15}$ 10-12	24-15	$\frac{24}{15}$ 9-21	21-31	24-31	$\frac{26}{18}$ 8-5	5-9	10-15	12-16	$\frac{24}{15}$ 9-16
量	26.4	31.4	95.9	133.0	140.1	132.8	396.4	151.1	116.1	41.8	33.3	18.2	132.8
年份	1958	1953	1958	1951	1953	1952	1958	1955	1953	1953	1951	1956	1952

汕头

平均相对湿度(%)

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	年
1951	82	79	83	88	82	86	84	85	79	75	90	75	82
1952	76	83	86	86	86	89	86	85	84	77	78	86	84
1953	85	87	83	84	89	87	81	82	83	81	79	81	84
1954	86	83	80	86	82	86	81	83	79	74	79	74	81
1955	70	76	83	81	84	87	87	83	82	76	76	77	80
1956	76	83	86	80	87	85	81	81	77	78	74	80	81
1957	80	81	84	83	87	87	83	82	80	79	77	80	82
1958	81	81	86	85	83	84	85	85	83	77	77	78	82
合计	636	653	671	673	680	691	668	667	647	617	620	631	636
平均	80	82	84	84	85	86	84	83	81	77	78	73	82

蒸发量(MM)

1951													
1952								146.3	140.6	175.0	124.6	30.6	—
1953	80.3	60.3	87.6	98.4	—	(129.8)	(130.3)	(169.2)	(120.2)	(173.1)	98.3	83.2	—
1954	61.7	66.7	89.1	(92.9)	177.0	(159.1)	196.8	176.3	(178.0)	176.0	110.2	93.1	(157.1)
1955	93.5	86.1	95.4	133.5	(138.3)	125.0	154.7	164.8	178.5	198.2	125.7	105.2	(1538.3)
1956	83.7	84.1	90.4	151.0	133.3	181.3	223.5	219.3	206.4	174.2	131.9	90.6	163.7
1957	97.9	65.7	85.0	(126.4)	(122.8)	(151.1)	219.7	212.7	(184.1)	(162.3)	157.6	103.4	(167.7)
1958	68.5	77.5	93.4	140.8	189.4	(168.0)	(188.3)	(183.6)	178.2	166.6	132.9	103.2	(1690.5)
合计	405.3	382.1	453.3	(654.2)	(760.8)	(784.9)	(1093.9)	(957.3)	(923.9)	(877.3)	636.3	475.5	(8312.9)
平均	81.1	76.0	90.7	130.8	150.2	(156.9)	196.6	191.5	185.0	175.2	127.3	99.1	(1662.6)

汕頭

日照時數

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	年
1952	138.1	87.1	102.7	100.3	195.4	168.8	203.8	272.0	245.3	270.4	250.2	141.1	2175.2
1953	144.5	89.4	93.8	107.1	110.8	212.3	293.4	265.5	128.7	196.2	177.4	181.1	2006.2
1954	132.6	119.5	115.0	81.9	167.8	138.1	250.2	227.9	218.2	266.2	181.6	(145.0)	2044.0
1955	191.4	138.0	103.2	168.5	139.3	(92.3)	127.2	218.0	267.0	296.9	174.8	198.8	2113.4
1956	126.5	110.4	76.7	182.0	113.4	239.5	317.5	(283.8)	230.6	232.4	180.7	162.8	(2258.0)
1957	146.6	76.1	64.0	(137.0)	113.2	195.1	300.5	281.0	174.8	236.0	280.0	201.8	(2166.2)
1958	74.0	132.3	101.3	201.8	183.7	204.2	233.0	281.1	222.5	221.5	262.4	224.4	(2317.2)
合計	954.7	752.8	656.7	(978.0)	1030.6	(210.4)	1731.6	(1828.9)	1486.1	1719.6	1507.1	(1255.0)	(15112.2)
七年均	136.4	107.5	93.8	139.8	147.2	172.9	247.4	261.3	212.3	245.7	215.3	179.3	2168.9

日照百分率

1952	41	26	33	26	48	42	49	63	67	75	76	42	49
1953	43	28	25	36	27	52	72	66	35	55	54	53	43
1954	40	38	31	22	41	34	60	57	59	74	53	(45)	46
1955	57	43	28	44	34	(24)	31	53	73	83	53	60	48
1956	38	34	21	48	28	59	77	73	63	65	53	43	51
1957	44	34	17	37	23	33	72	70	48	66	85	61	49
1958	22	42	27	53	46	50	56	70	61	62	80	68	33
合計	250	235	182	266	252	(299)	417	459	406	480	458	(350)	341
七年均	41	34	26	38	36	43	60	66	58	69	65	54	49

月 年	1	2	3	4	5	6	7	8	9	10	11	12	年
1952	3.1	4.0	3.4	2.9	3.1	3.6	4.1	3.2	4.0	3.4	2.5	2.4	3.3
1953	2.3	2.6	2.6	2.8	2.1	2.3	2.7	2.5	3.1	2.9	2.9	3.0	2.7
1954	2.0	2.4	2.8	2.4	2.1	2.1	1.7	1.9	2.8	2.6	2.5	2.3	2.3
1955	2.7	2.3	2.7	2.3	2.7	3.0	2.2	2.0	2.5	3.1	3.2	2.7	2.6
1956	3.5	3.7	3.3	3.3	3.3	2.8	2.5	3.0	3.2	3.3	3.4	3.1	3.2
1957	3.5	3.8	3.1	3.1	2.9	2.6	3.4	2.7	3.6	3.6	2.9	3.5	3.2
1958	3.5	3.1	2.9	3.1	3.8	3.1	2.8	2.4	3.4	3.3	3.3	2.8	3.1
合 计	20.6	21.9	20.3	19.9	20.0	13.5	19.4	15.7	22.6	22.2	20.7	19.7	20.4
七年平均	2.9	3.1	3.0	2.8	2.9	2.8	2.8	2.5	3.2	3.2	3.0	2.8	2.9

汕头

定时最大风速 (m/s)

		2	3	4	5	6	7	8	9	10	11	12	年
1952	11.8	14.7	12.9	12.4	11.3	16.3	21.6	13.6	41.2	13.9	12.5	12.0	41.2
风向	ENE	NE	ENE	NE	S	E	NE	S	S	NE	NE	NNE	S
日期	12	16	11	12	4	28	29	21	12	15	18	2/19	13/9
1953	10.0	10.0	12.5	12.5	12.5	10.0	10.0	12.5	21.7	10.0	11.3	16.7	21.7
风向	ENE E	NE ENE	E NE	NE	W	E	SSW	SW	ENE	E	ENE	NE	ENE
日期	5天	8/22	3/25	16	27	29	14	17	2	10	11	3	9/9
1954	6.1	7.3	7.7	7.8	7.5	6.4	5.9	7.3	7.4	10.1	11.3	7.4	11.9
风向	NE	ENE	ENE	ENE	NE	S	S	E	ESE	ENE	NE	ENE	NE
日期	22	3	15	19	10	6	8	29	2	9	11	27	11/11
1955	9.8	8.8	7.3	7.6	7.3	6.7	7.4	6.8	12.0	10.0	8.0	8.0	12.0
风向	ENE	NW	ENE	ENE	E	ENE	ESE S	ENE	ENE	ENE	ENE	ENE	ENE
日期	6	19	18	25	14	2	8/18	6	25	30	3/16	17	25/19
1956	10.0	10.0	8.0	9.0	12.0	9.0	6.0	8.0	7.0	10.0	10.0	10.0	12.0
风向	NNW	ENE	ENE	ENE	ENE	SSE	SSE	E ₃	E ENE	ENE	ENE	ENE	ENE
日期	8	12	4天	20	11	30	18	29	3天	3	22	10	1/5
1957	10.0	4.0	12.0	10.0	10.0	6.0	12.0	10.0	13.0	12.0	10.0	10.0	13.0
风向	ENE	ENE	ENE	ENE	ENE	ESE	E	ENE E	W	ENE	ENE	ENE	W
日期	2天	28	12	14	30	14	16	17	15	17	11/28	13	15/9
1958	10.0	8.0	14.0	10.0	10.0	10.0	10.0	8.0	10.0	10.0	7.0	10.0	4.0
风向	ENE	ENE	ENE	ENE	ENE E	ENE	N	E	ENE	ENE	ENE	ENE	ENE
日期	22/30	17/28	27	12	12/29	14	22	5	1	16	6/2	28	27/2
数值	11.8	14.7	14.0	12.5	12.5	16.3	21.6	18.6	41.2	13.9	12.5	16.7	41.2
风向	ENE	NE	ENE	NE	W	E	NE	S	S	NE	NE	NE	S
日期	12	16	27	16	27	28	29	21	12	15	18	3	13/9
年份	1952	1952	1958	1953	1953	1952	1952	1955	1952	1952	1952	1953	1952

汕头

累年各风向频率 (1951-1958)

	1	2	3	4	5	6	7	8	9	10	11	12	年
N	10	7	5	3	2	2	1	4	6	11	15	14	6
NNE	5	4	3	3	2	2	1	2	2	5	5	5	3
NE	18	18	19	15	11	8	3	6	12	19	16	16	13
ENE	12	22	22	19	14	10	2	6	12	20	22	17	16
E	12	14	13	12	15	13	8	12	14	9	12	12	13
ESE	4	7	8	9	10	3	7	10	7	6	5	4	7
SE	4	6	7	7	7	6	9	9	6	4	3	4	6
SSE	1	1	1	4	4	5	7	4	3	1	0	1	3
S	1	2	2	5	7	10	13	8	4	1	1	1	5
SSW	0	0	1	3	7	9	9	5	3	0	0	2	3
SW	1	1	2	2	7	11	13	9	4	0	0	1	4
WSW	0	0	1	1	3	3	7	4	2	0	0	0	2
W	1	1	2	2	1	3	5	5	4	1	1	1	2
WNW	0	1	1	1	1	2	2	2	3	1	1	1	1
NW	9	4	3	3	2	2	1	2	4	4	8	10	4
NNW	6	5	3	2	2	1	1	2	3	5	7	10	4
C	10	10	13	15	10	12	14	15	10	6	7	7	11

汕头

晴天日数

月 年	1	2	3	4	5	6	7	8	9	10	11	12	年
1951	2	4	1	1	5	0	0	0	1	5	4	6	29
1952	6	1	1	0	3	0	0	0	0	8	9	5	33
1953	3	0	0	0	0	0	1	2	0	7	0	3	16
1954	5	1	1	1	1	0	0	1	4	10	9	4	37
1955	4	4	2	4	1	0	0	0	5	20	6	14	60
1956	7	2	7	1	0	1	1	1	2	9	3	7	35
1957	2	2	1	2	0	1	2	4	4	3	12	3	41
1958	1	4	0	3	1	0	1	3	4	9	18	11	55
合计	30	18	7	12	11	2	5	11	20	76	61	53	306
平均	3.8	2.3	0.9	1.5	1.4	0.3	0.6	1.4	2.5	9.5	7.6	6.6	38.3

阴天日数

1951	20	12	24	23	17	21	9	12	12	8	15	10	185
1952	18	18	23	20	15	22	26	19	13	9	7	17	200
1953	16	20	26	21	28	21	17	13	22	12	11	10	217
1954	18	17	21	22	18	27	22	17	11	5	10	14	202
1955	8	10	16	11	19	26	24	18	6	1	13	5	157
1956	14	16	20	16	29	21	7	14	14	6	11	21	182
1957	15	19	21	13	20	24	8	18	14	9	3	9	173
1958	13	13	23	12	20	22	16	13	16	10	2	8	176
合计	128	125	124	140	166	184	129	124	110	60	72	67	1301
平均	16.0	15.6	21.8	17.5	20.8	23.0	16.1	15.5	13.8	7.5	9.0	11.1	137.6

雾 日 数

汕头

月 年	1	2	3	4	5	6	7	8	9	10	11	12	年
1951	2	6	5	7	1	1	4	0	0	1	2	2	31
1952	1	3	1	5	2	0	0	1	0	1	2	0	16
1953	3	1	6	2	7	4	1	0	0	4	1	2	33
1954	3	4	1	4	5	1	0	2	0	0	4	0	24
1955	0	2	8	5	2	2	0	0	1	0	0	3	23
1956	1	2	9	1	3	2	0	1	0	2	0	0	21
1957	1	0	5	4	2	0	0	0	0	0	1	1	14
1958	3	1	8	6	1	0	1	0	0	0	2	4	26
合 计	14	19	43	34	23	10	6	4	3	8	12	12	189
8年平均	1.8	2.4	5.4	4.3	2.9	1.3	0.8	0.5	0.4	1.0	1.5	1.5	23.5

有霜日数及其初终日期

	10	11	12	1	2	3	总日数	初 日	终 日	初终间 日 数
1950-1951				0	0	0				
1951-1952	0	0	0	1	0	0	1	2/1	2/1	1
1952-1953	0	0	0	1	0	0	1	2/1	2/1	1
1953-1954	0	0	0	0	0	0	0			0
1954-1955	0	0	1	2	0	0	3	12/12	12/1	32
1955-1956	0	0	0	1	0	0	1	10/1	10/1	1
1956-1957	0	0	0	0	1	0	1	12/2	12/2	1
1957-1958	0	0	0	0	0	0	0			0
1958-1959	0	0	0	2	0	0	2	12/1	23/1	7
合 计	0	0	1	5	1	0	9			43
8年平均	0.0	0.0	0.1	0.6	0.1	0.0	1.1	4/1	2/1	5.4
极 值								12/12	12/2	
年 份								1954	1957	


汕头

图例:

降水量


蒸发量

降水(毫米)



1951-1953年逐月平均降水量、蒸发量分布图

(小时)



1951-1953年逐月平均气温分布图

1951-1953年逐月平均日照时数分布图

