

海丰

HAIFENG

气象资料

QIXIANG

ZILIAO

(温度、湿度、降水、日照、风等)

WENDU SHIDU JIANGSHUI RIZHAO FENG DENG

• 广东省气象科学研究所资料室编 •

GUANGDONGSHENG QIXIANG KEXUE YANJIUSUO ZI-
LIAOSHIBIAN

1960.3

海丰

平均气温 (°C)

年 \ 月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								27.9	27.4	25.0	22.3	15.4	—
1953	15.5	16.2	18.0	18.7	24.2	28.0	28.7	29.0	(26.8)	25.9	24.8	17.8	22.6
1954	10.8	15.7	15.9	21.8	26.7	27.6	28.4	28.0	27.8	24.5	24.2	15.8	22.5
1955	13.2	16.7	14.9	21.7	25.5	26.9	27.5	27.9	28.0	23.5	18.9	16.6	22.2
1956	12.9	15.1	17.6	22.4	25.2	27.7	28.2	27.8	27.8	24.2	18.5	15.1	21.9
1957	15.5	11.9	15.0	21.7	24.6	26.8	28.2	27.8	24.8	22.8	20.4	17.5	21.7
1958	13.9	13.6	19.2	23.4	25.8	27.0	28.0	27.3	27.0	23.6	19.4	16.4	22.1
合计	87.8	89.2	106.0	129.7	152.0	164.0	169.0	167.8	164.2	144.5	120.2	99.2	132.0
6年平均	14.6	14.9	17.8	21.6	25.3	27.3	28.2	28.0	27.4	24.1	20.0	16.5	22.2

极端最高气温 (°C)

1952								33.6	35.0	33.1	32.5	26.7	—
日期								4.5	1	15	13	1	
1953	23.2	27.9	25.5	29.8	30.9	35.0	39.7	34.8	32.6	34.0	31.5	31.4	35.0
日期	25	13	1.11	30	28	27	23.24	7	22	28	10	1	21/6
1954	26.5	26.2	26.4	28.2	32.4	32.3	32.9	36.0	34.9	33.6	29.2	27.1	30.6
日期	21	26	26.21	15	24.28	27	6	28	25	7	5	7	28/8
1955	23.2	29.2	28.0	29.4	31.0	32.7	33.3	33.4	35.3	31.3	29.2	27.5	33.3
日期	25	27	22	29	29	30	8	5	23	4.6	15	12	21/4
1956	24.8	24.8	28.5	33.3	30.8	33.4	32.5	35.6	37.0	31.8	27.7	24.9	37.0
日期	1	7	18	14	25	29	7	1	3	11	3	4	3/4
1957	24.6	22.8	24.5	28.8	30.2	32.8	33.4	34.7	33.0	32.7	29.0	27.4	34.7
日期	12	3	31	28(35)	4	26	15	13	11	14	11	13	13/8
1958	25.4	24.8	27.7	31.1	31.6	31.3	33.8	33.0	32.9	30.9	29.0	24.6	33.8
日期	14	24	16	30	2	13	16	25	8	15	12	18	15/7
数值	26.5	29.2	28.5	33.2	32.4	35.0	33.8	36.6	37.0	34.0	32.5	31.4	37.0
日期	21	27	18	19	24.28	27	16	28	3	28	13	1	3/4
年份	1954	1955	1956	1956	1954	1953	1958	1954	1956	1953	1952	1953	1956

海王

极端最低气温(°C)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								23.0	21.0	19.7	16.3	5.7	—
日期								22	27	12	24, 25	3	
1953	7.3	8.4	11.2	12.2	17.2	23.4	24.4	24.2	21.5	20.8	9.7	8.3	7.3
日期	6	19	31	1	13	13	25	22	29	12	20	1	6/1
1954	5.6	6.9	7.2	15.5	19.5	22.0	23.6	25.8	22.0	18.1	11.5	6.2	5.6
日期	26	8	7	1	1	1	9	7	30	14, 22	20	12	26/1
1955	1.0	5.5	13.4	12.9	18.2	20.1	22.5	23.0	22.0	16.0	9.6	7.0	1.8
日期	11	21	14	6	14	4	10	31	25	23	21	3	1/1
1956	1.9	7.1	8.5	14.9	18.5	22.5	22.2	23.2	20.8	10.9	7.8	8.4	1.9
日期	9	19	4	3	3	15	29	6	28	21	26	25	9/1
1957	6.3	2.4	7.8	10.2	19.9	21.6	23.8	24.0	20.8	13.9	13.4	10.2	2.4
日期	18	11	14	4	16	9	5	28	27	30	21	31	11/2
1958	5.4	5.3	10.9	15.4	20.0	19.7	24.0	21.6	21.3	14.3	10.3	10.2	5.3
日期	16	13	3	16	13	17	28 ^(4.5)	7	29	28	24, 25	21	13/2
极值	1.8	2.4	7.2	10.2	17.2	19.7	22.2	21.6	20.8	13.9	7.8	5.7	1.8
日期	11	11	7	4	13	17	29	7	28 27	30	26	3	11/1
年份	1955	1957	1954	1957	1953	1958	1956	1958	1956 1957	1957	1956	1952	1955

海丰

降水量 (mm)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								424.8	573.1	43	0	32.6	—
1953	27.2	95.7	123.6	110.1	303.6	337.4	278.5	320.6	(523.1)	90.6	28.5	56.0	2289.1
1954	42.3	26.7	62.3	101.7	46.0	51.0	148.1	386.4	165.2	5.2	46.1	1.0	1133.8
1955	5.4	2.9	13.6	172.9	354.3	330.2	127.2	244.7	800	0	62.8	21.4	2671.4
1956	77.0	75.8	35.2	62.9	113.2	452.2	107.6	216.1	39.4	18.8	64.3	10.9	1214.4
1957	5.0	79.0	82.5	108.9	784.8	322.7	264.2	323.5	444.1	57.1	0	5.3	2532.1
1958	46.2	84.3	110.0	84.2	132.7	114.7	407.5	314.5	321.0	13.8	0.1	11.8	1611.4
合计	203.1	334.7	417.2	654.7	1742.4	2068.2	1933.1	1860.8	(1622.4)	193.7	642.8	100.4	11302.2
6年平均	33.9	60.7	69.5	109.1	290.4	344.7	322.2	310.1	270.6	32.3	107.1	16.7	1902.4

降水日数 (≥ 0.1 毫米)

1952								21	19	3	0	6	—
1953	5	15	13	19	25	14	11	15	17	11	8	8	161
1954	7	11	11	15	6	20	16	13	10	3	6	2	120
1955	4	4	6	7	11	25	17	14	4	0	3	4	99
1956	10	11	10	8	15	19	13	15	9	6	8	9	133
1957	5	12	13	9	19	16	21	14	14	5	0	4	132
1958	13	9	12	7	11	17	21	15	16	6	1	3	131
合计	44	62	65	65	87	111	94	85	70	31	26	30	776
6年平均	7.3	10.3	10.8	10.8	14.5	18.5	16.5	14.3	11.7	5.2	4.3	5.0	129.3

海丰

一日最大降水量(毫米)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								84.1	243.9	2.8	0	12.6	—
日期								21	13	30	1	3	
1953	13.0	52.0	35.9	40.6	73.0	80.1	89.3	87.4	125.4	23.7	11.6	18.4	125.4
日期	31	28	7	15	18	6	25	14	19	2	4	2	19/9
1954	30.7	11.3	27.1	26.1	26.7	164.9	40.3	87.4	77.9	2.7	273.5	9.6	273.5
日期	25	2	29	26	12	21	9	5	11	9	6	6	6/11
1955	2.1	1.5	4.1	115.7	103.2	48.3	150.4	115.0	38.1	0	50.8	29.8	150.4
日期	4	11	5	1	11	27	23	30	25	28	17	20	23/7
1956	22.3	28.8	22.1	24.1	21.2	26.0	21.2	72.7	14.1	6.4	22.5	6.3	126.2
日期	3	14	21	20	3	14	17	7	5	25	5	13	14/6
1957	2.3	42.5	17.8	71.7	269.2	54.1	79.8	113.9	219.9	25.9	0	2.7	267.2
日期	4	5	27	20	14	18	17	26	25	16	6	14	14/5
1958	19.7	23.8	32.7	60.3	33.9	45.8	115.3	77.0	67.5	7.3	0.1	8.4	115.3
日期	10	1	27	4	31	16	28	31	2	2	15	24	28/7
极值	30.7	50.0	35.9	115.7	269.2	164.9	150.4	115.0	243.9	25.9	273.5	29.8	273.5
日期	25	28	7	1	14	21	23	30	13	16	6	20	6/11
年份	1954	1953	1953	1955	1957	1954	1955	1955	1952	1957	1954	1955	1954

海丰

最长连续降水日数及雨量(厘米)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								3	10	2	0	3	—
起訖日期								7-14	12-21	29-30		1-3	
量								128.6	408.8	32.2	0	20.7	
1953	2	7	6	12	7	7(5)	5(4)	4	8	9	7	4	12
起訖日期	26-27	14-20	26-31	12-23	12-18	$\frac{29}{6}-1$	$\frac{19}{6}-3$	12-15	1-8	1-9	$\frac{30}{10}-5$	1-4	12- $\frac{23}{14}$
量	10.9	22.5	68.5	95.8	118.9	124.5	107.2	117.9	199.1	84.8	30.4	32.9	45.8
1954	4	3	3	5	2	7	8	7	5	1	3	1	8
起訖日期	23-26	20-22	4-6	6-20	11-12	19-25	7-14	2-8	7-11	9	10-12	6	7- $\frac{14}{1}$
量	40.2	6.7	6.8	30.6	27.0	252.9	114.1	336.3	106.9	2.7	21.8	0.6	114.1
1955	2	3	2	5	5	12	12(7)	4	4	0	3	2	12
起訖日期	4-5	4-11	4-5	$\frac{31}{5}-4$	8-12	10-21	$\frac{23}{6}-4$	17-20	$\frac{29}{8}-1$		16-18	29-30	$\frac{23}{6}-\frac{4}{1}$
量	3.5	2.7	7.6	173.9	228.0	44.0	162.7	4.9	172.0	0	62.8	5.7	162.7
1956	4	4	2	4	9(5)	7(5)	5	6	2	4	5	4	4
起訖日期	17-20	21-24	13-14	27-30	$\frac{27}{4}-5$	$\frac{29}{5}-4$	16-20	18-23	5-6	23-26	19-22	12-15	$\frac{21}{4}-\frac{5}{5}$
量	39.8	22.0	2.2	37.3	98.8	118.5	66.7	45.6	17.3	17.5	40.7	8.2	133.5
1957	2	4	5	4	11	5	15	7	7	3(2)	0	3	15
起訖日期		23-26	23-27	19-22	21-31	16-20	$\frac{29}{6}-13$	17-23	21-27	$\frac{29}{9}-1$		24-26	$\frac{29}{6}-\frac{13}{1}$
量	3.4	3.4	44.9	93.0	377.9	122.7	175.1	85.0	458.2	2.5		2.5	175.1
1958	4	6(4)	4	3	3	6	6(4)	7	6(4)	6	1	2	7
起訖日期	8-11	$\frac{28}{1}-2$	25-28	3-5	29-31	21-26	26-31	4-10	$\frac{29}{6}-3$	$\frac{28}{9}-3$	15	24-25	$1-\frac{10}{8}$
量	28.5	39.6	67.9	75.7	44.4	38.9	138.8	175.0	188.1	13.5	0.1	11.1	175.0
数值	4	7	6	12	11	12	15	8	10	9	7	4	15
起訖日期	23-26	14-20	26-31	12-23	21-31	10-21	$\frac{29}{6}-13$	7-14	12-21	1-4	$\frac{30}{10}-5$	1-4	$\frac{29}{6}-\frac{13}{1}$
量	40.2	22.5	68.5	95.8	377.9	149.0	175.1	128.6	408.8	84.8	30.4	32.9	175.1
年份	1954	1953	1953	1953	1957	1955	1957	1952	1952	1953	1953	1953	1957

年 月

平均相对湿度(%)

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								87	85	75	74	74	—
1953	78	85	85	84	87	85	85	83	(83)	79	76	76	82
1954	81	79	76	86	82	86	84	84	76	71	74	65	79
1955	63	73	80	78	83	86	87	83	81	70	65	71	77
1956	70	79	83	80	86	85	83	83	73	72	67	74	78
1957	77	80	83	84	88	85	84	85	78	74	72	75	80
1958	76	76	84	84	82	83	83	84	82	68	66	70	78
合 计	445	472	49	446	508	510	506	502	(473)	434	420	431	474
6年平均	74	79	82	83	85	85	84	84	79	72	70	72	79

蒸发量(毫米/20厘米口径)

1952								(1400)	(1406)	187.2	165.8	92.5	—
1953	(93.9)	(74.9)	110.1	83.8	—	(150.1)	(188.3)	(174.2)	(117.0)	126.6	112.0	(93.8)	—
1954	(135)	(65.6)	84.7	80.6	161.8	(126.8)	175.6	154.7	(161.5)	109.9	(109.0)	106.1	(147.0)
1955	101.6	92.2	111.7	(133.0)	(137.6)	123.7	—	—	155.9	216.0	(163.0)	120.5	—
1956	92.8	88.4	101.5	161.6	144.6	(194.5)	205.0	199.6	244.8	195.0	139.7	98.2	(183.7)
1957	98.6	64.9	86.4	136.4	(129.9)	158.2	207.1	(181.5)	(101.6)	170.1	144.5	118.3	(161.0)
1958	86.0	88.4	107.5	150.5	176.7	166.3	197.0	(165.0)	176.3	245.2	196.4	148.0	(163.3)
合 计	(352.9)	(312.3)	382.1	529.6	(683.0)	(645.8)	784.7	(700.8)	(734.2)	780.2	(594.6)	470.6	(610.6)
4年平均	83.2	78.1	95.5	132.4	153.3	(161.5)	196.2	(175.2)	(183.6)	195.1	148.7	117.7	(172.2)

遊年

日 順 耐 散

年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1953								(235.8)	124.0	150.1	(132.3)	(145.9)	—
1954	151.1	122.3	129.9	94.2	230.7	(199.1)	300.6	240.9	242.3	265.2	(193.6)	161.1	(234.6)
1955	203.7	105.4	173.4	207.2	190.0	165.5	191.8	241.6	(269.3)	304.9	190.4	(221.0)	(259.7)
1956	(41.9)	91.0	60.7	168.4	161.4	220.7	350.2	247.3	241.7	338.0	185.2	159.1	(216.0)
1957	143.9	67.0	89.1	102.6	173.6	(171.1)	(292.5)	252.0	195.9	216.8	289.5	220.9	(222.0)
1958	98.7	153.7	114.9	199.1	211.9	200.2	293.2	246.5	193.7	231.0	268.6	255.7	241.5
合計	(744.3)	574.9	574.5	821.5	921.6	(956.6)	(214.4)	3234.2	(1422.9)	1261.9	(125.5)	(1025.6)	(1163.1)
5年平均	148.9	116.0	114.4	164.3	184.3	191.3	254.9	246.8	238.6	252.4	225.1	205.2	237.6

日 照 百 分 率 (%)

年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1953								(59)	34	12	(42)	(44)	—
1954	45	34	35	25	58	(51)	73	62	66	74	(61)	51	(53)
1955	60	46	47	55	43	31	46	81	(76)	86	(59)	(68)	(57)
1956	44	28	18	44	35	55	62	62	60	60	58	43	29
1957	44	21	24	40	72	64	(71)	63	53	61	45	67	(50)
1958	29	48	31	52	54	50	56	62	73	84	81	77	58
合計	222	182	155	216	225	(241)	(508)	310	314	350	(313)	(312)	(241)
5年平均	44	36	31	43	45	48	62	62	60	60	60	62	53

海丰

平均风速(米/秒)

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1952								2.2	3.1	2.7	2.1	2.5	—
1953	2.5	2.3	2.1	2.0	2.5	3.0	2.6	2.3	3.5	2.4	2.6	2.5	2.6
1954	2.1	2.0	2.2	2.1	2.4	2.7	2.6	2.9	2.8	2.3	2.3	2.4	2.4
1955	2.3	2.1	2.2	2.4	2.7	2.8	2.6	2.5	2.2	3.0	3.3	2.6	2.6
1956	2.3	3.1	2.9	3.3	3.3	3.0	2.9	3.1	2.7	2.8	3.1	2.5	3.0
1957	3.1	3.4	2.9	2.9	2.5	2.3	3.2	3.1	3.2	3.2	2.6	2.3	2.9
1958	3.0	2.7	3.0	2.8	4.1	3.0	3.0	2.2	3.9	2.3	3.3	2.5	3.1
合計	15.6	15.6	15.3	15.5	17.5	16.6	16.9	16.6	18.4	17.5	17.7	15.3	16.6
6年平均	2.6	2.6	2.6	2.6	2.9	2.8	2.8	2.8	3.1	2.9	3.0	2.6	2.8


海丰

图例:

—— 降水量
 ■■■ 蒸发量



1953—1958年逐月平均降水量、蒸发量分布图



1953—1958年逐月平均气温分布图

1953—1958年逐月平均日照时数分布图

