

建设部生产许可证产品全集

电 梯

1989

本书编辑部 编

中国建筑工程出版社

本书是建设部生产许可证产品全集中的一卷，主要收入了1988年建设部首批颁发的电梯生产和安装的生产许可证产品资料。共有38个单位，118个生产许可证产品资料收入本卷。主要介绍了生产许可证取证单位及产品概况，用中英文对照说明；产品规格性能表和主要技术数据表等；产品的井道机房土建安装图和产品的照片。可供建设单位、施工单位、机械制造厂家的有关人员阅读、参考。

* * *

责任编辑 曲汝铎

建设部生产许可证产品全集

电 梯

1989年

本书编辑部 编

*

中国建筑工业出版社出版、发行(北京西郊百万庄)

新华书店经销

北京百花印刷厂印刷

*

开本：787×1092毫米 1/16 印张：12 插页：12 字数452千字

1990年10月第一版 1990年10月第一次印刷

定价：16.80元

ISBN 7-112-01108-6/TU·809

(6177)

出版说明

1984年国务院颁布了《工业产品生产许可证试行条例》，原国家经委也相应颁布了生产许可证制度的管理办法，成立了全国工业产品生产许可证办公室，其目的是加强工业产品的质量管理，确保重要工业产品的质量。建设部也成立部生产许可证办公室，负责建筑工业产品生产许可证的发证工作。

为了加强建筑工业产品的质量管理，使取证产品资料规范化和档案化，进一步提高产品质量，加强生产厂家与用户间的信息交流，满足设计、计划、基建、生产、施工、管理等对产品选型订货的需要，推动产品的生产和销售，1988年春，经建设部有关领导同意，决定编辑《建设部生产许可证产品全集》，由建设部生产许可证办公室负责组织、编辑，委托中国建筑工业出版社正式出版，向国内外公开发行。

《建设部生产许可证产品全集》是一部大型资料性系列工具书，具有信息和实用价值，是建设部一部比较全面、系统、权威的部管产品资料，《产品全集》拟按年度出版，按专业类型的若干卷，分别收入建设部分管的建筑工业产品资料，尽量收入建设部颁发生产许可证的全部产品。

为编好《产品全集》，1988年春，特成立《产品全集》编辑委员会，由建设部有关单位的负责人和专家组成。编委会领导《产品全集》的编纂工作，编委们并主编各卷。编委会下设编辑部，由部许可证办公室和中国建筑工业出版社，以及有关的人员组成，负责具体的编辑日常业务。

编辑《产品全集》这样一部大型的产品资料性工具书，涉及单位很多，内容也相当复杂，又缺乏成熟的经验，故在编辑中也走了不少弯路，但是经过一年多的努力，在各单位的支持下，终于编辑成书，与读者见面了。

《产品全集》首次编辑的有《电梯》、《城市客车》、《塔式起重机》、《混凝土搅拌机》、《钢窗及扣件》五卷，其内容详略介绍不尽一致，原则上是根据产品的性质等多方面因素考虑，力求做到形式统一，并能反映出产品情况及生产单位的概貌。

《电梯》卷，主要收入了1988年建设部颁发的首批电梯生产许可证产品，包括乘客电梯、载货电梯，以及客货电梯的安装许可证。每个电梯生产许可证一般安排3页，第一页为产品和生产厂的简介，用中英文对照刊出，第二页为产品的规格性能表等技术数据表，第三页为电梯的井道机房土建安装示意图，第四页为照片，彩色或黑白页由各单位自选。由于印刷的原因，黑白照片与前三页连排，而彩色页则集中排在最后，单独成页，并与前面呼应，由于各单位取证情况不一，许多厂家一厂取证多个，故在页数安排上不求统一，根据厂家意见灵活掌握。电梯安装许可证则每证只安排刊载一页，即厂家的简介。

截至发稿止，共有38个单位的118个生产证产品资料收入了本卷。

由于各种原因，虽经我们多次联系，但仍有部分单位的有关资料尚未收入，只好待下次编辑时再补入。

编辑《产品全集》这部大型工具书尚属首次，编辑中难免存在诸多疏漏之处，敬请各单位和读者提出宝贵意见。以便在修订时更正。同时，也希望得到读者和取证单位的支持和帮助，将《产品全集》这部大型工具书编好。

参加本书编辑工作的有建设部生产许可证办公室的诸多同志，尤其是邹桂方、陶凤白同志为本书做了大量工作，付出了辛勤劳动。同时，得到了诸多领导和同志们的帮助，一并表示衷心地感谢。

建设部生产许可证产品全集编辑部

1989.12.

目 录

客 梯 部 分

苏州电梯厂 XK21-091-0001...0003	2, 190
北京首都电梯厂安装队 XK21-091-0008	8
天津奥的斯电梯有限公司 XK21-091-0009...0010	9, 191
内蒙古电梯厂 XK21-091-0011	19, 192
内蒙古电梯厂电梯安装公司 XK21-091-0012	28
黑龙江电梯厂 XK21-091-0019	29, 193
中国迅达电梯有限公司南方公司 XK21-091-0025...0027	32, 194
上海三菱电梯有限公司 XK21-091-0028...0030	38
上海沪西电梯厂 XK21-091-0031...0032	45, 195
无锡市电梯厂 XK21-091-0036...0039	51, 196
无锡县电梯厂 XK21-091-0040	58
无锡市金星电梯厂 XK21-091-0042	60, 197
湖州第一电梯厂 XK21-0091-0046...047	63, 198
新安江电梯厂 XK21-091-0052...0053	67, 199
济南市清河电梯厂 XK21-091-0057	71
国营中原电梯厂 XK21-091-0059	74, 200
广州市电梯工业公司 XK21-091-0066	77, 201
广州市电梯工业公司许可证覆盖机种介绍.....	82, 202
广州市电梯工业公司工程服务部 XK21-091-0067	83
广州南方电梯厂 XK21-091-0068...0069	84, 204
陕西电梯工业公司 XK21-091-0075...0076	87, 205
北京市设备安装工程公司 XK21-091-0077	91
北京市城市建设工程安装公司 XK21-091-0078	92
北京市建设安装公司 XK21-091-0079	93
天津市机电设备安装公司 XK21-091-0080	94
吉林省安装公司 XK21-091-0082	95
江苏省工业设备安装公司 XK21-091-0084	96
无锡市工业设备安装公司 XK21-091-0085	97
浙江省工业设备安装公司 XK21-091-0088	98
中国机械工业安装总公司第五安装工程公司 XK21-091-0091	99
湖北省工业建筑总公司工业设备安装公司 XK21-091-0093	100

武汉市工业设备安装公司 XK21—091—0094	101
中国建筑三局第二建筑安装工程公司 XK21—091—0095	102
湖南省工业设备安装公司 XK21—091—0096	103
广州市机电安装公司 XK21—091—0098	104
重庆第一工业设备安装公司 XK21—091—0102	105
重庆第二工业设备安装公司 XK21—091—0103	106

货 梯 部 分

苏州电梯厂 XK21—092—0001...0003	108
苏州电梯厂 XK21—092—0004...0005	112
北京首都电梯厂 XK21—092—0008	113, 206
北京首都电梯厂电梯安装队 XK21—092—0009	119
沈阳松陵电梯厂 XK21—092—0018...0019	120, 207
黑龙江电梯厂 XK21—092—0020...0021	123, 208
中国迅达电梯有限公司南方公司 XK21—092—0026...0027	126
上海三菱电梯有限公司 XK21—092—0029...0033	129
上海沪西电梯厂 XK21—092—0034...0036	133
无锡市电梯厂 XK21—092—0041...0044	137
无锡县电梯厂 XK21—092—0046	142
无锡市金星电梯厂 XK21—092—0050	144
湖州第一电梯厂 XK21—092—0060	149
湖州第一电梯厂 XK21—092—0061	152
新安江电梯厂 XK21—092—0068...0069	153
章丘电梯厂 XK21—092—0072	156, 209
章丘电梯厂 XK21—092—0073	159
济南清河电梯厂 XK21—092—0076	160
国营中原电梯厂 XK21—092—0077	163
广州电梯工业公司 XK21—092—0087...0089	166, 210
广州南方电梯厂 XK21—092—0090...0091	173
陕西电梯工业公司 XK21—092—0100...0101	176
江苏省工业设备安装公司 XK21—092—0105	179
广州市机电安装公司 XK21—092—0116	180
重庆第二工业设备安装公司 XK21—092—0121	181
武汉机床附件厂BWL1000型曳引机 认证号88003	182

附录：建设部首批取得电梯生产许可证名单	184
---------------------------	-----

客 梯 部 分

苏州电梯厂

Suzhou Elevator Works

客梯1000kg1500kg1m/s交流双速集选

XK21—091—0001

—0002

Passenger Elevator

1000 kg, 1500 kg, 1m/s, AC two-speed collective-selective control

该厂生产的1000kg和1500kg乘客电梯适用于办公大楼、中、高层的旅馆、住宅等建筑,作为垂直交通工具,该系列客梯可有专职司机操作,也可以无司机操作,运行可靠、维护方便。电梯设有自动平层、自动开关门装置以及一系列安全装置,确保电梯运行安全、可靠、舒适,且装潢美观华丽。医用电梯可运送移动病床、担架、氧气瓶、医务人员和物品等,运行平稳可靠。

该厂生产的各类电梯行销全国各地,并担负部分出口外销任务。1987年为国内外用户提供乘客、载货和医用电梯780台,总产值4000万元以上。

参考价格

内销价格(人民币:元)

规格	二层站基价	每层加价
1000kg	49590	3630
1500kg	57020	3920

外销价格(87年价格:美元)

规格	二层站基价	每层加价
1000kg	14382	941
1500kg	15726	941

地址:江苏省苏州市枫桥路下津桥

厂长:李辉

电话:731434 731412总机

电挂:4599

电传:363017 SEWSZ CN

销售科长:朱建银

The series of passenger elevators with specification of 1000kg and 1500kg, produced by Suzhou Elevator Works, are suitable for vertical transportation within office building, medium & modern hotel and residence. This series of elevators can be operated with or without a professional attendant. It is noted for its reliable operation and easy maintenance. The series of elevators has also made a feature of automatic leveling, automatic/manual door and a complete set of safety devices, to raise the running safety, reliability and comfort, as well as good decoration. The hospital elevator made by the factory can carry any kind of goods and personnel of hospital with very steady running speed.

All of elevators produced by the factory have been sold throughout the country and some of them exported. In 1987, 780 sets of elevators including passenger, freight and hospital ones were provided for domestic and overseas markets. The gross industrial value of it was over RMB 40 millions.

Reference price:

Domestic price (RMB yuan)

Specification and Model of Rod price of 2nd landing plus fee per landing of passenger elevator

1000kg AC two-speed collective-selective control	49,590	3,630
1500kg AC two-speed collective-selective control	57,020	3,920

Export price (in 1987, U. S. dollar)

Specification and Model Rod price of 2nd landing plus fee per landing of passenger elevator

1000kg AC two-speed collective-selective control	14,382	941
1500kg AC two-speed collective-selective control	15,726	941

Add.: Xiajin Qiao, Fang Qiao Rd., Suzhou, Jiang Su Province

Director: Mr. Li Hui

Tel.: 731434, 731412(exchange)

Cabl.: 4599

Telex.: 363017 SEWSX CN

Salesman: Zhu Jian-Yin

表 1 Table 1 乘客 电梯规格性能表 The Specification Performance of Lift

型号 Model	载重量 Lift(kg)	载人数 Passenger Number	速度 Speed (m/s)	拖动方式 Trail Pattern	控制形式 Control Method	厅门形式 Form of Hall Door	轿门形式 Form of Car door
TKJ1000/1.0-JX	1000	14	1.0	交流	集选·信号	中分式	中分式
TKJa1000/1.0-JX				交流调速	集选		
TKJ1000/1.6-JX			1.6				
TKJ1500/1.0-JX	1500	21	1.0	交流			


表 2 Table 2 电梯外型尺寸 The Overall Dimentions of Lift

轿 厢 Car		井道 Lift shaft		机房 Machine shop				门 宽 Door Widch (E)	顶 层 高 Top Floor Height	底 坑 深 Pit Dept
				单台 Shingle		双台 Double				
A	B	C	D	R	T	R	T			
1800	1600	2300	2150	4000	4500	5500	6500	1000	4500	1400
									5000	1800
2100	1850	2600	2400	4500	4500	6000	6500	1100	4500	1400



表 3 Table 3 曳引机性能表 The Performance of Traction Machine

电机型号 Motor Type	功率 Power (kW)	电流 Current (A)	转速 Rotating Speed	速比 Speed Ratio	模数 Modulus	节模比 Pitch Modulusd Ratio	曳引轮直径 Trail Wheel Diameter	曳引绳直径 Pitch Diameter of Trail Rop
JTD-2	11.2	30.6	1000/250	2: 61	7	9	620	13
JTTD-2ZL	18.5	42		2: 75	8		820	16
DTD-560	15	39.7					760	13


说明: 该客梯复盖500kg客梯(TKJ500/1.0-XH)。




F-F
井道剖面图



井道平面图




机房平面图



厅门立面图

22	841
21	810
20	779
19	746
18	717
17	686
16	655
15	620
14	585
13	550
12	515
11	480
10	445
9	410
8	375
7	340
6	305
5	270
4	235
3	200
2	165
1	130
层站	指层灯、留孔W



乘客电梯井道、机房布置图



顶层端站地面


底层端站地面

F—F
井道剖面图




井道平面图(右开门)

井道平面图(左开门)




机房平面图

12	585
11	610
10	570
9	580
8	535
7	530
6	480
5	460
4	405
3	350
层站	指层轿
面孔W	



厅门立面图

病床电梯井道、机房布置图



货梯轿厢内景




轿厢内局部



乘客电梯



病床电梯



2000kg 货梯

苏州电梯厂

Suzhou Elevator Works

客梯安装 1500 kg 1m/s交流双速集选

XK21—091—0003

Installation of passenger elevator

1500 kg 1m/s AC two-speed collective-selective control

苏州电梯厂是国家建设部定点电梯生产厂，是全国机械重点企业，专业生产电梯已有14年历史。工厂现有职工1000余人，工程技术人员96人，占地面积91100m²，建筑面积50000多m²，建有10000m²的金工装配车间、3600m²的电控车间、3800m²的钣金车间、5000m²的结构件车间以及高达70m的电梯试验塔。1987年末固定资产1162万元。工厂有精良的加工设备以及曳引机负荷试验台、电气控制柜试验台，保证了每台电梯的出厂质量。

该厂设有电梯安装维修科，下设安装队和维修队，持有安装许可证，安装力量强，由工程技术人员和专业考核合格的技工组成。具有14年的电梯安装历史，能确保每台电梯的安装质量。1986年该厂安装队为南京玄武饭店安装了由美国西屋电梯公司和苏州电梯厂合作生产的2.5米/秒高速群控电梯，运行状况一直良好。

国内安装 参考价格 (人民币: 元)

电梯价格的12%左右, (根据离本厂距离、交通便利程度而定)

地址: 江苏省苏州市枫桥路下津桥

厂长: 李辉

电话: 731434 731412总机

电挂: 4599

电传: 363017 SEWSZ CN

销售科长: 朱建银

The Suzhou Elevator Works is designated by the Ministry of Construction as an elevator manufacturer. It is also a key machinery enterprise in China. The works has been engaged in elevator production for 14 years. It has a staff of over 1000 employees, including 96 engineers and technicians. The works occupies an area of 91,100 sq.m, including working building of 50,000 sq.m, electrical control unit workshop of 3600 sq.m, assembly workshop of 10,000 sq.m, the panel-pressing workshop of 3800 sq.m, the structure parts workshop of 5000 sq.m and the elevator testing tower of 70 metres in height. The works-owned fixed assets is as much as 11.62 millions yuan (RMB) in 1987. It has a complete set of machines and equipments for elevator production and its test. The test and the quality control systems are full equipped with the state-of-the-art toolings to monitor the performance of elevators at every stage of production.

The works possesses the Installation & Maintenance Crews in its Elevator Installation & Maintenance Division. They have been licensed for installation. The Division consists of technicians and skilled workers who have passed the technical examinations. Further, the crews have over 14 years of experience in installation and can offer the best service quality for every elevator set. In 1986, the crews installed a group-control elevator of 2.5m/shigh speed, manufactured cooperatively by Elevator Co., U.S. and Suzhou Elevator Works, for Xuanwu hotel in Nangjing. This elevator has run very well.

Reference price:

The installation fee in domestic market is ranged within 12 percent of the elevator cost and may subject to change due to some factors.

Addr.: Xiajin Qian, Feng Qian Rd., Suzhou, Jiang Su province

Director: Mr. Li Hui

Tel.: 731434, 731412(exchange)

Cabl.: 4599

Telex.: 363017 SEWSZ CN

Salesman: Zhu Jian-Yin

北京首都电梯厂电梯安装队

The Elevator Installation Crew of the Beijing Capital Elevator Works

客梯安装 1000 kg 1m/s交流双速集选

XK21—091—0008

Installation of passenger elevator

1000 kg 1m/s AC two-speed collective-selective control

首都电梯厂电梯安装队是一支技术力量雄厚, 经验丰富、服务周到的安装、维修、保养队伍。

安装队具有20多年的电梯安装历史, 安装工作遍及全国20多个省、市、自治区的各大宾馆、饭店、机关企事业单位。维修保养工作24小时昼夜服务。配有先进的通信设备和交通工具, 随叫随到, 使用户得到满意的服务。

以先进的技术, 精湛的安装工艺, 可靠的质量, 竭诚为用户提供第一流服务, 是我们电梯安装队的一贯宗旨。

安装参考价格:

按电梯造价的12~15%收取

地址: 北京市朝阳区东大桥中纺街3号

负责人: 苏德海

电话: 59, 5316

The Elevator Installation Crew of Capital Elevator Works is a installation and maintenance group noted for its high qualified technical personnel, rich experience and good service.

The crew has more than 20 years of experiences in elevator installation.

The undertaken projects cover many hotels, guest-houses, enterprises and institutions throughout over 20 provinces, cities and autonomous regions in China.

The crew offers maintenance service from day to night. It has been equipped with advanced means of communication and transportation for providing good service to customers in time.

The aim of the crew is at offering the first-class service to customers with advanced technology, excellent process and reliable quality.

Reference price:

The installation fee is ranged within 12-15 percent of the elevator cost

Addr.: No.3 Zhongfang st., Dong Da Qao, Beijing

Director: Mr. Su De-Hai

Tel.: 595316

天津奥的斯电梯有限公司

The Tianjin OTIS Elevator Company Ltd

客梯 1000kg 1.75m/s交流调速 集选 微机 XK21—091—0009

Passenger Elevator

1000kg, 1.75m/s, AC adjustable speed/collective-selective control, microprocessor-controlled

中国天津奥的斯电梯有限公司, 是天津电梯公司和拥有雄厚经济实力的中国国际信托投资公司与世界电梯工业技术的先导者——美国OTIS电梯公司, 于1984年12月合资经营的公司。

天津是我国电梯制造业的发源地和先导者, 迄今已有30余年的历史。天津电梯早已誉满国内外。合营后, 天津OTIS电梯, 采用了国际先进的管理体制, 引进了世界先进技术、高效能的专用设备和先进的检测装置。公司设有产品开发机构、培训中心和科研基地, 拥有当今世界同类建筑物居第三位, 高达111米的电梯试验塔, 可同时试验四台超高速电梯。

本公司自成配套体系, 它制造的交流双速电梯、交流调速电梯、高速电梯、自动扶梯等行销国内外。公司在全国主要大城市均设分支机构, 经营电梯销售、安装和维修业务, 随时向用户提供优质服务。

天津OTIS电梯, 技术先进, 制造精良, 安全可靠, 赢得海内外用户的信赖, 它将源源涌入国际市场, 矗立于世界电梯之林。

地址: 天津市河西区解放南路

负责人: 马惠霖 王云起

电话: 281305 281642

电报: 2748

电传: 282803

销售负责人: 周德培 刘群

参考价格

Reference Price:

型号(层/站) Model(floor/stop)	载重量 Lift(kg)	内销(人民币元) Price domestic(RMB)	外销(美元) Price export(\$)
TOEC 40 12/12	800	207,900	40,800
	1000	213,900	42,200
TOEC 10 14/14	630	127,800	28,400
	800,1000	129,000	28,700
TOEC 2 6/6	630	64,700	14,400
	800,1000	66,600	14,800

上述为标准层站参考价格, 价格随层站而变化

the above prices are for the standard landings and may subject to change with the stops.

The Tianjin OTIS Elevator Company Ltd., China, was established in Dec. 1984 is a joint venture operated by three well-known companies: Tienjing Elevator Company, China International Trust and Investment Company with abundant capital and OTIS Elevator Company, U.S., a leading enterprise of elevator technology over the world.

As the antecedent and the pioneer of chinese elevator manufacturer, Tianjin Elevator Company is well-known at home and abroad after 30 years of its development.

Having been a joint venture, the Tianjin OTIS Elevator Company introduced the advanced technology, test instruments, special equipments and complete administration system.

The company has set up the Development Department of Products, a Center of Technical Training and the Research Base. It owns a test tower of elevator with 111m in high, which can simultaneously test 4 sets of superhigh-speed elevators.

The elevators products of the company, such as AC two-speed, AC adjustable speed, high speed-elevators and auto-staircase, sells well at home and abroad.

The company has set up its branches over the major cities of China to engage in sale, installation and maintenance of elevators and also to provide good service to the customers whenever they need.

The Tianjin OTIS Elevator Company have got the trust from the customers at home and abroad with its advanced technology, outstanding quality, safety and reliability. The Tianjin OTIS's products will enter into the international market and tower aloft on elevator industry of the world.

Add.: South Jiafang Rd., Hexi District, Tianjin

Managers: Mr. MA Hui-Lin, Mr. WANG Yun-Qi

Tel.: 281305, 281642, 283821

Cabl.: 2748

Telex: 282803

Salesmen: Zhou De-Kai, Lou Qun

表 1 Table 1 TOEC-40 电梯规格性能表 The Specification Performance of Lift

型号 Model	载重量 Lift(kg)	载人数 Passenger Number	速度 Speed (m/s)	拖动方式 Trail Pattern	控制形式 Control Method	厅门形式 Form of Hall Door	轿门形式 Form of Car door
TOEC 40	800	11	1.0	交流调速	全集选 微机	中分	中分
	1000	13	1.75				

表 2 Table 2 电梯外型尺寸 The Overall Dimentions of Lift

轿 厢 Car		井道 Lift shaft		机房 Machine shop				门 宽 Door Widch	顶 层 高 Top Floor Height	底 坑 深 Pit Depth
				单台 Shingle		双台 Double				
B	L	B	L	B	L	B	L			
1350	1400	1900	2200	5100	3100			800	4000	2000
		4050				5100	5100			
1600		2100		5100	3100			900	4200	
		4450				5100	5450			

表 3 Table 3 曳引机性能表 The Performance of Traction Machine

电机型号 Motor Type	功率 Power (kW)	电流 Current (A)	转速 Rotating Speed	速比 Speed Ratio	模数 Modulus	节模比 Pitch Modulusd Ratio	曳引轮直径 Trail Wheel Diameter	曳引绳直径 Pitch Diameter of Trail Rop
T17LB	15	33	1326	25	6, 244	10, 17	630	13
T15LB	11		1344, 1326	38; 25			540, 630	
T14LB	7.5		1344	38			540	