

KIRK-OTHMER
ENCYCLOPEDIA
OF CHEMICAL
TECHNOLOGY

Third Edition

SUPPLEMENT VOLUME

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

SUPPLEMENT VOLUME

**ALCOHOL FUELS
TO
TOXICOLOGY**

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO • SINGAPORE

Copyright © 1984 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:

Main entry under title:

Encyclopedia of chemical technology.

At head of title: Kirk-Othmer.

"A Wiley-Interscience publication."

Includes bibliographies.

1. Chemistry, Technical—Dictionaries. I. Kirk, Raymond Eller, 1890–1957. II. Othmer, Donald Frederick, 1904—
- III. Grayson, Martin. IV. Eckroth, David. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1978 660'.03 77-15820
ISBN 0-471-89214-9

Printed in the United States of America

KIRK-OTHMER
ENCYCLOPEDIA
OF CHEMICAL
TECHNOLOGY

Third Edition

SUPPLEMENT VOLUME

Alcohol Fuels
to
Toxicology

EDITORIAL BOARD

HERMAN F. MARK

Polytechnic Institute of New York

DONALD F. OTHMER

Polytechnic Institute of New York

CHARLES G. OVERBERGER

University of Michigan

GLENN T. SEABORG

University of California, Berkeley

EXECUTIVE EDITOR

MARTIN GRAYSON

EDITOR

DAVID ECKROTH

EDITORIAL STAFF FOR SUPPLEMENT VOLUME

Executive Editor: **Martin Grayson**

Editor: **David Eckroth**

Production Supervisor: **Michalina Bickford**

Editors: **Joyce Brown** **Caroline L. Eastman** **Carolyn Golojuch**
 Anna Klingsberg **Mimi Wainwright**

CONTRIBUTORS TO SUPPLEMENT VOLUME

E. J. Anderson, *Central States Consulting, Louisville, Kentucky, Conveying*

Bryan Ballantyne, *Union Carbide Corporation, South Charleston, West Virginia, Toxicology*

Alan Bleier, *Massachusetts Institute of Technology, Cambridge, Massachusetts, Colloids*

Allan Brown, *Beecham Research Laboratories, Betchworth, Surrey, UK, Antibiotics, β -lactams, clavulanic acid, thienamycin, and others*

Thomas H. Burgess, *Fischer-Porter Company, Warminster, Pennsylvania, Flow measurement*

D. A. Carlson, *University of Florida, Gainesville, Florida, Repellents*

Peter Cervoni, *Lederle Laboratories, American Cyanamid Company, Pearl River, New York, Cardiovascular agents*

Christopher M. Cimarusti, *Squibb Institute for Medical Research, Princeton, New Jersey, Antibiotics, β -lactams, monobactams*

David A. Clark, *Pfizer Inc., Groton, Connecticut, Opioids, endogenous*

- G. Collin**, *Rütgerswerke AG, Duisberg, FRG*, Coal chemicals and feedstocks, carbonization and coking
- B. Cornils**, *Ruhrchemie AG, Oberhausen, FRG*, Coal chemicals and feedstocks, gasification
- John Davis**, *NASA, Hampton, Virginia*, Composites, high performance
- J. Elks**, *Glaxo Pharmaceuticals Ltd., Glaxo Group Research Ltd., Greenford, Middlesex, UK*, Antibiotics, β -lactams, cephalosporins and penems
- J. Falbe**, *Ruhrchemie AG, Oberhausen, FRG*, Coal chemicals and feedstocks, gasification
- C. D. Frohning**, *Ruhrchemie AG, Oberhausen, FRG*, Coal chemicals and feedstocks, gasification
- Robert Geyer**, *Harvard University, Cambridge, Massachusetts*, Blood-replacement preparations
- Edward Hohmann**, *California State Polytechnic Institute, Pomona, California*, Heat exchange technology, network synthesis
- Alfons Jankowski**, *Ruhrkohle Oel und Gas GmbH, Bottrop, FRG*, Coal chemicals and feedstocks from hydrogenation
- Ernest Jaworski**, *Monsanto Company, St. Louis, Missouri*, Genetic engineering
- M. Ross Johnson**, *Pfizer Inc., Groton, Connecticut*, Opioids, endogenous
- Keith Johnston**, *University of Texas, Austin, Texas*, Supercritical fluids
- Donald L. Klass**, *Institute of Gas Technology, Chicago, Illinois*, Alcohol fuels
- Georg Kölling**, *Bergbau-Forschung GmbH, Essen, FRG*, Coal chemicals and feedstocks, introduction and from hydrogenation
- Fong M. Lai**, *Lederle Laboratories, American Cyanamid Company, Pearl River, New York*, Cardiovascular agents
- Josef Langhoff**, *Ruhrkohle Oel und Gas GmbH, Bottrop, FRG*, Coal chemicals and feedstocks from hydrogenation
- G. Löhnert**, *Ruetgers-Nease Chemical Company, State College, Pennsylvania*, Coal chemicals and feedstocks, carbonization and coking
- Peter Luckie**, *The Pennsylvania State University, University Park, Pennsylvania*, Size separation
- Robert D. Lundberg**, *Exxon Research and Engineering Company, Linden, New Jersey*, Ionomers
- Tom Mix**, *Merix Corporation, Babson Park, Massachusetts*, Separations, low energy
- Booker Morey**, *Telic Technical Services, Bedford, Massachusetts*, Dewatering
- Douglas R. Morton, Jr.**, *The Upjohn Company, Kalamazoo, Michigan*, Prostaglandins
- D. J. Nagel**, *Naval Research Laboratory, Washington, D.C.*, Plasma technology
- Richard Neerken**, *The Ralph M. Parsons Company, Pasadena, California*, Pumps
- Cynthia O'Callaghan**, *Glaxo Pharmaceuticals Ltd., Glaxo Group Research Ltd., Greenford, Middlesex, UK*, Antibiotics, β -lactams, cephalosporins and penems
- G. D. Parfitt**, *Carnegie-Mellon University, Pittsburgh, Pennsylvania*, Dispersion of powders in liquids
- Paul Patterson**, *Cyanamid Canada Inc., Toronto, Canada*, Guanidine and guanidine salts
- K. Porter**, *ICI Fibres, Harrogate, North Yorkshire, UK*, Fibers, multicomponent
- W. Portz**, *Hoechst AG, Knapsack, FRG*, Coal chemicals and feedstocks, carbide production
- James E. Potts**, *Union Carbide Corporation, Bound Brook, New York*, Plastics, environmentally degradable
- George Prokopakis**, *Columbia University, New York, New York*, Azeotropic and extractive distillation

- Curt W. Reimann**, *National Bureau of Standards, Washington, D.C.*, Analytical methods
- E. Eugene Stauffer**, *The Ansul Company, Marinette, Wisconsin*, Fire-extinguishing agents
- D. Steinmeyer**, *Monsanto Inc., St. Louis, Missouri*, Process energy conservation
- Richard B. Sykes**, *Squibb Institute for Medical Research, Princeton, New Jersey*, Antibiotics, β -lactams, monobactams
- David Tiemeier**, *Monsanto Company, St. Louis, Missouri*, Genetic engineering
- Aaron Twerski**, *Hofstra Law School, Hempstead, New York*, Product liability
- L. van Zelst**, *Museum of Fine Arts, Boston, Massachusetts*, Fine art examination and conservation
- Rance A. Velapoldi**, *National Bureau of Standards, Washington, D.C.*, Analytical methods
- Masaaki Yamabe**, *Asahi Glass Company, Ltd., Yokohama, Japan*, Perfluorinated ionomer membranes

PREFACE

The third edition of the *Encyclopedia of Chemical Technology* spans the alphabet from Abherents to Zone refining with 1293 articles in the period 1978–1983. The purposes of the Supplement volume are to update some of the articles that appeared in volumes 1 to 24, add some topics on recent developments, add a few articles that the editors forgot to include, and broaden the horizons of chemical technology. The primary purpose of the Supplement volume is to describe subjects that in recent years have undergone changes of a fundamental character rather than to make minor additions to all of the articles that have appeared in the 24 volumes. The 39 articles in the Supplement volume are in alphabetical order and contain cross references to the original articles as well as to those in this volume. The full cumulative index to be published in a few months will cover all of the articles in the Encyclopedia including those in this Supplement volume.

NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named β -phenylethylamine or, as in *Chemical Abstracts*, benzenethanamine. The usefulness of the *Encyclopedia* depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the *Chemical Abstracts* index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-, $C_8H_{17}N$; in the *Encyclopedia* this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline, and Toxline.


In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Registry numbers for each substance are provided in the third edition cumulative index and appear as well in the annual indexes (eg, Alkaloids shows the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates have their Registry Numbers shown only in the index). Articles such as Analytical methods, Batteries and electric cells, Chemurgy, Distillation, Economic evaluation, and Fluid mechanics have no Registry Numbers in the text.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of *(S)-2-propylpiperidine*, *aniline* instead of *benzenamine*, and *acrylic acid* instead of *2-propenoic acid*).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure appears in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin, [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers the aim is to help the reader have a concise means of substance identification.

CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

SI Units (Adopted 1960)

A new system of measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

BASE UNITS

length	meter [†] (m)
mass [‡]	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature [§]	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

[†] The spellings "metre" and "litre" are preferred by ASTM; however "-er" are used in the Encyclopedia.

[‡] "Weight" is the commonly used term for "mass."

[§] Wide use is made of "Celsius temperature" (t) defined by

$$t = T - T_0$$

where T is the thermodynamic temperature, expressed in kelvins, and $T_0 = 273.15$ K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

SUPPLEMENTARY UNITS

plane angle
solid angle

radian (rad)
steradian (sr)

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2–4). Those derived units having special names and symbols are marked with an asterisk in the list below:

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	m/s ²	
*activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	km ²	
	square hectometer	hm ²	ha (hectare)
	square meter	m ²	
*capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m ³	
*conductance	siemens	S	A/V
current density	ampere per square meter	A/m ²	
density, mass density	kilogram per cubic meter	kg/m ³	g/L; mg/cm ³
dipole moment (quantity)	coulomb meter	C·m	
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m ³	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m ²	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electron volt [†]	eV [†]	
	kilowatt hour [†]	kW·h [†]	
energy density	joule per cubic meter	J/m ³	

[†] This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
*force	kilonewton	kN	
	newton	N	kg·m/s ²
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m ² ·K)	
*illuminance	lux	lx	lm/m ²
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m ²	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m ²
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt watt	kW W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m ²	
*pressure, stress	megapascal kilopascal pascal	MPa kPa Pa	N/m ²
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m ³ /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second kilometer per hour	m/s km/h	
viscosity, dynamic	pascal second millipascal second	Pa·s mPa·s	
viscosity, kinematic	square meter per second square millimeter per second	m ² /s mm ² /s	

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
volume	cubic meter	m ³	
	cubic decimeter	dm ³	L(liter) (5)
	cubic centimeter	cm ³	mL
wave number	1 per meter	m ⁻¹	
	1 per centimeter	cm ⁻¹	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication

<i>factor</i>	<i>Prefix</i>	<i>Symbol</i>	<i>Note</i>
10 ¹⁸	exa	E	
10 ¹⁵	peta	P	
10 ¹²	tera	T	
10 ⁹	giga	G	
10 ⁶	mega	M	
10 ³	kilo	k	
10 ²	hecto	h ^a	^a Although hecto, deka, deci, and centi are SI prefixes, their use should be avoided except for SI unit-multiples for area and volume and nontechnical use of centimeter, as for body and clothing measurement.
10	deka	da ^a	
10 ⁻¹	deci	d ^a	
10 ⁻²	centi	c ^a	
10 ⁻³	milli	m	
10 ⁻⁶	micro	μ	
10 ⁻⁹	nano	n	
10 ⁻¹²	pico	p	
10 ⁻¹⁵	femto	f	
10 ⁻¹⁸	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors in Vol. 23.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-79(4) and ANSI Z210.1-1976 (6).

Conversion Factors to SI Units

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
acre	square meter (m ²)	4.047 × 10 ³
angstrom	meter (m)	1.0 × 10 ^{-10†}
are	square meter (m ²)	1.0 × 10 ^{2†}
astronomical unit	meter (m)	1.496 × 10 ¹¹
atmosphere	pascal (Pa)	1.013 × 10 ⁵
bar	pascal (Pa)	1.0 × 10 ^{5†}
barn	square meter (m ²)	1.0 × 10 ^{-28†}
barrel (42 U.S. liquid gallons)	cubic meter (m ³)	0.1590

[†] Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
Bohr magneton (μ_B)	J/T	9.274×10^{-24}
Btu (International Table)	joule (J)	1.055×10^3
Btu (mean)	joule (J)	1.056×10^3
Btu (thermochemical)	joule (J)	1.054×10^3
bushel	cubic meter (m^3)	3.524×10^{-2}
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184 [†]
centipoise	pascal second (Pa·s)	$1.0 \times 10^{-3}\dagger$
centistokes	square millimeter per second (mm^2/s)	1.0 [†]
cfm (cubic foot per minute)	cubic meter per second (m^3/s)	4.72×10^{-4}
cubic inch	cubic meter (m^3)	1.639×10^{-5}
cubic foot	cubic meter (m^3)	2.832×10^{-2}
cubic yard	cubic meter (m^3)	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10}\dagger$
debye	coulomb-meter (C·m)	3.336×10^{-30}
degree (angle)	radian (rad)	1.745×10^{-2}
denier (international)	kilogram per meter (kg/m)	1.111×10^{-7}
	tex [‡]	0.1111
dram (apothecaries')	kilogram (kg)	3.888×10^{-3}
dram (avoirdupois)	kilogram (kg)	1.772×10^{-3}
dram (U.S. fluid)	cubic meter (m^3)	3.697×10^{-6}
dyne	newton (N)	$1.0 \times 10^{-5}\dagger$
dyne/cm	newton per meter (N/m)	$1.0 \times 10^{-3}\dagger$
electron volt	joule (J)	1.602×10^{-19}
erg	joule (J)	$1.0 \times 10^{-7}\dagger$
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m^3)	2.957×10^{-5}
foot	meter (m)	0.3048 [†]
footcandle	lux (lx)	10.76
furlong	meter (m)	2.012×10^{-2}
gal	meter per second squared (m/s^2)	$1.0 \times 10^{-2}\dagger$
gallon (U.S. dry)	cubic meter (m^3)	4.405×10^{-3}
gallon (U.S. liquid)	cubic meter (m^3)	3.785×10^{-3}
gallon per minute (gpm)	cubic meter per second (m^3/s)	6.308×10^{-5}
	cubic meter per hour (m^3/h)	0.2271
gauss	tesla (T)	1.0×10^{-4}
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m^3)	1.183×10^{-4}
grad	radian	1.571×10^{-2}
grain	kilogram (kg)	6.480×10^{-5}
gram-force per denier	newton per tex (N/tex)	8.826×10^{-2}
hectare	square meter (m^2)	$1.0 \times 10^{4}\dagger$

† Exact.

‡ See footnote on p. xvi.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
horsepower (550 ft·lbf/s)	watt (W)	7.457×10^2
horsepower (boiler)	watt (W)	9.810×10^3
horsepower (electric)	watt (W)	$7.46 \times 10^{2\dagger}$
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	$2.54 \times 10^{-2\dagger}$
inch of mercury (32°F)	pascal (Pa)	3.386×10^3
inch of water (39.2°F)	pascal (Pa)	2.491×10^2
kilogram-force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6 [†]
kip	newton (N)	4.48×10^3
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter (cd/m ²)	3.183×10^3
league (British nautical)	meter (m)	5.559×10^3
league (statute)	meter (m)	4.828×10^3
light year	meter (m)	9.461×10^{15}
liter (for fluids only)	cubic meter (m ³)	$1.0 \times 10^{-3\dagger}$
maxwell	weber (Wb)	$1.0 \times 10^{-8\dagger}$
micron	meter (m)	$1.0 \times 10^{-6\dagger}$
mil	meter (m)	$2.54 \times 10^{-5\dagger}$
mile (statute)	meter (m)	1.609×10^3
mile (U.S. nautical)	meter (m)	$1.852 \times 10^3\dagger$
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	1.0×10^2
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^{2\dagger}$
minute (angular)	radian	2.909×10^{-4}
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	2.835×10^{-2}
ounce (troy)	kilogram (kg)	3.110×10^{-2}
ounce (U.S. fluid)	cubic meter (m ³)	2.957×10^{-5}
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m ³)	8.810×10^{-3}
pennyweight	kilogram (kg)	1.555×10^{-3}
pint (U.S. dry)	cubic meter (m ³)	5.506×10^{-4}
pint (U.S. liquid)	cubic meter (m ³)	4.732×10^{-4}
poise (absolute viscosity)	pascal second (Pa·s)	0.10 [†]
pound (avoirdupois)	kilogram (kg)	0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	newton (N)	4.448
pound force per square inch (psi)	pascal (Pa)	6.895×10^3
quart (U.S. dry)	cubic meter (m ³)	1.101×10^{-3}
quart (U.S. liquid)	cubic meter (m ³)	9.464×10^{-4}
quintal	kilogram (kg)	$1.0 \times 10^{2\dagger}$

[†] Exact.