

Heat and Mass Transfer in Rotating Machinery

Edited by

Darryl E. Metzger

Naim H. Afgan

TK124
M1

8564807

HEAT AND MASS TRANSFER IN ROTATING MACHINERY

Edited by

Darryl E. Metzger

Department of Mechanical and Aerospace Engineering
Arizona State University, Tempe

and

Naim H. Afgan

International Centre for Heat and Mass Transfer
Belgrade, Yugoslavia



E8564807

HEMISPHERE PUBLISHING CORPORATION

Washington New York London

DISTRIBUTION OUTSIDE NORTH AMERICA

SPRINGER-VERLAG

Berlin Heidelberg New York Tokyo

7002858
084838

HEAT AND MASS TRANSFER IN ROTATING MACHINERY

Copyright © 1984 by Hemisphere Publishing Corporation. All rights reserved.

Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

1 2 3 4 5 6 7 8 9 B C B C 8 9 8 7 6 5 4 3

Library of Congress Cataloging in Publication Data

Main entry under title:

Heat and mass transfer in rotating machinery.

(Proceedings of the International Centre for Heat and Mass Transfer; 16)

"Papers from the XIV symposium of the International Centre for Heat and Mass Transfer, held September 1982 in Dubrovnik, Yugoslavia."—Pref.

Bibliography: p.

Includes index.

1. Heat—Transmission—Congresses. 2. Mass transfer—Congresses. 3. Turbomachines—Congresses. I. Metzger, Darryl E., date. III. Afgan, Naim. III. International Center for Heat and Mass transfer.

TJ260.H385 1984 621.402'2 83-12595

ISBN 0-89116-294-1 Hemisphere Publishing Corporation

ISSN 0272-880X

DISTRIBUTION OUTSIDE NORTH AMERICA:

ISBN 3-540-12976-6 Springer-Verlag Berlin

HEAT AND MASS TRANSFER IN ROTATING MACHINERY

1. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
2. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
3. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
4. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
5. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
6. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
7. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
8. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
9. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
10. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
11. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
12. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
13. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
14. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
15. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
16. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
17. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.
18. Holman, J. P. *Heat Transfer*. McGraw-Hill, 1976.

**PROCEEDINGS OF THE INTERNATIONAL CENTRE FOR HEAT
AND MASS TRANSFER**
ZORAN P. ZARIĆ, EDITOR
C. L. TIEN, SENIOR CONSULTING EDITOR

1. Afgan and Schlünder **Heat Exchangers: Design and Theory Sourcebook** 1974
2. Afgan and Beer **Heat Transfer in Flames** 1974
3. Blackshear **Heat Transfer in Fires: Thermophysics, Social Aspects, Economic Impact** 1974
4. deVries and Afgan **Heat and Mass Transfer in the Biosphere: Transfer Processes in Plant Environment** 1975
5. Denton and Afgan **Future Energy Production Systems: Heat and Mass Transfer Processes** 1976
6. Hartnett **Alternative Energy Sources** 1976
7. Spalding and Afgan **Heat Transfer and Turbulent Buoyant Convection: Studies and Applications for Natural Environment, Buildings, Engineering Systems** 1977
8. Zarić **Thermal Effluent Disposal from Power Generation** 1978
9. Hoogendoorn and Afgan **Energy Conservation in Heating, Cooling, and Ventilating Buildings: Heat and Mass Transfer Techniques and Alternatives** 1978
10. Durst, Tsiklauri, and Afgan **Two-Phase Momentum, Heat and Mass Transfer in Chemical, Process, and Energy Engineering Systems** 1979
11. Spalding and Afgan **Heat and Mass Transfer in Metallurgical Systems** 1981
12. Jones **Nuclear Reactor Safety Heat Transfer** 1981
13. Bankoff and Afgan **Heat Transfer in Nuclear Reactor Safety** 1982
14. Zarić **Structure of Turbulence in Heat and Mass Transfer** 1982
15. Taborek, Hewitt, and Afgan **Heat Exchangers: Theory and Practice** 1982
16. Metzger and Afgan **Heat and Mass Transfer in Rotating Machinery** 1984
17. Afgan **Measurement Techniques in Power Engineering** 1984
18. Soloukhin and Afgan **Heat and Mass Transfer Measurement Techniques** 1984

Preface

This volume contains papers from the XIV Symposium of the International Centre for Heat and Mass Transfer, held September 1982 in Dubrovnik, Yugoslavia.

The symposium was organized to focus attention on heat and mass transfer processes especially associated with rotating machinery components. The understanding of such processes plays an increasingly significant role in the continued development of many different types of rotating machinery.

The objective of the Dubrovnik meeting was to bring together researchers and practitioners in a forum for exchange of information both on research topics and on design problems and strategies. Contributed papers were organized into sessions on generic research areas and on specific types of machines. The same general format has been followed in arranging this volume, although in some cases papers span more than a single category and placement is therefore somewhat arbitrary.

The editors would like to acknowledge the contribution of the following organizing committee members and session chairmen: G. Bois, Ecole Centrale de Lyon, France; M. E. Elovic, General Electric Company, USA; B. Gal'Or, The Technion, Israel; M. Hirata, University of Tokyo, Japan; M. Majcen, University of Zagreb, Yugoslavia; P. J. Marto, U.S. Naval Postgraduate School, USA; R. E. Mayle, Rensselaer Polytechnic Institute, USA; W. D. Morris, University of Hull, UK; J. M. Owen, University of Sussex, UK; D. B. Spalding, Imperial College of Science and Technology, UK; S. L. K. Wittig, University of Karlsruhe, FRG; C. H. Wu, Engineering Thermophysics Research Institute, People's Republic of China.

Darryl E. Metzger
Chairman, Symposium Committee

Naim H. Afgan
Scientific Secretary, ICHMT

Contents

8564807

Preface ix

ROTATING TUBES AND CHANNELS



Secondary Flows and Enhanced Heat Transfer in Rotating Pipes and Ducts
Y. Mori and W. Nakayama 3

An Experimental Study of Turbulent Heat Transfer in a Tube which Rotates
about an Orthogonal Axis
W. D. Morris and T. Ayhan 25

An Experimental Study of Flow and Heat Transfer in a Duct Rotating
about a Parallel Axis
P. L. Stephenson 39

Pressure Loss Measurements in Circular Ducts which Rotate about a Parallel Axis
A. R. Johnson and W. D. Morris 51

Turbulent Flow and Heat Transfer in Rotating Channels and Tubes
*V. Y. Mityakov, R. R. Petropavlovsky, V. V. Ris, E. M. Smirnov,
and S. A. Smirnov* 63

The Effect of Mass Forces on Heat Transfer in Turbine Rotor Blades and on Hydraulic
Resistance in Cooling Channels
V. P. Pochuev, M. E. Tsarlin, and V. F. Sherbakov 71

ROTATING SURFACES AND ENCLOSURES

Fluid Flow and Heat Transfer in Rotating Disc Systems
J. M. Owen 81

Turbulent Flow between a Rotating Disk and a Stationary Wall with Heat Transfer
J. W. Polkowski 105

Experiments on Friction, Velocity and Pressure Distribution of Rotating Discs
G. Dibelius, F. Radtke, and M. Ziemann 117

Convection in a Rotating Annular Cavity
G. de Vahl Davis, E. Leonardi, and J. A. Reizes 131

Mass Transfer in the Annulus between Two Coaxial Rotating Cylinders
K. Kataoka, Y. Bitou, K. Hashioka, T. Komai, and H. Doi 143

Analysis of Heat Transfer from a Rotating Cylinder with Circumferential Fins
S. V. Patankar and J. Y. Murthy 155

Experimental Studies on Diabatic Flow in an Annulus with Rough Rotating Inner Cylinder

K. V. C. Rao and V. M. K. Sastri 167

Numerical Study of Friction on Enclosed Rotating Perforated Discs with Forced Through-Flow

W. J. Yang and J. H. Wang 179

Study of the Turbulent Field inside the Blade to Blade Channel of a Radial Compressor

J. P. Bertoglio, H. Salaun, and D. Jeandel 189

An Experimental Investigation and Some Analytical Considerations Concerning the Vaporous/Gaseous Cavity Characteristics of an Eccentric Shaft Seal or Bearing

M. J. Braun and R. C. Hendricks 201

Temperature and Thermal Stress Field in a Rotating Water Spray Cooled Roller Supporting a Hot Slab

B. Lindorfer and G. Hofer 215

EXPERIMENTAL TECHNIQUES

Design of Wide-Bandwidth Analogue Circuits for Heat Transfer Instrumentation in Transient Tunnels

M. L. G. Oldfield, H. J. Burd, and N. G. Doe 233

A Composite Constant Heat Flux Test Surface

G. J. DiElsi and R. E. Mayle 259

General Analysis of the Operation of a Sampling Probe for Velocity and Concentration Measurements in Two-Phase Flows

G. Benvenuto and M. Troilo 269

Laser-Doppler- and Laser-Dual-Focus Measurements in Laminar and Fully Turbulent Boundary Layers

S. Eriksen, Kh. Sakbani, and S. L. K. Wittig 281

Analysis of the Uncertainties in Velocity Measurements with Triple Hot-Wire Probes

M. N. Frota and R. J. Moffat 293

The Simulation and Design of Heat-Transfer Experiments on a Rotating Cylindrical Cavity Rig

C. A. Long and J. M. Owen 307

Steam Condensate Droplet Evolution: Experimental Results

R. A. Kantola and P. V. Heberling 321

Temperature Measurement Techniques and Their Application on Gas Turbine Rotor Heat Transfer Research

W. Kühn and U. Stöcker 337

GAS TURBINES

Heat Transfer Problems in Aero-Engines

D. K. Hennecke 353

Fundamental Heat Transfer Research for Gas Turbine Engines: NASA Workshop Overview

D. E. Metzger 381

Rotating Machinery Heat and Mass Transfer Research in the People's Republic of China

C.-H. Wu, S.-Y. Ko, L. Dengyun, S. Jiarui, and X. Jing-zhong 397

Heat Transfer to Turbine Blading

W. J. Priddy and F. J. Bayley 427

Development of Computational Model for Full-Coverage Film Cooling

T. Takahashi, N. Kasagi, M. Hirata, M. Kumada, and I. Ohnaka 439

Measurements of Film Cooling Effectiveness and Heat Transfer on a Flat Plate

H. Kruse 451

Two-Phase Heat Transfer in Gas Turbine Bucket Cooling Passages: Part 1

J. C. Dudley, R. E. Sundell, W. W. Goodwin, and D. M. Kercher 463

Two-Phase Heat Transfer in Gas Turbine Bucket Cooling Passages: Part 2

R. E. Sundell, J. C. Dudley, C. M. Grondahl, and D. M. Kercher 473

Critical Gas Turbine Blade Tip Clearance: Heat Transfer Analysis and Experiment

D. M. Evans and B. Glezer 485

Effects of Initial Crossflow Temperature on Turbine Cooling with Jet Arrays

L. W. Florschuetz and D. E. Metzger 499

STEAM TURBINES

Some Heat and Mass Transfer Problems in Steam Turbines

M. Majcen 513

Wet Steam in Turbines

G. Dibelius and K. Mertens 539

Steam Condensate Droplet Evolution: Experimental Technique

R. A. Kantola 553

Prediction of Blade Erosion in Wet Steam Turbines

G. Benvenuto and M. Troilo 569

Comments on the Influence of Trace Elements on Nucleation Rates of Steam

W. Studziński, R. A. Zahoransky, S. L. K. Wittig, and G. H. Speigel 583

Latter Stage Condensing Turbine Rotor Blade Trailing Edge Erosion	
<i>B. Staniša and M. Džeko</i>	595

ROTATING HEAT PIPES AND THERMOSYPHONS

Rotating Heat Pipes

<i>P. J. Marto</i>	609
--------------------	-----

Optimum Charge of Working Fluids in Horizontal Rotating Heat Pipes

<i>W. Nakayama, Y. Ohtsuka, H. Itoh, and T. Yoshikawa</i>	633
---	-----

A Proposed Regenerative Thermosyphon Blade Cooling System for High Efficiency Gas Turbines

<i>M. A. El-Masri</i>	645
-----------------------	-----

Application of Disk-Shaped Rotating Heat Pipe to Brake Cooling

<i>S. Maezawa, M. Takuma, and A. Tsuchida</i>	659
---	-----

Heat Transfer in Rotating Co-Axial and Parallel Heat Pipes and Their Applications in Machinery

<i>J. Schneller, B. Pokorný, and F. Poláček</i>	669
---	-----

Heat Pipe Cooled Twin Airfoil Blade as an Element for Higher Efficiency of Longlife Gas Turbine

<i>M. Majcen and N. Šarunac</i>	689
---------------------------------	-----

Index	701
-------	-----

ROTATING TUBES AND CHANNELS

Secondary Flows and Enhanced Heat Transfer in Rotating Pipes and Ducts

Y. MORI

Department of Physical Engineering
Tokyo Institute of Technology
Meguro-ku, O-okayama, Tokyo, Japan

W. NAKAYAMA

Mechanical Engineering Research Laboratory
Hitachi, Ltd.
Kandatsu, Tsuchiura, Ibaraki, Japan

ABSTRACT

The objective of this paper is to give a general review of secondary flows and enhanced heat transfer in rotating pipes and ducts. The secondary flows are caused by body forces such as Coriolis force, that are caused by density variation in a centrifugal field or the resultant of that by density in a centrifugal field and centrifugal force due to curvature of a duct. Heat transfer in rotating ducts is enhanced by the secondary flow and its performance varies with the shape of the duct cross-section and the intensity and orientation of the body force.

Based on these understandings, theoretical and experimental works on featuring secondary flows and heat transfer performances in rotating and revolving pipes and ducts are summarized. As theoretical ones, the two analytical methods and numerical works are explained and their results are compared with experiments. Data for helium and two phase flows are shown as getting attractive, but more work in these fields is required in the future.

NOMENCLATURE

a : radius of pipe or characteristic length of pipe (m)
 C_p : isobaric specific heat (J/kg K)
 F : body force (Pa/m)
 f : nondimensional body force, or friction factor
 G : temperature distribution in the cross-section
 g : nondimensional temperature = G/τ_a
 K : dynamical parameter
 k : thermal conductivity (W/(m·K))
 Nu : Nusselt number
 P : pressure (Pa)
 P : nondimensional pressure = $(a^2/v^2)(P/\rho)$
 Pr : Prandtl number
 R : radius of curvature (m)
 Ra : Rayleigh number
 Re : Reynolds number
 r : radial coordinate (m)
 T : temperature (K)
 T_w : wall temperature (K)
 \vec{v} : velocity vector (m/s)
 U, V, W : components of \vec{v} in X, Y and Z directions (m/s)

u, v, w : nondimensional velocity = $(U, V, W) \times (a/v)$
 X : axial coordinate (m)
 Y : coordinate in the body force direction (m)
 Z : coordinate in the cross-section (m)
 x, y, z : nondimensional coordinate = $(X, Y, Z) \times (1/a)$
 β : expansion coefficient (1/K)
 δ : boundary layer thickness (m)
 η : nondimensional radial coordinate = r/a
 μ : viscosity (Pa s)
 ν : kinematic viscosity = μ/ρ (m^2/s)
 ρ : density (kg/m^3)
 τ : temperature gradient in the axial direction (K/m)
 ψ : angular coordinate in the cross-section (rad.)
 Ω : angular velocity (1/s)
 ω : nondimensional angular velocity = $2a^2\Omega/\nu$
 κ : thermal diffusivity (m^2/s)

Superscript

$\bar{}$: mean value in Z direction
 $'$: perturbed component by secondary flow

Suffix

δ : outer edge of boundary layer
 1 : main flow

Other Symbols

$\langle \rangle$: mean value in Y-Z section

1. INTRODUCTION

Heat transfer in rotating ducts and pipes has become a subject of great importance for engineers in various industries. Research works on coolant flow and heat transfers in turbine blades have been intensified with the aim of raising the operating temperature of gas turbines. As the electric generator in power stations has increased in capacity, cooling of the rotating field windings has called for important design consideration. Recently, the research and development of a superconducting generator is being carried out in several countries, for which the flow of liquid helium in the cryogenic rotor is an important research subject. Besides those advanced technologies, conventional rotating machines also pose cooling problems as they are housed in noiseproof or dustproof containers.

Those diverse industrial needs have motivated the present authors to conduct theoretical and experimental studies in the past years. This paper presents a summary of our works, together with an updated review of the works made by other investigators.

In the coolant passages of rotating systems, the fluid is subject to a centrifugal force or a Coriolis force. Those forces, where they act in the direction of fluid passage, either accelerate or retard the flow. Where the forces act in the transverse direction to the flow, they cause secondary flows, which increase the heat transfer coefficient on the passage wall and the resistance to a coolant flow. The secondary flows are the most distinguishing phenomena in heat transfers in rotating pipes and ducts, and are our primary concern




Fig. 1 Principal orientation of rotating and revolving duct flows

	radial rotating duct	parallel revolving duct	circumferential revolving duct
source of body force	Coriolis force acting on a primary velocity	density variation in a centrifugal field	density variation in a centrifugal field + centrifugal force due to curvature of duct
dynamical parameter	$Re \cdot \omega = (W_{md}/\nu) \cdot (2a^2\Omega/\nu)$	$Ra = R\Omega^2\beta\Delta Ta^3/\kappa\nu$	$Ra = R\Omega^2\beta\Delta Ta^3/\kappa\nu$ $Re\sqrt{a/R} = \left(\frac{W_{md}}{\nu}\right)\sqrt{\frac{a}{R}}$

Table 1 Body forces and dynamical parameters for single-phase flow

in the present paper, because they pose challenging problems to researchers and the accurate estimate of their effects on heat transfer performances is important for cooling system designs.

Fig. 1 shows three principal orientations of flow passage against the axis of rotation taking a circular pipe as a representative passage. We call those passages (a) a radial rotating duct, (b) a parallel revolving duct, and (c) a circumferential revolving duct. A coolant passage in real rotating machines is equivalent to any of those ducts, or it is formed by joining them in a series of bends. The body forces of primary importance which cause secondary flows are listed in Table 1. For single phase flows, the dynamical parameters listed in Table 1 signify the intensity of secondary flows. They and conventional parameters of Reynolds number, Prandtl number and Graetz number make up a set of parameters needed to define flow and temperature fields.

As for the cross-sectional geometry of the coolant passage, the configurations of practical importance are those illustrated in Fig. 2, (a) circular, (b) square, and (c) narrow rectangular. In general, the body force F acts in any direction depending on the posture of a cross-section with respect to the axis of rotation. However, the practically important directions of forces are those of Fig. 2.




Fig. 2 Cross-section of flow passage and action of body force

In the following section 2, the fundamental cases of fully developed flows will be discussed. That is followed by a summary of recent numerical studies. In the section 3, the experimental works will be reviewed. The section 4 is devoted to a review of recent works on two-phase cooling schemes.

2. SINGLE-PHASE FLOW AND HEAT TRANSFER — THEORY

Equation of momentum and energy for the flow under the influence of a body force \vec{F} are shown by equations (1) and (2);

$$\rho(\vec{V} \cdot \nabla)\vec{V} = -\nabla P + \mu \nabla^2 \vec{V} + \vec{F} \quad (1)$$

$$\rho c_p (\vec{V} \cdot \nabla)T = k \nabla^2 T \quad (2)$$

respectively, where \vec{V} is the velocity vector, T the temperature, P the pressure, and other notations are listed in NOMENCLATURE. The assumption of constant physical properties is adopted for the sake of simplicity to explain the features of secondary flow in rotating ducts.

Equation (1) is resolved into the equation for a primary flow (velocity component u) and those for secondary flow (v, w). In the cases of a radial rotating duct and a circumferential revolving duct, the momentum equation is solved taking the body force into account except the effects of physical property variation due to temperature distributions. On the other hand for a parallel revolving duct, the energy and momentum equations are coupled through the body force term. In order to solve a set of those coupled equations, one must resort to either one of the following analytical methods.

- (1) Perturbation method.
- (2) Boundary layer method.
- (3) Energy balance and Entropy balance methods.
- (4) Direct numerical integration by either finite difference methods or finite element methods.

The perturbation method suits the analysis of flows in circular pipes accompanied by weak secondary flows. Fig. 3(a) shows the secondary flow pattern, the axial velocity and temperature distributions displaced only slightly from the axially symmetric distributions. When the secondary flow is caused with a considerable intensity, the velocity and temperature distributions are distorted

remarkably from symmetric ones, as shown in Fig. 3(b). In such cases, the boundary layer modeling proves to be a powerful analytical tool, and this has been used extensively by the present authors for laminar as well as turbulent flows [1, 2, 3, 4]. For the cross-sectional geometries of square and rectangle, the perturbation method is difficult to apply because the expansion in terms of the perturbation parameters becomes complex. The boundary layer method requires a rather complex modeling. The method of more integral nature based on the balance of energy and entropy was proposed to handle the problems of square and rectangular ducts [5]. The above analytical methods have merits in yielding concise and general correlations among friction factors, heat transfer coefficients and the dynamical parameters. The recent advances in numerical analysis described later on have given a well founded proof to the boundary layer modeling, and also provide one with detailed features of flow and temperature fields. Numerical analyses have successfully correlated the results obtained by perturbation methods for small dynamical parameter and boundary layer method for large parameter.

In what follows, the dynamical parameter will be denoted by ϵ or K for the sake of conciseness. It should be noted, however, although equations can be formulated in such general terms, quantitative results differ for different cases. This is also pointed out experimentally by Trefethen, as quoted in [6]. Recently, progresses for numerical analysis have been extending the applicable region of numerical results to large dynamical parameter for which so far the boundary layer method has been only the way of analysis of secondary flows. However, it should be noted that the boundary layer method can produce general relations for secondary flows when numerical analysis is not easily applicable.

2.1. Fully-Developed Flows with Weak Secondary Flows

(1) Perturbation method. For laminar and fully developed flows, the non-dimensionalization of equations (1) and (2) leads to expansion of the velocity components and the temperature in terms of a dynamical parameter listed in Table 1, denoted here by ϵ to signify the smallness of the parameter. In terms of the characteristic length a , the kinematic viscosity ν , the non-dimensional




Fig. 3 Secondary flow pattern and distributions of axial velocity and temperature