

3 27650

E601



METHODS OF MATHEMATICAL PHYSICS

By R. COURANT and D. HILBERT

First English edition
Translated and Revised from the German Original

VOLUME I





19



5

INTERSCIENCE PUBLISHERS, INC., NEW YORK INTERSCIENCE PUBLISHERS LTD., LONDON

九六五年 四月 三·曹

Copyright 1937 by Julius Springer, Berlin vested in the Attorney General of the United States, pursuant to law. Manufactured and sold under License A-1556 Copyright 1953 by Interscience Publishers, Inc.

Library of Congress Catalog Card Number 53-7164

First	Printi	ng.		•		٠	٠							1953	
Secor	nd Prin	ting	Z											1955	

Interscience Publishers, Inc., 250 Fifth Ave., New York 1, N. Y.

For Great Britain and Northern Ireland:
Interscience Publishers Ltd., London
PRINTED IN THE UNITED STATES OF AMERICA

PREFACE

The first German edition of this volume was published by Julius Springer, Berlin, in 1924. A second edition, revised and improved with the help of K. O. Friedrichs, R. Luneburg, F. Rellich, and other unselfish friends, followed in 1930. The second volume appeared in 1938. In the meantime I had been forced to leave Germany and was fortunate and grateful to be given the opportunities open in the United States. During the Second World War the German book became unavailable and later was even suppressed by the National Socialist rulers of Germany. Thus the survival of the book was secured when the United States Government seized the copyright and licensed a reprint issued by Interscience Publishers, New York. Such a license also had to be obtained from the Alien Property Custodian for the present English edition.

This edition follows the German original fairly closely but contains a large number of additions and modifications. I have had to postpone a plan to completely rewrite and modernize the book in collaboration with K. O. Friedrichs, because the pressure for publication of an English "Courant-Hilbert" has become irresistible. Even so, it is hoped that the work in its present form will be useful to mathematicians and physicists alike, as the numerous demands from all sides seem to indicate.

The objective of the book can still today be expressed almost as in the preface to the first German edition. "Since the seventeenth century, physical intuition has served as a vital source for mathematical problems and methods. Recent trends and fashions have, however, weakened the connection between mathematics and physics; mathematicians, turning away from the roots of mathematics in intuition, have concentrated on refinement and emphasized the postulational side of mathematics, and at times have overlooked the unity of their science with physics and other fields. In many cases, physicists have ceased to appreciate the attitudes of mathematicians. This rift is unquestionably a serious threat to science as a whole; the broad stream of scientific development may split into smaller and

smaller rivulets and dry out. It seems therefore important to direct our efforts toward reuniting divergent trends by clarifying the common features and interconnections of many distinct and diverse scientific facts. Only thus can the student attain some mastery of the material and the basis be prepared for further organic development of research.

"The present work is designed to serve this purpose for the field of mathematical physics. Mathematical methods originating in problems of physics are developed and the attempt is made to shape results into unified mathematical theories. Completeness is not attempted, but it is hoped that access to a rich and important field will be facilitated by the book.

"The responsibility for the present book rests with me. Yet the name of my teacher, colleague, and friend, D. Hilbert, on the title page seems justified by the fact that much material from Hilbert's papers and lectures has been used, as well as by the hope that the book expresses some of Hilbert's spirit, which has had such a decisive influence on mathematical research and education."

I am greatly indebted to many helpers in all phases of the task of preparing this edition: to Peter Ceike, Ernest Courant, and Anneli Lax, who provided most of the first draft of the translation; to Hanan Rubin and Herbert Kranzer, who have given constructive criticism; to Wilhelm Magnus, who is responsible for the appendix to Chapter VII; and to Natascha Artin and Lucile Gardner, who carried the burden of the editorial work. Most cordial thanks also are due to Interscience Publishers for their patient and helpful attitude and to my old friend and publisher, Dr. Ferdinand Springer in Heidelberg, the great pioneer of modern scientific publishing, for his sympathetic understanding of the situation, which has so greatly changed since the old days of our close cooperation.

R. COURANT

New Rochelle, New York June 1953

I.	The Algebra of Linear Transformations and Quadratic Forms	1
	§1. Linear equations and linear transformations. 1. Vectors	1
	2. Orthogonal systems of vectors. Completeness	3
	3. Linear transformations. Matrices	5
	4. Bilinear, quadratic, and Hermitian forms	11
	5. Orthogonal and unitary transformations	
	§2. Linear transformations with a linear parameter.	14
	83 Transformation to principal area of analystic and II.	17
	§3. Transformation to principal axes of quadratic and Hermitian	-
	forms.	23
	1. Transformation to principal axes on the basis of a maximum	
	principle	23
	2. Eigenvalues	26
	3. Generalization to Hermitian forms	28
	4. Inertial theorem for quadratic forms	28
	5. Representation of the resolvent of a form	29
	6. Solution of systems of linear equations associated with	
	forms	30
	§4. Minimum-maximum property of eigenvalues	31
	1. Characterization of eigenvalues by a minimum-maximum	
	problem	31
	2. Applications. Constraints	33
	§5. Supplement and problems	34
	1. Linear independence and the Gram determinant	34
	2. Hadamard's inequality for determinants	36
	3. Generalized treatment of canonical transformations	37
	4. Bilinear and quadratic forms of infinitely many variables.	41
	5. Infinitesimal linear transformations	41
	6. Perturbations	42
	7. Constraints	44
	8. Elementary divisors of a matrix or a bilinear form	
	9. Spectrum of a unitary matrix	45
	References	46
	References	47
II.	Series Expansions of Arbitrary Functions	48
	§1. Orthogonal systems of functions	49
	1. Definitions	49
	2. Orthogonalization of functions	50
	3. Bessel's inequality. Completeness relation. Approximation	-
	in the mean	

	4. Orthogonal and unitary transformations with infinitely	
	many variables	5
	5. Validity of the results for several independent variables.	
	More general assumptions.	56
	6. Construction of complete systems of functions of several	
82	variables.	56
34	The accumulation principle for functions.	57
83	Convergence in function space Measure of independence and dimension number	57
90	1. Measure of independence	61
	Measure of independence Asymptotic dimension of a sequence of functions	61
84.	Weierstrass's approximation theorem. Completeness of powers	63
0 -	and of trigonometric functions	
	1. Weierstrass's approximation theorem.	65
	2. Extension to functions of several variables	65
	3. Simultaneous approximation of derivatives	68
	4. Completeness of the trigonometric functions	68
§5.	Fourier series	68 69
	1. Proof of the fundamental theorem	69
	2. Multiple Fourier series	73
	3. Urder of magnitude of Fourier coefficients	74
	4. Change in length of basic interval	74
	5. Examples	74
§6.	The Fourier integral	77
	1. The fundamental theorem	77
	2. Extension of the result to several variables	79
	3. Reciprocity formulas	80
§7.	Examples of Fourier integrals	81
§8.	Legendre polynomials	82
	1. Construction of the Legendre polynomials by orthogonaliza-	
	of the powers $1, x, x^2, \dots$	82
	2. The generating function	85
	3. Other properties of the Legendre polynomials	86
	(a) Recursion formula	
	(b) Differential equation	
go.	(c) Minimum property	
99.	Examples of other orthogonal systems	87
	1. Generalization of the problem leading to Legendre poly-	
	nomials	87
	2. Tchebycheff polynomials.	88
	3. Jacobi polynomials	90
	4. Hermite polynomials	91
	5. Laguerre polynomials.	93
10	6. Completeness of the Laguerre and Hermite functions	95
10.	Supplement and problems	97
	Hurwitz's solution of the isoperimetric problem Reciprocity formulas.	97
	Reciprocity formulas The Fourier integral and convergence in the mean	98
	o. The rounce litterial and convergence in the mean	90

ix

		4. Spectral decomposition by Fourier series and integrals	99
		5. Dense systems of functions	100
		6. A Theorem of H. Müntz on the completeness of powers	102
		7. Fejér's summation theorem	102
		8. The Mellin inversion formulas	103
		9. The Gibbs phenomenon	105
		10. A theorem on Gram's determinant	
		11. Application of the Lebesgue integral	
	Refe	rences	111
III.	Lin	ear Integral Equations	112
	81	Introduction	119
	31.	1. Notation and basic concepts	
		2. Functions in integral representation	112
		3. Degenerate kernels	110
	82	Fredholm's theorems for degenerate kernels	115
	83	Fredholm's theorems for arbitrary kernels	110
	84	Symmetric kernels and their eigenvalues	199
	81.	1. Existence of an eigenvalue of a symmetric kernel	
		2. The totality of eigenfunctions and eigenvalues	126
		3. Maximum-minimum property of eigenvalues	
	85.	The expansion theorem and its applications	134
	00.	1. Expansion theorem	
		2. Solution of the inhomogeneous linear integral equation	
		3. Bilinear formula for iterated kernels	
		4. Mercer's theorem	
	86.	Neumann series and the reciprocal kernel	140
	87.	The Fredholm formulas	149
	§8.	Another derivation of the theory	147
	0	1. A lemma	147
		2. Eigenfunctions of a symmetric kernel	148
		3. Unsymmetric kernels	150
		4. Continuous dependence of eigenvalues and eigenfunctions on	100
		the kernel	
	§ 9.	Extensions of the theory	152
	§10.	Supplement and problems for Chapter III	153
		1. Problems	1.53
		2. Singular integral equations	154
		3. E. Schmidt's derivation of the Fredholm theorems	155
		4. Enskog's method for solving symmetric integral equations.	156
		5. Kellogg's method for the determination of eigenfunctions	156
		6. Symbolic functions of a kernel and their eigenvalues	
		7. Example of an unsymmetric kernel without null solutions	157
		8. Volterra integral equation	158
		9. Abel's integral equation	158
		10. Adjoint orthogonal systems belonging to an unsymmetric	
		kernel	159
		11. Integral equations of the first kind	159

X

	12. Method of infinitely many variables	
	13. Minimum properties of eigenfunctions	
	14. Polar integral equations	
	15. Symmetrizable kernels	161
	16. Determination of the resolvent kernel by functional equa-	
9	tions	162
	17. Continuity of definite kernels	162
	18. Hammerstein's theorem	162
	References	162
IV.	The Calculus of Variations	
	§1. Problems of the calculus of variations	101
	1. Maxima and minima of functions	
	2. Functionals	
	3. Typical problems of the calculus of variations	
	4. Characteristic difficulties of the calculus of variations	
	§2. Direct solutions	
	1. The isoperimetric problem	
	2. The Rayleigh-Ritz method. Minimizing sequences	175
	3. Other direct methods. Method of finite differences. In-	
	finitely many variables	176
	4. General remarks on direct methods of the calculus of varia-	
	tions	
	§3. The Euler equations	
	1. "Simplest problem" of the variational calculus	
	2. Several unknown functions	
	3. Higher derivatives	
	4. Several independent variables	
	5. Identical vanishing of the Euler differential expression	
	6. Euler equations in homogeneous form	196
	7. Relaxing of conditions. Theorems of du Bois-Reymond and	
	Haar	
	8. Variational problems and functional equations	
	§4. Integration of the Euler differential equation	
	§5. Boundary conditions	
	1. Natural boundary conditions for free boundaries	
	2. Geometrical problems. Transversality	
	§6. The second variation and the Legendre condition	
	§7. Variational problems with subsidiary conditions	
	1. Isoperimetric problems	216
	2. Finite subsidiary conditions	
	3. Differential equations as subsidiary conditions	221
	§8. Invariant character of the Euler equations	222
	1. The Euler expression as a gradient in function space. In-	
	variance of the Euler expression	
	2. Transformation of Δu. Spherical coordinates	224
	3. Ellipsoidal coordinates	

	§9. Transformation of variational problems to canonical and in-	
	volutory form	231
	1. Transformation of an ordinary minimum problem with sub-	
	sidiary conditions	231
	2. Involutory transformation of the simplest variational prob-	
	lems	233
	3. Transformation of variational problems to canonical form.	220
	4. Generalizations	
	\$10 Wester and and and the different of the state of the	24 0
	§10. Variational calculus and the differential equations of mathe-	
	matical physics	
	1. General remarks	242
	2. The vibrating string and the vibrating rod	244
	3. Membrane and plate	246
	§11. Reciprocal quadratic variational problems	252
	§12. Supplementary remarks and exercises	
	1. Variational problem for a given differential equation	
	2. Reciprocity for isoperimetric problems	
	3. Circular light rays	
	4. The problem of Didg	200
	5. Everyles of problems in space	200
	5. Examples of problems in space	258
	6. The indicatrix and applications	258
	7. Variable domains	260
	8. E. Noether's theorem on invariant variational problems.	
	Integrals in particle mechanics	262
	9. Transversality for multiple integrals	266
	10. Euler's differential expressions on surfaces	267
	11. Thomson's principle in electrostatics	267
	12. Equilibrium problems for elastic bodies. Castigliano's prin-	
	ciple	268
	13. The variational problem of buckling	279
	References	
	200 0100000	214
V.	Vibration and Eigenvalue Problems	275
	§1. Preliminary remarks about linear differential equations	275
	1. Principle of superposition	275
	2. Homogeneous and nonhomogeneous problems. Boundary	
	conditions	277
	3. Formal relations. Adjoint differential expressions. Green's	
	formulas	
	4. Linear functional equations as limiting cases and analogues	
	of systems of linear equations	
	§2. Systems of a finite number of degrees of freedom	991
	1. Normal modes of vibration. Normal coordinates. General	201
	theory of motion	282
	2. General properties of vibrating systems	285
	§3. The vibrating string	
	1. Free motion of the homogeneous string	. 287

	2. Forced motion	289
	3. The general nonhomogeneous string and the Sturm-Liou-	
	ville eigenvalue problem	291
§4.	The vibrating rod	295
§5.	The vibrating membrane	297
0	1. General eigenvalue problem for the homogeneous membrane	297
	2. Forced motion	300
	3. Nodal lines	300
	4. Rectangular membrane	300
	5. Circular membrane. Bessel functions	
	6. Nonhomogeneous membrane	306
§6.	The vibrating plate	307
	1. General remarks	307
	2. Circular boundary	307
87.	General remarks on the eigenfunction method	308
	1. Vibration and equilibrium problems	308
	2. Heat conduction and eigenvalue problems	311
§8.	Vibration of three-dimensional continua. Separation of vari-	
	ables	313
§ 9.	Eigenfunctions and the boundary value problem of potential	
	theory	315
	1. Circle, sphere, and spherical shell	315
	2. Cylindrical domain	
	3. The Lamé problem	
§10.	Problems of the Sturm-Liouville type. Singular boundary	
	points	324
	1. Bessel functions	324
	2. Legendre functions of arbitrary order	325
	3. Jacobi and Tchebycheff polynomials	327
	4. Hermite and Laguerre polynomials	328
11.	The asymptotic behavior of the solutions of Sturm-Liouville	
	equations	331
	1. Boundedness of the solution as the independent variable	
	tends to infinity	331
	2. A sharper result. (Bessel functions)	332
	3. Boundedness as the parameter increases	334
	4. Asymptotic representation of the solutions	335
	5. Asymptotic representation of Sturm-Liouville eigenfunc-	
	tions	336
12.	Eigenvalue problems with a continuous spectrum	339
	1. Trigonometric functions	
	2. Bessel functions	340
	3. Eigenvalue problem of the membrane equation for the in-	
	finite plane	
	4. The Schrödinger eigenvalue problem	
13.	Perturbation theory	343

1. Simple eigenvalues	344
2. Multiple eigenvalues	346
3. An example	348
§14. Green's function (influence function) and reduction of differen-	
tial equations to integral equations	351
1. Green's function and boundary value problem for ordinary	
differential equations	351
2. Construction of Green's function; Green's function in the	
2. Construction of Green's function, Green's function in the	354
generalized sense	250
3. Equivalence of integral and differential equations	260
4. Ordinary differential equations of higher order	204
5. Partial differential equations	303
§15. Examples of Green's function	3/1
1. Ordinary differential equations	371
2. Green's function for Δu: circle and sphere	377
3. Green's function and conformal mapping	377
4. Green's function for the potential equation on the surface	
of a sphere	378
5. Green's function for $\Delta u = 0$ in a rectangular parallelepiped.	378
6. Green's function for Δu in the interior of a rectangle	384
7. Green's function for a circular ring	386
§16. Supplement to Chapter V	388
1. Examples for the vibrating string	388
2. Vibrations of a freely suspended rope; Bessel functions	390
3. Examples for the explicit solution of the vibration equa-	
tion. Mathieu functions	391
4. Boundary conditions with parameters	392
5. Green's tensors for systems of differential equations	393
6. Analytic continuation of the solutions of the equation	
$\Delta u + \lambda u = 0.$	305
7. A theorem on the nodal curves of the solutions of Δu +	000
7. A theorem on the nodal curves of the solutions of \(\Delta a \)	205
$\lambda u = 0$	395
8. An example of eigenvalues of infinite multiplicity	205
9. Limits for the validity of the expansion theorems	393
References	390
VI. Application of the Calculus of Variations to Eigenvalue Problems	397
§1. Extremum properties of eigenvalues	398
1. Classical extremum properties	398
2. Generalizations	402
3. Eigenvalue problems for regions with separate components.	
4. The maximum-minimum property of eigenvalues	405
\$2. General consequences of the extremum properties of the eigen-	- 100
values	407
1. General theorems	TUI

	2. Infinite growth of the eigenvalues	412
	3. Asymptotic behavior of the eigenvalues in the Sturm-Liou-	
	ville problem	44 4
	4. Singular differential equations	412
	5. Further remarks concerning the growth of eigenvalues	
	Occurrence of negative eigenvalues	410
	o. Continuity of eigenvalues	410
	33. Completeness and expansion theorems	191
	1. Completeness of the eigenfunctions	191
	2. The expansion theorem	100
	o. Generalization of the expansion theorem	107
	34. Asymptotic distribution of eigenvalues	490
	1. The equation $\Delta u + \lambda u = 0$ for a rectangle	490
	2. The equation $\Delta u + \lambda u = 0$ for domains consisting of a finite	440
	number of squares or cubes	401
	3. Extension to the general differential equation $L[u] + \lambda \rho u =$	431
	0	40.4
	4. Asymptotic distribution of eigenvalues for an arbitrary	434
	domain	100
	5. Sharper form of the laws of asymptotic distribution of	436
	eigenvalues for the differential equation $\Delta u + \lambda u = 0$	
	§5. Eigenvalue problems of the Schrödinger type	443
	\$6. Nodes of eigenfunctions	445
	§7. Supplementary remarks and problems.	451
	1. Minimizing properties of eigenvalues. Derivation from	455
	completeness	
	2. Characterization of the first eigenfunction by absence of	455
	nodes	450
	3. Further minimizing properties of eigenvalues.	458
	4. Asymptotic distribution of eigenvalues	459
	5. Parameter eigenvalue problems.	460
	6. Boundary conditions containing parameters.	460
	7. Eigenvalue problems for closed surfaces.	461
	8. Estimates of eigenvalues when singular points occur	461
	9. Minimum theorems for the membrane and plate	461
	10. Minimum problems for variable mass distribution	463
	11. Nodal points for the Sturm-Liouville problem. Maximum-	463
	minimum principle	400
	References	463
II.	Special Functions Defined by Eigenvalue Problems	466
	\$1. Preliminary discussion of linear second order differential equa-	
	tions	400
	§2. Bessel functions.	100
	1. Application of the integral transformation	107
	2. Hankel functions	108
	3. Bessel and Neumann functions.	109
	4. Integral representations of Bessel functions	171
	B-sa representations of Desset fullculons	1/4

5. Another integral representation of the Hankel and Bessel	
functions	476
6. Power series expansion of Bessel functions	482
7. Relations between Bessel functions	485
8. Zeros of Bessel functions	492
9. Neumann functions	496
§3. Legendre functions	
1. Schläfli's integral	
2. Integral representations of Laplace	
3. Legendre functions of the second kind	504
4. Associated Legendre functions. (Legendre functions of	
higher order.)	505
§4. Application of the method of integral transformation to Le-	
gendre, Tchebycheff, Hermite, and Laguerre equations	506
1. Legendre functions	
2. Tchebycheff functions	507
3. Hermite functions	
4. Laguerre functions	509
§5. Laplace spherical harmonics	
1. Determination of $2n + 1$ spherical harmonics of n-th order	511
2. Completeness of the system of functions	512
3. Expansion theorem	513
4. The Poisson integral	513
5. The Maxwell-Sylvester representation of spherical har-	
monics	514
§6. Asymptotic expansions	
1. Stirling's formula	522
2. Asymptotic calculation of Hankel and Bessel functions for	
large values of the arguments	
3. The saddle point method	526
4. Application of the saddle point method to the calculation of	
Hankel and Bessel functions for large parameter and	
large argument	
5. General remarks on the saddle point method	
6. The Darboux method	532
7. Application of the Darboux method to the asymptotic ex-	
pansion of Legendre polynomials	533
§7. Appendix to Chapter VII. Transformation of Spherical Har-	
monics	
1. Introduction and notation	
2. Orthogonal transformations	
3. A generating function for spherical harmonics	
4. Transformation formula	
5. Expressions in terms of angular coordinates	543
Additional Diblication	E 4 P
Additional Bibliography	047
Tudou	664
Index	.ool

CHAPTER I

The Algebra of Linear Transformations and Quadratic Forms

In the present volume we shall be concerned with many topics in mathematical analysis which are intimately related to the theory of linear transformations and quadratic forms. 'A brief résumé of pertinent aspects of this field will, therefore, be given in Chapter I. The reader is assumed to be familiar with the subject in general.

§1. Linear Equations and Linear Transformations

1. Vectors. The results of the theory of linear equations can be expressed concisely by the notation of vector analysis. A system of n real numbers x_1, x_2, \dots, x_n is called an n-dimensional vector or a vector in n-dimensional space and denoted by the bold face letter \mathbf{x} ; the numbers x_i ($i=1,\dots,n$) are called the components of the vector \mathbf{x} . If all components vanish, the vector is said to be zero or the null vector; for n=2 or n=3 a vector can be interpreted geometrically as a "position vector" leading from the origin to the point with the rectangular coordinates x_i . For n>3 geometrical visualization is no longer possible but geometrical terminology remains suitable.

Given two arbitrary real numbers λ and μ , the vector $\lambda \mathbf{x} + \mu \mathbf{y} = \mathbf{z}$ is defined as the vector whose components z_i are given by $z_i = \lambda x_i + \mu y_i$. Thus, in particular, the sum and difference of two vectors are defined.

The number

(1)
$$\mathbf{x} \cdot \mathbf{y} = x_1 y_1 + \cdots + x_n y_n = y_1 x_1 + \cdots + y_n x_n = \mathbf{y} \cdot \mathbf{x}$$

is called the "inner product" of the vectors x and y.

Occasionally we shall eall the inner product $x \cdot y$ the component of the vector y with respect to x or vice versa.

If the inner product $x \cdot y$ vanishes we say that the vectors x and y are orthogonal; for n = 2 and n = 3 this terminology has an imme-

diate geometrical meaning. The inner product $\mathbf{x} \cdot \mathbf{x} = \mathbf{x}^2$ of a vector with itself plays a special role; it is called the *norm* of the vector. The positive square root of \mathbf{x}^2 is called the *length* of the vector and denoted by $|\mathbf{x}| = \sqrt{\mathbf{x}^2}$. A vector whose length is unity is called a *normalized vector* or *unit vector*.

The following inequality is satisfied by the inner product of two vectors $\mathbf{a} = (a_1, \dots, a_n)$ and $\mathbf{b} = (b_1, \dots, b_n)$:

$$(a \cdot b)^2 \le a^2 b^2$$

or, without using vector notation,

$$\left(\sum_{i=1}^n a_i b_i\right)^2 \leq \left(\sum_{i=1}^n a_i^2\right) \left(\sum_{i=1}^n b_i^2\right),$$

where the equality holds if and only if the a_i and the b_i are proportional, i.e. if a relation of the form $\lambda \mathbf{a} + \mu \mathbf{b} = 0$ with $\lambda^2 + \mu^2 \neq 0$ is satisfied.

The proof of this "Schwarz inequality" follows from the fact that the roots of the quadratic equation

$$\sum_{i=1}^{n} (a_i x + b_i)^2 = x^2 \sum_{i=1}^{n} a_i^2 + 2x \sum_{i=1}^{n} a_i b_i + \sum_{i=1}^{n} b_i^2 = 0$$

for the unknown x can never be real and distinct, but must be imaginary, unless the a_i and b_i are proportional. The Schwarz inequality is merely an expression of this fact in terms of the discriminant of the equation. Another proof of the Schwarz inequality follows immediately from the identity

$$\sum_{i=1}^{n} a_{i}^{2} \sum_{i=1}^{n} b_{i}^{2} - \left(\sum_{i=1}^{n} a_{i} b_{i} \right)^{2} = \frac{1}{2} \sum_{j=1}^{n} \sum_{k=1}^{n} (a_{j} b_{k} - a_{k} b_{j})^{2}.$$

Vectors \mathbf{x}_1 , \mathbf{x}_2 , \cdots , \mathbf{x}_m are said to be *linearly dependent* if a set of numbers λ_1 , λ_2 , \cdots , λ_m (not all equal to zero) exists such that the vector equation

$$\lambda_1 \mathbf{x}_1 + \cdots + \lambda_m \mathbf{x}_m = 0$$

is satisfied, i.e. such that all the components of the vector on the left vanish. Otherwise the vectors are said to be linearly independent.

The *n* vectors \mathbf{e}_1 , \mathbf{e}_2 , \cdots , \mathbf{e}_n in *n*-dimensional space whose com-

¹ This relation was, as a matter of fact, used by Cauchy before Schwarz.

ponents are given, respectively, by the first, second, \cdots , and n-th rows of the array

form a system of n linearly independent vectors. For, if a relation $\lambda_1 \mathbf{e}_1 + \cdots + \lambda_n \mathbf{e}_n = 0$ were satisfied, we could multiply this relation by \mathbf{e}_h and obtain $\lambda_h = 0$ for every h, since $\mathbf{e}_h^2 = 1$ and $\mathbf{e}_h \cdot \mathbf{e}_k = 0$ if $h \neq k$. Thus, systems of n linearly independent vectors certainly exist. However, for any n+1 vectors \mathbf{u}_1 , \mathbf{u}_2 , \cdots , \mathbf{u}_{n+1} (in n-dimensional space) there is at least one linear equation of the form

$$\mu_1 \mathbf{u}_1 + \cdots + \mu_{n+1} \mathbf{u}_{n+1} = 0,$$

with coefficients that do not all vanish, since n homogeneous linear equations

$$\sum_{i=1}^{n+1} u_{ik} \mu_i = 0 \qquad (k = 1, \dots, n)$$

for the n+1 unknowns μ_1 , μ_2 , \cdots , μ_{n+1} always have at least one nontrivial solution (cf. subsection 3).

2. Orthogonal Systems of Vectors. Completeness. The above "coordinate vectors" \mathbf{e}_i form a particular system of orthogonal unit vectors. In general a system of n orthogonal unit vectors $\mathbf{e}_1, \mathbf{e}_2, \cdots, \mathbf{e}_n$ is defined as a system of vectors of unit length satisfying the relations

$$\mathbf{e}_h^2 = 1, \quad \mathbf{e}_h \cdot \mathbf{e}_k = 0 \qquad (h \neq k)$$

for $h, k, = 1, 2, \dots, n$. As above, we see that the n vectors e_1, e_2, \dots, e_n are linearly independent.

If x is an arbitrary vector, a relation of the form

$$c_0 \mathbf{x} - c_1 \mathbf{e}_1 - \cdots - c_n \mathbf{e}_n = 0$$

with constants c_i that do not all vanish must hold; for, as we have seen, any n+1 vectors are linearly dependent. Since the \mathbf{e}_i are linearly independent, c_0 cannot be zero; we may therefore, without

¹To multiply two vectors is to take their inner product.