

Kirk-Othmer

Encyclopedia of Chemical Technology

Third Edition

Volume 2

Alkoxides, Metal to Antibiotics, Peptides

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

VOLUME 2

**ALKOXIDES, METAL
TO
ANTIBIOTICS (PEPTIDES)**

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO

Copyright © 1978 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:

Main entry under title:

Encyclopedia of chemical technology.

At head of title: Kirk-Othmer.

"A Wiley-Interscience publication."

Includes bibliographies.

1. Chemistry, Technical—Dictionaries. I. Kirk, Raymond Eller, 1890–1957. II. Othmer, Donald Frederick, 1904– III. Grayson, Martin. IV. Eckroth, David. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1978 660'.03 77-15820

ISBN 0-471-02038-0

Printed in the United States of America

10 9 8 7 6 5 4 3 2

KIRK-OTHMER
ENCYCLOPEDIA
OF CHEMICAL
TECHNOLOGY

Third Edition

VOLUME 2

Alkoxides, metal
to
Antibiotics (Peptides)

EDITORIAL BOARD

HERMAN F. MARK

Polytechnic Institute of New York

DONALD F. OTHMER

Polytechnic Institute of New York

CHARLES G. OVERBERGER

University of Michigan

GLENN T. SEABORG

University of California, Berkeley

EXECUTIVE EDITOR

MARTIN GRAYSON

ASSOCIATE EDITOR

DAVID ECKROTH

EDITORIAL STAFF FOR VOLUME 2

Executive Editor: **Martin Grayson**

Associate Editor: **David Eckroth**

Production Supervisor: **Michalina Bickford**

Editors: **Galen J. Bushey** **Anna Klingsberg** **Lorraine van Nes**

CONTRIBUTORS TO VOLUME 2

W. A. Anderson, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Aluminum and aluminum alloys

Frederick J. Antosz, *The Upjohn Company, Kalamazoo, Michigan*, Ansamacrolides (under Antibiotics)

Harinath B. Bathina, *Armak Company, McCook, Illinois*, Amides, fatty acid; Fatty amines (under Amines)

Harry H. Beacham, *FMC Corporation, Princeton, New Jersey*, Allyl compounds

Alexander Bloch, *Roswell-Park Memorial Institute, Buffalo, New York*, Nucleosides (under Antibiotics)

Dieter Bretzinger, *Dynamit Nobel A. G., Niederkassel, Federal Republic of Germany*, Alkoxides, metal

W. R. Busler, *Nalco Chemical Company, Chicago, Illinois*, Aluminates (under Aluminum compounds)

- R. H. Chung**, *GAF Corporation, Rensselaer, New York*, Anthraquinone; Anthraquinone derivatives
- Peter J. L. Daniels**, *Schering-Plough Corporation, Bloomfield, New Jersey*, Aminoglycosides (under Antibiotics)
- K. V. Darragh**, *Stauffer Chemical Company, Dobbs Ferry, New York*, Aluminum sulfate and alums (under Aluminum compounds)
- Leonard Doub**, *Warner Lambert-Parke Davis Research Laboratories, Detroit, Michigan*, Sulfonamides (under Antibacterial agents, synthetic)
- Frank F. Ebetino**, *Norwich Pharmacal Company, Division of Morton-Norwich Products, Inc., Norwich, New York*, Nitrofurans (under Antibacterial agents, synthetic)
- Thomas E. Eble**, *The Upjohn Company, Kalamazoo, Michigan*, Lincosaminides (under Antibiotics)
- John Ehrlich**, *Detroit Institute of Technology, Grosse Pointe, Michigan*, Chloramphenicol and analogues (under Antibiotics)
- Russell E. Farris**, *GAF Corporation, Rensselaer, New York*, Aminophenols
- Robert L. Fowlkes**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Lower aliphatic amines (under Amines)
- Ashit K. Ganguly**, *Schering Corp., Bloomfield, New Jersey*, Oligosaccharides (under Antibiotics)
- Kevin E. Gilbert**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Diaminotoluenes (under Amines – Aromatic amines)
- K. P. Goodboy**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Aluminum oxide (Alumina) (under Aluminum compounds)
- W. E. Haupin**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Aluminum and aluminum alloys
- William F. Herbes**, *American Cyanamid Co., Bound Brook, New Jersey*, Amino resins and plastics
- John R. E. Hoover**, *Smith, Kline & French Laboratories, Philadelphia, Pennsylvania*, β -Lactams (under Antibiotics)
- Walter Josten**, *Dynamit Nobel A. G., Rheinselden, Federal Republic of Germany*, Alkoxides, metal
- Henry J. Kehe**, *The B. F. Goodrich Company, Brecksville, Ohio*, Diarylamines (under Amines – Aromatic amines)
- H. G. Klein**, *Klein Medical International, New York, New York*, Survey (under Antibiotics)
- J. J. Koenig**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Aluminum oxide (Alumina) (under Aluminum compounds)
- H. J. Lanson**, *Poly-Chem Resin Corporation, St. Louis, Missouri*, Alkyd resins
- Robert W. Layer**, *The B. F. Goodrich Company, Brecksville, Ohio*, Diarylamines; Phenylenediamines (both under Amines – Aromatic amines)
- Joseph R. Leblanc, Jr.**, *Pullman Kellog, Houston, Texas*, Ammonia
- George Y. Leshner**, *Sterling-Winthrop Research Institute, Rensselaer, New York*, Nalidixic acid and other quinolone carboxylic acids (under Antibacterial agents, synthetic)
- Eric Lifshin**, *General Electric Co., Schenectady, New York*, Analytical methods
- F. E. Luborsky**, *General Electric Co., Schenectady, New York*, Amorphous magnetic materials
- George MacZura**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Aluminum oxide (Alumina) (under Aluminum compounds)
- S. Madhaven**, *Pullman Kellog, Houston, Texas*, Ammonia

- Alan K. Mallams**, *Schering-Plough Corp., Bloomfield, New Jersey*, Macrolides (under Antibiotics)
- Charles M. Marsteller**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Aluminum halides and aluminum nitrate (under Aluminum compounds)
- Joseph H. McMakin**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Lower aliphatic amines (under Amines)
- William F. Michne**, *Sterling-Winthrop Research Institute, Rensselaer, New York*, Analgesics, antipyretics, and anti-inflammatory agents
- Duane D. Miller**, *Ohio State University, Columbus, Ohio*, Anti-asthmatic agents
- Barton Milligan**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Diaminotoluenes (under Amines – Aromatic amines)
- Kenneth Mjos**, *Jefferson Chemical Co., Inc., Austin, Texas*, Cyclic amines (under Amines)
- Sewell T. Moore**, *American Cyanamid Co., Stamford, Connecticut*, Amino resins and plastics
- William M. Moore**, *Dow Chemical U.S.A., Midland, Michigan*, Methylenedianiline (under Amines – Aromatic amines)
- Richard J. Nadolsky**, *Armak Company, McCook, Illinois*, Amine oxides
- Claude H. Nash**, *Smith, Kline & French Laboratories, Philadelphia, Pennsylvania*, β -Lactams (under Antibiotics)
- Jean Northcott**, *Allied Chemical Corp., Buffalo, New York*, Aniline and its derivatives, (under Amines – Aromatic amines)
- A. R. Patel**, *National Cancer Institute, Bethesda, Maryland*, Anesthetics
- D. Perlman**, *University of Wisconsin, Madison, Wisconsin*, Peptides (under Antibiotics)
- Raymond E. Porter**, *Pullman Kellog, Houston, Texas*, Ammonia
- Richard A. Reck**, *Armak Company, Chicago, Illinois*, Amides, fatty acid; Fatty amines (under Amines)
- H. W. B. Reed**, *Imperial Chemical Industries Limited, Middlesbrough, Cleveland, England*, Alkylphenols
- C. L. Rollinson**, *University of Maryland, College Park, Maryland*, Introduction (under Aluminum compounds)
- R. H. Rosenwald**, *Consultant, UOP, Inc., Des Plaines, Illinois*, Alkylation
- Philip B. Roth**, *American Cyanamid Co., Bound Brook, New Jersey*, Amino resins and plastics
- Robert L. Sandridge**, *Mobay Chemical Corp., New Martinsville, West Virginia*, Amines by reduction
- C. E. Schildknecht**, *Gettysburg College, Gettysburg, Pennsylvania*, Allyl monomers and polymers
- Albert E. Schweizer**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Lower aliphatic amines (under Amines)
- Paul Dwight Sherman, Jr.**, *Union Carbide Corporation, South Charleston, West Virginia*, Amyl alcohols
- Harold B. Staley**, *Mobay Chemical Corp., New Martinsville, West Virginia*, Amines by reduction
- Ivor H. Updegraff**, *American Cyanamid Co., Stamford, Connecticut*, Amino resins and plastics
- Glenn H. Warner**, *Union Carbide Corporation, South Charleston, West Virginia*, Aluminum carboxylates (under Aluminum compounds)

x CONTRIBUTORS TO VOLUME 2

Thaddeus E. Whyte, Jr., *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Lower aliphatic amines (under Amines)

Elizabeth A. Williams, *General Electric Co., Schenectady, New York*, Analytical methods

A. Yamamoto, *Kyowa Hakko Kogyo, Ltd., Tokyo, Japan*, Survey (under Amino acids)

Toichi Yoshida, *Ajinomoto Co., Inc., Kawasaki, Kanagawa, Japan*, L-Monosodium glutamate (under Amino acids)

Ronald D. Young, *Tennessee Valley Authority, Muscle Shoals, Alabama*, Ammonium compounds

NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named β -phenylethylamine or, as in *Chemical Abstracts*, benzenethanamine. The usefulness of the Encyclopedia depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the Chemical Abstracts index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-, C₈H₁₇N; in the Encyclopedia this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline, and Toxline.


In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20)sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Registry numbers for each substance will be provided in the third edition index (eg, Alkaloids will show the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates will have their Registry Numbers shown only in the index). Articles such as Absorption, Adsorptive separation, Air conditioning, Air pollution, Air pollution control methods will have no Registry Numbers in the text.

Cross-references have been inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading, or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of *(S)-2-propylpiperidine*, *aniline* instead of *benzenamine*, and *acrylic acid* instead of *2-propenoic acid*).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity will be shown in the Encyclopedia as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure will appear in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin [119-64-2], (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers, the aim is to help the reader have a concise means of substance identification.

CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

SI Units (Adopted 1960)

A new system of metric measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

BASE UNITS

length	meter [†] (m)
mass [‡]	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature [§]	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

[†] The spellings “metre” and “litre” are preferred by ASTM; however, “-er” will be used in the Encyclopedia.

[‡] “Weight” is the commonly used term for “mass.”

[§] Wide use is made of “Celsius temperature” (t) defined by

$$t = T - T_0$$

where T is the thermodynamic temperature, expressed in kelvins, and $T_0 = 273.15$ K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

SUPPLEMENTARY UNITS

plane angle	radian (rad)
solid angle	steradian (sr)

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2–4). Those derived units having special names and symbols are marked with an asterisk in the list below:

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	m/s ²	
*activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	km ²	
	square hectometer	hm ²	ha (hectare)
	square meter	m ²	
*capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m ³	
*conductance	siemens	S	A/V
current density	ampere per square meter	A/m ²	
density, mass density	kilogram per cubic meter	kg/m ³	g/L; mg/cm ³
dipole moment (quantity)	coulomb meter	C·m	
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m ³	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m ²	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electron volt [†]	eV [†]	
	kilowatt hour [†]	kW·h [†]	

[†] This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
energy density	joule per cubic meter	J/m ³	
*force	kilonewton	kN	
	newton	N	kg·m/s ²
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m ² ·K)	
*illuminance	lux	lx	lm/m ²
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m ²	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m ²
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt watt	kW W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m ²	
*pressure, stress	megapascal kilopascal pascal	MPa kPa Pa	N/m ²
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m ³ /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second kilometer per hour	m/s km/h	
viscosity, dynamic	pascal second millipascal second	Pa·s mPa·s	
viscosity, kinematic	square meter per second	m ² /s	

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
	square millimeter		
	per second	mm ² /s	
volume	cubic meter	m ³	
	cubic decimeter	dm ³	L(liter) (5)
	cubic centimeter	cm ³	mL
wave number	1 per meter	m ⁻¹	
	1 per centimeter	cm ⁻¹	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication

<i>factor</i>	<i>Prefix</i>	<i>Symbol</i>	<i>Note</i>
10 ¹⁸	exa	E	
10 ¹⁵	peta	P	
10 ¹²	tera	T	
10 ⁹	giga	G	
10 ⁶	mega	M	
10 ³	kilo	k	
10 ²	hecto	h ^a	^a Although hecto, deka, deci, and centi are
10	deka	da ^a	SI prefixes, their use should be avoided
10 ⁻¹	deci	d ^a	except for SI unit-multiples for area
10 ⁻²	centi	c ^a	and volume and nontechnical use of
10 ⁻³	milli	m	centimeter, as for body and clothing
10 ⁻⁶	micro	μ	measurement.
10 ⁻⁹	nano	n	
10 ⁻¹²	pico	p	
10 ⁻¹⁵	femto	f	
10 ⁻¹⁸	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors which will appear in a later volume of the Encyclopedia.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-76(4) and ANSI Z210.1-1976 (6).

Conversion Factors to SI Units

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
acre	square meter (m ²)	4.047 × 10 ³
angstrom	meter (m)	1.0 × 10 ^{-10†}
are	square meter (m ²)	1.0 × 10 ^{2†}
astronomical unit	meter (m)	1.496 × 10 ¹¹
atmosphere	pascal (Pa)	1.013 × 10 ⁵
bar	pascal (Pa)	1.0 × 10 ^{5†}
barrel (42 U.S. liquid gallons)	cubic meter (m ³)	0.1590
Bohr magneton, μ _B	J/T	9.274 × 10 ⁻²⁴
Btu (International Table)	joule (J)	1.055 × 10 ³

† Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
Btu (mean)	joule (J)	1.056×10^3
Btu (thermochemical)	joule (J)	1.054×10^3
bushel	cubic meter (m ³)	3.524×10^{-2}
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184 [†]
centipoise	pascal second (Pa·s)	$1.0 \times 10^{-3†}$
centistokes	square millimeter per second (mm ² /s)	1.0 [†]
cfm (cubic foot per minute)	cubic meter per second (m ³ /s)	4.72×10^{-4}
cubic inch	cubic meter (m ³)	1.639×10^{-5}
cubic foot	cubic meter (m ³)	2.832×10^{-2}
cubic yard	cubic meter (m ³)	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10†}$
debye	coulomb-meter (C·m)	3.336×10^{-30}
degree (angle)	radian (rad)	1.745×10^{-2}
denier (international)	kilogram per meter (kg/m)	1.111×10^{-7}
	tex [‡]	0.1111
dram (apothecaries')	kilogram (kg)	3.888×10^{-3}
dram (avoirdupois)	kilogram (kg)	1.772×10^{-3}
dram (U.S. fluid)	cubic meter (m ³)	3.697×10^{-6}
dyne	newton (N)	$1.0 \times 10^{-5†}$
dyne/cm	newton per meter (N/m)	$1.00 \times 10^{-3†}$
electron volt	joule (J)	1.602×10^{-19}
erg	joule (J)	$1.0 \times 10^{-7†}$
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m ³)	2.957×10^{-5}
foot	meter (m)	0.3048 [†]
footcandle	lux (lx)	10.76
furlong	meter (m)	2.012×10^2
gal	meter per second squared (m/s ²)	$1.0 \times 10^{-2†}$
gallon (U.S. dry)	cubic meter (m ³)	4.405×10^{-3}
gallon (U.S. liquid)	cubic meter (m ³)	3.785×10^{-3}
gauss	tesla (T)	1.0×10^{-4}
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m ³)	1.183×10^{-4}
grad	radian	1.571×10^{-2}
grain	kilogram (kg)	6.480×10^{-5}
gram force per denier	newton per tex (N/tex) [‡]	8.826×10^{-2}
hectare	square meter (m ²)	$1.0 \times 10^{4†}$
horsepower (550 ft·lbf/s)	watt (W)	7.457×10^2
horsepower (boiler)	watt (W)	9.810×10^3
horsepower (electric)	watt (W)	$7.46 \times 10^{2†}$
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	$2.54 \times 10^{-2†}$
inch of mercury (32°F)	pascal (Pa)	3.386×10^3

† Exact.

‡ See footnote on p. xviii.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
inch of water (39.2°F)	pascal (Pa)	2.491×10^2
kilogram force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6 [†]
kip	newton (N)	4.448×10^3
knot international	meter per second (m/s)	0.5144
lambert	candela per square meter (cd/m ²)	3.183×10^3
league (British nautical)	meter (m)	5.559×10^3
league (statute)	meter (m)	4.828×10^3
light year	meter (m)	9.461×10^{15}
liter (for fluids only)	cubic meter (m ³)	$1.0 \times 10^{-3}\dagger$
maxwell	weber (Wb)	$1.0 \times 10^{-8}\dagger$
micron	meter (m)	$1.0 \times 10^{-6}\dagger$
mil	meter (m)	$2.54 \times 10^{-5}\dagger$
mile (U.S. nautical)	meter (m)	$1.852 \times 10^3\dagger$
mile (statute)	meter (m)	1.609×10^3
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	1.0×10^2
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^2\dagger$
minute (angular)	radian	2.909×10^{-4}
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	2.835×10^{-2}
ounce (troy)	kilogram (kg)	3.110×10^{-2}
ounce (U.S. fluid)	cubic meter (m ³)	2.957×10^{-5}
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m ³)	8.810×10^{-3}
pennyweight	kilogram (kg)	1.555×10^{-3}
pint (U.S. dry)	cubic meter (m ³)	5.506×10^{-4}
pint (U.S. liquid)	cubic meter (m ³)	4.732×10^{-4}
poise (absolute viscosity)	pascal second (Pa·s)	0.10 [†]
pound (avoirdupois)	kilogram (kg)	0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	newton (N)	4.448
pound per square inch (psi)	pascal (Pa)	6.895×10^3
quart (U.S. dry)	cubic meter (m ³)	1.101×10^{-3}
quart (U.S. liquid)	cubic meter (m ³)	9.464×10^{-4}
quintal	kilogram (kg)	$1.0 \times 10^2\dagger$
rad	gray (Gy)	$1.0 \times 10^{-2}\dagger$
rod	meter (m)	5.029
roentgen	coulomb per kilogram (C/kg)	2.58×10^{-4}
second (angle)	radian (rad)	4.848×10^{-6}
section	square meter (m ²)	2.590×10^6
slug	kilogram (kg)	14.59

[†] Exact.