



The Radio Spectrum

Managing a Strategic Resource

Jean-Marc Chaduc
G rard Pogorel


TN/925
R 129

The Radio Spectrum

Managing a Strategic Resource

Edited by
Jean-Marc Chaduc
Gérard Pogorel

Series Editor
Pierre-Noël Favennec



ISTE



 WILEY

Part of this book adapted from "La gestion des fréquences" published in France in 2005 by Hermes Science/Lavoisier
First published in Great Britain and the United States in 2008 by ISTE Ltd and John Wiley & Sons, Inc.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms and licenses issued by the CLA. Enquiries concerning reproduction outside these terms should be sent to the publishers at the undermentioned address:

ISTE Ltd
6 Fitzroy Square
London W1T 5DX
UK
www.iste.co.uk

John Wiley & Sons, Inc.
111 River Street
Hoboken, NJ 07030
USA
www.wiley.com

© ISTE Ltd, 2008
© GET et Lavoisier, 2005

The rights of Jean-Marc Chaduc and Gérard Pogorel to be identified as the authors of this work have been asserted by them in accordance with the Copyright, Designs and Patents Act 1988.

Library of Congress Cataloging-in-Publication Data

The radio spectrum : managing a strategic resource / edited by Jean-Marc Chaduc, Gérard Pogorel.
p. cm.

"Part of this book adapted from "La gestion des fréquences" published in France in 2005."

Includes bibliographical references and index.

ISBN: 978-1-84821-006-6

1. Radio frequency allocation--Management. I. Chaduc, Jean-Marc. II. Pogorel, Gérard.

TK6553.R3353 2008

384.54'524--dc22

2007026597

British Library Cataloguing-in-Publication Data

A CIP record for this book is available from the British Library

ISBN: 978-1-84821-006-6

Printed and bound in Great Britain by Antony Rowe Ltd, Chippenham, Wiltshire.



The Radio Spectrum

Acknowledgements and Credits

Some figures and pictures in this book are published courtesy of external bodies to whom we would like to express our thanks.

The extracts from the Radio Regulations are published by authorization of the ITU as publishing rights owner. The choice of these documents and their content, which have been adapted under the full responsibility of the authors, are only given for illustration and do not imply any responsibility of the ITU. The original Radio Regulations can be obtained from the ITU at the following address:

Union internationale des telecommunications
Secrétariat général. Service des ventes et marketing.
Place des Nations. CH-1211 GENEVA 20 (Switzerland)
Telephone (English) +41 22 730 61 41, (French) +41 22 730 61 42
Fax +41 22 730 51 94
email: sales@itu.int
internet: www.itu.int/publications

Most pictures have been kindly provided by the French Agence Nationale des Fréquences, some of them made by A. Gonin and ANFR agents. Documents on broadcasting have been provided by the company Télédiffusion de France (TDF). Significant input for this book and many illustrations have been provided by the SPORT VIEWS (www.sportviews.org) research project.

Introduction

How Can Frequencies be Managed?

Everywhere, all the time, we are bathing in a “field” of radio waves. The whole universe is covered by these waves. It maintains the everlasting trace of the initial “big bang” as a very weak radio noise which recreates a picture of the cosmos, at its very beginning for us.

Since discovering the laws of electromagnetism, during the 19th century, which are described by the set of Maxwell’s equations, and inventing technical devices to produce and use these waves predicted by theory, man has added his own man-made waves to the natural ones.

Radio waves are electromagnetic waves whose frequency is low compared to others such as optical waves, X-rays or Gamma rays.

The radioelectric waves can be imagined as a shock, a vibration of space which spreads in all directions from a transmitter, traveling at the speed of light. These waves meet obstacles which absorb or deflect them and they weaken as the distance grows. After having traveled some way, they progressively mix with the radioelectric noise which exists all around, being created by innumerable wave sources, natural or man-made. Progressively, more and more sophisticated techniques are required to extract from this general noise a particular radio signal which weakens when propagated from the transmitter. If a radio link is established between a transmitting and a receiving station, the receiver must be installed in a place where, according to its sensitivity, it can separate the useful signal from the noise and process it.

Engineers have found ways to shape the completely immaterial but completely real radio waves and map them in the three dimensions of space. If the exact

location of each transmitter is known with its radio characteristics, if the obstacles met by the waves are evaluated, if the propagation conditions are assessed, we can design a map of the radioelectric field, at every place, often exactly and at least in a statistical form.

Moreover, if the radioelectric noise can be described and modeled, if well defined receivers are installed, the useful range of any particular radio system can be calculated and designed. It is important to note that a radio system (transmitter, propagation medium, receivers) should be seen as a whole. Any part cannot be considered without reference to others. In fact, radio engineers must generally manage whole systems rather than transmitters alone. Their objective is to implement everywhere as many radio systems as possible, which are needed by our modern societies, without interferences between them.

The management of the radio “natural resource”, which is usually called “spectrum” or more simply “frequencies”, to insure a variety of practical services on the field throughout the world, is the subject of this book. It considers all possible kinds of instruments: technical, administrative, legal, economical, which may be used. However, it will not deal with radio system engineering, i.e. how to optimize the use of a specific radio resource for a given radio system, on a definite area, in conformance with regulations. As an example, the mobile radio systems or satellite system engineering are two specific subjects which might be the matter of dedicated books. A mobile operator should implement its radio stations in such a way to optimize their coverage, satisfy the customer traffic, lower its investment costs and so on. Specific tools are necessary for this.

Only general tools will be considered here which help to optimize and share the whole radio spectrum resource to satisfy the different needs, taking into account the huge variety of users and uses. Spectrum management, as far as we understand it, does limit itself to rules which help this sharing. It is a science for spectrum regulators and administrators rather than a science for operators which will be outlined further.

It could be useful to mention that this word “spectrum” has several different, albeit related, meanings. The one which will be mainly considered here is the global radio resource, available anywhere and anytime and which has to be organized for its best use. However, the same word may mean other things: as an example, a particular radio signal has an intimate structure, described by a frequency “spectrum” which occupies a frequency band. It is not difficult to make the distinction between these different meanings according to the context.

Among the natural forces, the fundamental interactions which are at work in the matter, those which are carried by radio waves are the “lightest”. We could say that

their influence stays on the surface of things. The energy quantum w ($w = h \cdot \nu$, according to Planck's formula with h being Planck's constant and ν the wave frequency) is too weak to disturb the atoms and affect the electronic cloud structure around the nucleus. Thus, radio waves are non-ionizing, having no influence on neutral atoms, thus being different from other electromagnetic waves with a higher frequency, such as optical waves. This is truly important when considering, for example, the effects of waves on health.

There has been, in the past, a long and hard debate about the intimate nature of light: is it a wave or a stream of particles? Quantum theory has given an answer. Every electromagnetic signal can be simultaneously described as a wave and a stream of particles and can be observed as one or the other according to the experimental context. However, practically, radio signals only appear as waves. Spectrum management can ignore their quantum aspect.

Radio waves interact with electrons, ions or molecules having an electric polarity. In radiocommunications, the interaction of waves with ions or polar molecules is a rather specific phenomenon which is only seen in some circumstances such as reflection on the Earth's ionosphere or transmission through the atmosphere. In such cases, only waves at specific frequencies are generally concerned. On the other hand, the interaction of waves with electrons, particularly electrons which move freely in metallic mediums, is a fundament of radio techniques, typically the basis of antenna properties. The interaction between electric currents and radio waves at the vicinity of an antenna gives shape to the wavefront which is transmitted. It also determines the strength of the electric current which is inducted in an antenna by a particular incident wavefront. Antenna theory is the basis of radiocommunications.

Actually, the very weak interaction between ordinary radio waves and matter helps to consider the radio spectrum as a rather closed domain of physical phenomena which can be managed for itself without too much care for other aspects of science or social life. In normal conditions, radio waves have no biological, chemical or mechanical impact. However, when used at a high power, they produce of course effects such as heating, which are used in microwave ovens, as an example. The recent debates concerning the impact of mobile phones on public health shows that the public deserves true and precise information in order not to react irrationally to the implementation of modern radio networks.

It is a fact that the rapid development of radio networks of all kinds in our society has changed public feelings about radio. Nowadays everybody has a mobile phone and radio stations are everywhere. Such major contemporary events such as man landing on the Moon, or the Gulf War, have clearly been achievements in radio techniques. The "great ears" of the secret services may be seen as a threat to privacy. Our world is becoming a radio world where waves are weaving an ever denser net around the Earth.

Positively, radio is a basic technology for building the so-called “world village”. Available anywhere, at any time, capable of building links at very short distances as well as on a cosmic scale, radio is a unique tool to connect men and things without any material medium. It is also a tremendous tool for social progress. New telecommunications services are often the offspring of radio such as broadcasting in the 1920s, TV in the 1950s, satellites in the 1960s, mobile phones in the 1990s, and radiolocation in the 2000s. But new regulations and new market opportunities are also born from radio implementations. The public debate which has taken place during the last 20 years about deregulation of the information society initially focused on traditional telecommunications cable networks and on the historical telephone operator monopoly. However, radio shuffled the cards and introduced a “wireless society” which is now universally adopted and made most of the former considerations on cable network regulations obsolete. When reading again the innumerable books dealing with deregulation, written during the period 1970-1980, it may be regretted that so many pages deal with cables and so few with radio. Experts are often short-sighted. Now, radio is in the foreground and radio spectrum management is a strategic issue, much more so than cable ownership.

Spectrum management can now be seen as a major goal for telecommunications efficiency. It is necessary that this natural and public resource be utilized for the profit of as many users as possible, taking care of the largest variety of needs. Let us understand that the spectrum resource is not capacity limited. The management of frequencies, if always becoming more accurate and clever, creates ever increasing possibilities.

We are going to describe the main tools available for this management. The book is made up of two parts.

Part 1, up to Chapter 9, is more technical. It deals with the management methods based on electromagnetism laws, information theory, geographical constraints. Basic rules and procedures are described which have been progressively elaborated from the beginning of the 20th century to share the spectrum resource. These rules are backed by international legal provisions which form a radio spectrum law. Current uses of radio are considered with their recent evolutions.

Part 2, more prospectively, describes the bodies in charge of this management with their functions and activities, with reference to the main questions they have to answer. New opportunities to improve the management of spectrum are presented.

Of course, this matter is rapidly changing. However, the general movement has now existed for more than a century. It can be judged that spectrum management has steadily progressed at a continuous pace during this time with some important changes at crucial periods. This is a reason to be confident for the necessary evolutions in the future.

Table of Contents

Acknowledgement and Credits	xi
Introduction	xiii
Part 1. The Basis of Spectrum Management	1
Chapter 1. A Bit of History, Physics and Mathematics	3
1.1. Waves	4
1.2. Propagation	10
1.3. Directivity.	11
1.4. Link evaluation.	18
Chapter 2. Telecommunications	25
2.1. Modulation and bandwidth.	26
2.2. Bandwidth and noise	30
2.3. C/N (or C/I) and S/Nm	34
2.4. Multiplex, multiple access	39
2.5. A balance between carrier power, noise and interferences	45
Chapter 3. Geography and Radio Communications: Radio Network Engineering	51
3.1. Regions and countries.	52
3.2. Radio implementation in the field	55
3.3. Propagation on the Earth	59
3.4. Space, orbits, satellite systems	62
3.5. Terrestrial network coverage	66
3.6. Coverage strategies	69
3.7. Radio site protection	70

Chapter 4. Spectrum Sharing, Bases and Actors	71
4.1. Radio frequencies: common goods	71
4.2. Regulatory services for spectrum sharing by the ITU (allocation frequency tables)	74
4.3. The role of states in sharing the spectrum	76
4.4. How to plan new applications and compatible services	79
4.5. Regulation, harmonization, planning	80
4.6. Is the spectrum resource scarce?	82
4.7. Spectrum sharing: a summary	83
Chapter 5. Some Regulated Services	85
5.1. The fixed service.	86
5.2. Mobile services	89
5.3. Broadcasting	95
5.4. Satellite services	100
5.5. Geo and non-geo systems	104
5.6. Some other regulatory services.	106
Chapter 6. Recent Evolutions of Radio Services	111
6.1. A family snapshot	113
6.2. Enthusiastic telecommunications	115
6.3. Hesitant broadcasters	120
6.4. The promises of radiolocation	125
6.5. Limits of the spectrum planning efficiency	126
Chapter 7. Regulatory Instruments for Spectrum Sharing	129
7.1. Frequency allocation tables	131
7.2. Plans	137
7.3. Coordination	141
7.4. Technical limits	145
Chapter 8. Frequency Assignment: A Contract	147
8.1. Contracting parties	148
8.2. Common bands and assignments	149
8.3. Exclusive bands: preferential sub-bands	151
8.4. Assignment procedures	153
8.5. External requirements: site constraints	155
8.6. Satellite systems	158
Chapter 9. Spectrum Monitoring	161
9.1. Spectrum monitoring technical tools	162
9.1.1. HF band monitoring	162
9.1.2. Metric and decimetric band monitoring	163

9.1.3. Microwave monitoring.	167
9.1.4. Satellite monitoring.	168
9.1.5. Mobile monitoring stations	169
9.1.6. Airborne monitoring means.	170
9.2. Radio station inspections: major events	170
9.3. Claim for interference: legal prosecutions.	172
9.4. "Radio landscape" description.	173
9.5. Terminals	175
Part 2. Managers and their Practices	177
Chapter 10. New Technical Perspectives and Impact on Spectrum Management.	179
10.1. Spread spectrum technologies	181
10.2. OFDM and MIMO.	181
10.3. Ultra wideband	183
10.4. Dynamic spectrum access technologies	186
10.5. Software-defined radio	187
10.6. Cognitive radio	189
10.7. Intersystem control.	192
10.8. Mesh networks	193
Chapter 11. The International Telecommunication Union (ITU).	199
11.1. The ITU today	199
11.2. Radio Regulations	203
11.2.1. The vocabulary of radiocommunications	204
11.2.2. Table of frequency allocations	205
11.2.3. Procedures	205
11.2.4. Interferences	207
11.2.5. Administrative provisions and provisions relating to services and networks	208
11.2.6. Safety: maritime and aeronautical services	209
11.3. Assemblies and conferences	211
11.4. Themes of recent interest	212
11.5. Short-term prospects for action	215
Chapter 12. Regional Bodies	217
12.1. The European Conference of Postal and Telecommunications Administrations (CEPT).	218
12.2. European Union	221
12.3. Other regional structures	224

Chapter 13. National Spectrum Regulators and Institutional Debates.	227
13.1. The USA.	228
13.2. The UK	230
13.3. France	233
13.4. Germany.	236
13.5. Italy.	236
13.6. Asia-Pacific	236
13.7. Is there an ideal structure for spectrum regulation?	239
13.8. Is a European regulator for the spectrum needed?	242
 Chapter 14. Major Current European and International Issues to Improve Spectrum Efficiency	 245
14.1. Convergence	245
14.1.1. Mobile – broadcasting convergence	246
14.1.2. Fixed – mobile convergence.	247
14.1.3. Wireless access platforms for electronic communication services (WAPECS)	248
14.1.4. Spectrum management issues imposed by convergence of radio services	250
14.2. Collective use.	250
14.2.1. Types of spectrum collective uses	251
14.2.2. Protection against interference	253
14.2.3. Collective spectrum in Europe: the present situation	254
14.2.4. Challenges	256
14.2.5. Impact of an extension of unlicensed bands on spectrum planning	257
14.2.6. An example of introducing collective use in radar frequency bands	258
 Chapter 15. Regimes of Radio Spectrum Management: A Synthetic View.	 261
15.1. Definitions: four dimensions of spectrum management	263
15.1.1. Frequency allocation to services: spectrum harmonization or neutrality?	264
15.1.2. Technology: standardization or neutrality?	264
15.1.3. Usage rights definition	265
15.1.4. Assignment modes of spectrum usage rights	266
15.2. Choosing a spectrum management regime.	267
15.3. Deciding on spectrum management regimes: a four-step process	269
15.4. Navigating the nine spectrum management regimes: migrations and transitions	277

Chapter 16. The Future of the Spectrum: A Road Towards More Flexibility	279
Glossary	287
References	297
Index	299

Part 1

The Basis of Spectrum Management

Chapter 1

A Bit of History, Physics and Mathematics

Electricity and magnetism have been known about for a long time. As long ago as Antiquity, men wondered about the properties of magnets. 18th century amateurs were fascinated by these strange forces which acted at a distance and were recognized as being probably linked together. 19th century scientists began their theoretical approach. Ampère and Oersted demonstrated the reciprocal influence of magnets and electric currents through magnetic “fields” which carried forces capable of distant actions without any intermediate material medium. Notably, the induction phenomenon was discovered: when varying in a circuit, an electric current can create a similar electric current in a distant coil. Induction clearly opened a new chapter in the history of physics and offered new technical opportunities to communicate at a distance. However, we had to wait several years more for completely satisfactory synthesis to open the way to radio, and so enjoy the fruits of this hard work.

In fact, radio was born in the 20th century. Even with the support of Maxwell’s fundamental theory, published by 1860-1875, whose beautiful equations showed the evidence of electromagnetic waves traveling at the speed of light, the demonstration of making these waves carry a useful signal had to wait for Marconi, in around 1895.

The distribution of waves in space around a radio transmitter is called the radioelectric field.

After Maxwell, different experimenters came, among them Hertz, who demonstrated in 1887 that this field was clearly wave-shaped, showing all the typical features of a vibratory phenomenon. He described stationary vibratory fields with stable maximums and minimums in space and assessed the possibility of