Graduate Texts in Mathematics

Loukas Grafakos

Classical Fourier Analysis

Second Edition



经典傅里叶分析

第2版

Springer

世界图书出版公司
www.wpcbj.com.cn

图书在版编目(CIP)数据

经典傅里叶分析:第2版 = Classical Fourier Analysis 2nd ed. :英文 /(美)格拉法克斯(Grafakos, L.)著. —影印本. —北京:世界图书出版公司北京公司,2011.12

ISBN 978-7-5100-4061-0

Ⅰ.①经… Ⅱ.①格… Ⅲ.①傅里叶分析—英文 Ⅳ.①O174.2

中国版本图书馆 CIP 数据核字(2011)第216772号

书　　名:	Classical Fourier Analysis 2nd ed.
作　　者:	Loukas Grafakos
中 译 名:	经典傅里叶分析 第2版
责任编辑:	高蓉　刘慧
出 版 者:	世界图书出版公司北京公司
印 刷 者:	三河市国英印务有限公司印刷
发　　行:	世界图书出版公司北京公司(北京朝内大街137号　100010)
联系电话:	010-64021602,010-64015659
电子信箱:	kjb@wpcbj.com.cn
开　　本:	24开
印　　张:	21.5
版　　次:	2012年01月
版权登记:	图字:01-2011-3246
书　　号:	978-7-5100-4061-0/O·912　　**定　　价:** 59.00元

Graduate Texts in Mathematics 249

Graduate Texts in Mathematics

1 TAKEUTI/ZARING. Introduction to Axiomatic Set Theory. 2nd ed.
2 OXTOBY. Measure and Category. 2nd ed.
3 SCHAEFER. Topological Vector Spaces. 2nd ed.
4 HILTON/STAMMBACH. A Course in Homological Algebra. 2nd ed.
5 MAC LANE. Categories for the Working Mathematician. 2nd ed.
6 HUGHES/PIPER. Projective Planes.
7 J.-P. SERRE. A Course in Arithmetic.
8 TAKEUTI/ZARING. Axiomatic Set Theory.
9 HUMPHREYS. Introduction to Lie Algebras and Representation Theory.
10 COHEN. A Course in Simple Homotopy Theory.
11 CONWAY. Functions of One Complex Variable I. 2nd ed.
12 BEALS. Advanced Mathematical Analysis.
13 ANDERSON/FULLER. Rings and Categories of Modules. 2nd ed.
14 GOLUBITSKY/GUILLEMIN. Stable Mappings and Their Singularities.
15 BERBERIAN. Lectures in Functional Analysis and Operator Theory.
16 WINTER. The Structure of Fields.
17 ROSENBLATT. Random Processes. 2nd ed.
18 HALMOS. Measure Theory.
19 HALMOS. A Hilbert Space Problem Book. 2nd ed.
20 HUSEMOLLER. Fibre Bundles. 3rd ed.
21 HUMPHREYS. Linear Algebraic Groups.
22 BARNES/MACK. An Algebraic Introduction to Mathematical Logic.
23 GREUB. Linear Algebra. 4th ed.
24 HOLMES. Geometric Functional Analysis and Its Applications.
25 HEWITT/STROMBERG. Real and Abstract Analysis.
26 MANES. Algebraic Theories.
27 KELLEY. General Topology.
28 ZARISKI/SAMUEL. Commutative Algebra. Vol. I.
29 ZARISKI/SAMUEL. Commutative Algebra. Vol. II.
30 JACOBSON. Lectures in Abstract Algebra I. Basic Concepts.
31 JACOBSON. Lectures in Abstract Algebra II. Linear Algebra.
32 JACOBSON. Lectures in Abstract Algebra III. Theory of Fields and Galois Theory.
33 HIRSCH. Differential Topology.
34 SPITZER. Principles of Random Walk. 2nd ed.
35 ALEXANDER/WERMER. Several Complex Variables and Banach Algebras. 3rd ed.
36 KELLEY/NAMIOKA ET AL. Linear Topological Spaces.
37 MONK. Mathematical Logic.
38 GRAUERT/FRITZSCHE. Several Complex Variables.
39 ARVESON. An Invitation to C^*-Algebras.
40 KEMENY/SNELL/KNAPP. Denumerable Markov Chains. 2nd ed.
41 APOSTOL. Modular Functions and Dirichlet Series in Number Theory. 2nd ed.
42 J.-P. SERRE. Linear Representations of Finite Groups.
43 GILLMAN/JERISON. Rings of Continuous Functions.
44 KENDIG. Elementary Algebraic Geometry.
45 LOÈVE. Probability Theory I. 4th ed.
46 LOÈVE. Probability Theory II. 4th ed.
47 MOISE. Geometric Topology in Dimensions 2 and 3.
48 SACHS/WU. General Relativity for Mathematicians.
49 GRUENBERG/WEIR. Linear Geometry. 2nd ed.
50 EDWARDS. Fermat's Last Theorem.
51 KLINGENBERG. A Course in Differential Geometry.
52 HARTSHORNE. Algebraic Geometry.
53 MANIN. A Course in Mathematical Logic.
54 GRAVER/WATKINS. Combinatorics with Emphasis on the Theory of Graphs.
55 BROWN/PEARCY. Introduction to Operator Theory I: Elements of Functional Analysis.
56 MASSEY. Algebraic Topology: An Introduction.
57 CROWELL/FOX. Introduction to Knot Theory.
58 KOBLITZ. p-adic Numbers, p-adic Analysis, and Zeta-Functions. 2nd ed.
59 LANG. Cyclotomic Fields.
60 ARNOLD. Mathematical Methods in Classical Mechanics. 2nd ed.
61 WHITEHEAD. Elements of Homotopy Theory.
62 KARGAPOLOV/MERIZJAKOV. Fundamentals of the Theory of Groups.
63 BOLLOBAS. Graph Theory.
64 EDWARDS. Fourier Series. Vol. I. 2nd ed.
65 WELLS. Differential Analysis on Complex Manifolds. 2nd ed.
66 WATERHOUSE. Introduction to Affine Group Schemes.
67 SERRE. Local Fields.
68 WEIDMANN. Linear Operators in Hilbert Spaces.
69 LANG. Cyclotomic Fields II.
70 MASSEY. Singular Homology Theory.
71 FARKAS/KRA. Riemann Surfaces. 2nd ed.
72 STILLWELL. Classical Topology and Combinatorial Group Theory. 2nd ed.
73 HUNGERFORD. Algebra.
74 DAVENPORT. Multiplicative Number Theory. 3rd ed.

(continued after index)

Loukas Grafakos
Department of Mathematics
University of Missouri
Columbia, MO 65211
USA
loukas@math.missouri.edu

ISSN: 0072-5285
ISBN: 978-0-387-09431-1 e-ISBN: 978-0-387-09432-8
DOI: 10.1007/978-0-387-09432-8

Library of Congress Control Number: 2008933456

Mathematics Subject Classification (2000): 42-xx 42-02

To Suzanne

Preface

The great response to the publication of the book *Classical and Modern Fourier Analysis* has been very gratifying. I am delighted that Springer has offered to publish the second edition of this book in two volumes: *Classical Fourier Analysis, 2nd Edition,* and *Modern Fourier Analysis, 2nd Edition.*

These volumes are mainly addressed to graduate students who wish to study Fourier analysis. This first volume is intended to serve as a text for a one-semester course in the subject. The prerequisite for understanding the material herein is satisfactory completion of courses in measure theory, Lebesgue integration, and complex variables.

The details included in the proofs make the exposition longer. Although it will behoove many readers to skim through the more technical aspects of the presentation and concentrate on the flow of ideas, the fact that details are present will be comforting to some. The exercises at the end of each section enrich the material of the corresponding section and provide an opportunity to develop additional intuition and deeper comprehension. The historical notes of each chapter are intended to provide an account of past research but also to suggest directions for further investigation. The appendix includes miscellaneous auxiliary material needed throughout the text.

A web site for the book is maintained at

http://math.missouri.edu/~loukas/FourierAnalysis.html

I am solely responsible for any misprints, mistakes, and historical omissions in this book. Please contact me directly (loukas@math.missouri.edu) if you have corrections, comments, suggestions for improvements, or questions.

Columbia, Missouri,
April 2008

Loukas Grafakos

Acknowledgments

I am very fortunate that several people have pointed out errors, misprints, and omissions in the first edition of this book. Others have clarified issues I raised concerning the material it contains. All these individuals have provided me with invaluable help that resulted in the improved exposition of the present second edition. For these reasons, I would like to express my deep appreciation and sincere gratitude to the following people:

Marco Annoni, Pascal Auscher, Andrew Bailey, Dmitriy Bilyk, Marcin Bownik, Leonardo Colzani, Simon Cowell, Mita Das, Geoffrey Diestel, Yong Ding, Jacek Dziubanski, Wei He, Petr Honzík, Heidi Hulsizer, Philippe Jaming, Svante Janson, Ana Jiménez del Toro, John Kahl, Cornelia Kaiser, Nigel Kalton, Kim Jin Myong, Doowon Koh, Elena Koutcherik, Enrico Laeng, Sungyun Lee, Qifan Li, Chin-Cheng Lin, Liguang Liu, Stig-Olof Londen, Diego Maldonado, José María Martell, Mieczyslaw Mastylo, Parasar Mohanty, Carlo Morpurgo, Andrew Morris, Mihail Mourgoglou, Virginia Naibo, Hiro Oh, Marco Peloso, Maria Cristina Pereyra, Carlos Pérez, Humberto Rafeiro, Maria Carmen Reguera Rodríguez, Alexander Samborskiy, Andreas Seeger, Steven Senger, Sumi Seo, Christopher Shane, Shu Shen, Yoshihiro Sawano, Vladimir Stepanov, Erin Terwilleger, Rodolfo Torres, Suzanne Tourville, Ignacio Uriarte-Tuero, Kunyang Wang, Huoxiong Wu, Takashi Yamamoto, and Dachun Yang.

For their valuable suggestions, corrections, and other important assistance at different stages in the preparation of the first edition of this book, I would like to offer my deepest gratitude to the following individuals:

Georges Alexopoulos, Nakhlé Asmar, Bruno Calado, Carmen Chicone, David Cramer, Geoffrey Diestel, Jakub Duda, Brenda Frazier, Derrick Hart, Mark Hoffmann, Steven Hofmann, Helge Holden, Brian Hollenbeck, Petr Honzík, Alexander Iosevich, Tunde Jakab, Svante Janson, Ana Jiménez del Toro, Gregory Jones, Nigel Kalton, Emmanouil Katsoprinakis, Dennis Kletzing, Steven Krantz, Douglas Kurtz, George Lobell, Xiaochun Li, José María Martell, Antonios Melas, Keith Mersman, Stephen Montgomety-Smith, Andrea Nahmod, Nguyen Cong Phuc, Krzysztof Oleszkiewicz, Cristina Pereyra, Carlos Pérez, Daniel Redmond, Jorge Rivera-Noriega, Dmitriy Ryabogin, Christopher Sansing, Lynn Savino Wendel, Shih-Chi Shen,

Roman Shvidkoy, Elias Stein, Atanas Stefanov, Terence Tao, Erin Terwilleger, Christoph Thiele, Rodolfo Torres, Deanie Tourville, Nikolaos Tzirakis Don Vaught, Igor Verbitsky, Brett Wick, James Wright, and Linqiao Zhao.

I would also like to thank all reviewers who provided me with an abundance of meaningful remarks, corrections, and suggestions for improvements. Finally, I would like to thank Springer editor Mark Spencer, Springer's digital product support personnel Frank Ganz and Frank McGuckin, and copyeditor David Kramer for their invaluable assistance during the preparation of this edition.

Contents

Chapter 1
L^p Spaces and Interpolation

Many quantitative properties of functions are expressed in terms of their integrability to a power. For this reason it is desirable to acquire a good understanding of spaces of functions whose modulus to a power p is integrable. These are called Lebesgue spaces and are denoted by L^p. Although an in-depth study of Lebesgue spaces falls outside the scope of this book, it seems appropriate to devote a chapter to reviewing some of their fundamental properties.

The emphasis of this review is basic interpolation between Lebesgue spaces. Many problems in Fourier analysis concern boundedness of operators on Lebesgue spaces, and interpolation provides a framework that often simplifies this study. For instance, in order to show that a linear operator maps L^p to itself for all $1 < p < \infty$, it is sufficient to show that it maps the (smaller) Lorentz space $L^{p,1}$ into the (larger) Lorentz space $L^{p,\infty}$ for the same range of p's. Moreover, some further reductions can be made in terms of the Lorentz space $L^{p,1}$. This and other considerations indicate that interpolation is a powerful tool in the study of boundedness of operators.

Although we are mainly concerned with L^p subspaces of Euclidean spaces, we discuss in this chapter L^p spaces of arbitrary measure spaces, since they represent a useful general setting. Many results in the text require working with general measures instead of Lebesgue measure.

1.1 L^p and Weak L^p

Let X be a measure space and let μ be a positive, not necessarily finite, measure on X. For $0 < p < \infty$, $L^p(X,\mu)$ denotes the set of all complex-valued μ-measurable functions on X whose modulus to the pth power is integrable. $L^\infty(X,\mu)$ is the set of all complex-valued μ-measurable functions f on X such that for some $B > 0$, the set $\{x : |f(x)| > B\}$ has μ-measure zero. Two functions in $L^p(X,\mu)$ are considered equal if they are equal μ-almost everywhere. The notation $L^p(\mathbf{R}^n)$ is reserved for the space $L^p(\mathbf{R}^n, |\cdot|)$, where $|\cdot|$ denotes n-dimensional Lebesgue measure. Lebesgue measure on $\mathbf{R}^n$ is also denoted by dx. Within context and in the absence of ambi-

L. Grafakos, *Classical Fourier Analysis, Second Edition*,
DOI: 10.1007/978-0-387-09432-8_1, © Springer Science+Business Media, LLC 2008

guity, $L^p(X,\mu)$ is simply written as L^p. The space $L^p(\mathbf{Z})$ equipped with counting measure is denoted by $\ell^p(\mathbf{Z})$ or simply ℓ^p.

For $0 < p < \infty$, we define the L^p quasinorm of a function f by

$$\|f\|_{L^p(X,\mu)} = \left(\int_X |f(x)|^p \, d\mu(x) \right)^{\frac{1}{p}} \tag{1.1.1}$$

and for $p = \infty$ by

$$\|f\|_{L^\infty(X,\mu)} = \operatorname{ess.sup} |f| = \inf \{ B > 0 : \mu(\{x : |f(x)| > B\}) = 0 \}. \tag{1.1.2}$$

It is well known that Minkowski's (or the triangle) inequality

$$\|f+g\|_{L^p(X,\mu)} \le \|f\|_{L^p(X,\mu)} + \|g\|_{L^p(X,\mu)} \tag{1.1.3}$$

holds for all f, g in $L^p = L^p(X,\mu)$, whenever $1 \le p \le \infty$. Since in addition $\|f\|_{L^p(X,\mu)} = 0$ implies that $f = 0$ (μ-a.e.), the L^p spaces are normed linear spaces for $1 \le p \le \infty$. For $0 < p < 1$, inequality (1.1.3) is reversed when $f, g \ge 0$. However, the following substitute of (1.1.3) holds:

$$\|f+g\|_{L^p(X,\mu)} \le 2^{(1-p)/p} \left(\|f\|_{L^p(X,\mu)} + \|g\|_{L^p(X,\mu)} \right), \tag{1.1.4}$$

and thus $L^p(X,\mu)$ is a quasinormed linear space. See also Exercise 1.1.5. For all $0 < p \le \infty$, it can be shown that every Cauchy sequence in $L^p(X,\mu)$ is convergent, and hence the spaces $L^p(X,\mu)$ are complete. For the case $0 < p < 1$ we refer to Exercise 1.1.8. Therefore, the L^p spaces are Banach spaces for $1 \le p \le \infty$ and quasi-Banach spaces for $0 < p < 1$. For any $p \in (0,\infty) \setminus \{1\}$ we use the notation $p' = \frac{p}{p-1}$. Moreover, we set $1' = \infty$ and $\infty' = 1$, so that $p'' = p$ for all $p \in (0,\infty]$. Hölder's inequality says that for all $p \in [1,\infty]$ and all measurable functions f, g on (X,μ) we have

$$\|fg\|_{L^1} \le \|f\|_{L^p} \|g\|_{L^{p'}}.$$

It is a well-known fact that the dual $(L^p)^*$ of L^p is isometric to $L^{p'}$ for all $1 \le p < \infty$. Furthermore, the L^p norm of a function can be obtained via duality when $1 \le p \le \infty$ as follows:

$$\|f\|_{L^p} = \sup_{\|g\|_{L^{p'}}=1} \left| \int_X f g \, d\mu \right|.$$

For the endpoint cases $p = 1$, $p = \infty$, see Exercise 1.4.12(a), (b).

1.1.1 The Distribution Function

Definition 1.1.1. For f a measurable function on X, the *distribution function* of f is the function d_f defined on $[0,\infty)$ as follows: