

国外数学名著系列(续一)

(影印版) 41

Uri M. Ascher Linda R. Petzold

Computer Methods for Ordinary
Differential Equations and Differential-
Algebraic Equations

常微分方程和微分代数方程的
计算机方法



科学出版社

www.sciencep.com

国外数学名著系列(影印版) 41

Computer Methods for Ordinary
Differential Equations and
Differential-Algebraic Equations

常微分方程和微分代数方程的
计算机方法

Uri M. Ascher Linda R. Petzold

科学出版社

北京

图字: 01-2008-5110

Original American edition published by:

SIAM: Society for Industrial and Applied Mathematics, Philadelphia, Pennsylvania

Copyright © 1998. All rights reserved

This edition is authorized for sale only in: Mainland China excluding Hong Kong, Macau and Taiwan

图书在版编目(CIP)数据

常微分方程和微分代数方程的计算机方法=Computer Methods for Ordinary Differential Equations and Differential-Algebraic Equations / (美) 阿舍(Ascher, U. M.) 等著. —影印版. —北京: 科学出版社, 2009

(国外数学名著系列; 41)

ISBN 978-7-03-023486-5

I. 常… II. 阿… III. 计算机应用-微分方程-英文 IV. O175

中国版本图书馆 CIP 数据核字(2008) 第 186193 号

责任编辑: 范庆奎 / 责任印刷: 钱玉芬 / 封面设计: 黄华斌

科学出版社 出版

北京东黄城根北街 16 号

邮政编码: 100717

<http://www.sciencep.com>

北京佳信达艺术印刷有限公司 印刷

科学出版社发行 各地新华书店经销

*

2009 年 1 月第 一 版 开本: B5(720 × 1000)

2009 年 1 月第一次印刷 印张: 21

印数: 1—2 500 字数: 396 000

定价: 72.00 元

如有印装质量问题, 我社负责调换

《国外数学名著系列》(影印版)专家委员会

(按姓氏笔画排序)

丁伟岳 王 元 文 兰 石钟慈 冯克勤 严加安
李邦河 李大潜 张伟平 张继平 杨 乐 姜伯驹
郭 雷

项目策划

向安全 林 鹏 王春香 吕 虹 范庆奎 王 璐

执行编辑

范庆奎

《国外数学名著系列》(影印版)序

要使我国的数学事业更好地发展起来,需要数学家淡泊名利并付出更艰苦地努力。另一方面,我们也要从客观上为数学家创造更有利的发展数学事业的外部环境,这主要是加强对数学事业的支持与投资力度,使数学家有较好的工作与生活条件,其中也包括改善与加强数学的出版工作。

从出版方面来讲,除了较好较快地出版我们自己的成果外,引进国外的先进出版物无疑也是十分重要与必不可少的。从数学来说,施普林格(Springer)出版社至今仍然是世界上最具权威的出版社。科学出版社影印一批他们出版的好的新书,使我国广大数学家能以较低的价格购买,特别是在边远地区工作的数学家能普遍见到这些书,无疑是对推动我国数学的科研与教学十分有益的事。

这次科学出版社购买了版权,一次影印了 23 本施普林格出版社出版的数学书,就是一件好事,也是值得继续做下去的事情。大体上分一下,这 23 本书中,包括基础数学书 5 本,应用数学书 6 本与计算数学书 12 本,其中有些书也具有交叉性质。这些书都是很新的,2000 年以后出版的占绝大部分,共计 16 本,其余的也是 1990 年以后出版的。这些书可以使读者较快地了解数学某方面的前沿,例如基础数学中的数论、代数与拓扑三本,都是由该领域大数学家编著的“数学百科全书”的分册。对从事这方面研究的数学家了解该领域的前沿与全貌很有帮助。按照学科的特点,基础数学类的书以“经典”为主,应用和计算数学类的书以“前沿”为主。这些书的作者多数是国际知名的大数学家,例如《拓扑学》一书的作者诺维科夫是俄罗斯科学院的院士,曾获“菲尔兹奖”和“沃尔夫数学奖”。这些大数学家的著作无疑将会对我国的科研人员起到非常好的指导作用。

当然,23 本书只能涵盖数学的一部分,所以,这项工作还应该继续做下去。更进一步,有些读者面较广的好书还应该翻译成中文出版,使之有更大的读者群。

总之,我对科学出版社影印施普林格出版社的部分数学著作这一举措表示热烈的支持,并盼望这一工作取得更大的成绩。

王 元

2005 年 12 月 3 日

Preface

This book was developed from course notes that we wrote, having repeatedly taught courses on the numerical solution of ordinary differential equations (ODEs) and related problems. We have taught such courses at a senior undergraduate level as well as at the level of a first graduate course on numerical methods for differential equations. The audience typically consists of students from mathematics, computer science, and a variety of disciplines in engineering and the sciences such as mechanical, electrical, and chemical engineering, physics, and earth sciences.

The material that this book covers can be viewed as a first course on the numerical solution of differential equations. It is designed for people who want to gain a practical knowledge of the techniques used today. The course aims to achieve a thorough understanding of the issues and methods involved and of the reasons for the successes and failures of existing software. On one hand, we avoid an extensive, thorough, theorem-proof-type exposition: we try to get to current methods, issues, and software as quickly as possible. On the other hand, this is not a quick recipe book, as we feel that a deeper understanding than can usually be gained by a recipe course is required to enable students or researchers to use their knowledge to design their own solution approaches for any nonstandard problems they may encounter in future work. The book covers initial value and boundary value problems, as well as differential-algebraic equations (DAEs). In a one-semester course, we have typically been covering over 75% of the material it contains.

We wrote this book partially as a result of frustration at not being able to assign a textbook adequate for the material that we have found ourselves covering. There is certainly excellent, in-depth literature around. In fact, we are making repeated references to exhaustive texts which, combined, cover almost all the material in this book. Those books contain the proofs and references which we omit. They span thousands of pages, though, and the time commitment required to study them in adequate depth may be more than many students and researchers can afford to invest. We have tried to stay within a 350-page limit and to address all three ODE-related areas mentioned above. A significant amount of additional material is covered in the exercises that conclude all but the first chapter. Other additional important topics are referred to in brief sections titled “Notes and References.” Software is an important and well-developed part of this subject. We have

attempted to cover the most fundamental software issues in the text. Much of the excellent and publicly available software is described in the “Software” sections at the end of the relevant chapters, and available codes are cross-referenced in the index. Review material is highlighted and presented in the text when needed, and it is also cross-referenced in the index.

Traditionally, numerical ODE texts have spent a great deal of time developing families of higher-order methods, e.g., Runge–Kutta and linear multi-step methods, applied first to nonstiff problems and then to stiff problems. Initial value problems and boundary value problems have been treated in separate texts, although they have much in common. There have been fundamental differences in approach, notation, and even basic definitions between ODE initial value problems, ODE boundary value problems, and partial differential equations (PDEs).

We have chosen instead to focus on the classes of problems to be solved, mentioning wherever possible applications which can lend insight into the requirements and the potential sources of difficulty for numerical solution. We begin by outlining the relevant mathematical properties of each problem class, then carefully develop the lower-order numerical methods and fundamental concepts for the numerical analysis. Next we introduce the appropriate families of higher-order methods, and finally we describe in some detail how these methods are implemented in modern adaptive software. An important feature of this book is that it gives an integrated treatment of ODE initial value problems, ODE boundary value problems, and DAEs, emphasizing not only the differences between these types of problems but also the fundamental concepts, numerical methods, and analysis which they have in common. This approach is also closer to the typical presentation for PDEs, leading, we hope, to a more natural introduction to that important subject.

Knowledge of significant portions of the material in this book is essential for the rapidly emerging field of numerical dynamical systems. These are numerical methods employed in the study of the long-term, qualitative behavior of various nonlinear ODE systems. We have emphasized and developed in this work relevant problems, approaches, and solutions. But we avoided developing further methods which require deeper, or more specific, knowledge of dynamical systems, which we did not want to assume as a prerequisite.

The plan of the book is as follows. Chapter 1 is an introduction to the different types of mathematical models which are addressed in the book. We use simple examples to introduce and illustrate initial and boundary value problems for ODEs and DAEs. We then introduce some important applications where such problems arise in practice.

Each of the three parts of the book which follow starts with a chapter which summarizes essential theoretical or analytical issues (i.e., before applying any numerical method). This is followed by chapters which develop and analyze numerical techniques. For initial value ODEs, which comprise

roughly half of this book, Chapter 2 summarizes the theory most relevant for computer methods, Chapter 3 introduces all the basic concepts and simple methods (relevant also for boundary value problems and for DAEs), Chapter 4 is devoted to one-step (Runge–Kutta) methods, and Chapter 5 discusses multistep methods.

Chapters 6–8 are devoted to boundary value problems for ODEs. Chapter 6 discusses the theory which is essential to understanding and making effective use of the numerical methods for these problems. Chapter 7 briefly considers shooting-type methods, and Chapter 8 is devoted to finite difference approximations and related techniques.

The remaining two chapters consider DAEs. This subject has been researched and solidified only very recently (in the past 15 years). Chapter 9 is concerned with background material and theory. It is much longer than Chapters 2 and 6 because understanding the relationship between ODEs and DAEs, and the questions regarding reformulation of DAEs, is essential and already suggests a lot regarding computer approaches. Chapter 10 discusses numerical methods for DAEs.

Various courses can be taught using this book. A 10-week course can be based on the first 5 chapters, with an addition from either one of the remaining two parts. In a 13-week course (or shorter in a more advanced graduate class) it is possible to comfortably cover Chapters 1–5 and either Chapters 6–8 or Chapters 9–10, with a more superficial coverage of the remaining material.

The exercises vary in scope and level of difficulty. We have provided some hints, or at least warnings, for those exercises that we (or our students) have found more demanding.

Many people helped us with the tasks of shaping up, correcting, filtering, and refining the material in this book. First and foremost are our students in the various classes we taught on this subject. They made us acutely aware of the difference between writing with the desire to explain and writing with the desire to impress. We note, in particular, G. Lakatos, D. Aruliah, P. Ziegler, H. Chin, R. Spiteri, P. Lin, P. Castillo, E. Johnson, D. Clancey, and D. Rasmussen. We have benefitted particularly from our earlier collaborations on other, related books with K. Brenan, S. Campbell, R. Mattheij, and R. Russell. Colleagues who have offered much insight, advice, and criticism include E. Bisciaia, G. Bock, C. W. Gear, W. Hayes, C. Lubich, V. Murata, N. Nedialkov, D. Negrut, D. Pai, J. B. Rosen, L. Shampine, and A. Stuart. Larry Shampine, in particular, did an incredibly extensive refereeing job and offered many comments which have helped us to significantly improve this text. We have also benefitted from the comments of numerous anonymous referees.

Contents

List of Figures	ix
List of Tables	xiii
Preface	xv
 Part I: Introduction	 1
1 Ordinary Differential Equations	3
1.1 IVPs	5
1.2 BVPs	10
1.3 Differential-Algebraic Equations	12
1.4 Families of Application Problems	13
1.5 Dynamical Systems	17
1.6 Notation	17
 Part II: Initial Value Problems	 21
2 On Problem Stability	23
2.1 Test Equation and General Definitions	23
2.2 Linear, Constant-Coefficient Systems	26
2.3 Linear, Variable-Coefficient Systems	29
2.4 Nonlinear Problems	31
2.5 Hamiltonian Systems	32
2.6 Notes and References	34
2.7 Exercises	34
 3 Basic Methods, Basic Concepts	 37
3.1 A Simple Method: Forward Euler	37
3.2 Convergence, Accuracy, Consistency, and 0-Stability	39
3.3 Absolute Stability	44
3.4 Stiffness: Backward Euler	49
3.4.1 Backward Euler	51
3.4.2 Solving Nonlinear Equations	52

3.5	A-Stability, Stiff Decay	56
3.6	Symmetry: Trapezoidal Method	59
3.7	Rough Problems	61
3.8	Software, Notes, and References	65
3.8.1	Notes	65
3.8.2	Software	66
3.9	Exercises	67
4	One-Step Methods	73
4.1	The First Runge–Kutta Methods	74
4.2	General Formulation of Runge–Kutta Methods	80
4.3	Convergence, 0-Stability, and Order for Runge–Kutta Methods	82
4.4	Regions of Absolute Stability for Explicit Runge–Kutta Methods	87
4.5	Error Estimation and Control	90
4.6	Sensitivity to Data Perturbations	95
4.7	Implicit Runge–Kutta and Collocation Methods	98
4.7.1	Implicit Runge–Kutta Methods Based on Collocation	101
4.7.2	Implementation and Diagonally Implicit Methods	103
4.7.3	Order Reduction	106
4.7.4	More on Implementation and Singly Implicit Runge–Kutta Methods	107
4.8	Software, Notes, and References	108
4.8.1	Notes	108
4.8.2	Software	110
4.9	Exercises	111
5	Linear Multistep Methods	123
5.1	The Most Popular Methods	124
5.1.1	Adams Methods	124
5.1.2	BDF	129
5.1.3	Initial Values for Multistep Methods	129
5.2	Order, 0-Stability, and Convergence	131
5.2.1	Order	132
5.2.2	Stability: Difference Equations and the Root Condition	135
5.2.3	0-Stability and Convergence	137
5.3	Absolute Stability	141
5.4	Implementation of Implicit Linear Multistep Methods	143
5.4.1	Functional Iteration	143
5.4.2	Predictor–Corrector Methods	144
5.4.3	Modified Newton Iteration	145
5.5	Designing Multistep General-Purpose Software	146
5.5.1	Variable Step-Size Formulae	147
5.5.2	Estimating and Controlling the Local Error	149

5.5.3	Approximating the Solution at Off-Step Points	152
5.6	Software, Notes, and References	152
5.6.1	Notes	152
5.6.2	Software	153
5.7	Exercises	153

Part III: Boundary Value Problems 161

6	More Boundary Value Problem Theory and Applications	163
6.1	Linear BVPs and Green's Function	166
6.2	Stability of BVPs	168
6.3	BVP Stiffness	172
6.4	Some Reformulation Tricks	173
6.5	Notes and References	174
6.6	Exercises	174
7	Shooting	177
7.1	Shooting: A Simple Method and Its Limitations	177
7.1.1	Difficulties	179
7.2	Multiple Shooting	182
7.3	Software, Notes, and References	185
7.3.1	Notes	185
7.3.2	Software	186
7.4	Exercises	186
8	Finite Difference Methods for Boundary Value Problems	193
8.1	Midpoint and Trapezoidal Methods	194
8.1.1	Solving Nonlinear Problems: Quasi-Linearization . . .	196
8.1.2	Consistency, 0-Stability, and Convergence	200
8.2	Solving the Linear Equations	203
8.3	Higher-Order Methods	205
8.3.1	Collocation	205
8.3.2	Acceleration Techniques	207
8.4	More on Solving Nonlinear Problems	209
8.4.1	Damped Newton	209
8.4.2	Shooting for Initial Guesses	210
8.4.3	Continuation	210
8.5	Error Estimation and Mesh Selection	212
8.6	Very Stiff Problems	214
8.7	Decoupling	219
8.8	Software, Notes, and References	220
8.8.1	Notes	220
8.8.2	Software	221
8.9	Exercises	222

Part IV: Differential-Algebraic Equations	229
9 More on Differential-Algebraic Equations	231
9.1 Index and Mathematical Structure	232
9.1.1 Special DAE Forms	238
9.1.2 DAE Stability	244
9.2 Index Reduction and Stabilization: ODE with Invariant . . .	247
9.2.1 Reformulation of Higher-Index DAEs	247
9.2.2 ODEs with Invariants	249
9.2.3 State Space Formulation	252
9.3 Modeling with DAEs	253
9.4 Notes and References	255
9.5 Exercises	256
10 Numerical Methods for Differential-Algebraic Equations	261
10.1 Direct Discretization Methods	262
10.1.1 A Simple Method: Backward Euler	263
10.1.2 BDF and General Multistep Methods	266
10.1.3 Radau Collocation and Implicit Runge–Kutta Meth- ods	268
10.1.4 Practical Difficulties	274
10.1.5 Specialized Runge–Kutta Methods for Hessenberg In- dex-2 DAEs	279
10.2 Methods for ODEs on Manifolds	280
10.2.1 Stabilization of the Discrete Dynamical System	281
10.2.2 Choosing the Stabilization Matrix F	285
10.3 Software, Notes, and References	288
10.3.1 Notes	288
10.3.2 Software	290
10.4 Exercises	291
Bibliography	299
Index	307

List of Figures

1.1	u vs. t for $u(0) = 1$ and various values of $u'(0)$	4
1.2	Simple pendulum.	5
1.3	Periodic solution forming a cycle in the $y_1 \times y_2$ plane.	7
1.4	Method of lines. The shaded strip is the domain on which the diffusion PDE is defined. The approximations $y_i(t)$ are defined along the dashed lines.	8
2.1	Errors due to perturbations for stable and unstable test equations. The original, unperturbed trajectories are in solid curves, the perturbed in dashed. Note that the y -scales in (a) and (b) are <i>not</i> the same.	27
3.1	The forward Euler method. The exact solution is the curved solid line. The numerical values are circled. The broken line interpolating them is tangential at the beginning of each step to the ODE trajectory passing through that point (dashed lines).	39
3.2	Absolute stability region for the forward Euler method. . . .	45
3.3	Approximate solutions for Example 3.1 using the forward Euler method, with $h = .19$ and $h = .21$. The oscillatory profile corresponds to $h = .21$; for $h = .19$ the qualitative behavior of the exact solution is obtained.	46
3.4	Approximate solution and plausible mesh, Example 3.2. . . .	49
3.5	Absolute stability region for the backward Euler method. . .	52
3.6	Approximate solution on a coarse uniform mesh for Example 3.2, using backward Euler (the smoother curve) and trapezoidal methods.	59
3.7	Sawtooth function for $\tau = 0.2$	63
4.1	Classes of higher-order methods.	74
4.2	Approximate area under curve.	77
4.3	Midpoint quadrature.	77

4.4	Stability regions for p -stage explicit Runge–Kutta methods of order p , $p = 1, 2, 3, 4$. The inner circle corresponds to forward Euler, $p = 1$. The larger p is, the larger the stability region. Note the “ear lobes” of the fourth-order method protruding into the right half-plane.	89
4.5	Schematic of a toy car.	97
4.6	Toy car routes under constant steering: unperturbed (solid line), steering perturbed by $\pm\phi$ (dash-dot lines), and corresponding trajectories computed by the linear sensitivity analysis (dashed lines).	99
4.7	Energy error for the Morse potential using leapfrog with $h = 2.3684$	115
4.8	Astronomical orbit using a Runge–Kutta 4(5) embedded pair method.	116
4.9	Modified Kepler problem: Approximate and exact solutions.	122
5.1	Adams–Bashforth methods.	126
5.2	Adams–Moulton methods.	128
5.3	Zeros of $\rho(\xi)$ for a 0-stable method.	138
5.4	Zeros of $\rho(\xi)$ for a strongly stable method. It is possible to draw a circle contained in the unit circle about each extraneous root.	139
5.5	Absolute stability regions of Adams methods.	142
5.6	BDF absolute stability regions. The stability regions are outside the shaded area for each method.	143
5.7	Lorenz “butterfly” in the $y_1 \times y_3$ plane.	155
6.1	Two solutions $u(t)$ for the BVP of Example 6.2.	165
6.2	The function $y_1(t)$ and its mirror image $y_2(t) = y_1(b - t)$, for $\lambda = -2$, $b = 10$	168
7.1	Exact (solid line) and shooting (dashed line) solutions for Example 7.2.	181
7.2	Exact (solid line) and shooting (dashed line) solutions for Example 7.2.	182
7.3	Multiple shooting.	183
8.1	Example 8.1: Exact and approximate solutions (indistinguishable) for $\lambda = 50$, using the indicated mesh.	196
8.2	Zero-structure of the matrix \mathbf{A} , $m = 3$, $N = 10$. The matrix size is $m(N + 1) = 33$	204
8.3	Zero-structure of the permuted matrix \mathbf{A} with separated boundary conditions, $m = 3$, $k = 2$, $N = 10$	205
8.4	Classes of higher-order methods.	206
8.5	Bifurcation diagram for Example 8.5: $\ u\ _2$ vs. λ	213

8.6	Solution for Example 8.6 with $\lambda = -1000$ using an upwind discretization with a uniform step size $h = 0.1$ (solid line). The “exact” solution is also displayed (dashed line).	218
9.1	A function and its less smooth derivative.	232
9.2	Stiff spring pendulum, $\varepsilon = 10^{-3}$, initial conditions $\mathbf{q}(0) = (1 - \varepsilon^{1/4}, 0)^T$, $\mathbf{v}(0) = \mathbf{0}$	243
9.3	Perturbed (dashed lines) and unperturbed (solid line) solutions for Example 9.9.	252
9.4	A matrix in Hessenberg form.	257
10.1	Methods for the direct discretization of DAEs in general form.	263
10.2	Maximum errors for the first three BDF methods for Example 10.2.	268
10.3	A simple electric circuit.	273
10.4	Results for a simple electric circuit: $U_2(t)$ (solid line) and the input $U_e(t)$ (dashed line).	274
10.5	Two-link planar robotic system.	287
10.6	Constraint path for (x_2, y_2)	288

List of Tables

3.1	Maximum errors for Example 3.1.	61
3.2	Maximum errors for long interval integration of $y' = (\cos t)y$	71
4.1	Errors and calculated convergence rates for the forward Euler, the explicit midpoint (RK2), and the classical Runge–Kutta (RK4) methods.	79
5.1	Coefficients of Adams–Bashforth methods up to order 6.	127
5.2	Coefficients of Adams–Moulton methods up to order 6.	128
5.3	Coefficients of BDF methods up to order 6.	130
5.4	Example 5.3: Errors and calculated convergence rates for Adams–Bashforth methods; (k, p) denotes the k -step method of order p	131
5.5	Example 5.3: Errors and calculated convergence rates for Adams–Moulton methods; (k, p) denotes the k -step method of order p	131
5.6	Example 5.3: Errors and calculated convergence rates for BDF methods; (k, p) denotes the k -step method of order p	132
8.1	Maximum errors for Example 8.1 using the midpoint method: Uniform meshes.	195
8.2	Maximum errors for Example 8.1 using the midpoint method: Nonuniform meshes.	195
8.3	Maximum errors for Example 8.1 using collocation at three Gaussian points: Uniform meshes.	207
8.4	Maximum errors for Example 8.1 using collocation at three Gaussian points: Nonuniform meshes.	207
10.1	Errors for Kepler’s problem using various second-order methods.	284
10.2	Maximum drifts for the robot arm; * denotes an error overflow.	289

Part I: Introduction