

# Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens

---

5th Edition, Volume I: A-H

Richard P. Pohanish

 William  
Andrew



R99-62  
S623  
Z.5  
V.1

# **SITTIG'S HANDBOOK OF TOXIC AND HAZARDOUS CHEMICALS AND CARCINOGENS**

**Fifth Edition**

**Volume 1: A-H**

**Richard P. Pohanish**



Norwich, NY, USA



E2010000150

Copyright © 2008 by William Andrew Inc.

No part of this book may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without permission in writing from the Publisher.

Library of Congress Cataloging-in-Publication Data

Sittig's handbook of toxic and hazardous chemicals and carcinogens / [edited by] Richard P. Pohanish.  
-- 5th ed.

p. ; cm.

Includes bibliographical references and index.

ISBN 978-0-8155-1553-1 (alk. paper)

1. Toxicology--Handbooks, manuals, etc. 2. Industrial toxicology--Handbooks, manuals, etc. 3. Carcinogens--Handbooks, manuals, etc. I. Pohanish, Richard P. II. Sittig, Marshall. Handbook of toxic and hazardous chemicals and carcinogens. III. Title: Handbook of toxic and hazardous chemicals and carcinogens. IV. Title: Toxic and hazardous chemicals and carcinogens.

[DNLM: 1. Environmental Pollutants--adverse effects--Handbooks. 2. Carcinogens, Environmental--adverse effects--Handbooks. 3. Industrial Waste--adverse effects--Handbooks. WA 39 S623 2008]

RA1215.S58 2008

615.9'02--dc22 2007037152

Printed in the United States of America

This book is printed on acid-free paper.

10 9 8 7 6 5 4 3 2 1

Published by:

William Andrew Inc.

13 Eaton Avenue

Norwich, NY 13815

1-800-932-7045

[www.williamandrew.com](http://www.williamandrew.com)

# **SITTIG'S HANDBOOK OF TOXIC AND HAZARDOUS CHEMICALS AND CARCINOGENS**

**Fifth Edition**

**Volume 1: A-H**





## NOTICE TO BE READ BY ALL USERS OF THIS PUBLICATION

Great care has been taken in the preparation of this work and, to the best knowledge of the Publisher and the Editors, the information contained herein is factual and accurate. However the data and information are not to be taken as a warranty or representation for which the Publisher or Editors assumes legal responsibility. Furthermore, the Publisher does not assume any responsibility or liability for the accuracy or completeness of, or consequences from, such information. Data are offered solely for your consideration, investigation, and verification. Mention of trade names or commercial products in the work does not constitute endorsement or recommendation for use by the Publisher.

This reference work is intended to provide information about chemical hazards and guidelines for those trained in the use and storage of hazardous materials, as well as in the response to spills and accidents involving those materials. The work is not intended as a primary source of research information. As with any reference, it cannot include all information or discuss all situations that might occur. It cannot be assumed that all necessary warnings and precautionary measures are contained in this work; other, or additional, information or assessments may be required. Most of all, it cannot replace the expertise, and experience of trained professionals or qualified responders.

Because information may not be available for some chemicals, an absence of data does not necessarily mean that a substance is not hazardous. For major incidents, it will be necessary to obtain additional detailed information from other resources as well as more expertise from those with extensive training. Neither the Publisher nor the Editors assume any liability or responsibility for completeness or accuracy of the information presented or any damages of any kind alleged to result in connection with, or arising from, the use of this work.

Final determination of the suitability of any information for use contemplated by any user of this work, and the manner of that use, is the sole responsibility of the user. Any use of these data and information must be determined by the user to be in accordance with applicable federal, state, and local laws, and regulations. The Publisher and Editors recommend that anyone intending to use any toxic, hazardous chemical, and/or carcinogenic material mentioned in this work, should satisfy themselves as to such suitability, and that the user can meet all applicable safety and health standards. The Publisher and the Editors strongly encourage all readers, and users of chemicals, to adhere to and follow the manufacturers' or suppliers' current instructions, technical bulletins, and material safety data sheets (MSDSs) for specific use, handling, protection (including the use of personal protective equipment and eye protection), and storage of all chemical materials. We also strongly recommend that users obtain expert advice before implementing procedures involving any hazardous chemicals, materials, or carcinogens.

## Preface

For more than a quarter century *Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens* has continued to gather an ever-widening audience of users because it has been proven to be among the most reliable, easy-to-use and essential reference works on hazardous materials. The 5<sup>th</sup> edition has been updated and expanded to keep pace with world events and to answer continuing and expanded need for information.

The 4<sup>th</sup> Edition of *Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens* was published in 2001, shortly before the tragic events of the morning of September 11, 2001. Following 9/11 the US established the Department of Homeland Security and enacted laws such as the *Chemical Facilities Security Act of 2003*. These actions were prompted by concerns about infrastructure protection and the anticipation of another attack, possibly on the nation's chemical facilities or by using trucks or tank cars that transport lethal chemicals such as anhydrous ammonia, boron trifluoride, chlorine, cyanide, and nitrates.

"These facilities are found around the country in industrial parks, in seaports, and near the major population centers. Dangerous chemicals routinely travel along our highways, inland waterways, and on railcars that pass through the heart of major cities including Washington, D.C., just a short distance from Capitol Hill. Terrorist attacks on the US chemical industry have the potential to kill tens of thousands of Americans and seriously injure many more. In many instances, these attacks hold the potential for having a cascading effect across other infrastructures, particularly in the energy and transportation sectors. This is both because of the damage that can be caused by the attack, and the enormous expense and effort associated with the clean-up to an affected area in its aftermath.."<sup>[83]</sup>

To put it more simply, using the same low tech/high concept approach that turned passenger planes into missiles, terrorists do not need to produce or amass chemical weapons and smuggle them into the United States to produce great damage.

"Commercial chemical incidents occur tens of thousands of times each year, often with devastating and exorbitantly expensive consequences. They are indiscriminate in their effects. Workers, companies, the public, emergency response organizations, and all levels of government pay the figurative and literal price. Yet, until now and with few exceptions, chemical incidents have been invisible. Perhaps it is due to their pervasiveness, or to the common tendency to overlook

what is taken for granted."<sup>[84]</sup> This quote is from the highly-publicized *600K Report* prepared by the Chemical Safety and Hazard Investigation Board (CSB), an independent, nonpartisan, quasi-legislative US government agency. The CSB described our nation's lack of definitive knowledge of the "big picture" surrounding chemical incidents as "... the industrial equivalent of two 737 airplanes "crashing" year after year, killing all passengers (256 people) without anyone seeming to notice."<sup>[84]</sup>

More than 30 years ago the United States Government Accounting Office (GAO) estimated that 62,000 chemicals were in commercial use. Today, that number has grown to beyond 82,000.

Each year, in the United States, over 2 billion tons of hazardous and toxic chemicals are manufactured. Including imports, more than 3 billion tons are transported employing 800,000 shipments each day. It is estimated that 1.3 billion tons are moved by truck and hundreds of billions of pounds of these hazardous materials are transported through populated areas. The average American household generates approximately 15 pounds of hazardous waste per year. Nearly five million poisonings occur in the US annually, resulting in thousands of deaths. Based on 2004 TRI data (publicly released April 2006), over 4 billion pounds of toxic chemicals are released into the nation's environment each year, including 72 million pounds of recognized carcinogens from nearly 24,000 industrial facilities. The toxic chemicals problem in the United States; and, indeed, in all the world is frightening to many people. And, over the years, these fears are heightened by news stories about an oil field explosion in Mississippi (2006), a 48,000 pound chlorine release in Missouri (2002), Love Canal in New York, the Valley of the Drums in Kentucky, the Valley of Death in Brazil, major chemical spills, including Bhopal, India, terrorist attacks in Japan ...and the like. All of these incidents generate emotional responses, often from people uninformed about science or technology. On the other hand, one encounters some industrialists who tell us that toxic chemicals are present in nature and that industrial contributions are just the price we have to pay for progress. There is little argument about the chemical industry's critical place in the nation's economy. The United States is the number one chemical producer in the world, generating more than \$550 billion a year and employing more than 5 million people. So, somewhere in between lies the truth—or at least an area in which we can function. Information is vital in a world where virtually every aspect of our lives is touched by chemical hazards.

Given the reality of problems related to chemical hazards, including accidents and spills, the advent of new threats to our way of life, and the challenges of communicating complex data, it is the goal of this book to provide data so that responsible decisions can be made by all who may have contact with chemicals in this reference work. With this in mind the work can be used by those in the following professions:

- Chemicals manufacturers
- Emergency response personnel
- Protective safety equipment producers
- Environmental management
- Transportation managers
- Toxicologists
- Industrial hygienists
- Industrial safety engineers
- Lawyers
- Occupational Doctors and Nurses
- Chemists
- Industrial waste disposal operators
- Enforcement officials
- Special, technical, and university librarians
- Legislators
- Homeland Security planners

The chemicals chosen for inclusion are officially recognized substances, defined as carcinogens; as belonging to some designated category of hazardous or toxic materials; with numerically-defined safe limits in air in the workplace, ambient air, water; in waste effluents. For the most part these are materials of commerce that are heavily used and many are transported in bulk.

The 5th edition contains more regulated chemicals and expanded data on each material. Some material and appendices from the previous edition has been eliminated or moved to more appropriate sections. This was done to limit the work to a pair of handy volumes.

All of this has been done to make the work more relevant, more inclusive, and easier to use. The utility of the work has been enhanced by the addition of three appendices. Additionally there is a table that cross indexes the materials by chemical and trade names and CAS Registry number.

Appendix 1: the list of oxidizing materials has been expanded. Appendix 2 contains many new confirmed and suspected carcinogens. Also, this edition allows the user to search the carcinogen list by name or CAS number. Appendix 3 is a glossary of chemical, health, safety, medical, and environmental terms used in the handbook. The glossary was completely reviewed and many narrow interest medical terms were removed. More and new germane terms were added. The Introduction

was replaced with the more accurate title, *How to Use this Book*. Following the use section is a revised *Key to the Abbreviations and Acronyms* used in the handbook.

In keeping with the broad changes initiated with the fourth edition, contents of the fifth edition are focused on the concept of "regulated chemicals." The carcinogen potential of each chemical was compared to listings and reports from eminent authorities as the International Agency for Research on Cancer (IARC) and the National Toxicology Program (NTP).

The "Regulatory Authority and Advisory Bodies" section contains new items including, where available, EPA Gene-Tox Program findings, and many of the individual listings now contain useful advice sought after by the regulated community. As a result, the new volume should be even more practical for those users of specific chemicals, and to those concerned with both adherence to, and enforcement of, regulations.

Data is furnished, to the extent currently available, in a uniform multi-section uniform format to make it easy for users who must find information quickly and/or compare the data contained within records, in any or all of these important categories:

Chemical Description  
Code Numbers (including CAS, DOT, RTECS, EC)  
Synonyms  
Regulatory Authority and Advisory Bodies (summary)  
Description  
Potential Exposure  
Incompatibilities  
Permissible Exposure Limits in Air  
Determination in Air  
Permissible Concentration in Water  
Determination in Water  
Routes of Entry  
Short Term Exposure  
Long Term Exposure  
Points of Attack  
Medical Surveillance  
First Aid  
Decontamination (CWAs or WMDs)  
Personal Protective Methods  
Respirator Selection  
Storage  
Shipping  
Spill Handling  
Fire Extinguishing  
Disposal Method Suggested  
References

New and additional information has been included in the fifth edition in the following sections: Synonyms, EC Number (new), Regulatory Authority and Advisory Bodies, Description, Incompatibilities, Short Term

Exposure, Long Term Exposure, First Aid, Decontamination (of chemical warfare agents and weapons of mass destruction), Personal Protective Methods, Respirator Selection, Storage, Shipping, Spill Handling, Fire Extinguishing, Disposal. Specifically, additions include more regulatory information, identifiers, chemical and physical properties including flash points, explosive limits, water solubility, and odor thresholds, hazard ratings, DOT isolation and protective distances, and full text of NIOSH respirator recommendations. Many records contain special warnings, notes to EMS personnel and other health care professionals, and occupational analytical methods from NIOSH and OSHA. Although every effort has been made to produce an accurate and highly useful handbook, the author appreciates the need-for constant improvement. Any comments, corrections, or advice from users of this book are welcomed by the author who asks that all correspondence be submitted in writing and mailed to the publisher who maintains a file for reprints and future editions.

#### **A brief history of this work**

*Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens* was first published more than 25 years ago. This work continues to provide first responders and occupational and environmental health and safety professionals with an accessible and portable reference source. The fifth edition of this handbook contains data on nearly 2100 toxic and hazardous chemicals (up from nearly 600 in the first edition, nearly 800 in the second edition, nearly 1300 in the third edition, and 1500 in the fourth edition).

According to the Library of Congress, the history of the project is as follows: 1<sup>st</sup> edition published in 1981; 2<sup>nd</sup>

edition published in 1985; 3<sup>rd</sup> edition published in 1991; 4<sup>th</sup> edition published in 2001; 5<sup>th</sup> edition November 2007.

#### **Acknowledgments**

The author would like to thank some individuals and institutions, without whose expertise and generous help, the fifth edition would not have been possible. In particular, I want to acknowledge the good work of the scientists and contract employees associated with NIOSH, U.S. EPA, OSHA, ATSDR, ACGIH, IARC, DFG, who developed the various documents and databases that provided so much of the data that were compiled for this work. To each I am indebted.. At the U.S. Coast Guard Headquarters I wish to thank Alan Schneider, D.Sc., Marine Technical and Hazardous Materials Division. To my friend and oft-time co-author, Stanley A. Greene, who helped to produce the Synonym and Trade Name index for this handbook goes my sincere gratitude.

Thanks are due to my publisher Martin Scrivener for contributing invaluable suggestions, and his excellent staff, including editors Valerie Haynes and Jane Higgins, and production coordinator, Betty Leahy. I owe a debt of gratitude to Heidi Crane and Bruce Presley of Lawrenceville Press for coming to my aid when I encountered hardware problems during a critical phase of this project and my daughter, Barbara Pohanish, for her excellent and timely fact-checking. Last, but not least, my wife, Dina, deserves a special thanks for her patience and constant support, especially since this work was produced in the midst of our only major relocation in almost 40 years.

Richard P. Pohanish  
September 2007

## How To Use This Book

*Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens* focuses on critical data for nearly 2000 commercially important and/or regulated and monitored substances, and many associated substances. Many of these chemicals or substances are found in the workplace; a few are found in the medical and research fields. Importance is defined by inclusion in official, regulatory, and advisory listings. Much of this information, found in U.S. government sources, has been supplemented by a careful search of publications from various countries and other sources including United Nations and World Health Organization (WHO) publications.

This handbook is becoming more encyclopedic in nature. When one looks at most handbooks, one simply expects to find numerical data. Here, we have tried, wherever possible, to provide literature references to review documents which hopefully opens the door for users to a much broader field of published materials. It is recommended that this book be used as a guide. This book is not meant to be a substitute for workplace hazard communication programs required by regulatory bodies such as OSHA, and/or any other US, foreign, or international government agencies. If data are required for legal purposes, the original source documents and appropriate agencies, which are referenced, should be consulted.

In the pages which follow, the following categories of information will be discussed with reference to scope, sources, nomenclature employed, and the like. Omission of a category indicates a lack of available information.

**Chemical name:** Each record is arranged alphabetically by a chemical name used by regulatory and advisory bodies. In a very few cases the name may be a product name or trade name.

**Formula:** Generally, this has been limited to a commonly used one-line empirical or atomic formula. In the *Molecular Formula* field, the Hill system has been used showing number of carbons (if present), number of hydrogens (if present), and then alphabetically by element. Multiple carbon-carbon (double and triple) bonds have been displayed where appropriate.

**Synonyms:** This section contains scientific, product, trade, and other synonym names that are commonly used for each hazardous substance. Some of these names are registered trade names. Some are provided in other major languages other than English, including Spanish, French, and German. In some cases, "trivial" and nicknames (such as MEK for methyl ethyl ketone) have been included because they are commonly used in general communications and in the workplace. This section is important because the various "regulatory" lists published by federal, state, international, and advisory bodies and agencies do not always use the same name for a specific hazardous substance. Every attempt has been

made to ensure the accuracy of the synonyms and trade names found in this volume, but errors are inevitable in compilations of this magnitude. Please note that this volume may not include the names of all products currently in commerce, particularly mixtures, that may contain regulated chemicals.

The synonym index contains all synonym names listed in alphabetical order. It should be noted that organic chemical prefixes and interpolations such as a,b,g, d etc.; (*o*-) *ortho*-, (*m*-) *meta*-; (*p*-) *para*-; *sec*- (*secondary*-), *trans*-, *cis*-, (*n*-) *normal*-, etc are not treated as part of the chemical name for the purposes of alphabetization.

**CAS Number:** The CAS number is a unique identifier assigned to each chemical registered with the Chemical Abstracts Service (CAS) of the American Chemical Society. This number is used to identify chemicals on the basis of their molecular structure. CAS numbers, in the format nnn (...)-nn-n, [two or more numeric characters (dash) two numeric characters (dash) followed by a single numeric check digit]. CAS numbers should always be used in conjunction with substance names to insure positive identification and avoid confusion with like-sounding names, i.e., benzene (71-43-2) and benzine (8032-32-4). This 5<sup>th</sup> edition contains some alternate CAS numbers that may now be considered related, retired, obsolete and/or widely and incorrectly used in the literature. In this section, the first CAS number(s), before the word "alternate," is considered (based on several sources) to be the correct CAS number(s). Ultimately, it is the responsibility of the user to find and use the correct number.

**RTECS® Number:** The RTECS® numbers (Registry of Toxic Effects of Chemical Substances) are unique identifiers assigned and published by NIOSH. The RTECS® number in the format "AAnnnnnnn" (two alphabetic characters followed by seven numeric characters) may be useful for online searching for additional toxicologic information on specific substances. It can, for example, be used to provide access to the MEDLARS® computerized literature retrieval services of the National Library of Medicine (NLM) in Washington, DC. The RTECS number and the CAS number can serve to narrow down online searches.

**DOT ID:** The DOT hazard ID number is assigned to the substance by the U.S. Department of Transportation (DOT). The DOT ID number format is "UNnnnn" or "NA nnnn". This ID number identifies substances regulated by DOT and must appear on shipping documents, the exterior of packages, and on specified containers. Identification numbers containing a UN prefix are also known as United Nations numbers and are authorized for use with all international shipments of hazardous materials. The "NA" prefix is used for shipments between Canada and the United States only, and may not be used for other international shipments.



**EC Number:** The EC number is an identification code used by the European Union (EU) for commercially available chemical substances within the EU. An identification number from *European Inventory of Existing Commercial Chemical Substances*, published by the European Environment Agency, Copenhagen, Denmark. Use of these identification numbers for hazardous materials will (a) serve to verify descriptions of chemicals; (b) provide for rapid identification of materials when it might be inappropriate or confusing to require the display of lengthy chemical names on vehicles; (c) aid in speeding communication of information on materials from accident scenes and in the receipt of more accurate emergency response information; and (d) provide a means for quick access to immediate emergency response information in the “*North American Emergency Response Guidebook*.”<sup>[31]</sup> In this latter volume, the various compounds have assigned “ID” numbers (or identification numbers) which correspond closely, but not always precisely, to the UN listing.<sup>[20]</sup> The EC Number supercedes the outmoded EINECS and ELINCS Numbers.

**Regulatory Authority and Advisory Bodies :**

Contains a listing of major regulatory and advisory lists containing the chemical of concern, including OSHA, US EPA, DFG, US DOT, ACGIH, IARC, NTP, WHMIS (Canada). Many law or regulatory references in this work have been abbreviated. For example, Title 40 of the Code of Federal Regulations, Part 261, subpart 32 has been abbreviated as 40CFR261.32. The symbol “§” may be used as well to designate a section or part. Under the title of each substance, there are designations indicating whether the substance is:

- A carcinogen (the agency making such a determination, the nature of the carcinogenicity — whether human or animal and whether positive or suspected, are given in each case). These are frequently cited by IARC (International Agency for Research on Cancer),<sup>[12]</sup> and are classified as to their carcinogenic risk to humans by IARC as follows: Group 1: Human Carcinogen; Group 2A: Probable Human Carcinogen; Group 2B: Possible Human Carcinogen. Chemicals are classified as to their carcinogenic risk to humans by NTP as follows: Group K: Known Human Carcinogens; Group R: Reasonably Anticipated Human Carcinogens, or the NTP (U.S. National Toxicology Programs).<sup>[10]</sup> It should be noted that the DFG have designated some substances as carcinogens not so classified by other agencies.
- A banned or severely restricted product as designated by the United Nations<sup>[13]</sup> or by the U.S. EPA Office of Pesticide Programs under FIFRA (The Federal Insecticide, Fungicide and Rodenticide Act).<sup>[14]</sup>
- A substance cited by the World Bank.<sup>[15]</sup>

- A substance with an air pollutant standard set or recommended by OSHA and/or NIOSH,<sup>[58]</sup> ACGIH,<sup>[1]</sup> DFG,<sup>[3]</sup> or HSE.<sup>[33]</sup> The OSHA limits are the enforceable pre-1989 PELs. The transitional limits that were vacated by court order have not been included. The NIOSH and ACGIH airborne limits are recommendations that do not carry the force of law.
- A substance whose allowable concentrations in workplace air are adopted or proposed by the American Conference of Government Industrial Hygienists (ACGIH)<sup>[1]</sup>, DFG [Deutsche Forschungsgemeinschaft (German Research Society)].<sup>[3]</sup> Substances whose allowable concentrations in air and other safety considerations have been considered by OSHA and NIOSH.<sup>[2]</sup> Substances which have limits set in workplace air, in residential air, in water for domestic purposes or in water for fishery purposes as set forth by the former USSR/UNEP/IRPTC Project.<sup>[43]</sup>
- Substances that are specifically regulated by OSHA under 29CFR1910.1001 to 29CFR1910.1050
- Highly hazardous chemicals, toxics, and reactives regulated by OSHA’s “*Process Safety Management of Highly Hazardous Chemicals*” under 29CFR1910.119, Appendix A. Substances that are Hazardous Air Pollutants (Title I, Part A, § 112) as amended under 42USC7412. This list provided for regulating at least 189 specific substances using technology-based standards that employ Maximum Achievable Control Technology (MACT) standards; and, possibly health-based standards if required at a later time. § 112 of the Clean Air Act (CAA) requires emission control by the EPA on a source-by-source basis. Therefore, the emission of substances on this list does not necessarily mean that a firm is subject to regulation.
- Regulated Toxic Substances and Threshold Quantities for Accidental Release Prevention. These appear as Accidental Release Prevention/Flammable Substances, Clean Air Act (CAA) §112(r), Table 3, TQ (threshold quantity) in pounds and kilograms under 40 CFR68.130. The accidental release prevention regulations applies to stationary sources that have present more than a threshold quantity of a CAA § 112(r) regulated substance.
- Clean Air Act (CAA) Public Law 101–549, Title VI, *Protection of Stratospheric Ozone*, Subpart A, Appendix A, class I and Appendix B, Class II, Controlled Substances, (CFCs) Ozone depleting substances under 40CFR82.
- Clean Water Act (CWA) Priority toxic water pollutants defined by the U.S. Environmental Protection Agency for 65 pollutants and classes of pollutants which yielded 129 specific substances.<sup>[6]</sup>

- Chemicals designated by EPA as “Hazardous Substances”<sup>[4]</sup> under the Clean Water Act (CWA) 40CFR116.4, Table 116.4A.
- Clean Water Act (CWA) § 311 Hazardous Materials Discharge Reportable Quantities (RQs). This regulation establishes reportable quantities for substances designated as hazardous (see §116.4, above) and sets forth requirements for notification in the event of discharges into navigable waters. Source: 40 CFR117.3, amended at 60FR30937.
- Clean Water Act (CWA) § 307 List of Toxic Pollutants. Source: 40CFR401.15.
- Clean Water Act (CWA) § 307 Priority Pollutant List. This list was developed from the List of Toxic Pollutants classes discussed above and includes substances with known toxic effects on human and aquatic life, and those known to be, or suspected of being, carcinogens, mutagens, or teratogens. Source: 40CFR423, Appendix A.
- Clean Water Act, § 313 Water Priority Chemicals. Source: 57FR41331.
- RCRA Maximum Concentration of Contaminants for the Toxicity Characteristic with Regulatory levels in mg/l. Source: 40CFR261.24.
- RCRA Hazardous Constituents. Source: 40CFR261, Appendix VIII. Substances listed have been shown, in scientific studies, to have carcinogenic, mutagenic, teratogenic or toxic effects on humans and other life forms. This list also contains RCRA waste codes. The words, “waste number not listed” appears when a RCRA number is NOT provided in Appendix VIII.

### Characteristic Hazardous Wastes

**Ignitability** A nonaqueous solution containing less than 24% alcohol by volume and having a closed cup flashpoint below 60°C/140°F using Pensky-Martens tester or equivalent.

An ignitable compressed gas.

A non-liquid capable of burning vigorously when ignited or causes fire by friction, moisture absorption, spontaneous chemical changes at standard pressure and temperature.

An oxidizer. See §261.21.

**Corrosivity** Liquids with a pH equal to or less than 2 or equal to or more than 12.5 or which corrode steel at a rate greater than 6.35 mm (0.25 in) per year @ 55°C/130°F. See §261.22.

**Reactivity** Unstable substances that undergo violent changes without detonating.

Reacts violently with water or other substances to create toxic gases.

Forms potentially explosive mixtures with air. See §261.23.

**Toxicity** A waste that leaches specified amounts of metals, pesticides, or organic chemicals using Toxicity Characteristic Leaching Procedure (TCLP). See §261,

Appendix II, and §268, Appendix I. **Listed Hazardous wastes**

**“F” wastes** Hazardous wastes from nonspecific sources §261.31

**“K” Wastes** Hazardous wastes from specific sources §261.32

**“U” Wastes** Hazardous wastes from discarded commercial products, off-specification species, container residues §261.34. Covers some 455 compounds and their salts and some isomers of these compounds.

**“P” Wastes** Acutely hazardous wastes from discarded commercial products, off-specification species, container residues §261.33. Covers some 203 compounds and their salts plus soluble cyanide salts.

*Note:* If a waste is not found on any of these lists, it may be found on state hazardous waste lists.

RCRA Maximum Concentration of Contaminants for the Toxicity Characteristic. Source: 40CFR261.24, Table I. These are listed with regulatory level in mg/l and “D” waste numbers representing the broad waste classes of ignitability, corrosivity, and reactivity.

EPA Hazardous Waste code(s), or RCRA number, appears in its own field. Acute hazardous wastes from commercial chemical products are identified with the prefix “P.” Nonacutely hazardous wastes from commercial chemical products are identified with the prefix “U.”

RCRA Universal Treatment Standards. Lists hazardous wastes that are banned from land disposal unless treated to meet standards established by the regulations. Treatment standard levels for wastewater (reported in mg/l) and nonwastewater [reported in mg/kg or mg/l TCLP (Toxicity Characteristic Leachability Procedure)] have been provided. Source: 40CFR268.48 and revision, 61FR15654.

RCRA Ground Water Monitoring List. Sets standards for owners and operators of hazardous waste treatment, storage, and disposal facilities, and contains test methods suggested by the EPA (see Report SW-846) followed by the Practical Quantitation Limit (PQL) shown in parentheses. The regulation applies only to the listed chemical; and, although both the test methods and PQL are provided, they are *advisory only*. Source: 40CFR264, Appendix IX.

Safe Drinking Water Act (SDWA) Maximum Contaminant Level Goals (MCLG) for Organic Contaminants. Source: 40CFR141 and 40CFR141.50, amended 57FR31776.

- Maximum Contaminant Levels (MCL) for Organic Contaminants. Source: 40CFR141.61.
- Maximum Contaminant Level Goals (MCLG) for Inorganic Contaminants. Source: 40CFR141.51.
- Maximum Contaminant Levels (MCL) for Inorganic Contaminants. Source: 40CFR141.62.
- Maximum Contaminant Levels for Inorganic Chemicals. The maximum contaminant level for arsenic applies only to community water systems.

Compliance with the MCL for arsenic is calculated pursuant to §141.23. Source: 40CFR141.11.

- Secondary Maximum Contaminant Levels (SMCL). Federal advisory standards for the states concerning substances that effect physical characteristics (i.e., smell, taste, color, etc.) of public drinking water systems. Source: 40CFR143.3.

CERCLA Hazardous Substances (“RQ” Chemicals). From Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and § 112(r) of the Clean Air Act, as Amended. Source: EPA 550-B-98-017 *Title III List of Lists*.

Releases of CERCLA hazardous substances in quantities equal to or greater than their reportable quantity (RQ), are subject to reporting to the National response Center under CERCLA. Such releases are also subject to state and local reporting under §304 of SARA Title III (EPCRA). CERCLA hazardous substances, and their reportable quantities, are listed in 40CFR302, Table 302.4. RQs are shown in pounds and kilograms for chemicals that are CERCLA hazardous substances. For metals listed under CERCLA (antimony, arsenic, beryllium, cadmium, chromium, copper, lead, nickel, selenium, silver, thallium, and zinc), no reporting of releases of the solid is required if the diameter of the pieces of solid metal released is 100 micrometers (0.004 inches) or greater. The RQs shown apply to smaller particles.

EPCRA §302 Extremely Hazardous Substances (EHS). From Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and § 112(r) of the Clean Air Act, as Amended. Source: EPA 550-B-98-017 *Title III List of Lists*. The presence of Extremely Hazardous Substances in quantities in excess of the Threshold Planning Quantity (TPQ), requires certain emergency planning activities to be conducted. The Extremely Hazardous Substances and their TPQs are listed in 40CFR355, Appendices A & B. For chemicals that are solids, there may be two TPQs given (e.g., 500/ 10,000). In these cases, the lower quantity applies for solids in powder form with particle size less than 100 microns; or, if the substance is in solution or in molten form. Otherwise, the higher quantity (10,000 pounds in the example) TPQ applies.

EPCRA §304 Reportable Quantities (RQ). In the event of a release or spill exceeding the reportable quantity, facilities are required to notify State Emergency Response Commissions (SERCs) and Local Emergency Planning Committees (LEPCs). From Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and § 112(r) of the Clean Air Act, as Amended. Source: EPA 550-B-98-017 *Title III List of Lists*.

EPCRA § 313 Toxic Chemicals. From Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and § 112(r)

of the Clean Air Act, as Amended. Source: EPA 550-B-98-017 *Title III List of Lists*. Chemicals on this list are reportable under §313 and §6607 of the Pollution Prevention Act. Some chemicals are reportable by category under §313. Category codes needed for reporting are provided for the EPCRA§313 categories. Information and Federal Register references have been provided where a chemical is subject to an administrative stay, and not reportable until further notice.

From “*Toxic Chemical Release Inventory Reporting Form R and Instructions, Revised 2005 Version*,” EPA document 260-B-06-001 was used for *de minimis* concentrations, toxic chemical categories.

Chemicals which EPA has made the subject of Chemical Hazard Information Profiles or “CHIPS” review documents.

Chemicals which NIOSH has made the subject of “Information Profile” review documents on “Current Intelligence Bulletins.”

Carcinogens identified by the National Toxicology Program of the U.S. Department of Health and Human Services at Research Triangle Park, NC.<sup>[10]</sup>

Chemicals that were covered in the periodical “*Dangerous Properties of Industrial Materials Report*” formerly edited by N. Irving Sax, Richard Lewis, and Jan C. Prager, published by Van Nostrand Reinhold, New York.

Chemicals described in the 2-volume “*Encyclopedia of Occupational Health and Safety*” published by the International Labor Office (ILO).<sup>[30]</sup>

Most of the chemicals covered in the “*Legal File*” published by International Register of Potentially Toxic Chemicals Program (IRPTC) of the United Nations.<sup>[35]</sup>

The reader who is particularly concerned with legal standards (allowable concentration in air, in water or in foods) is advised to check these most recent references because data may exist in this UN publication which has not been quoted *in toto* in this volume because of time and space limitations.

Substances regulated by EPA <sup>[7]</sup> under the major environmental laws: Clean Air Act, Clean Water Act, Safe Drinking Water Act, RCRA, CERCLA, EPCRA, etc. A more detailed list appears above. Substances with a environmental standards set by some international bodies including Canada and the former USSR.<sup>[43]</sup>

If additional guidance or compliance assistance is needed, you are encouraged to use the information resources found in *Appendix I*

**Cited in U.S. State Regulations:** A substance defined by one or more of the 50 states in the USA. as being a material of concern either from the standpoint of discharges of materials believed to be carcinogenic, mutagenic, or causes of reproductive toxicity; or possible worker exposure and required availability of information to workers under “Right-to-Know” laws in the U.S. or Canada. The letter (G) indicates simply a reference to the chemical by name, (A) indicates an air pollutant

numerical level cited and (W) a water pollutant numerical level cited.

**Description:** This section contains a quick summary of physical properties of the substance including state (solid, liquid or gas), color, odor description, molecular weight, density, boiling point, freezing/melting point, vapor pressure, flash point, autoignition temperature, explosion limits in air, Hazard Identification (based on NFPA-704 M Rating System) in the format: Health (ranked 1 to 4), Flammability (ranked 1 to 4), Reactivity (ranked 1 to 4) (see also below for a detailed explanation of the System and Fire Diamond), and solubility or miscibility in water. This section may also contain special and relevant comments about the substance. Terms in this section are also defined in the glossary.

**Odor threshold:** This is the lowest concentration in air that most humans can detect by smell. Some value ranges are reported. The value cannot be relied on to prevent over-exposure, because human sensitivity to odors varies over wide limits, some chemicals cannot be smelled at toxic concentrations, odors can be masked by other odors, and some compounds rapidly deaden the sense of smell.

**Molecular weight:** The MW as calculated from the molecular formula using standard elemental molecular weights (e.g. carbon = 12.1).

**Boiling point** at 1 atm: The value is the temperature of a liquid when its vapor pressure is 1 atm. For example, when water is heated to 100°C/212°F its vapor pressure rises to 1 atm and the liquid boils. The boiling point at 1 atm indicates whether a liquid will boil and become a gas at any particular temperature and sea-level atmospheric pressure.

**Melting/Freezing point:** The melting/freezing point is the temperature at which a solid changes to liquid or a liquid changes to a solid. For example, liquid water changes to solid ice at 0°C/32°F. Some liquids solidify very slowly even when cooled below their melting/freezing point. When liquids are not pure (for example, salt water) their melting/freezing points are lowered slightly.

**Flash point:** This is defined as the lowest temperature at which vapors above a volatile combustible substance will ignite in air when exposed to a flame. Depending on the test method used, the values given are either Tag Closed Cup (cc) (ASTM D56) or Cleveland Open Cup (oc) (ASTM D93). The values, along with those in *Flammable Limits in Air* and *Autoignition temperature* below, give an indication of the relative flammability of the chemical. In general, the open cup value is slightly higher (perhaps 10 to 15°F higher) than the closed cup value. The flash points of flammable gases are often far below 0° (F or C) and these values are of little practical value, so the term “flammable gas” is often used instead of the flash point value.

**Autoignition Temperature:** This is the minimum temperature at which the material will ignite without a

spark or flame being present. Values given are only approximate and may change substantially with changes in geometry, gas, or vapor concentrations, presence of catalysts, or other factors.

**Flammable Limits in Air:** The percent concentration in air (by volume) is given for the LEL (lower explosive-flammable limit in air, % by volume) and UEL (upper explosive flammable limit in air, % by volume), at room temperature, unless other specified. The values, along with those in “Flash point” and “Autoignition temperature” give an indication of the relative flammability of the chemical.

**NFPA Hazard Classifications:** The NFPA 704 Hazard Ratings (Classifications) are based on those found in “*Fire Protection Guide to Hazardous Materials*,” 2001 edition, National Fire Protection Association, Quincy, MA, ©1994. The classifications are defined in Table 1 below.

**Table 1.** Explanation of NFPA Hazard Classifications

#### HEALTH HAZARD (blue)

*Classification                      Definition*

- 4 Materials which on very short exposure could cause death or major residual injury (even though prompt medical treatment was given), including those that are too dangerous to be approached without specialized protective equipment.
- 3 Materials which on short exposure could cause serious temporary or residual injury (even though prompt medical treatment was given), including those requiring protection from all bodily contact.
- 2 Materials that, on intense or continued (but not chronic) exposure, could cause temporary incapacitation or possible residual injury, including those requiring the use of protective clothing that has an independent air supply.
- 1 Materials which on exposure would cause irritation but only minor residual injury, including those requiring the use of an approved air-purifying respirator.
- 0 Materials that, on exposure under fire conditions offer no hazard beyond that of ordinary combustible material.

#### FLAMMABILITY (red)

*Classification number and Definition*

- 4 This degree includes flammable gases, pyrophoric liquids, and Class IA flammable liquids. Materials which will rapidly or completely vaporize at atmospheric pressure and normal ambient temperature, or which are readily dispersed in air and which will burn readily.
- 3 Includes Class IB and IC flammable liquids and materials that can be easily ignited under almost all normal temperature conditions.
- 2 Materials that must be moderately heated before ignition will occur and includes Class II and Class IIIA combustible liquids and solids and semi-solids that readily give off ignitable vapors.



- 1 Materials that must be preheated before ignition will occur, such as Class IIIB combustible liquids, and solids and semi-solids whose flash point exceeds 200°F/93.4°C, as well as most ordinary combustible materials.

- 0 Materials that will not burn.

#### **REACTIVITY (yellow)**

##### *Classification Definition*

- 4 Materials that, in themselves, are readily capable of detonation, explosive decomposition or explosive reaction at normal temperatures and pressures.
- 3 Materials that, in themselves, are capable of detonation, or explosive reaction, but require a strong initiating source or heating under confinement. This includes materials that are sensitive to thermal and mechanical shock at elevated temperatures and pressures and materials that react explosively with water.
- 2 Materials that are normally unstable and readily undergo violent chemical change, but are not capable of detonation. This includes materials that can undergo chemical change with rapid release of energy at normal temperatures and pressures. This also includes materials that may react violently with water or that may form potentially explosive mixtures in water.
- 1 Materials that are normally stable, but that may become unstable at elevated temperatures and pressures and materials that will react with water with some release of energy, but not violently.
- 0 Materials that are normally stable, even under fire exposure conditions, and that do not react with water.

#### **OTHER (white)**

##### *Classification Definition*

W Materials which react so violently with water that a possible hazard results when they come in contact with water, as in a fire situation. Similar to Reactivity Classification.

2. Oxy Oxidizing material; any solid or liquid that readily yields oxygen or other oxidizing gas, or that readily reacts to oxidize combustible materials.

It should be noted that OSHA and DOT have differing definitions for the term “flammable liquid” and “combustible liquid.” DOT defines a flammable liquid as one which, under specified procedures, has a flashpoint of 140°F/60°C or less. A combustible liquid is defined as “having a flashpoint above 140°F/ 60°C and below 200°F/93°C.” OSHA defines a combustible liquid as having a flash point above 100°F/37.7°C.

**Potential Exposure:** A brief indication is given of the nature of exposure to each compound in the industrial environment. Where pertinent, some indications are given of background concentration and occurrence from other than industrial discharges such as water purification plants. Obviously in a volume of this size, this coverage must be very brief. It is of course recognized that non-occupational exposures may be

important as well. This 5<sup>th</sup> edition contains a brief summary called a Compound Description (Toxicity evaluation),<sup>[77]</sup> such as Agricultural Chemical, Mutagen, Tumorigen, Mutagen, Reproductive Effector, Primary Irritant, Human Data, etc. Compound descriptors define the types of toxicity data found in a record or uses or applications of the chemical if they are recognized by NIOSH. The Compound Descriptor does not represent an evaluation of the toxicity of a substance, nor are the descriptors all-inclusive (that is, there may be some substances that should be, but are not, coded as belonging to certain application classes). The codes must be interpreted only in conjunction with the other information found in each record.<sup>[77]</sup>

**Incompatibilities:** Important, potentially hazardous incompatibilities of each substance are listed where available. Where a hazard with water exists, it is described. Reactivity with other materials are described including structural materials such as metal, wood, plastics, cement, and glass. The nature of the hazard, such as severe corrosion formation of a flammable gas, is described. This list is by no means complete or all inclusive. In some cases a very small quantity of material can act as a catalyst and produce violent reactions such as polymerization, disassociation and condensation. Some chemicals can undergo rapid polymerization to form sticky, resinous materials, with the liberation of much heat. The containers may explode. For these chemicals the conditions under which the reaction can occur are given.

**Permissible Exposure Limits in Air:** The permissible exposure limit (PEL), has been cited as the federal standard where one exists. Inasmuch as OSHA has made the decision to enforce only pre-1989 PELs, we decided to use these values rather than the transitional limits that were vacated by court order. Except where otherwise noted, the PELs are 8-hour work-shift time-weighted average (TWA) levels. Ceiling limits, Short Term Exposure Limits (STEL), and TWAs that are averaged over other than full work-shifts are noted.

The Short-Term Exposure Limit (STEL) values are derived from NIOSH,<sup>[58]</sup> ACGIH,<sup>[1]</sup> and HSE<sup>[33]</sup> publications. This value is the maximal concentration to which workers can be exposed for a period up to 15 minutes continuously without suffering from irritation; chronic or irreversible tissue change; or narcosis of sufficient degree to increase accident proneness, impair self-rescue, or materially reduce work efficiency, provided that no more than four excursions per day are permitted, with at least 60 minutes between exposure periods, and provided that the daily TWA also is not exceeded. The “Immediately Dangerous to Life or Health” (IDLH) concentration represents a maximum level from which one could escape within 30 minutes without any impairing symptoms or any irreversible health effects. However, the 30-minute period is meant to represent a MARGIN OF SAFETY and is NOT meant to imply that any person should stay in the work



environments any longer than necessary. In fact, every effort should be made to exit immediately. The concentrations are reported in either parts per million (ppm) or milligrams per cubic meter ( $\text{mg}/\text{m}^3$ ).

Most U.S. specifications on permissible exposure limits in air have come from ACGIH<sup>[1]</sup> or NIOSH.<sup>[2]</sup> In the U.K. the Health and Safety Executive has set forth Occupational Exposure Limits.<sup>[33]</sup> In Germany the DFG has established Maximum Concentrations in the workplace<sup>[3]</sup> and the former USSR-UNEP/IRPTC project has set maximum allowable concentrations and tentative safe exposure levels of harmful substance in workplace air and residential air for many substances.<sup>[43]</sup> This section also contains numerical values for allowable limits of various materials in ambient air<sup>[60]</sup> as assembled by the U.S. EPA. Where available, this field contains legally enforceable airborne Permissible Exposure Limits (PELs) from OSHA. It also contains recommended airborne exposure limits from NIOSH, ACGIH, and international sources and special warnings when a chemical substance is a Special Health Hazard Substance. Each are described below. TLVs have not been developed as legal standards and the ACGIH does not advocate their use as such. The TLV is defined as the time weighted average (TWA) concentration for a normal 8-hour work-day and a 40-hour work-week, to which nearly all workers may be repeatedly exposed, day after day, without adverse effects. A ceiling value (TLV-C) is the concentration that should not be exceeded during any part of the working exposure. If instantaneous monitoring is not feasible, then the TLV-C can be assessed by sampling over a 15-minute period except for those substances that may cause immediate irritation when exposures are short. As some people become ill after exposure to concentrations lower than the exposure limits, this value cannot be used to define exactly what is a "safe" or "dangerous" concentration. ACGIH threshold limit values (TLVs) are reprinted with permission of the American Conference of Governmental Industrial Hygienists, Inc., from the booklet entitled, *Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices*. This booklet is revised on an annual basis. No entry appears when the chemical is a mixture; it is possible to calculate the TLV for a mixture only when the TLV for each component of the mixture is known and the composition of the mixture by weight is also known. According to ACGIH, "Documentation of the Threshold Limit Values and Biological Exposure Indices, 7th Edition" is necessary to fully interpret and implement the TLVs.

OSHA Permissible Exposure Limits (PELs), are found in Tables Z-1, Z-2, and Z-3 of OSHA, "General Industry Air Contaminants Standard (29CFR1910.1000)" that were effective on July 1, 2001 and which are currently enforced by OSHA.

Unless otherwise noted, PELs are the Time-Weighted Average (TWA) concentrations that must not be exceeded during any 8-hour shift of a 40-hour work-

week. An OSHA ceiling concentration must not be exceeded during any part of the work-day; if instantaneous monitoring is not feasible, the ceiling must be assessed as a 15-minute TWA exposure. In addition there are a number of substances from Table Z-2 that have PEL ceiling values that must not be exceeded except for a maximum peak over a specified period (e.g., a 5-minute maximum peak in any 2 hours).

NIOSH Recommended Exposure Limits (RELs) are Time-Weighted Average (TWA) concentrations for up to a 10-hour work day during a 40-hour work week. A ceiling REL should not be exceeded at any time. Exposure limits are usually expressed in units of parts per million (ppm), i.e., the parts of vapor (gas) per million parts of contaminated air by volume at 25°C/77°F and one atmosphere pressure. For a chemical that forms a fine mist or dust, the concentration is given in milligrams per cubic meter ( $\text{mg}/\text{m}^3$ ).

The German MAK (DFG MAK0 values are conceived and applied as 8-hour time-weighted average (TWA) values.<sup>[3]</sup>

**Short-Term Exposure Limits** (15 minute TWA): This field contains Short Term Exposure Limits (STELs) from ACGIH,

NIOSH and OSHA. The parts of vapor (gas per million parts of contaminated air by volume at 25°C/77°F and one atmosphere pressure is given. The limits are given in milligrams per cubic meter ( $\text{mg}/\text{m}^3$ ) for chemicals that can form a fine mist or dust. Unless otherwise specified, the STEL is a 15-minute TWA exposure that should not be exceeded at any time during the work-day.

**Determination in Air:** The citations to analytical methods are drawn from various sources, such as the *NIOSH Manual of Analytical Methods*.<sup>[18]</sup> In addition, methods have been cited in the latest US Department of Health and Human Services publications including the "*NIOSH Pocket Guide to Chemical Hazards*" August, 2006

**Permissible Concentrations in Water:** The permissible concentrations in water are drawn from various sources also, including: The National Academy of Sciences/National Research Council, Safe Drinking Water Committee Board on Toxicology and Environmental Health Hazards, *Drinking Water and Health*, 1980.<sup>[16]</sup>

The priority toxic pollutant criteria published by U.S. EPA 1980.<sup>[6]</sup>

The multimedia environmental goals for environmental assessment study conducted by EPA.<sup>[32]</sup> Values are cited from this source when not available from other sources.

The U.S. EPA has come forth with a variety of allowable concentration levels:

For allowable concentrations in "California List" wastes.<sup>[38]</sup> The California List consists of liquid hazardous wastes containing certain metals, free cyanides, polychlorinated biphenyls (PCBs), corrosives with a pH of less than or equal to 2.0, and liquid and

nonliquid hazardous wastes containing halogenated organic compounds (HOCs).

For regulatory levels in leachates from landfills.<sup>[37]</sup>

For concentrations of various materials in effluents from the organic chemicals and plastics and synthetic fiber industries.<sup>[51]</sup>

For contaminants in drinking water.<sup>[36]</sup>

For National Primary and Secondary Drinking Water Regulations.<sup>[62]</sup>

In the form of health advisories for 16 pesticides,<sup>[47]</sup> 25 organics,<sup>[48]</sup> and 7 inorganics.<sup>[49]</sup>

For primary drinking water standards starting with a priority list of 8 Volatile Organic Chemicals.<sup>[40]</sup>

State drinking water standards and guidelines<sup>[61]</sup> as assembled by the US EPA.

**Determination in Water:** The sources of information in this field have been primarily US EPA publications including the test procedures for priority pollutant analysis<sup>[25]</sup> and later modifications.<sup>[42]</sup>

**Routes of Entry:** The toxicologically important routes of entry of each substance are listed. In other words, the way in which the people or experimental animals were exposed to the chemical is listed, e.g. eye contact, skin contact, inhalation, intraperitoneal, intravenous. Many of these are taken from the *NIOSH Pocket Guide*,<sup>[2]</sup> but are drawn from other sources as well.

**Harmful Effects and Symptoms:** These are primarily drawn from NIOSH, EPA publications, and New Jersey and New York State fact sheets on individual chemicals, and are supplemented from information from the draft criteria documents for priority toxic pollutants<sup>[26]</sup> and from other sources. The other sources include:

EPA Chemical Hazard Information Profiles (CHIPS) cited under individual entries.

NIOSH Information Profiles cited under individual entries.

EPA Health and Environmental Effect Profiles cited under individual entries.

Particular attention has been paid to cancer as a "harmful effect" and special effort has been expended to include the latest data on carcinogenicity. See also "Regulatory Authority and Advisory Bodies" section.

**Short Term Exposure:** These are brief descriptions of the effects observed in humans when the vapor (gas) is inhaled, when the liquid or solid is ingested (swallowed), and when the liquid or solid comes in contact with the eyes or skin. The term LD<sub>50</sub> signifies that about 50% of the animals given the specified dose by mouth will die. Thus, for a Grade 4 chemical (below 50 mg/kg) the toxic dose for 50% of animals weighing 70 kg (150 lb) is  $70 \times 50 = 3500 \text{ mg} = 3.5 \text{ g}$ , or less than 1 teaspoonful; it might be as little as a few drops. For a Grade 1 chemical (5 – 15 g/kg), the LD<sub>50</sub> would be between a pint and a quart for a 150-lb man. All LD<sub>50</sub> values have been obtained using small laboratory animals such as rodents, cats, and dogs. The substantial risks taken in using these values for estimating human toxicity are the same as

those taken when new drugs are administered to humans for the first time.

**Long Term Exposure:** Where there is evidence that the chemical can cause cancer, mutagenic effects, teratogenic effects, or a delayed injury to vital organs such as the liver or kidney, a description of the effect is given.

**Points of Attack:** This category is based, in part, on the "Target Organs" in the *NIOSH Pocket Guide*<sup>[2]</sup> but the title has been changed as many of the points of attack are not organs (blood, for example). This is human data unless otherwise noted.

**Medical Surveillance:** This information is often drawn from a NIOSH publication<sup>[27]</sup> but also from *New Jersey State Fact Sheets*<sup>[70]</sup> on individual chemicals. Where additional information is desired in areas of diagnosis, treatment and medical control, the reader is referred to a private publication<sup>[28]</sup> which is adapted from the products of the NIOSH Standards Completion Program.

**First Aid:** Guides and guidance to first aid found in this work should not be construed as authorization to emergency personnel to perform the procedures or activities indicated or implied. Care of persons exposed to toxic chemicals must be directed by a physician or other recognized professional or authority. Simple first aid procedures are listed for response to eye contact, skin contact, inhalation, and ingestion of the toxic substance as drawn to a large extent from the *NIOSH Pocket Guide*<sup>[2]</sup> but supplemented by information from recent commercially available volumes in the U.S.,<sup>[29]</sup> in the U.K., and in Japan<sup>[24]</sup> as well as from state fact sheets. They deal with exposure to the vapor (gas), liquid, or solid and include inhalation, ingestion (swallowing) and contact with eyes or skin. The instruction "Do NOT induce vomiting" is given if an unusual hazard is associated with the chemical being sucked into the lungs (aspiration) while the patient is vomiting. "Seek medical attention" or "Call a doctor" is recommended in those cases where only competent medical personnel can treat the injury properly. In all cases of human exposure, seek medical assistance as soon as possible. In many cases, medical advice has been included for guidance only.

**Personal Protective Methods:** This information is drawn heavily from NIOSH publications<sup>[2][77]</sup> and supplemented by information from the U.S.,<sup>[29]</sup> the U.K. and Japan.<sup>[24]</sup> There are indeed other "personal protective methods" which space limitations prohibit describing here in full. One of these involves limiting the quantities of carcinogens to which a worker is exposed in the laboratory. The items listed are those recommended by (a) NIOSH and/or OSHA (b) manufacturers, either in technical bulletins or in material safety data sheets (MSDS), (c) the Chemical Manufacturers Association (CMA), or (d) the National Safety Council (NSC), for use by personnel while responding to fire or accidental discharge of the chemical. They are intended to protect the lungs, eyes, and skin.

**Respirator Selection:** The 5<sup>th</sup> edition, like its predecessors, presents respirator selection with a full text description. For each line a maximum use concentration (in ppm, mg/m<sup>3</sup>, µg/m<sup>3</sup>, fibers/m<sup>3</sup>, or mppcf) condition (e.g., escape) followed by the NIOSH code and full text related to respirator recommendations. All recommended respirators of a given class, can be utilized at any concentration equal to or less than the class's listed maximum use concentration. Respirator selection should follow recommendations that provide the greatest degree of protection. Respirator codes found in the *NIOSH Pocket Guide* have been included to ease updating. All respirators selected must be approved by NIOSH under the provisions of 42CFR84. The current listing of NIOSH/MSHA certified respirators can be found in the *NIOSH Certified Equipment List*, which is available on [www.cdc.gov/niosh/nppt/topics/respirators/cel](http://www.cdc.gov/niosh/nppt/topics/respirators/cel). This the NIOSH Web site.

For fire-fighting, only self-contained breathing apparatuses with full facepieces operated in pressure-demand or other positive pressure modes are recommended for all chemicals in the *NIOSH Pocket Guide*. In the case of chemical warfare agents, use only SCBA Respirator certified by NIOSH For CBRN environments. CBRN stands for "Chemical, Biological, Radiological, and Nuclear."

Pesticides are not identified as such in the respirator selection tables. For those substances that are pesticides, the recommended air-purifying respirator must be specifically approved by NIOSH/MSHA. Specific information on choosing the appropriate respirator will be provided on pesticide labels. Approved respirators will carry a "TC" number prefix, which signifies they have been tested and certified for a specific level of protection. New respirators may carry a "TC-84A" prefix in compliance with 42 CFR 84 for testing and certifying non-powered, air-purifying, particulate-filter respirators. The new Part 84 respirators have passed a more demanding certification test than the old respirators (e.g., dust and mist [DM], dust, fume and mist [DFM], spray paint, pesticide, etc.) certified under 30 CFR 11.

Additionally, a complete respirator protection program should be implemented including all requirements in 29CFR1910.134 and 42CFR84. At a minimum, a respirator protection program should include regular training, fit-testing, periodic environmental monitoring, maintenance inspection, and cleaning. The selection of the actual respirator to be used within the classes of recommended respirators depends on the particular use situation, and should only be made by a knowledgeable person. Remember, air-purifying respirators will not protect from oxygen-deficient atmospheres. For firefighting, only self-contained breathing apparatuses with full facepieces operated in pressure-demand or other positive pressure modes are recommended for all chemicals in the *NIOSH Pocket Guide*.

**Storage:** This material safety data sheet information is drawn from information from the NFPA,<sup>[17]</sup> from

Japanese sources<sup>[24]</sup> and from publications such as the *Hazardous Substance Fact Sheets* published by the New Jersey Department of Health and Senior Services.<sup>[70]</sup>

**Shipping:** The shipping guidance offered herein does not replace the training requirements of the Department of Transportation and in no way guarantees that you will be in full compliance with the Department of Transportation Regulations. **Labeling:** This section refers to the type label or placard required by regulation on any container or packaging of the subject compound being shipped. In some cases a material may require more than one hazardous materials label. **Quantity limitation:** This section lists quantities of material that may be shipped on passenger aircraft, rail, and cargo aircraft. Materials in certain hazard classes may be shipped under the small quantities exception (see 49 CFR 173.4) with specific approval from the Associate Administrator for Hazardous Materials Safety, Department of Transportation. **Hazard class or division:** This number refers to the division number or hazard class that must appear on shipping papers. This information is drawn from DOT publications<sup>[19]</sup> as well as U.N. publications<sup>[20]</sup> and also NFPA publications.<sup>[17]</sup> The U.S. Department of Transportation<sup>[19]</sup> has published listings of chemical substances which give a hazard classification and required labels. The U.S. DOT listing now corresponds with the U.N. listing<sup>[20]</sup> and specifies first a hazard class of chemicals as defined in the following table, and then a packing group (I, II or III) within each of the classes. These groups are variously defined depending on the hazard class but in general define materials presenting: I - a very severe risk (great danger); II - a serious risk (medium danger); and III - a relatively low risk (minor danger).

## HAZARD CLASSIFICATION SYSTEM

The hazard class of dangerous goods is indicated either by its class (or division) number or name. For a placard corresponding to the primary hazard class of a material, the hazard class or division number must be displayed in the lower corner of the placard. However, no hazard class or division number may be displayed on a placard representing the subsidiary hazard of a material. For other than Class 7 or the OXYGEN placard, text indicating a hazard (for example, "CORROSIVE") is not required. Text is shown only in the U.S. The hazard class or division number must appear on the shipping document after each shipping name.

### Class 1 - Explosives

Division 1.1 Explosives with a mass explosion hazard

Division 1.2 Explosives with a projection hazard

Division 1.3 Explosives with predominantly a fire hazard

Division 1.4 Explosives with no significant blast hazard

Division 1.5 Very insensitive explosives with a mass explosion hazard

Division 1.6 Extremely insensitive articles

### Class 2 - Gases

Division 2.1 Flammable gases

Division 2.2 Non-flammable, non-toxic\* gases