

Renewable Energy Technologies

Edited by Jean-Claude Sabonnadière





TKO1 E56.4

Renewable Energies

Edited by Jean-Claude Sabonnadière









First published in France in 2007 by Hermes Science/Lavoisier entitled: Nouvelles technologies de l'énergie volumes 1 et 3 © LAVOISIER, 2007

First published in Great Britain and the United States in 2009 by ISTE Ltd and John Wiley & Sons, Inc.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms and licenses issued by the CLA. Enquiries concerning reproduction outside these terms should be sent to the publishers at the undermentioned address:

ISTE Ltd 27-37 St George's Road London SW19 4EU UK

John Wiley & Sons, Inc. 111 River Street Hoboken, NJ 07030 USA

www.iste.co.uk

www.wiley.com

© ISTE Ltd, 2009

The rights of Jean-Claude Sabonnadière to be identified as the author of this work have been asserted by him in accordance with the Copyright, Designs and Patents Act 1988.

Library of Congress Cataloging-in-Publication Data

Energies renouvelables. English

Renewable energies / edited by Jean-Claude Sabonnadière.

Originally published: Paris : Hermes science, 2006: under title: Nouvelles technologies de l'énergie, Pt. 1. Energies renouvelables.

Includes bibliographical references and index.

ISBN 978-1-84821-135-3

1. Renewable energy sources. I. Sabonnadière, Jean-Claude II. Title.

TJ808.N6913 2009

621.042--dc22

2009017410

British Library Cataloguing-in-Publication Data A CIP record for this book is available from the British Library ISBN: 978-1-84821-135-3

Printed and bound in Great Britain by CPI Antony Rowe, Chippenham and Eastbourne.





Preface

1.1. Electric energy

Energy, which was the basis of the industrial revolution, has had an exponential growth since the birth of industrial electricity at the end of the 19th century. The discovery of the rotating field by Nikola Tesla and the invention of the transformer allowed the expansion of three phases: alternating currents for generation, transmission, and delivery and uses of electric energy in the cheapest way.

At the beginning of the 20th century the development of large electric power grids enabled many countries throughout the world to bring the benefits of electric energy to their citizens, while intensively developing the industrial and tertiary applications of electricity. This growth led to generalization of the use of electric energy in domestic applications and all sectors of industry.

Generation, transportation, transmission and distribution of electric energy were considered to be such strategic operations by most countries that they decided to build them as monopolistic state companies in order to control their development. These decisions and the heavily capitalistic nature of generating and transmission systems led to a vertical integration of electric energy utilities for economic reasons. This is the classic paradigm that for more than a century has allowed the creation of an industry that reached the heights of its power in a slow but constant improvement of the reliability of equipment, the main objective being to ensure the supply of electricity to domestic and industrial customers connected to the grid. The tremendous growth of electric energy consumption during the middle of the last century led to the construction of very large and complex electric power systems (for instance, in the French grid, more than 66,000 MW are flowing at any time in about 1,300,000 km of lines and cables).

Figure 1 shows a schematic representation of these systems.




Figure 1. The historic paradigm

All electric power systems have been built and operated according to this diagram from the beginning, and for almost all, of the 20th century. Their organization and their operation from generation to the consumer were integrated inside only one, generally monopolistic, private or public company.

The deregulation that started at the beginning of the 1980s introduced a tremendous change by imposing the unbundling of the functions of generation, transmission and distribution. This change introduced a new mode of organization according to a broken up model we shall describe in the next paragraph as the new paradigm.

1.2. The new paradigm

The goal aimed at by the instigators of the deregulation of electric systems has always been to promote a new organization of the electric systems in order to create the conditions of commercial competition among all the stakeholders: the aim is to lower the price of electric energy supply for consumers.

The setting up of new regulations took place in a context where geographic constraints were prominent due to the territorial settlement of power grids that were in fact naturally monopolistic.

However, the new system instituted in the UK at the beginning of the 1990s, and then in the USA, is now installed in almost all developed countries, although with some difficulties of adaptation. As a matter of fact, the systems designed and built on to be operated as an integrated company in a well-defined territory must today be operated on a continental scale without prior modification of the infrastructures of transmission and interconnection.

1.2.1. The energy system in a deregulated context

The major functions which must be carried out in order to satisfy consumer demand are the same as previously described but with a different mode of interaction, and they are operated by different actors according to the five essential links described in Figure 2.




Figure 2. The new organization of electric systems

This new organization creates a total hierarchical independence between the producers and the other members of the system. The producers of course are in charge of the generation. They sell to consumers according to several kinds of contracts for short or medium term delivery. The traders are the link between generation and consumption, taking into account the power transmission capacity through transmission and distribution grids.

The power grids must ensure the transmission of energy to the consumers according to the trading exchanges they had with the producers, insuring equitable treatment for all producers. Independent system operators for transmission and distribution grids are in charge of this duty.

This new set of concepts generates not only drastic changes in the economic conditions of the electric system's operation, but also significant technical changes that favor the new technologies with dispersed generation, especially renewable energy technologies that will continue to be the foundation of consumer power.

1.3. Dispersed generation

The economic issues arising from the new regulations incite the big consumers to buy internal generation units in order to smooth the price fluctuations coming from deregulation. They are of course small generation units of limited power,

generally connected to distribution grids. These units will be able to control the power imported by the consumer, who will be able to sell his energy on the market by injecting it into the grid if price conditions are favorable. The development of a large number of small generation units from solar, wind, small hydraulic or thermal units, with combined heat and power, alongside classical large generation machines, will superimpose a new phenomenon on the normal operation of the distribution grids: bidirectional energy flow, generally intermittent and random according to wind and sun production.

This phenomenon will create new difficult problems such as the management of these energies while keeping the grid security at the required level.

The new paradigm, which integrates dispersed generation with the economic environment, will lead to a new operation scheme for electric power systems, one that will increasingly be a substitute for the present scheme as described in Figure 3.




Figure 3. The new electric power system

1.4. The new energy generation and management

Independently of these new schemes of grid operation, in the next chapters we shall describe the main characteristics of the emerging generation technologies that will be installed on the grid of the next decades.

We shall review the new energy technologies in terms of the types of renewable energy. The second volume, *Low Emission Technologies and Energy Management*, will deal with reduced emission technologies and energy saving.

This volume will include various forms of solar energy such as photovoltaic, thermal and thermodynamic energy conversion.

Wind technologies are in full development today. The chapters dedicated to them describe the state of the art, taking into consideration the question of insertion into the grids of a large quantity of this intermittent energy.

Energy from the sea will complete this general view, with a chapter discussing very small hydraulic plants that become of interest when fossil energies become more and more expensive.

We shall then provide an analysis of geothermal energy, followed by energy from biomass. This will entail a full description of biofuels and biogas, and especially energy from wood as a substitute to fossil energy heating.

Volume 2 will be dedicated to energy storage, low emission technologies and energy management.

It will start with the new generation of nuclear energy, which is presently at a crossroads of its history with these future new generations. It will then analyze combined heat and power generation, by which it is possible to produce heat and electricity jointly as a complement to heat generation in order to improve the efficiency of heat plants. A very careful analysis of the economic conditions of the operation of combined heat and power will lead to a description of the economic conditions for which this technology is advantageous.

Energy storage will describe the various means and methods of storage in association with intermittent energies like photovoltaic and wind energy plants. Their efficiency and cost are strongly dependent upon their operational facilities and investment costs.

A projection of the use of hydrogen as an energy vector similar to electricity will give readers a comprehensive view of the way to create, store and transport this gas,

xxii Renewable Energy Technologies

which is generally improperly considered as very dangerous. Its future using fuel cells as a conversion facility allows us to foresee significant development of this energy vector with a large set of applications.

Finally, we take up the very important subject of energy management, control of energy demand, and energy saving. We will describe positive energy houses, low consumption public and domestic lighting, and power moderation by control of the load from the grid.

Jean-Claude SABONNADIÈRE

Table of Contents

Preface	xvii
Chapter 1. Photovoltaic Electricity Production	1
1.1. Introduction	2
1.2. Photovoltaic conversion	3
1.2.1. I-V characteristics of a cell and conversion output	4
1.3. Cells with a crystalline silicon base	5
1.3.1. Raw silicon	5
1.3.2. Monocrystalline silicon	5
1.3.2.1. Techniques for growing monocrystals	5
1.3.2.2. Record for cells on monocrystals	5
1.3.3. Multicrystalline silicon	6
1.3.3.1. Techniques for growing multicrystals	6
1.3.3.2. Improvement in performance of cells created	
from multicrystals	7
1.3.4. Silicon in self-supported ribbon	9
1.3.4.1. Growing techniques	9
1.3.4.2. Prospects	9
1.4. Cells in thin films	10
1.4.1. Polycrystalline silicon	10
1.4.2. Nanocrystalline and amorphous silicon	12
1.4.2.1. State of the art and new prospects	12
1.4.2.2. Industrial applications	13
1.4.3. Marriage of crystalline and amorphous technologies	14

vi Renewable Energy Technologies

1.4.4. Other emerging thin-film materials	15
1.4.4.1. Materials with a cadmium–tellurium base	15
1.4.4.2. Materials with a base of indium-copper-selenium (CIS)	
(copper selenate)	15
1.4.5. Prospects for thin films	16
1.5. Photovoltaic market	17
1.5.1. Stimulation of production by political intervention	18
1.5.2. First beneficial effects on production and power	
of the installations	19
1.5.3. Adaptation of the product to the market: cost of watt	
and kilowatt hour PV	21
1.6. Prospects for photovoltaic electricity development	22
1.7. Bibliography	23
III Stone graphy	
Chapter 2. Photovoltaic Systems Connected to the Grid	25
Seddik BACHA and Daniel CHATROUX	
	25
2.1. Problems of photovoltaic power generation connected to the grid	25
2.2. General remarks on connection	28
2.2.1. Interfacing with the grid	28
2.2.2. General remarks on control	30
2.3. Physical architectures	30
2.3.1. Central inverter	32
2.3.2. Individual inverter	32
2.3.3. Row inverters	32
2.3.4. Multiple row inverters	32
2.3.5. Conclusion	33
2.4. Constraints related to supplying energy to the utility grid	34
2.4.1. Quality of the energy supplied	34
2.4.2. Security	34
2.4.2.1. Security regarding the grid	35
2.4.2.2. Security with respect to installation	35
2.5. Algorithmic architectures	38
2.5.1. The search for MPPT	38
2.5.2. Control of the inverter grid and the global chain	41
2.6. Conclusion	42
2.7. Bibliography	43

Table of	of Cor	iten	ıts vii
Chapter 3. Solar Heating			45
3.1. Introduction			45
3.1.1. Some history			
3.1.2. Some basic calculations			47
3.1.3. The performance of solar heating devices			48
3.2. Available energy from the sun			49
3.2.1. The apparent motion of the sun			49
3.2.2. Evaluation of sunlight received by a collector			52
3.3. Flat solar panels			53
3.3.1. Different technologies of thermal solar collectors			54
3.3.2. Evaluation of the performance of solar collectors			55
3.3.3. Selective coatings for collectors and glazing			58
3.4. Solar heating systems			58
3.4.1. Individual and collective solar water heaters			58
3.4.2. Combined solar systems for the heating of buildings			
3.5. Bibliography			62
Chapter 4. Solar Thermodynamic Power Stations			
Introduction			63
4.1. Concentrating solar power technologies			65
4.1.1. Why concentrate solar radiation?			65
4.1.2. Concentrating systems			67
4.1.2.1. The parabolic concentrator (or dish)			68
4.1.2.2. The tower concentrator			71
4.1.2.3. The cylindrical-parabolic concentrator			
(or trough concentrator)			72
4.1.3. Components for production of heat and conversion			
into electricity			75
4.1.3.1. The solar receiver			76
4.1.3.2. Heat transfer fluid			77
4.1.4. Storage and hybridization			82
4.2. The state of the art			84
4.2.1. First generation solar stations and exploratory work			84
4.2.2. Second generation solar power stations:			
precommercial prototypes			90
4.3. Prospects			94
4.3.1. Strategy for penetrating the market			94
4.3.1.1. Power stations of the future and research efforts			98
4.3.1.2. Conclusions			101
4.4. Bibliography			102

Chapter 5. Wind Systems Technology	103
5.1. Introduction: wind power today	103
5.2. Description of a wind generator.	104
5.2.1. Principle	104
5.2.2. Constitution	105
5.3. Operation of a wind turbine	106
5.3.1. Controls of energy conversion	106
5.3.2. Control at the turbine level	108
5.3.2.1. Action of the wind on the turbine blades	108
5.3.2.2. Control methods at the turbine level	111
5.3.3. Mechanical system – transmission of the power	116
5.3.4. Controls at generator and transmission network levels –	110
different types of wind power generator systems	119
5.3.4.1. Fixed speed systems – squirrel cage asynchronous machines.	119
5.3.4.2. Variable speed systems	123
5.4. Bibliography	136
Chapter 6. Integration of Wind Turbine Generators into the Grid Régine BELHOMME, Daniel ROYE and Nicolas LAVERDURE	143
6.1. Connection to the grid	143
6.1.1. Voltage at the point of connection	144
6.1.2. Currents in steady state	145
6.1.3. Short circuit currents	145
6.1.4. Voltage profile	147
6.1.5. Voltage quality	148
6.1.5.1. Slow variations in voltage	148
6.1.5.2. Sudden changes in voltage	148
6.1.5.3. Flicker	149
6.1.5.4. Harmonics	149
6.1.5.5. Disturbances of signals transmitted on the grid	151
6.1.6. Stability and protection design	151
6.1.6.1. Management in normal and abnormal regimes	152
6.1.6.2. Managing voltage sags (FRT "fault-ride-through" or LVRT).	152
6.1.6.3. Interaction with the protection design	155
6.1.7. Auxiliary system	156
6.1.7.1. Regulation of voltage and reactive compensation	157
6.1.7.2. Regulation of frequency	159
6.1.7.3. Operating on a separate grid and reconstitution of grids	161
6.1.8. Variability and unpredictability of production	162

x Renewable Energy Technologies

7.4. Tidal energy converters (TEC) 7.4.1. Characteristics of tides and other marine currents. 7.4.2. Tidal power production systems with dams 7.4.3. Systems for recovering energy from marine currents. 7.5. Other conversion systems 7.5.1. Offshore wind power generators. 7.5.2. Ocean thermal energy converter (OTEC). 7.6. Conclusion 7.7. Bibliography	202 203 206 214 214 218 221 223
Chapter 8. Small Hydropower	227
8.1. Introduction	227
8.2. What is small hydropower?	229
8.3. Hydraulic energy	231
8.4. The exploitation of hydraulic force	233
8.4.1. Description of a typical scheme	234
8.4.2. Different types of schemes encountered	234
8.4.3. Different kinds of turbines	236
8.4.3.1. The Pelton turbine	236
8.4.3.2. The Francis turbine	237
8.4.3.3. The diagonal turbine	238
8.3.3.4. The Kaplan turbine	238
8.4.3.5. The waterwheel for water from above	239
8.4.3.6. The Banki or crossflow turbine	240
8.4.3.7. The inverted Archimedes screw	240
8.4.4. Particular applications of small hydro	240
8.4.4.1. Turbines in drinking water networks	241
8.4.4.2. Turbines in wastewater networks	242
8.4.4.3. Recovery of energy in desalination plants	244
8.5. Potential	244
8.5.1. Worldwide small hydropower	244
8.5.2. European-wide small hydropower	244
8.5.3. Possibilities for development of small hydropower in Europe	245
8.6. Research & Development in small hydropower	245
8.6.1. Development of equipment adapted to each site	246
8.6.2. Development of variable speed	246
8.6.3. Development in generators	247
8.6.4. Development in control-command	247
8.6.5. Inflatable weirs	248
8.6.6. Water intake	248
O.U.U. WALCI IIIIANC	270

хi

 8.7. Environmental aspects of small hydropower 8.7.1. Initial state of the milieu 8.7.2. Setting phase 8.7.2.1. Setting of a small power plant for its integration 	249 249 249
into the ecosystem 8.7.2.2. Flow of materials and equipment 8.7.3. Principal inputs and outputs during the operating phase 8.7.3.1. Water 8.7.3.2. Materials carried by the watercourse 8.7.3.3. Noise 8.7.3.4. Electricity production 8.8. Policies favoring small hydropower 8.8.1. R & D program 8.8.2. Rate measures 8.9. Conclusions. 8.10. Bibliography	249 253 254 254 254 254 254 255 256 257 258
Chapter 9. Geothermal Energy Production	261
9.2.1.3. Superficial formations 9.2.1.4. Deep formations (with low permeability). 9.2.2. End-use. 9.2.2.1. Heat network system. 9.2.2.2. Heat pump (HP) system. 9.2.2.3. Electricity production. 9.2.3. Other uses. 9.3. Geothermal heat pump systems. 9.3.1. Current situation and tendencies. 9.3.2. The principle of the heat pump. 9.3.2.1. Classification of heat pumps. 9.3.2.2. Coefficient of performance (COP). 9.3.3. Extracting heat from the ground. 9.3.3.1. Drawing calories from groundwater.	261 262 262 264 265 266 266 267 267 268 269 270 270 273 275 276 277