

钢质船舶入级规范

Rules for the Classification of Steel Ships

B 篇
III III III III
Part B
Hull
and

Stability

第 1,2,3,4章 <u>Chapters</u> 1-2-3-4 5-6-7-8-9-10-11-12



Rules for the Classification of Steel Ships

PART B - Hull and Stability

Chapters 1 - 2 - 3 - 4

钢质船舶入级规范

B篇 船体和稳性

(第1分冊)

第1,2,3,4章

NR 469.1 DTM R00 E

June 2000

Web: http://www.veristar.com



MARINE DIVISION GENERAL CONDITIONS

ARTICLE 1

- ARTICLE 1

 1. BUREAU VERITAS is a Society the purpose of whose Marine Division (the "Society") is the classification (* Classification *) of any ship or vessel or structure of any type or part of it or system therein collectively hereinafter referred to as a "Unit" whether linked to shorte, river bud or sea bod or not, whether operated or located at sea or in inland waters or partly on land, including submarines, hovercrafts, drilling ags, offshore installations of any type and any purpose, their related and another yequipment, subsea or not, such as well head and pipelines, mooring legs and mooring points or otherwise as received to the Society. decided by the Society.
- The Society:

 prepares and publishes Rules for classification, Guidance Notes and other documents (« Rules »):
- (- Cortficates -); and Reports following its interventions
- publishes Registers
- 1.2. The Society also participates in the application of National and International Regulations or Standards, in particular by dolegation from different Governments. Those activities are hereafter collectively referred to as a Certification.
- 1.3. The Society can also provide services related to Classification and Certification auch as ahip and company safety management certification: training activities; all activities and duties incidental thereto such as documentation on any supporting means, software, instrumentation, measurements, teets and findles on board.
- 1.4. The interventions mentioned in 1.1., 1.2. and 1.3. are referred to as Services The party and/or its representative requesting the services is hereinafter referred to as the " Client "

The Services are prepared and carried out on the assumption that the Clients are aware of the International Maritime and/or Offshore Industry (the "Industry")

1.5. - The Society is nuither and may not be considered as an Underwriter, Broker in ship's sale or charlering, Expert in Unit's valuation. Consulting Engineer, Controller, Naval Architoct, Manufacturer, Shipbuilder, Repair yard, Charlerer or Shipowner who are not relieved of any of their expressed or implied obligations by the interventions of the

ARTICLE 2

- 2.1. Classification is the appraisoment given by the Society for its Client, at a certain date, following surveys by its Surveyors along the lines specified in Articles 3 and 4 horeafter on the level of compliance of a Unit to its Rules or part of them. This appraisement is represented by a class entered on the Certificates and periodically transcribed in the Society's Register.
- 2.2. Certification is carried out by the Society along the same lines as set out in Articles 3 and 4 hereafter and with reference to the applicable National and Intellegulations or Standards.
- 2.3. It is incumbent upon the Client to maintain the condition of the Unit after surveys, to present the Unit for surveys and to inform the Society without delay of circumstances which may affect the given appraisement or cause to modify its acone.
- 2.4. The Client is to give to the Society all access and information necessary for the performance of the requested Services.

ARTICLE 3

3.1. The Rulea, procedures and instructions of the Society take into account at the date of their preparation the state of currently available and proven technical knowledge of the Industry. They are not a code of construction neither a guide for maintenance or a safety handbook.

Committees consisting of personalities from the Industry contribute to the development of those documents.

- 3.2. The Society only is qualified to apply its Rules and to interpret them. Any reference to them is void unless it involves the Society's intervention.
- 3.3. The Services of the Society are carried out by professional Surveyors according to the Code of Ethics of the Members of the International Association of Classification the Code of Ethics of the Members of the Intel Societies (IACS).
- 3.4. The operations of the Society in providing its Services make use of random inspections and are absolutely exclusive of any monitoring and thorough verification.

- 4.1. The Society, acting by reference to its Rules:
- reviews the construction arrangements of the Units as shown on the documents presented by the Client; conducts surveys at the place of their construction:

- classes Units and enters their name in its Register: surveys periodically he Unite in service to note that the requirements for the maintenance of class are met.

The Client is to inform the Society without delay of circumstances which may cause the date or the extent of the surveys to be changed

ARTICLE 5

- 5.1. The Society acts as a provider of services. This cannot be construed as an obligation bearing on the Society to obtain a result or in a warranty.
- 5.2. The certificates issued by the Society pursuant to 5.1. here above are ment on the level of compliance of the Unit to its Rules or to the docu reference for the Services provided for.

retreture for the services provided for.

In particular, the Society does not engage in any work retailing to the design, building, production or repair checks, neither in the operation of the Units or in their rade, neither in any advisory services, and cannot be held liable on those accounts. Its certificates cannot be construed as an implied or express warranty of satery, fitness for the purpose, seaworth iness of the Unit or of its value for sale, insurance or chartestime.

- 5.3. The Society does not declare the acceptance or commissioning of a Unit, that being the exclusive responsibility of its own
- 5.4. The Services of the Society cannot create any obligation bearing on the Society or constitute any warranty of proper operation, beyond any representation set forth in the Rules, of any Unit, equipment or machinery, computer software of any sort or other comparable concepts that has been subject to any survey by the

ARTICLE 6

6.1. - The Society accepts no responsibility for the use of information related to its Services which was not provided for the purpose by the Society or with its assistance.

Services which was not provided not the purpose by the Society of with its assistance.

5.2. If the Services of the Society cause to the Client a damage which is proved to
be the direct and reasonably foreseeable consequence of an error or onission of the
Society, its liability towards the Client is limited to ten times the amount of fee paid
for the Service having caused the damage. This limit is subject to aminimum of fifty
thousand (50,000) French france, and to a maximum which is the greater of five
millions (5,000,000) French france and one and a half times the above mentioned fee.

The Society bears no liability for indirect or cons ntial loss such as e.g. loss of revenue, loss of profit, loss of production, loss relative to other contracts and indemnities for termination of other agreements.

6.3. - All claims are to be presented to the Society in writing and on pain of debarment by right, within three months of the date the Services were supplied or of the date the events which are taken advantage of were first known.

ARTICLE 7

- 7.1. Requests for Services are to be in writing.
- 7.2. Either the Client or the Society cen terminate as of right the requested Services by prior written notice according to paragraph 7.3., for convenience, and without prejudice to the provisions in Article 8 hereunder.
- 7.3. The notice due by the Society to the Client to exercise the possibility under 7.2. is of three calendar months and conversely, of ten banking days.
- 7.4. The class granted to the concerned Units and the previously issued certificates remain valid until the flate of effect of the notice issued according to 7.2. hereabove subject to compliance with 2.3. hereabove and Article 8 hereunder.

ARTICLE 8

8.1. The Services of the Society, whether completed or not, involve the payment of fee upon receipt of the invoice and the reimbursement of the expenses incurred.

8.2, - The class of a Unit may be suspended in the event of non-payment of fee after a first unituitful notification to pay.

- 9.1. The documents and data provided to or prepared by the Society for its Services, and the information available to the Society, are treated as confidential. However:
- information available to the Society, are treated as confidential. However: Clients have access to the data they have provided to the Society and to the reports and certificates which have been prepared to them, copy of the documents made available for the classification of the Unit can be harded over to another Classification Society Member of the International Association of Classification Societies (IACS) in case of the Unit's transfer of class; the data relative to the evolution of the Register, to the class susponsion and to the survey status of the Units are passed on to IACS according to the association
- working rules; technical resords and history related to specific class notations may be transferred to the new owner in case of change of ownership; the certifications, documents and information relative to the Units classed with the Society are passed on upon order of the flag authorities of the Unit or of a Court
- having jurisdiction.

The documents and data are subject to a file management plan

ARTICLE 10

10.1. Any defay or shortcoming in the performance of its Services by the Society arising from an event not reasonably foreseeable by or beyond the control of the Society shall be deemed not to be a breach of contract.

- 11.1. The Society may designate another Surveyor at the request of the Client in case of diverging opinions during surveys.
- 11.2. Disagreements of a technical nature between the Client and the Society can be submitted by the Society to the advice of its Classification Committee.

- 12.1 Disputes over the Services carried out by delegation of Governments are assessed within the framework of the applicable agreements with the States, international Conventions and national rules.
- 12.2 Disputes arising out of the payment of the Society's invoices by the Client are submitted to the Court of Nanterre, France.
- 12.3. Other disputes over the present General Conditions or over the Services of the Society are exclusively submitted to arbitration in London according to the London arbitration procedural rules in force. English law applies.

ARTICLE 13

- 13.1. These General Conditions constitute the sole contractual obligation together the Society and the Client, to the exclusion of all other repres ments, terms, conditions whether express or implied. They may be varied in writing by mutual agreement
- 13.2. The invalidity of one or more stipulations of the present General Conditions does not affect the validity of the remaining provisions.
- 13.3. The definitions herein take precedence over any definitions serving the same purpose which may appear in other documents issued by the Society.



海运分部一般条件

第1条

- 1.1 BUREAU VERITAS 是一家船级社,其海运分部("本社")的宗旨是任何船舶或任何类型的结构物或其一部分,或其集合体,以下称为"装置"的人级,无论这些装置是否与岸、河底或海底相联结,也无论其是否运行或位于海上、或内陆水域,或部分在岸上。包括潜艇、气垫船、各种类型和各种用途的钻井平台、近海装置,它们的相关和辅助设备,其在水下或不在水下,例如井口和管系,系泊腿和系泊点或由本社确定的其他项目的入级。本社
- 编制和出版人级规范、指导性文件及其他文件 (《规范》)
- 一 介入后颁发证书、证明及报告(《证书》)
- 一 出版船舶录
- 1.2 本社也参与国家及国际规则或标准的应用, 特别是通过来自不同政府的代表团。这些活动以 下统称为"认证"。
- 1.3 本社也能提供与"人级"和"认证"有关的服务,例如船舶和公司的安全管理认证;训练活动;附随发生的所有活动和任务,例如对任何支持方式的文件、软件、测试设备、测量方法、试验和在船上的试航。
- 1.4 在 1.1,1.2 和 1.3 中所述的介入称之为"服务"。要求这些服务的一方和/或其代表,以下称之为"客户"。

按照各客户是了解国际海事和/或近海工业实践("工业")这一假定作出和进行服务。

1.5 本社既不是,也不能被认为是在船舶销售或租船中的保险商、经纪人、装置评估的专家、咨询工程师、管理人员、造船设计师、制造厂、船厂、修船厂、租船者或船东,不得由于本社的介入而减轻上述各方的任何明示的或暗指的责任。

第2条

- 2.1 人级是由本社在一定时间内对于其客户所提供的评价,由本社验船师按照此后第3条和第4条中的规定,对于某一装置符合其规范或此规范的一部分公平地进行随后的检验。这一评价由记入其证书中的船级来表示,且定期地载人本社的船舶录。
- 2.2 认证是由本社同样按照此后第3条和第4条中

的规定,且参照有关的国家及国际的规则或标准进行。 2.3 客户应负责在检验后保持此装置的状态,向 验船师介绍该装置,且把可能影响所涉及评价或引

2.4 客户应向本社提供为完成所要求服务所必需 的所有出入便利和信息。

起修改其适用范围的情况无延迟地通知本社。

第3条

3.1 本社的规范、程序和说明考虑了其编制之日的现行可获得的状态,且已被工业的技术知识所证实。它们不是建造的法规,也不是维护的指南或安全的手册。

由来自工业界的人士所组成的委员会编制了这些文件。

- 3.2 本社仅限于采用它的规范和对其进行解释。 除非其包括了本社的介入,否则对于它们(指规范) 的任何参照都是无效的。
- 3.3 本社的服务由专业的验船师按照国际船级社协会(IACS)之成员的道德法规进行。
- 3.4 本社在提供其服务上的运作采用了随机检查,且完全排除了任何监测和彻底的验证。

第4条

- 4.1 本社参照其规范:
- · 审查由客户所提供文件上所示之装置的结构布置
- · 在它们的制造地点进行检验
- · 对装置进行入级、且把它们的名字记入船舶录
- 对所服务的装置作定期检验,并说明须满足的保持船级的要求

客户应把可能引起改变检验日期或检验范围 的情况无延迟地通知本社。

第5条

- 5.1 本社作为服务的提供者起作用。这并不能被 认为本社要对所得的结果或在担保中承担义务。
- 5.2 由本社按以上 5.1 所颁发的证书说明了该装置符合它的规范或者作为所提供服务之依据的文件。

特别是,本社并不从事与设计、建造、生产或修理检查有关的任何工作,也不从事装置的操作或它们的贸易、任何咨询服务,且不能认为对那些计算

负责任。它的证书不能被认为是一种暗指的或明确的对安全、用途的适用性,装置的适航性或它的销售的价值、保险或租船的担保。

- 5.3 本社并不声明某一装置的可予接受或交付使用,这完全是船东单方面的责任。
- 5.4 本社的服务不能使本社产生(超出规范中所规定的任何表示的)任何义务或构成对已经由本社作任何检验的任何装置、设备或机械,任何种类的计算机软件或其他可比较的构思的正确工作的任何担保。

第6条

- 6.1 本社对其服务有关的,并非由本社或由其协助 为此目的而提供的信息的使用不承担任何责任。
- 6.2 如果本社的服务对客户造成损失,且已证明此损失是由于本社的错误或疏忽的直接的和合理地预见的后果,则它对客户的责任限于其为此项已造成损失之服务所已付总费用的 10 倍。

此项限额系指最少为五万(50 000)法郎,最多为五百万(5 000 000)法郎或上述费用的 1.5 倍(取大者)。

本社对间接的或由此引起的损失,例如收入的损失、利润的损失、生产的损失,与其他合同有关的损失和对其他协议终止的赔偿等不承担责任。

6.3 所有索赔应以书面和正当形式,在所提供服务日期,或在首次发现事故日期的3个月之内向本社提出。

第7条

- 7.1 应以书面形式对服务提出要求。
- 7.2 在按 7.3 款书面通知之前,为方便起见,且不 使以下第 8 条中的规定受到损害,无论是客户,还 是本社都可中止此要求的服务。
- 7.3 预定由本社向客户发出通知,按7.2 行使可能性的期限为3个日历月,且相反地为10个银行日。
- 7.4 为使对有关装置所授予的船级和先前所颁发证书在按以上的7.2 颁发的通知的生效日期之前仍保持有效,须符合以上2.3 和以下第8条的要求。

第8条

- 8.1 本社的服务,不论其完成或未完成,均应包含 在收到发票时支付费用,且偿还已发生的支出。
- 8.2 在第1次无效果的支付通知之后仍不支付费用的情况下,可以中止装置的船级。

第9条

9.1 为其服务而提供给本社或由本社编制的文件

和资料,以及本社获得的信息均应保守秘密,但

- · 客户已经利用他们提供给船级社的资料和已为 他们编制的报告和证书
- · 在装置的船级转移的情况下,该装置入级用文件的复印件可以递交给国际船级社协会(IACS)的其他船级社成员
- · 与该装置的船舶录的评价,与船级中止和与检验状态有关的资料需按该协会工作规则转送给IACS
- · 在所有权改变的情况下,与其特定的船级附加标志有关的技术记录和历史可以递交给新船东
- · 按该装置的船旗国主管机关或有管辖权法院的 命令

这些文件和资料须遵照文件管理计划。

第 10 条

10.1 本社在完成其服务中由于由本社或超出本社控制的不可合理地预见的事故所造成的任何延迟或缺点不应被认为是违背合同。

第11条

- 11.1 在检验中意见分歧的情况下,本社可在客户有要求时指定另一位验船师。
- 11.2 在客户与本社之间技术性质的意见不一致可由本社提交给它的人级委员会听取意见。


第 12 条

- 12.1 与政府的代表所进行的服务之间的争议应在与国家的有关协议、国际公约和国家规则的框架之内评定。
- 12.2 由客户对本社的发票的支付所引起的争议应提交法国的 Nanterre 法院。
- 12.3 对现行的一般条件或对本社的服务的其他 争议应专门地按照有效的伦敦仲裁程序规范提交 给伦敦仲裁。采用英国的法律。

第13条

- 13.1 这些一般条件构成了把本社与客户结合在一起的惟一的合同义务,其不包括所有其他的表述、说明、术语、条件,无论是明示的,或暗指的。它们可以通过相互协议以书面形式变化。
- 13.2 现行一般条件的一项或多项条款的无效不应影响其余条款的有效性。
- 13.3 在这里的定义优先于可能出现在由本社颁发的其他文件中,服务于同一目的的任何定义。

4 Bureau Veritas June 2000





RULES FOR THE CLASSIFICATION OF SHIPS

Part B Hull and Stability

Chapters 1 2 3 4 5 6 7 8 9 10 11 12

Chapter	1	GENERAL
Cilapici		GLITCHAL

Chapter 2 GENERAL ARRANGEMENT DESIGN

Chapter 3 STABILITY

Chapter 4 STRUCTURE DESIGN PRINCIPLES

Chapter 5 DESIGN LOADS

Chapter 6 HULL GIRDER STRENGTH

Chapter 7 HULL SCANTLINGS

Chapter 8 SHIPS LESS THAN 65 M IN LENGTH

Chapter 9 OTHER STRUCTURES

Chapter 10 HULL OUTFITTING

Chapter 11 CORROSION PROTECTION AND LOADING INFORMATION

Chapter 12 CONSTRUCTION AND TESTING

Bureau Veritas



钢质船舶入级规范

(文义以英文版为准)

B 篇 船体和稳性 (第1分册)

第 1,2,3,4,5,6,7,8,9,10,11,12 章

第1章 通则

第2章 总布置设计

第3章 稳性

第 4 章 结构设计原则

第 5 章 设计载荷

第 6 章 船体梁强度

第 7 章 船体结构

第 8 章 长度小于 65 米的船舶

第 9 章 其他结构

第 10 章 船体舾装

第 11 章 腐蚀保护和装载信息

第 12 章 建造和试验

CHAPTER 1 GENERAL

Section 1 Application

1	General	2
	1.1 Structural requirements1.2 Limits of application to lifting appliances	
_2	Rule application	2
	2.1 Ship parts2.2 Rules applicable to various ship parts2.3 Rules applicable to other ship items	
3	Rounding off of scantlings	4
	3.1	

Section 2 Symbols and Definitions

_ 1	Units	6
	1.1	
2	Symbols	6
	2.1	
_3	Definitions	6
	 3.1 Rule length 3.2 Freeboard length 3.3 Ends of rule length L and midship 3.4 Moulded breadth 3.5 Depth 3.6 Moulded draught 3.7 Lightweight 3.8 Deadweight 3.9 Freeboard deck 3.10 Bulkhead deck 3.11 Margin line 3.12 Inner side 3.13 Superstructure 3.14 Raised quarterdeck 3.15 Deckhouse 	
	 3.16 Trunk 3.17 Standard height of superstructure 3.18 Type A and Type B ships 3.19 Positions 1 and 2 	
4	Reference co-ordinate system	10
	4.1	

2

第1章

通则

第1节	适用	范围	
	1	总则	3
		1.1 结构要求	
		1.2 起吊设备的限定适用范围	
	2	规范的应用	3
		2.1 船体部分	
		2.2 船体各个部位所适用的规范	
		2.3 船舶其他项目适用的规范	
	3	结构尺寸的取整	5
		3.1	
第2节	符号	計和定义	
	1	单位	7
		1.1	
	2	符号	7
	_	2.1	
	3	定义	7
	_	3.1 规范船长	
		3.2 干舷船长	
		3.3 规范船长的端部和船舯	
		3.4 型宽	
		3.5 型深	
		3.6 型吃水	
		3.7 空船重量	
		3.8 载重量	
		3.9 干舷甲板	
		3.10 舱壁甲板	
		3.11 限界线 3.12 内侧	
		3.13 上层建筑	
		3.14 后升高甲板	
		3.15 甲板室	
		3.16 围阱	
		3.17 上层建筑标准高度	
		3.18 A型和B型船舶	
		3.19 位置 1 和位置 2	
	4	参考坐标系统	1
	_	4.1	

Section 3 Documentation to be Submitted

1	Documentation to be submitted for all ships		12	
	1.1	Ships surveyed by the Society during the construction Ships for which the Society acts on behalf of the relevant Administration		
2	Further documentation to be submitted for ships with certain service notations or additional class notations		12	
	2.1	General		
	2.2	Service notations		
	2.3	Additional class notations		

Section 4 Calculation Programmes

1	Pro	ogramme for the Rule based scantling	24
	1.1	General	
	1.2	MARS	
	1.3	VERISTAR	
	1.4	BULK	
	1.5	RUDDER	

4

第3节 应提交的文件

	1	所有船舶应提交的文件	13
		1.1 建造期间由船级社检验的船舶	
		1.2 船级社代表相关主管机关监督的船舶	
	2	具有确定营运标志或附加船级标志的船舶应进一步提交的资料	13
		2.1 一般规定	
		2.2 营运标志	
		2.3 附加船级标志	
第4节	计算	程序	
	1	规范基本构件程序	25
		1.1 一般规定	
		1.2 MARS 计算程序	
		1.3 VERISTAR (万里之星系统)	
		1.4 BULK IACS UR 要求的校核程序	
		1.5 RUDDER 蛇系校核程序	

CHAPTER 2 GENERAL ARRANGEMENT DESIGN

Section 1 Subdivision Arrangement

1	Number and arrangement of transverse watertight bulkheads	30
	1.1 Number of watertight bulkheads	
_ 2	Collision bulkhead	30
	 Ships with service notation other than passenger ship or ro-ro passenger Ships with service notation passenger ship Ships with service notation ro-ro passenger ship 	
3	After peak, machinery space bulkheads and stern tubes	32
	3.1	
4	Number and arrangement of tank bulkheads	32
	4.1 Bulkheads in ships intended for the carriage of liquid cargoes	
5	Height of transverse watertight bulkheads	32
	5.1	
6	Openings in watertight bulkheads and decks	32
	 6.1 General 6.2 Openings in the watertight bulkheads below the freeboard deck 6.3 Openings in the bulkheads above the freeboard deck 	

Section 2 Compartment Arrangement

1	Definitions	
	Definitions	38
	1.1 Cofferdam	
	1.2 Machinery spaces of category A	
_ 2	Cofferdams	38
	2.1 Cofferdam arrangement	
3	Double bottoms	38
	3.1 General	
_4	Compartments forward of the collision bulkhead	40
	4.1 General	
5	Minimum bow height	40
	5.1 General	- 10
6	Shaft tunnels	40
	6.1 General	
7	Watertight ventilators and trunks	40
	7.1 General	
8	Fuel oil tanks	40
	8.1 General	

第2章 总布置设计

第 1 节	分	舱布置	
	1	水密横舱壁的数量和布置	
		1.1 水密横舱壁的数量和布置	31
	2	防撞舱壁	
		 2.1 营运标志不是 passenger ship (客船)或 ro - ro passenger ship(滚装客船)的船舶 2.2 营运标志为 passenger ship (客船)的船舶 2.3 营运标志为 ro - ro passenger ship (滚装客船)的船舶 	31
	3	尾尖舱、机舱舱壁和艉管	00
		3.1	33
	4	液舱舱壁的数量和布置	33
		4.1 载运液体货物船舶的舱壁	
	5_	水密横舱壁的高度	33
		5.1	
	6	水密舱壁和甲板上的开口	33
		6.1 一般规定	
		6.2 干舷甲板下水密舱壁的开口 6.3 干舷甲板以上舱壁开口	
第2节	舱的 <u>1</u>	5 布置 <u>定义</u> 1.1 隔离舱 1.2 A 类机舱	39
	2		
		隔离舱 2.1 隔离舱布置	39
	2		
	3	双层底 3.1 一般规定	39
	4		
	4	防撞舱壁前的舱 4.1 一般规定	41
	5		
	5	最小船首高度 5.1 一般规定	41
		11.1.5	
	6	轴隧 6.1 通则	41
	7		
	7	水密通风筒和围壁通道 7.1 一般规定	41
	8	燃油舱	44

8.1 一般规定

41

Section 3 Access Arrangement

_ 1	General	42
	1.1	42
_2	Double bottom	42
	2.1 Inner bottom manholes2.2 Floor and girder manholes	
3	Large cargo holds, large tanks and large water ballast tanks	42
	3.1 General	
	3.2 Access to tanks	
	3.3 Access within tanks	
	3.4 Construction of ladders	
4	Shaft tunnels	44
	4.1 General	44
5	Access to steering gear compartment	44
	5.1	

第3节 通道布置

1_	一般规定	43
	1.1	
2_	双层底	43
	2.1 内底人孔	
	2.2 肋板和桁材上的人孔	
3_	大货舱、大液舱和大压载水舱	43
	3.1 一般规定	
	3.2 液舱的通道	
	3.3 液舱内通道	
	3.4 梯子结构	
4	轴隧	45
	4.1 一般规定	45
5	舵机舱的通道	45
	5.1	45

CHAPTER 3 STABILITY

Section	1	General
		General

1	General	
	1.1 Application	48
2 Examina	Examination procedure	40
	2.1 Documents to be submitted2.2 Inclining test/lightweight check	48

Section 2 Intact Stability

1	General	52
	1.1 Information for the Master 1.2 Permanent halfast	
	Sandast Sandst	
_2	Design criteria	52
	2.1 General intact stability criteria	32
3	Severe wind and rolling criterion (weather criterion)	54
	3.1 Scope 3.2 Weather criterion	
4	Effects of free surfaces of liquids in tanks	58
	 4.1 General 4.2 Consideration of free surface effects 4.3 Categories of tanks 4.4 Consumable liquids 4.5 Water ballast tanks 4.6 Liquid transfer operations 4.7 GM₀ and GZ curve corrections 4.8 Free surface moment 4.9 Small tanks 4.10 Remainder of liquid 	
5	Cargo ships carrying timber deck cargoes	60
6	 5.1 Application 5.2 Definitions 5.3 Stability criteria 5.4 Stability booklet 5.5 Calculation of the stability curve 5.6 Loading conditions to be considered 5.7 Assumptions for calculating loading conditions 5.8 Stowage of timber deck cargoes loing 	
- -		62
	 6.1 Application 6.2 Ships carrying timber deck cargoes 6.3 Calculation assumptions 6.4 Guidance relating to ice accretion 	

10 Bureau Veritas June 2000