

汉英双解

针灸辞典

Chinese-English Dictionary of
Acupuncture and Moxibustion

董汉武 编著

Dong Hanwu Editor



郑州大学出版社



图书在版编目(CIP)数据

汉英双解针灸辞典/董汉武编著.—郑州:郑州大学出版社,2012.5

ISBN 978—7—5645—0449—6

I. ①汉… II. ①董… III. ①针灸学—双解词典—汉、英
IV. ①R245—61

中国版本图书馆 CIP 数据核字(2011)第 080393 号

郑州大学出版社出版发行

郑州市大学路 40 号

邮政编码:450052

出版人:王 锋

发行部电话:0371—66966070

全国新华书店经销

河南省瑞光印务股份有限公司印制

开本:890 mm×1 240 mm 1/32

印张:18.375

字数:936 千字

版次:2012 年 5 月第 1 版

印次:2012 年 5 月第 1 次印刷

书号:ISBN 978—7—5645—0449—6 定价:65.00 元

本书如有印装质量问题,请向本社调换

Chinese-English Dictionary Connects the World



中华人民共和国卫生部原副部长
孙隆椿为《汉英双解针灸辞典》题词

Epigraph by Mr. Sun Longchun Former Vice-minister of Health of the People's Republic of China for *Chinese-English Dictionary of Acupuncture and Moxibustion*

前　　言

时值 21 世纪之初, 改革开放和入世成功, 为中国传统医学走向世界之宏业展现出十分广阔的前景。针灸疗法作为中国传统医学的一颗璀璨明珠, 更受到世界各国人民青睐。针灸疗法简便易行、疗效显著、费用低廉、治疗范围广泛、不良反应极少, 越来越深受国际医学同道的重视。但是由于语言的障碍, 针灸疗法在医生和患者之间的交流进程缓慢。为了克服语言障碍, 便于国际医学仁人志士顺利地开展针灸的理论研究和临床应用, 《汉英双解针灸辞典》应运而生。

这部词书在编写过程中得到了中华人民共和国卫生部原副部长孙隆春为本辞典的题词, 河南中医学院朱忠宝教授和洛阳市卫生干部进修学校张西安高级讲师的支持以及同仁的大力协助, 谨在此表示衷心的感谢。

编辑这部工具书, 缺乏足够的经验, 曾经努力编写、修改, 然而难免有欠妥之处, 为了再版时能得到订正, 诚望海内外专家及广大读者批评指正。

编　　者

Preface

As the beginning of the twenty-first Century, the achievements of opening up and the success of joining into WTO have manifested the wide prospect for the transmission of the Traditional Chinese Medicine into the world. As a bright new star, Chinese Acupuncture-moxibustion is more accepted by the people all over the world. For its conveniency, obvious curative effects, cheapness, wide medication, less side effects, Chinese Acupuncture-moxibustion is paid more and more attention to by the international medical counterparts. But because of the language barrier, the process of communication between the doctors and patients is slow. In order to overcome the language barriers and be convenient for the intellectuals to research into the Acupuncture-moxibustion theories and apply it into practical use successfully, the *Chinese-English Dictionary of Acupuncture and Moxibustion* comes into being.

Here, I would like to extend my sincere thanks for the epigraph to the dictionary by Mr. Sun Longchun former vice – minister of Health Ministry of the People's Republic of China, thanks for the supports from Professor Zhu Zhongbao of Henan Province Traditional Chinese Medical College and Senior Lecturer Zhang Xi'an of Luoyang Health Cadre Training School and helps from other scholars.

Although a great effort has been made to compile and revise the manuscript, the dictionary is inevitable to be somewhat imperfect since we lack the experience in compiling such a dictionary. Therefore, the valuable suggestions and criticism are sincerely invited from the scholars at home and abroad and these imperfections will be revised in the second edition.

Editor

编写说明

本辞典的特点如下：

一、本辞典共收针灸方面的常用词、常用术语 946 条。包括针灸名词、中医术语、经络、腧穴、针具、灸具、刺法、灸法、耳针、头针和常见病的诊断与针灸治疗。

二、本辞典收词标准为突出实用性。选词主要来源于孙国杰主编的由上海科学技术出版社于 2001 年 8 月出版的普通高等教育中医药类规划教材等。详见参考书目。

三、本辞典为中英文双解词典，其读者为操英语的外国人，以及既学习中医又学习英语的国人。因此，每条辞目皆不注明出处。

四、鉴于英语翻译中医针灸术语的难度及准确性，在撰写中文词条之释文时，尽力使用现代汉语，少用或不引用古代医学的原文。这是与当今出版的各种中医辞典区别之处，敬请读者见谅。

五、一词多义者，分 1、2、3……逐项解释。内容互见者，列“详见 × ×”或“参见 × ×”，以示引导。

六、本辞典目录按汉语拼音字母次序排列，第一字音相同的，按第二个字的拼音字母次序排列，余依次类推，如“阿是穴”、“艾条”。

七、本辞典使用简体字，其依据为 1964 年中国文字改革委员会公布的《简化字总表》。

八、本辞典插入 490 多个图，应用更为方便。

九、图例：“——”本经有穴通路；“….”本经无穴通路；“○”本经腧穴；“·”常用腧穴；“△”他经腧穴。

Compiler's Note

The dictionary has several characteristics below:

1. The dictionary collects 946 entries which are the common terms of Acupuncture and Moxibustion of Traditional Chinese Medicine (TCM), including the terms in Acupunctureology, terms in TCM, Meridians and Collaterals, Acupoints, Needle Tool, Moxibustion Tool, Needling Technique, Moxibustion Method, Ear Acupuncture, Scalp Acupuncture and Diagnose and Acupuncture Treatment of Common Syndromes etc.
2. The collection of the main entries is focused on practicality. The sources of the entries selected are the national textbooks for TCM colleges, which had been compiled by chief editor Sun Guojie and had been printed by publishing company of Shanghai technology in August. 2001. etc. See the reference books.
3. As a Chinese-English Dictionary, it is designed for foreigners who speak English and Chinese who learn both TCM and English. Considering such users the sources of the terms are not presented in the dictionary with exception of the terms of Prescriptions of TCM.
4. Considering the difficulties and accuracy in translation, the interpretations are made in the modern Chinese instead of the ancient Chinese and the original texts of the ancient classics of TCM are avoided. The allowance is expected from the readers, for this is a difference of the dictionary from the other current dictionary of TCM.
5. For the terms with the polysemous connotations the separate interpretations are listed out with “1”, “2”, “3”, etc., the reference entries are introduced by cf.
6. The entries of this dictionary are arranged alphabetically. If the pronunciations of the first words are same, the order is arranged according to the alphabet of the second words, etc., e.g., “Ashixue, Aitiao”.
7. The simplified Chinese characters are used in the dictionary based on “The General List of the Simplified Chinese Characters ” issued by The Committee of Reforming Chinese Writing System in 1964.
8. The figures more than 490 intercalated in the dictionary, point located more convenient to its users.
9. Cutline: “—” this meridian point access, “...” this meridian without point access, “o” the meridian acupoint, “·” in common used point access, “△” else meridian acupoint.

总 目

CATALOGUE

| | |
|--|---------|
| 前言 | |
| Preface | |
| 编写说明 | |
| Compiler's Note | |
| 汉语拼音检字目录 | 1 |
| Index of the Chinese Phonetic Alphabet System | |
| 辞典正文 | 1 ~ 522 |
| The Dictionary | |
| 附录一 骨度分寸表 | 523 |
| Appendix 1 Table of Bone Proportional Measurment | |
| 附录二 常用耳穴示意图 | 528 |
| Appendix 2 Points Figure of Ear Acupuncture | |
| 附录三 标准化头针穴位图 | 530 |
| Appendix 3 Standard Nomenclature Figures of Scalp Acupuncture | |
| 附录四 十四经循行分布示意图 | 533 |
| Appendix 4 Figures of Fourteen Meridians | |
| 附录五 十四经腧穴图 | 534 |
| Appendix 5 Points Figure of Fourteen Meridians | |
| 附录六 世界卫生组织标准化针灸专业基本术语 | 548 |
| Appendix 6 Standard Nomenclature of Basic Technical Terms of Acupuncture of WHO | |
| 附录七 汉语笔画索引 | 558 |
| Appendix 7 Index of the Strokes of Chinese-character | |
| 参考文献 | 568 |
| Reference Books | |

汉语拼音检字目录

Index of the Chinese Phonetic Alphabet System

| | | | | | |
|----------------|----|----------|----|--------|----|
| A | | 鼻洪 | 15 | 承扶 | 31 |
| 阿是穴 | 1 | 鼻渊 | 15 | 承光 | 32 |
| 艾灸补泻 | 1 | 髀关 | 16 | 承浆 | 33 |
| 艾卷灸 | 1 | 闭经 | 16 | 承筋 | 33 |
| 艾炷灸 | 2 | 痹证 | 17 | 承灵 | 34 |
| 安眠 | 2 | 臂臑 | 19 | 承满 | 34 |
| B | | 便秘 | 20 | 承泣 | 35 |
| 八风 | 4 | 便血 | 21 | 承山 | 35 |
| 八会穴 | 4 | 砭石 | 21 | 瘼脉 | 36 |
| 八脉八穴配穴法 | 4 | 扁平疣 | 21 | 尺泽 | 37 |
| 八脉交会穴 | 5 | 扁桃体 | 22 | 冲脉(TV) | 37 |
| 八邪 | 5 | 辨证选穴法 | 22 | 冲脉交会穴 | 38 |
| 拔罐的作用和适应范 围 | 6 | 标本缓急 | 23 | 冲脉主要病候 | 38 |
| 拔罐法 | 6 | 标本兼治 | 23 | 冲门 | 38 |
| 拔罐法的应用 | 7 | 标准头穴线定位 | 24 | 冲阳 | 40 |
| 白环俞 | 7 | 表里经配穴法 | 24 | 抽搐 | 40 |
| 白芥子灸 | 8 | 秉风 | 24 | 抽气罐 | 41 |
| 百虫窝 | 8 | 玻璃罐 | 25 | 抽气罐法 | 41 |
| 百会 | 8 | 补泻兼施 | 25 | 出针法 | 42 |
| 瘢痕灸 | 9 | 补虚 | 26 | 垂前 | 42 |
| 斑秃 | 10 | 补虚泻实 | 27 | 次髎 | 43 |
| 胞肓 | 11 | 不寐 | 27 | 刺法 | 43 |
| 豹纹刺 | 11 | 不容 | 28 | 刺激量 | 43 |
| 背俞穴 | 12 | 步廊 | 29 | 刺禁 | 44 |
| 贲门 | 12 | C | | 刺络拔罐法 | 44 |
| 本经配穴法 | 12 | 镵针 | 30 | 刺络法 | 44 |
| 本神 | 12 | 肠痈 | 30 | 刺手 | 45 |
| 崩漏 | 13 | 长强 | 31 | 刺血拔罐法 | 45 |
| | | 长针 | 31 | 刺血络 | 46 |

2 汉英双解针灸辞典

| | | | | | |
|----------|----|----------|----|----------|-----|
| 攒竹 | 46 | 癫狂 | 65 | 耳针疗法 | 83 |
| 搓柄法 | 46 | 点刺法 | 67 | 耳针操作法 | 83 |
| 痤疮 | 47 | 电针疗法 | 68 | 耳中 | 84 |
| D | | 疔疮 | 68 | 二白 | 84 |
| 大包 | 48 | 顶颤后斜线 | 69 | 二间 | 85 |
| 大肠 | 48 | 顶颤前斜线 | 70 | F | |
| 大肠俞 | 49 | 顶旁 1 线 | 70 | 发泡灸 | 86 |
| 大都 | 49 | 顶旁 2 线 | 70 | 放血疗法 | 86 |
| 大敦 | 50 | 顶中线 | 71 | 飞腾八法 | 86 |
| 大赫 | 51 | 定喘 | 71 | 飞扬 | 87 |
| 大横 | 51 | 犊鼻 | 72 | 非化脓灸 | 87 |
| 大巨 | 52 | 督脉(GV) | 72 | 肺 | 88 |
| 大陵 | 52 | 督脉络 | 73 | 肺风粉刺 | 88 |
| 大迎 | 53 | 督脉主要病候 | 74 | 肺痨 | 88 |
| 大针 | 53 | 督脉主治概要 | 74 | 肺俞 | 89 |
| 大钟 | 54 | 督俞 | 74 | 丰隆 | 90 |
| 大杼 | 54 | 断针 | 75 | 风池 | 90 |
| 大椎 | 55 | 兑端 | 75 | 风府 | 91 |
| 带脉(BV) | 56 | 对屏尖 | 76 | 风门 | 91 |
| 带脉交会穴 | 56 | E | | 风市 | 92 |
| 带脉穴 | 56 | 额 | 77 | 风溪 | 93 |
| 带脉主要病候 | 57 | 额旁 1 线 | 77 | 风疹 | 93 |
| 带下病 | 57 | 额旁 2 线 | 77 | 锋针 | 94 |
| 单手进针法 | 58 | 额旁 3 线 | 78 | 跗阳 | 94 |
| 丹毒 | 59 | 额中线 | 78 | 伏兔 | 95 |
| 胆道蛔虫症 | 60 | 耳背肺 | 78 | 扶突 | 95 |
| 胆囊 | 60 | 耳背肝 | 78 | 扶正祛邪 | 96 |
| 胆俞 | 61 | 耳背沟 | 79 | 浮白 | 96 |
| 膻中 | 62 | 耳背脾 | 79 | 浮络 | 97 |
| 得气 | 63 | 耳背肾 | 79 | 浮郄 | 97 |
| 灯火灸 | 63 | 耳背心 | 79 | 附分 | 98 |
| 滴酒拔罐法 | 63 | 耳和髎 | 80 | 府舍 | 98 |
| 铤针 | 64 | 耳尖 | 80 | 腑会 | 99 |
| 地仓 | 64 | 耳门 | 81 | 复溜 | 99 |
| 地机 | 64 | 耳迷根 | 81 | 腹 | 100 |
| 地五会 | 65 | 耳鸣、耳聋 | 82 | 腹哀 | 100 |

| | | | | | |
|----------|-----|-----------|-----|---------|-----|
| 腹结 | 101 | 合穴 | 126 | 夹承浆 | 144 |
| 腹痛 | 101 | 合阳 | 126 | 夹脊 | 145 |
| 腹通谷 | 103 | 颌 | 127 | 挟持进针法 | 146 |
| G | | 鹤顶 | 127 | 挟持针柄进针法 | 146 |
| 疳积 | 105 | 横刺 | 128 | 挟持针身进针法 | 147 |
| 肝 | 105 | 横骨 | 128 | 颊车 | 147 |
| 肝俞 | 106 | 横指同身寸 | 129 | 肩 | 148 |
| 感冒 | 106 | 红丝疔 | 129 | 肩井 | 148 |
| 肛门 | 108 | 后顶 | 129 | 肩髎 | 149 |
| 膏肓 | 108 | 后溪 | 130 | 肩前 | 149 |
| 高热 | 109 | 呼吸补泻 | 130 | 肩外俞 | 150 |
| 高血压 | 110 | 虎口疔 | 131 | 肩髃 | 151 |
| 隔附子饼灸 | 111 | 滑肉门 | 131 | 肩贞 | 151 |
| 隔姜灸 | 111 | 华盖 | 132 | 肩中俞 | 152 |
| 隔蒜灸 | 112 | 化脓灸 | 132 | 减肥 | 153 |
| 隔物灸 | 112 | 踝 | 132 | 睑腺炎 | 153 |
| 隔盐灸 | 112 | 环跳 | 132 | 腱鞘囊肿 | 154 |
| 膈关 | 113 | 环中 | 133 | 建里 | 155 |
| 膈俞 | 114 | 缓则治本 | 133 | 间接灸 | 155 |
| 跟 | 115 | 肓门 | 134 | 间使 | 156 |
| 公孙 | 115 | 肓俞 | 135 | 交感 | 156 |
| 骨度分寸 | 116 | 黄疸 | 135 | 交会穴 | 157 |
| 骨会 | 117 | 回旋灸 | 136 | 交信 | 157 |
| 刮柄法 | 118 | 会阳 | 137 | 角孙 | 158 |
| 关冲 | 119 | 会阴 | 137 | 角窝上 | 158 |
| 关门 | 119 | 会宗 | 138 | 角窝中 | 158 |
| 关元 | 120 | 魂门 | 138 | 结节 | 159 |
| 关元俞 | 121 | J | | 解溪 | 159 |
| 管针进针法 | 121 | 极泉 | 140 | 戒烟 | 159 |
| 罐的种类 | 122 | 急脉 | 140 | 戒烟穴 | 160 |
| 光明 | 122 | 急性胆囊炎、胆石症 | | 金津、玉液 | 161 |
| 归来 | 123 | | 141 | 金门 | 161 |
| H | | 急则治标 | 142 | 金针 | 162 |
| 颌厌 | 124 | 箕门 | 142 | 筋会 | 162 |
| 毫针 | 124 | 脊中 | 143 | 筋缩 | 162 |
| 合谷 | 125 | 架火拔罐法 | 144 | 进针法 | 163 |

| | | | | | |
|----------------|-----|----------|-----|----------|-----|
| 近部取穴 | 164 | K | | 轮 2 | 204 |
| 近视 | 164 | 咯血 | 183 | 轮 3 | 204 |
| 禁灸穴 | 165 | 开合补泻 | 183 | 轮 4 | 204 |
| 禁针穴 | 165 | 咳嗽 | 184 | 落枕 | 204 |
| 京骨 | 165 | 孔最 | 185 | 落枕穴 | 206 |
| 京门 | 166 | 口 | 186 | 络脉 | 206 |
| 经别 | 167 | 口疮 | 186 | 络却 | 206 |
| 经筋 | 167 | 口疳 | 187 | 络穴 | 207 |
| 经络 | 168 | 口禾髎 | 187 | M | |
| 经络的标本、根结、气街、四海 | 168 | 口眼喎斜 | 187 | 埋针 | 209 |
| 经络的标本与根结 | 168 | 库房 | 188 | 麦粒肿 | 209 |
| 经络的病理变化 | 169 | 髓 | 188 | 脉会 | 210 |
| 经络的生理功能 | 170 | 昆仑 | 188 | 眉冲 | 210 |
| 经络传感 | 172 | L | | 梅花针 | 211 |
| 经络交接 | 172 | 阑尾(耳) | 190 | 面颊 | 211 |
| 经络学说 | 172 | 阑尾(腿) | 190 | 面瘫 | 211 |
| 经络走向 | 173 | 劳宫 | 191 | 明灸 | 212 |
| 经脉 | 173 | 雷火神针 | 191 | 命门 | 212 |
| 经气 | 173 | 厉兑 | 192 | 缪刺 | 213 |
| 经渠 | 174 | 蠡沟 | 192 | 拇指同身寸 | 213 |
| 惊悸、怔忡 | 174 | 痢疾 | 193 | 目赤肿痛 | 214 |
| 惊厥 | 175 | 廉泉 | 194 | 目窗 | 215 |
| 睛明 | 176 | 梁门 | 194 | 募穴 | 216 |
| 井穴 | 176 | 梁丘 | 195 | N | |
| 颈 | 177 | 列缺 | 196 | 脑干 | 217 |
| 颈椎 | 177 | 灵道 | 197 | 脑户 | 217 |
| 鳩尾 | 177 | 灵台 | 197 | 脑空 | 218 |
| 九针 | 178 | 灵墟 | 198 | 臑会 | 218 |
| 灸法 | 179 | 留罐法 | 199 | 臑俞 | 219 |
| 居髎 | 179 | 留针 | 199 | 内鼻 | 219 |
| 巨骨 | 179 | 留针拔罐法 | 199 | 内耳 | 220 |
| 巨髎 | 180 | 六合 | 200 | 内分泌 | 220 |
| 巨阙 | 181 | 癃闭 | 201 | 内关 | 221 |
| 厥阴俞 | 181 | 漏谷 | 202 | 内生殖器 | 221 |
| | | 颃息 | 203 | 内庭 | 222 |
| | | 轮 1 | 203 | 内膝眼 | 222 |

| | | | | | |
|----------|-----|----------|-----|----------|-----|
| 捻转补泻 | 223 | 奇经八脉 | 239 | 人迎 | 256 |
| 尿道 | 224 | 起罐法 | 240 | 人中疗 | 257 |
| 颤 | 224 | 气冲 | 240 | 任脉 | 257 |
| 颤后线 | 224 | 气管 | 241 | 任脉络 | 257 |
| 颤前线 | 224 | 气海 | 241 | 任脉主要病候 | 258 |
| 扭伤 | 225 | 气海俞 | 241 | 任脉主治概要 | 259 |
| 衄血 | 226 | 气户 | 242 | 日月 | 259 |
| 疟疾 | 227 | 气会 | 243 | 乳根 | 259 |
| O | | 气街 | 243 | 乳癖 | 260 |
| 呕吐 | 228 | 气舍 | 243 | 乳少 | 261 |
| P | | 气穴 | 244 | 乳痈 | 261 |
| 膀胱 | 230 | 牵正 | 244 | 乳汁不行 | 262 |
| 膀胱俞 | 230 | 前顶 | 245 | 乳汁不足 | 262 |
| 配穴方法 | 231 | 前谷 | 245 | 乳中 | 262 |
| 盆腔 | 231 | 前后配穴法 | 246 | S | |
| 皮部 | 231 | 强刺激 | 246 | 三叉神经痛 | 264 |
| 皮肤针 | 232 | 强间 | 246 | 三间 | 264 |
| 皮内针 | 232 | 揿针 | 247 | 三角灸 | 265 |
| 皮质下 | 232 | 清冷渊 | 247 | 三焦 | 265 |
| 铍针 | 233 | 青灵 | 248 | 三焦俞 | 266 |
| 脾 | 233 | 青龙摆尾 | 248 | 三棱针法 | 266 |
| 脾俞 | 233 | 丘墟 | 248 | 三阳络 | 267 |
| 脾之大络 | 234 | 球后 | 249 | 三阴交 | 268 |
| 痞根 | 234 | 曲鬓 | 249 | 三因制宜 | 269 |
| 偏历 | 235 | 曲差 | 250 | 散刺法 | 269 |
| 平补平泻 | 236 | 曲池 | 251 | 闪罐法 | 270 |
| 平刺 | 236 | 曲骨 | 251 | 闪火拔罐法 | 270 |
| 屏尖 | 236 | 曲泉 | 252 | 疝气 | 271 |
| 屏间后 | 236 | 曲垣 | 253 | 商丘 | 272 |
| 屏间前 | 237 | 曲泽 | 253 | 商曲 | 273 |
| 魄户 | 237 | 颧髎 | 254 | 商阳 | 274 |
| 仆参 | 238 | 缺盆 | 255 | 上耳根 | 274 |
| Q | | 缺乳 | 255 | 上关 | 274 |
| 七星针 | 239 | 雀啄灸 | 255 | 上巨虚 | 275 |
| 期门 | 239 | R | | 上廉 | 276 |
| | | 然谷 | 256 | 上髎 | 276 |

6 汉英双解针灸辞典

| | | | | | |
|-------|-----|-------------|-----|-------------|-----|
| 上明 | 277 | 十二指肠 | 296 | 手太阴主要病候 | 313 |
| 上屏 | 277 | 十七椎 | 297 | 手太阴主治概要 | 313 |
| 上腕 | 278 | 十四经 | 297 | 手五里 | 313 |
| 上下配穴法 | 278 | 十四经穴 | 297 | 手阳明大肠经 (LI) | |
| 上星 | 278 | 十五络脉 | 298 | | 314 |
| 上迎香 | 279 | 十五络穴 | 298 | 手阳明络脉 | 315 |
| 烧山火 | 280 | 十宣 | 299 | 手阳明主要病候 | 316 |
| 少冲 | 280 | 石关 | 299 | 手阳明主治概要 | 316 |
| 少府 | 281 | 石门 | 300 | 舒张进针法 | 316 |
| 少海 | 281 | 实按灸 | 301 | 疏通经络 | 317 |
| 少商 | 282 | 食道 | 301 | 输尿管 | 317 |
| 少泽 | 282 | 食窦 | 301 | 束骨 | 317 |
| 舌 | 283 | 手厥阴络脉 | 302 | 俞府 | 318 |
| 蛇丹 | 283 | 手厥阴心包经 (PC) | | 俞募配穴法 | 319 |
| 申脉 | 284 | | 302 | 俞穴 | 319 |
| 身柱 | 285 | 手厥阴主要病候 | 304 | 腧穴 | 319 |
| 神藏 | 286 | 手厥阴主治概要 | 304 | 率谷 | 319 |
| 神道 | 286 | 手三里 | 304 | 水道 | 320 |
| 神封 | 287 | 手三阳经 | 305 | 水分 | 320 |
| 神经性皮炎 | 287 | 手三阴经 | 305 | 水沟 | 321 |
| 神门(腕) | 288 | 手少阳络脉 | 305 | 水泉 | 321 |
| 神门(耳) | 289 | 手少阳三焦经 (TE) | | 水突 | 322 |
| 神阙 | 290 | | 305 | 水肿 | 322 |
| 神堂 | 290 | 手少阳主要病候 | 307 | 丝竹空 | 324 |
| 神庭 | 291 | 手少阳主治概要 | 307 | 四白 | 324 |
| 肾 | 291 | 手少阴络脉 | 307 | 四渎 | 325 |
| 肾上腺 | 291 | 手少阴心经 (HT) | 308 | 四缝 | 325 |
| 肾俞 | 292 | 手少阴主要病候 | 309 | 四海 | 326 |
| 十二经别 | 293 | 手少阴主治概要 | 309 | 四满 | 327 |
| 十二经筋 | 293 | 手太阳络脉 | 309 | 四神聪 | 327 |
| 十二经脉 | 294 | 手太阳小肠经 (SI) | | 素髎 | 328 |
| 十二经穴 | 294 | | 310 | 蒜泥灸 | 328 |
| 十二井穴 | 295 | 手太阳主要病候 | 311 | 随证取穴 | 328 |
| 十二皮部 | 295 | 手太阳主治概要 | 311 | 髓会 | 329 |
| 十二俞穴 | 296 | 手太阴肺经 (LU) | 311 | 锁骨 | 329 |
| 十二原穴 | 296 | 手太阴络脉 | 313 | | |

| T | | | | |
|-------|-----|-------|-----|------|
| 胎位不正 | 330 | 贴棉拔罐法 | 349 | 痿证 |
| 太白 | 330 | 听宫 | 349 | 胃 |
| 太冲 | 331 | 听会 | 350 | 胃仓 |
| 太溪 | 332 | 艇角 | 351 | 胃俞 |
| 太阳 | 332 | 艇中 | 351 | 胃痛 |
| 太乙 | 333 | 瞳子髎 | 351 | 胃脘下俞 |
| 太乙神针 | 333 | 通里 | 352 | 温和灸 |
| 太渊 | 334 | 通天 | 352 | 温灸器灸 |
| 弹柄法 | 335 | 痛经 | 353 | 温溜 |
| 陶道 | 335 | 头临泣 | 354 | 温针灸 |
| 陶罐 | 336 | 头窍阴 | 355 | 屋翳 |
| 提插补泻 | 336 | 头痛 | 355 | 无瘢痕灸 |
| 提捏进针法 | 336 | 头维 | 358 | 五处 |
| 天池 | 337 | 头针疗法 | 358 | 五枢 |
| 天冲 | 338 | 头针操作法 | 358 | 五输穴 |
| 天窗 | 338 | 投火拔罐法 | 359 | X |
| 天鼎 | 339 | 透天凉 | 360 | 膝 |
| 天府 | 339 | 透穴 | 360 | 膝关 |
| 天井 | 340 | 吐血 | 360 | 膝内 |
| 天灸 | 341 | 推罐法 | 361 | 膝眼 |
| 天髎 | 341 | 臀 | 361 | 膝阳关 |
| 天髎 | 341 | 脱肛 | 361 | 细辛灸 |
| 天南星灸 | 341 | W | | |
| 天泉 | 342 | 外鼻 | 363 | 郤门 |
| 天容 | 342 | 外耳 | 363 | 郤穴 |
| 天枢 | 343 | 外关 | 363 | 侠白 |
| 天突 | 344 | 外陵 | 364 | 侠溪 |
| 天溪 | 344 | 外丘 | 364 | 下耳根 |
| 天行赤眼 | 345 | 外生殖器 | 365 | 下关 |
| 天星十二穴 | 345 | 弯针 | 365 | 下合穴 |
| 天牖 | 345 | 完骨 | 366 | 下巨虚 |
| 天柱 | 346 | 腕 | 366 | 下廉 |
| 天宗 | 347 | 腕骨 | 367 | 下髎 |
| 挑刺法 | 347 | 维道 | 367 | 下屏 |
| 调和阴阳 | 348 | 委阳 | 368 | 下脘 |
| 条口 | 348 | 委中 | 368 | 痫证 |
| | | | | 389 |
| | | | | 390 |

| | | | | | |
|---------|-----|----------|-----|---------|-----|
| 消泺 | 391 | 血尿 | 414 | 腰眼 | 433 |
| 小肠 | 391 | 循法 | 414 | 腰阳关 | 433 |
| 小肠俞 | 392 | Y | | 摇柄法 | 433 |
| 小儿惊风 | 392 | 押手 | 416 | 药罐拔罐法 | 434 |
| 小儿麻痹后遗症 | 394 | 牙 | 416 | 药物灸 | 434 |
| 小儿脑性瘫痪 | 395 | 牙痛 | 416 | 液门 | 434 |
| 小儿食积 | 396 | 哑门 | 417 | 胰胆 | 435 |
| 小儿针 | 397 | 咽喉 | 417 | 遗精 | 435 |
| 小海 | 397 | 咽喉肿痛 | 418 | 遗尿 | 436 |
| 哮喘 | 397 | 延缓衰老 | 419 | 一夫法 | 437 |
| 斜刺 | 399 | 沿皮刺 | 420 | 噫嘻 | 437 |
| 胁痛 | 399 | 眼 | 420 | 意舍 | 438 |
| 泄泻 | 400 | 羊痫风 | 420 | 翳风 | 438 |
| 心 | 401 | 阳白 | 420 | 翳明 | 439 |
| 心绞痛 | 402 | 阳池 | 421 | 因地制宜 | 439 |
| 心俞 | 403 | 阳辅 | 421 | 因人制宜 | 440 |
| 囟会 | 403 | 阳纲 | 422 | 因时制宜 | 440 |
| 荥穴 | 404 | 阳谷 | 423 | 阴包 | 441 |
| 行间 | 404 | 阳交 | 424 | 阴都 | 442 |
| 行针 | 405 | 阳经 | 424 | 阴谷 | 442 |
| 胸 | 405 | 阳陵泉 | 424 | 阴交 | 443 |
| 胸乡 | 406 | 阳脉之海 | 425 | 阴经 | 443 |
| 胸椎 | 406 | 阳跷脉 | 425 | 阴廉 | 444 |
| 虚脱 | 406 | 阳跷脉交会穴 | 426 | 阴陵泉 | 444 |
| 徐疾补泻法 | 407 | 阳跷脉主要病候 | 426 | 阴脉之海 | 445 |
| 悬灸 | 407 | 阳维脉 | 426 | 阴跷脉 | 445 |
| 悬厘 | 407 | 阳维脉交会穴 | 427 | 阴跷脉交会穴 | 446 |
| 悬颅 | 408 | 阳维脉主要病候 | 428 | 阴跷脉主要病候 | 446 |
| 悬枢 | 408 | 阳痿 | 428 | 阴市 | 446 |
| 悬钟 | 409 | 阳溪 | 428 | 阴挺 | 447 |
| 璇玑 | 410 | 养老 | 429 | 阴维脉 | 448 |
| 眩晕 | 410 | 腰骶椎 | 430 | 阴维脉交会穴 | 448 |
| 穴位 | 412 | 腰奇 | 430 | 阴维脉主要病候 | 449 |
| 穴位注射疗法 | 413 | 腰俞 | 430 | 阴郄 | 449 |
| 血海 | 413 | 腰痛 | 431 | 殷门 | 450 |
| 血会 | 413 | 腰痛点 | 432 | 龈交 | 450 |

| | | | | | |
|----------|-----|--------|-----|------------|-----|
| 隐白 | 451 | 针灸美容 | 469 | 中督俞 | 488 |
| 印堂 | 451 | 针灸体位 | 470 | 中泉 | 489 |
| 膺窗 | 452 | 针灸治疗原则 | 472 | 中枢 | 490 |
| 迎随补泻法 | 452 | 针灸治疗作用 | 472 | 中庭 | 490 |
| 迎香 | 452 | 枕 | 473 | 中脘 | 491 |
| 涌泉 | 453 | 枕上旁线 | 473 | 中指同身寸 | 491 |
| 幽门 | 454 | 枕上正中线 | 473 | 中注 | 492 |
| 鱼际 | 454 | 枕下旁线 | 473 | 中渚 | 492 |
| 鱼腰 | 455 | 震颤法 | 474 | 中风 | 493 |
| 玉堂 | 456 | 正经 | 474 | 周荣 | 495 |
| 玉枕 | 456 | 正营 | 474 | 肘 | 495 |
| 彧中 | 457 | 直肠 | 475 | 肘尖 | 496 |
| 渊腋 | 458 | 直刺 | 475 | 肘劳 | 496 |
| 原络配穴法 | 458 | 直接灸 | 475 | 肘髎 | 497 |
| 原穴 | 459 | 指 | 476 | 竹罐 | 497 |
| 圆利针 | 459 | 指寸定位法 | 476 | 煮罐法 | 498 |
| 圆针 | 459 | 指切进针法 | 476 | 主客原络配穴法 | 498 |
| 缘中 | 460 | 趾 | 477 | 筑宾 | 498 |
| 远部取穴 | 460 | 支沟 | 477 | 子宫 | 499 |
| 远近配穴法 | 460 | 支正 | 478 | 子母补泻法 | 499 |
| 月经不调 | 460 | 至阳 | 478 | 子午流注 | 500 |
| 晕厥 | 462 | 至阴 | 479 | 紫宫 | 500 |
| 云门 | 463 | 志室 | 480 | 宗脉 | 501 |
| 晕针 | 463 | 治病求本 | 480 | 走罐法 | 501 |
| 运针 | 464 | 痔疮 | 481 | 足厥阴肝经 (LR) | 502 |
| Z | | | | | |
| 脏会 | 465 | 秩边 | 482 | 足厥阴络脉 | 503 |
| 脏躁 | 465 | 滞产 | 482 | 足厥阴主要病候 | 504 |
| 痄腮 | 466 | 滞针 | 483 | 足厥阴主治概要 | 504 |
| 章门 | 467 | 中冲 | 483 | 足临泣 | 504 |
| 照海 | 468 | 中渎 | 484 | 足窍阴 | 505 |
| 着皮灸 | 468 | 中都 | 485 | 足三里 | 506 |
| 辄筋 | 468 | 中封 | 485 | 足三阳经 | 506 |
| 折针 | 469 | 中府 | 486 | 足三阴经 | 507 |
| 针感 | 469 | 中极 | 487 | 足少阳胆经(GB) | 507 |
| 针灸 | 469 | 中魁 | 487 | 足少阳络脉 | 509 |
| | | 中髎 | 488 | 足少阳主要病候 | 510 |