NONLINEAR
PHYSICAL
SCIENCE

Kuppalapalle Vajravelu
Kerehalli V. Prasad

Keller-Box Method and Its Application

Keller-Box 方法及其应用

HIGHER EDUCATION PRESS

Kuppalapalle Vajravelu
Kerehalli V. Prasad

Keller-Box Method and Its Application

Keller-Box 方法及其应用

Keller-Box Fangfa jiqi Yingyong

常州大学山书馆
藏书章

高等教育出版社·北京
HIGHER EDUCATION PRESS BEIJING

Author
Kuppalapalle Vajravelu
Department of Mathematics
University of Central Florida
Orlando, Florida 32816-1364
USA

Kerehalli Vinayaka Prasad
Department of Studies in Mathematics
Vijayanagara Sri Krishnadevaraya University
Jnana Sagara Campus, Vinayaka Nagar
Bellary- 583 105
Karnataka India

© 2014 Higher Education Press Limited Company, 4 Dewai Dajie, 100120, Beijing, P.R. China

图书在版编目（CIP）数据

Keller-Box 方法及其应用 = Keller-Box method and its application : 英文 / （美）瓦捷拉维鲁 (Vajravelu, K.)，（印）普拉萨德 (Prasad, K. V.) 著 . -- 北京 : 高等教育出版社，2014.1
（非线性物理科学 / 罗朝俊，（瑞典）伊布拉基莫夫主编）
ISBN 978-7-04-038891-6

Ⅰ. ① K… Ⅱ. ①瓦… ②普… Ⅲ. ①非线性理论－研究－英文 Ⅳ. ① O31

中国版本图书馆 CIP 数据核字（2013）第 280160 号

策划编辑	王丽萍	责任编辑	李 鹏	封面设计 杨立新	版式设计 王艳红
责任校对	胡晓琪	责任印制	毛斯璐	

出版发行	高等教育出版社	咨询电话	400-810-0598
社　　址	北京市西城区德外大街 4 号	网　　址	http://www.hep.edu.cn
邮政编码	100120		http://www.hep.com.cn
印　　刷	北京中科印刷有限公司	网上订购	http://www.landraco.com
开　　本	787mm×1092mm　1/16		http://www.landraco.com.cn
印　　张	26	版　　次	2014 年 1 月第 1 版
字　　数	460 千字	印　　次	2014 年 1 月第 1 次印刷
购书热线	010-58581118	定　　价	89.00 元

本书如有缺页、倒页、脱页等质量问题，请到所购图书销售部门联系调换
版权所有　侵权必究
物 料 号　38891-00

Sales only inside China
{仅限在中国范围内销售}
本书的海外版由 De Gruyter 负责在中国之外区域销售，ISBN 为 978-3-11-027137-9

NONLINEAR PHYSICAL SCIENCE

非线性物理科学

NONLINEAR PHYSICAL SCIENCE

Nonlinear Physical Science focuses on recent advances of fundamental theories and principles, analytical and symbolic approaches, as well as computational techniques in nonlinear physical science and nonlinear mathematics with engineering applications.

Topics of interest in *Nonlinear Physical Science* include but are not limited to:

- New findings and discoveries in nonlinear physics and mathematics
- Nonlinearity, complexity and mathematical structures in nonlinear physics
- Nonlinear phenomena and observations in nature and engineering
- Computational methods and theories in complex systems
- Lie group analysis, new theories and principles in mathematical modeling
- Stability, bifurcation, chaos and fractals in physical science and engineering
- Nonlinear chemical and biological physics
- Discontinuity, synchronization and natural complexity in the physical sciences

SERIES EDITORS

Albert C.J. Luo
Department of Mechanical and Industrial Engineering
Southern Illinois University Edwardsville
Edwardsville, IL 62026-1805, USA
Email: aluo@siue.edu

Nail H. Ibragimov
Department of Mathematics and Science
Blekinge Institute of Technology
S-371 79 Karlskrona, Sweden
Email: nib@bth.se

INTERNATIONAL ADVISORY BOARD

Ping Ao, University of Washington, USA; Email: aoping@u.washington.edu
Jan Awrejcewicz, The Technical University of Lodz, Poland; Email: awrejcew@p.lodz.pl
Eugene Benilov, University of Limerick, Ireland; Email: Eugene.Benilov@ul.ie
Eshel Ben-Jacob, Tel Aviv University, Israel; Email: eshel@tamar.tau.ac.il
Maurice Courbage, Université Paris 7, France; Email: maurice.courbage@univ-paris-diderot.fr
Marian Gidea, Northeastern Illinois University, USA; Email: mgidea@neiu.edu
James A. Glazier, Indiana University, USA; Email: glazier@indiana.edu
Shijun Liao, Shanghai Jiaotong University, China; Email: sjliao@sjtu.edu.cn
Jose Antonio Tenreiro Machado, ISEP-Institute of Engineering of Porto, Portugal; Email: jtm@dee.isep.ipp.pt
Nikolai A. Magnitskii, Russian Academy of Sciences, Russia; Email: nmag@isa.ru
Josep J. Masdemont, Universitat Politecnica de Catalunya (UPC), Spain; Email: josep@barquins.upc.edu
Dmitry E. Pelinovsky, McMaster University, Canada; Email: dmpeli@math.mcmaster.ca
Sergey Prants, V.I.Il'ichev Pacific Oceanological Institute of the Russian Academy of Sciences, Russia; Email: prants@poi.dvo.ru
Victor I. Shrira, Keele University, UK; Email: v.i.shrira@keele.ac.uk
Jian Qiao Sun, University of California, USA; Email: jqsun@ucmerced.edu
Abdul-Majid Wazwaz, Saint Xavier University, USA; Email: wazwaz@sxu.edu
Pei Yu, The University of Western Ontario, Canada; Email: pyu@uwo.ca

试读结束，需要全本PDF请购买 www.ertongbook.com

Preface

During the past decades there has been an increased interest in solving systems of nonlinear differential equations associated with physical problems. Throughout engineering and technological industries, we are confronted with nonlinear boundary-value problems that cannot be solved by analytical methods. Although remarkable progress has been made in developing new and powerful techniques for solving the nonlinear differential equations, notably in the fields of fluid mechanics, biology, finance, aerospace engineering, chemical, and control engineering, much remains to be done.

In the present book, we highlight the development, analysis and application of the finite difference technique, the Keller-box method, for the solution of coupled nonlinear boundary-value problems. We have tried to present an account of what has been accomplished in the field to date. Accordingly, we shape this book to those interested in the Keller-box method as a working tool for solving physical and engineering problems.

This book can help the reader develop the toolset needed to apply the method, without sifting through the endless literature on the subject. Issues of finite differences, converting a system to first order differential equations, linearization by Newton's method, initial approximations, some basic numerical techniques, and obtaining a tridiagonal system by the Thomas algorithm, are discussed heuristically. As mentioned above, there are plenty of applications of the Keller-box method in the literature. In selecting applications and specific problems to work through, we have restricted our attention to fluid flow and heat transfer phenomena. Hence, in order to illustrate various properties and tools useful when applying the Keller-box method, we have selected recent research results in this area.

We appreciate the support and motivation of the editor A.C.J. Luo. We also acknowledge the role of Higher Education Press (China) and de Gruyter for making this book a reality. Last but not the least, we thank Prof. Mike Taylor for reading the manuscript and suggesting some needed changes.

Orlando, Florida

K. Vajravelu
K.V. Prasad

Contents

Chapter 0 Introduction 1
References 3

Chapter 1 Basics of the Finite Difference Approximations 5
1.1 Finite difference approximations 5
1.2 The initial value problem for ODEs 11
1.3 Some basic numerical methods 16
1.4 Some basic PDEs 26
1.5 Numerical solution to partial differential equations 32
References 38

Chapter 2 Principles of the Implicit Keller-box Method 41
2.1 Principles of implicit finite difference methods 41
2.2 Finite difference methods 53
2.3 Boundary value problems in ordinary differential equations 71
References 87

Chapter 3 Stability and Convergence of the Implicit Keller-box Method 89
3.1 Convergence of implicit difference methods for parabolic functional differential equations 90
3.1.1 Introduction 90
3.1.2 Discretization of mixed problems 91
3.1.3 Solvability of implicit difference functional problems 94
3.1.4 Approximate solutions of difference functional problems 96
3.1.5 Convergence of implicit difference methods 99
3.1.6 Numerical examples 103

3.2 Rate of convergence of finite difference scheme on uniform/non-uniform grids · · · · · 105
3.2.1 Introduction · · · · · 105
3.2.2 Analytical results · · · · · 106
3.2.3 Numerical results · · · · · 110
3.3 Stability and convergence of Crank-Nicholson method for fractional advection dispersion equation · · · · · 112
3.3.1 Introduction · · · · · 112
3.3.2 Problem formulation · · · · · 113
3.3.3 Numerical formulation of the Crank-Nicholson method · · · · · 114
3.3.4 Stability of the Crank-Nicholson method · · · · · 115
3.3.5 Convergence · · · · · 116
3.3.6 Radial flow problem · · · · · 117
3.3.7 Conclusions · · · · · 118
References · · · · · 118

Chapter 4 Application of the Keller-box Method to Boundary Layer Problems · · · · · 121
4.1 Flow of a power-law fluid over a stretching sheet · · · · · 121
4.1.1 Introduction · · · · · 121
4.1.2 Formulation of the problem · · · · · 122
4.1.3 Numerical solution method · · · · · 124
4.1.4 Results and discussion · · · · · 125
4.1.5 Concluding remarks · · · · · 126
4.2 Hydromagnetic flow of a power-law fluid over a stretching sheet · · · · · 126
4.2.1 Introduction · · · · · 126
4.2.2 Flow analysis · · · · · 128
4.2.3 Numerical solution method · · · · · 130
4.2.4 Results and discussion · · · · · 130
4.3 MHD Power-law fluid flow and heat transfer over a non-isothermal stretching sheet · · · · · 135
4.3.1 Introduction · · · · · 135
4.3.2 Governing equations and similarity analysis · · · · · 137
4.3.3 Heat transfer · · · · · 139
4.3.4 Numerical procedure · · · · · 141
4.3.5 Results and discussion · · · · · 149

4.4 MHD flow and heat transfer of a Maxwell fluid over a non-isothermal stretching sheet · · ·

5.3.4 Results and discussion · 213
5.3.5 Conclusions · 223
5.4 Hydromagnetic flow and heat transfer of a non-Newtonian power law fluid over a vertical stretching sheet · · · · · · · · · · · · · · · · · · ·

6.2.4 Analytical solution by perturbation · · ·

Chapter 0
Introduction

Nature is in essence nonlinear. Many fundamental laws in science and engineering are modeled by nonlinear differential equations. The origin of nonlinear differential equations is very old, but it has been undergone remarkable new developments in the field of nonlinear equations for last few decades. One of the main impulses, among others for developing nonlinear differential equations has been the study of boundary layer equations. At high Reynolds number, the effect of viscosity is confined to a layer near the wall where the velocity changes are very large. Prandtl was the pioneer in developing a theory by employing what are now called the boundary layer assumptions. Mathematical analyses based on these assumptions of many physical problems in fluid mechanics agree well with the experimental observations. These equations are derived from the Navier-Stokes equations which describe the behavior of the fluid using boundary layer approximation. Using similarity transformations, these equations can be converted into nonlinear coupled ordinary differential equations (ODEs) or partial differential equations (PDEs). Their solution structure demands sophisticated analytical or numerical schemes. The analysis of flow and heat transfer over an infinite range occurs in many branches of science and technology. The fluid velocity satisfies higher order nonlinear differential equations depending on the stress-strain relation. In some instances one is able to obtain exact analytical solutions. When exact or analytical solutions are obtained, one is often faced with difficulty generalizing such results to other nonlinear differential equations. In many situations one is compelled to develop a good numerical scheme, fast as well as accurate, in order to obtain approximate solution to these coupled equations. Obtaining such numerical schemes to solve these coupled ODEs/PDEs for all prevailing physical parameters is the key point of this book.

Due to the difficulties of the problems, we frequently seek to obtain numerical solutions to a nonlinear problem, valid over some restricted region in the domain of the original problem. One such technique, which has shown a great promise over the past few years, is the Keller-box method. By use of the box method, numerous nonlinear differential equations have been studied

in great detail. Like many other finite difference methods, the box method is very useful as it allows us to obtain numerical solutions to systems of nonlinear differential equations. The finite difference method is unique among other numerical techniques as it allows us to effectively control the rate of convergence via an initial approximation and then proceeds as follows:

- reducing them to a system of first order equations;
- writing the difference equations using central differences;
- linearization of the algebraic equations by Newton's method;
- writing them in matrix form; and
- finally solving the system by block tridiagonal elimination technique.

However, such great freedom comes with the dilemma of deciding just how to proceed. There have been a number of nonlinear differential equations to which the box method has been applied. However the selection of initial approximation varies greatly for different values of the non-dimensional parameters. That said, there are some underlying themes that become apparent when one examines the literature on the topic. Building on such themes, we hope to add some structure and formality to the application of nonlinear flow phenomena. In particular, we discuss several features of the method and the choices one can make in the initial approximation, far field conditions, and the convergence criteria.

We hope that the book helps in achieving this long range goal. We present a number of ways in which one may select the initial conditions, far field boundary conditions, and the convergence criteria while solving a nonlinear differential equation by the finite difference method. We also focus our attention on the properties of solutions resulting from such a choice of the initial approximation, far field conditions, and the convergence criteria. These choices play a large role in the computational efficiency.

We primarily discuss nonlinear ordinary differential equations associated with finite differences. However, such discussion is usually general enough to use for solving nonlinear partial differential equations as well as ordinary differential equations. We discuss many cases in general while still maintaining applicability of the results to actually computing solutions via the finite difference method. As frequent users of the method, we understand the importance of implementing the presented method.

We note that a good companion to this book will be that of Cebeci and Bradshaw [1] which gives physical and computational aspects of convective heat transfer, and some guidelines to solve the boundary value problems. The first half of the book presents the finite difference method and how to implement the box method [2]–[4].

The outline of the book will be as follows:

In Chapters 1–3, which comprise Part I of the book, we sketch the Keller-box method. This first set of chapters serves as a summary to the method which can be directly employed by researchers in engineering, applied physics, and other applied sciences. We keep the discussion general enough so as to

provide a framework for researchers. In order to give the reader the best preparation for using the method, we realize that often the best way to convey information is through worked out examples.

In Part II of the book, Chapters 4–6, we shift to examples by considering problems in fluid mechanics and heat transfer governed by nonlinear differential equations [5]–[10]. Such examples will benefit the reader in applying the methods to actual problems of physical relevance. We group such problem into three categories: general fluid flow and heat transfer problems (Chapter 4), coupled nonlinear problems (Chapter 5), and more advanced problems (Chapter 6).

References

[1] T. Cebeci, P. Bradshaw, Physical and computational aspects of convective heat transfer, Springer-Verlag, New York, 1984.

[2] S.V. Patankar, Numerical Heat Transfer and Fluid Flow, McGraw-Hill, New York, 1980.

[3] T. Cebeci, K.C. Chang, P. Bradshaw, Solution of a hyperbolic system of turbulence-model equations by the "box" scheme, Comput. Meth. Appl. Mech. Eng. **22** (1980) 213.

[4] H.B. Keller, A new difference scheme for parabolic problems. In: Numerical solutions of partial differential equations, II (B. Hubbard, Ed.), 327–350, Academic Press, New York, 1971.

[5] L. Fox, Numerical Solution of Two-point Boundary Value Problems in Ordinary Differential Equations, Clarendon Press, Oxford, 1957.

[6] H.I. Andersson, B.S. Dandapat, Flows of a power law fluid over a stretching sheet, Stability Appl. Anal. Continuous Media **1** (1992) 339.

[7] W.H. Press, S.A. Teukolsky, W.T. Vellering, B.P. Flannery, Numerical Recipes in Fortran, Cambridge University Press, Cambridge, 1993.

[8] S.D. Conte, C. de Boor, Elementary Numerical Analysis, McGraw-Hill, New York, 1972.

[9] T.Y. Na, Computational Methods in Engineering Boundary Value Problems, Academic Press, New York, 1979.

[10] S. Nakamura, Iterative finite difference schemes for similar and non-similar boundary layer equations, Advances in Engineering Software **21** (1994) 123.

Chapter 1
Basics of the Finite Difference Approximations

In this chapter we introduce the essentials of finite difference approximations for solving linear/nonlinear differential equations. In Section 1.2, we study the time-dependent differential equations beginning with the initial value problem and then present some theoretical issues pertaining to the equations. Oftentimes when dealing with nonlinear differential equations, the questions of the existence and uniqueness of a solution are of importance, and inveterate. Section 1.3, deals with the discretization of the differential equations and the solution processes for the coupled boundary value problems (BVPs). Further, it also explains the differences between the single-step and multistep methods of solving BVPs. In Section 1.4, we extend the ideas of the prior section to obtain the numerical solutions for partial differential equations (PDEs). Finally, in Section 1.5 we present the numerical solutions to the PDEs, viz., elliptic, parabolic and hyperbolic differential equations.

1.1 Finite difference approximations

Our goal is to find approximate solutions to differential equations, i.e., to find a function (or some discrete approximation to this function) which satisfies a given relationship between its derivatives on some given region of space and/or time, along with some boundary conditions at the edges of the domain. In general this is a difficult problem and only rarely can an analytic formula be found for the solution. A finite difference method proceeds by replacing the derivatives in the differential equations by finite difference approximations. This gives a large algebraic system of equations to be solved in place of the differential equation, something that is easily solvable on a computer. Before tackling this problem, we first consider the more basic question of how we can approximate the derivatives of a known function by finite difference formulas based only on values of the function itself at discrete points.

Besides providing a basis for the later development of finite difference methods for solving differential equations, this allows us to investigate several key concepts such as the order of accuracy of an approximation in the simplest possible setting.

Let $u(x)$ represent a function of one variable that, unless otherwise stated, will always be assumed to be smooth, meaning that we can differentiate the function several times and each derivative is a well-defined bounded function over an interval containing a particular point of interest $\bar{x}$. Suppose we want to approximate $u'(\bar{x})$ by a finite difference approximation based only on values of u at a finite number of points near $\bar{x}$. One obvious choice would be to use

$$D_+u(\bar{x}) \equiv \frac{u(\bar{x}+h) - u(\bar{x})}{h} \tag{1.1}$$

for some small value of h. This is motivated by the standard definition of the derivative as the limiting value of this expression as $h \to 0$. Note that $D_+u(\bar{x})$ is the slope of the line interpolating u at the points $\bar{x}$ and $\bar{x}+h$. The expression in (1.1) is a one-sided approximation to u' since u is evaluated only at values of $x \geqslant \bar{x}$. Another one-sided approximation would be

$$D_-u(\bar{x}) \equiv \frac{u(\bar{x}-h) - u(\bar{x})}{h}. \tag{1.2}$$

Each of these formulas gives a first order accurate approximation to $u'(\bar{x})$, meaning that the size of the error is roughly proportional to h itself. Another possibility is to use the centered approximation

$$D_0u(\bar{x}) \equiv \frac{u(\bar{x}+h) - u(\bar{x}-h)}{2h} = \frac{1}{2}(D_+u(\bar{x}) + D_-u(\bar{x})). \tag{1.3}$$

This is the slope of the line interpolating u at $\bar{x}-h$ and $\bar{x}+h$ and is simply the average of the two one-sided approximations defined above. From Figure 1.1 it should be clear that we would expect $D_0u(\bar{x})$ to give a better approximation than either of the one-sided approximations. In fact this gives a second order accurate approximation, the error is proportional to h^2 and



Fig. 1.1 Various approximations to $u'(\bar{x})$, interpreted as slopes of secant lines

试读结束，需要全本PDF请购买 www.ertongbook.com