

Kirk-Othmer

**Encyclopedia
of Chemical
Technology**

Third Edition

Volume 20 Refractories to Silk

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

VOLUME 20

REFRACTORIES
TO
SILK



A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO • SINGAPORE

Copyright © 1982 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:

Main entry under title:

Encyclopedia of chemical technology.

At head of title: Kirk-Othmer.

“A Wiley-Interscience publication.”

Includes bibliographies.

1. Chemistry, Technical—Dictionaries. I. Kirk, Raymond Eller, 1890–1957. II. Othmer, Donald Frederick, 1904—

III. Grayson, Martin. IV. Eckroth, David. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1978 660'.03 77-15820
ISBN 0-471-02073-7

EDITORIAL BOARD

HERMAN F. MARK

Polytechnic Institute of New York

DONALD F. OTHMER

Polytechnic Institute of New York

CHARLES G. OVERBERGER

University of Michigan

GLENN T. SEABORG

University of California, Berkeley

EXECUTIVE EDITOR

MARTIN GRAYSON

ASSOCIATE EDITOR

DAVID ECKROTH

EDITORIAL STAFF FOR VOLUME 20

Executive Editor: **Martin Grayson**

Associate Editor: **David Eckroth**

Production Supervisor: **Michalina Bickford**

Editors: **Caroline I. Eastman** **Carolyn Golojuch** **Anna Klingsberg**
Goldie Wachsman **Mimi Wainwright**

CONTRIBUTORS TO VOLUME 20

David Adler, *Massachusetts Institute of Technology, Cambridge, Massachusetts*, Semiconductors, amorphous

Barry Arkles, *Petrarch Systems, Inc., Bristol, Pennsylvania*, Silanes; Silicon ethers and esters; both under Silicon compounds

Robert R. Barnhart, *Uniroyal Chemical, Naugatuck, Connecticut*, Rubber compounding

A. M. Bueche[†], *General Electric Co., Fairfield, Connecticut*, Research management

Rointan F. Bunshah, *University of California at Los Angeles, California*, Refractory coatings

Chuan C. Chang, *Bell Laboratories, Murray Hill, New Jersey*, Semiconductors, fabrication and characterization

Ward Collins, *Dow Corning Corporation, Midland, Michigan*, Silicon halides under Silicon compounds

K. W. Cooper, *York Division, Borg-Warner Corporation, York, Pennsylvania*, Refrigeration

T. D. Coyle, *National Bureau of Standards, Washington, D.C.*, Introduction under Silica

Paul Danielson, *Corning Glass Works, Corning, New York*, Vitreous silica under Silica

Reg Davies, *E. I. du Pont de Nemours & Co., Inc., Wilmington, Delaware*, Sampling

[†] Deceased.

- E. M. Elkin**, *Noranda Mines Limited, Montreal East, Quebec, Canada*, Selenium and selenium compounds
- Stephen H. Erickson**, *The Dow Chemical Company, Midland, Michigan*, Salicylic acid and related compounds
- James S. Falcone, Jr.**, *The PQ Corporation, Lafayette Hill, Pennsylvania*, Synthetic inorganic silicates under Silicon compounds
- Robert Haddon**, *Bell Laboratories, Murray Hill, New Jersey*, Semiconductors, organic
- Bruce B. Hardman**, *General Electric Company, Waterford, New York*, Silicones under Silicon compounds
- K. E. Hickman**, *York Division, Borg-Warner Corporation, York, Pennsylvania*, Refrigeration
- Arnold J. Hoiberg†**, *Manville Corporation, Denver, Colorado*, Roofing materials
- James S. Johnson, Jr.**, *Oak Ridge National Laboratory, Oak Ridge, Tennessee*, Reverse osmosis
- Martin L. Kaplan**, *Bell Laboratories, Murray Hill, New Jersey*, Semiconductors, organic
- E. D. Kolb**, *Bell Laboratories, Murray Hill, New Jersey*, Synthetic quartz crystals under Silica
- Thomas J. Kucera**, *Consultant, Evanston, Illinois*, Reprography
- R. A. Laudise**, *Bell Laboratories, Murray Hill, New Jersey*, Synthetic quartz crystals under Silica
- H. D. Leigh**, *C-E Basic, Inc., Beltsville, Ohio*, Refractories
- W. G. Lidman**, *Kawecki Berylco Industries, Inc., Revere, Pennsylvania*, Rubidium and rubidium compounds
- Charles D. Livengood**, *North Carolina State University, Raleigh, North Carolina*, Silk
- Ernest G. Long**, *Manville Corporation, Denver, Colorado*, Roofing materials
- James Martin**, *William Zinsser & Co., Somerset, New Jersey*, Shellac
- W. C. Miller**, *Manville Corporation, Denver, Colorado*, Refractory fibers
- Nancy R. Passow**, *C-E Lummus, Bloomfield, New Jersey*, Regulatory agencies
- William R. Peterson, Jr.**, *Petrarch Systems, Inc., Bristol, Pennsylvania*, Silanes under Silicon compounds
- Percy E. Pierce**, *PPG Industries, Inc., Allison Park, Pennsylvania*, Rheological measurements
- Edwin P. Plueddemann**, *Dow Corning Corporation, Midland, Michigan*, Silylating agents under Silicon compounds
- Walter Runyan**, *Texas Instruments, Inc., Dallas, Texas*, Pure silicon under Silicon and silicon alloys
- L. McDonald Schetky**, *International Copper Research Association, New York, New York*, Shape-memory alloys
- Clifford K. Schoff**, *PPG Industries, Inc., Allison Park, Pennsylvania*, Rheological measurements
- S. A. Schwarz**, *Bell Laboratories, Inc., Murray Hill, New Jersey*, Semiconductors, theory and application
- J. D. Seader**, *University of Utah, Salt Lake City, Utah*, Separation systems synthesis
- Raymond B. Seymour**, *The University of Southern Mississippi, Hattiesburg, Mississippi*, Sealants
- Ronald F. Silver**, *Elkem Metals Company, Niagara Falls, New York*, Metallurgical under Silicon and silicon alloys

- P. N. Son**, *BF Goodrich Company, Brecksville, Ohio*, Rubber chemicals
- David R. St. Cyr**, *Goodyear Tire & Rubber Co., Akron, Ohio*, Rubber, natural
- L. W. Steele**, *General Electric Co., Research and Development, Fairfield, Connecticut*, Research management
- Ladislav Svarovsky**, *University of Bradford, Bradford, West Yorkshire, UK*, Sedimentation
- Ray Taylor**, *BF Goodrich Company, Brecksville, Ohio*, Rubber chemicals
- A. S. Teot**, *Dow Chemical U.S.A., Midland, Michigan*, Resins, water-soluble
- Arnold Torkelson**, *General Electric Company, Waterford, New York*, Silicones under Silicon compounds
- Paul M. Treichel**, *University of Wisconsin, Madison, Wisconsin*, Rhenium and rhenium compounds
- John C. Weaver**, *Case Western Reserve University, Cleveland, Ohio*, Resins, natural
- Frederick B. White, Jr.**, *Kawecki Berylco Industries, Inc., Revere, Pennsylvania*, Rubidium and rubidium compounds
- Joan D. Willey**, *University of North Carolina at Wilmington, Wilmington, North Carolina*, Amorphous silica under Silica
- Fred Wudl**, *Bell Laboratories, Murray Hill, New Jersey*, Semiconductors, organic

NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named β -phenylethylamine or, as in *Chemical Abstracts*, benzeneethanamine. The usefulness of the *Encyclopedia* depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the *Chemical Abstracts* index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-, C₈H₁₇N; in the *Encyclopedia* this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline, and Toxline.


In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Registry numbers for each substance will be provided in the third edition cumulative index and appear as well in the annual indexes (eg, Alkaloids shows the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates have their Registry Numbers shown only in the index). Articles such as Analytical methods, Batteries and electric cells, Chemurgy, Distillation, Economic evaluation, and Fluid mechanics have no Registry Numbers in the text.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of (*S*)-2-propylpiperidine, *aniline* instead of *benzenamine*, and *acrylic acid* instead of 2-propenoic acid).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure appears in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin, [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers the aim is to help the reader have a concise means of substance identification.

CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

SI Units (Adopted 1960)

A new system of measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

BASE UNITS

length	meter [†] (m)
mass [‡]	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature [§]	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

[†] The spellings “metre” and “litre” are preferred by ASTM; however “-er” are used in the Encyclopedia.

[‡] “Weight” is the commonly used term for “mass.”

[§] Wide use is made of “Celsius temperature” (t) defined by

$$t = T - T_0$$

where T is the thermodynamic temperature, expressed in kelvins, and $T_0 = 273.15$ K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

xiv FACTORS, ABBREVIATIONS, AND SYMBOLS

SUPPLEMENTARY UNITS

plane angle	radian (rad)
solid angle	steradian (sr)

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2–4). Those derived units having special names and symbols are marked with an asterisk in the list below:

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	m/s ²	
*activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	km ²	
	square hectometer	hm ²	ha (hectare)
	square meter	m ²	
*capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m ³	
*conductance	siemens	S	A/V
current density	ampere per square meter	A/m ²	
density, mass density	kilogram per cubic meter	kg/m ³	g/L; mg/cm ³
dipole moment (quantity)	coulomb meter	C·m	
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m ³	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m ²	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electron volt [†]	eV [†]	
	kilowatt-hour [†]	kW·h [†]	

[†] This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
energy density	joule per cubic meter	J/m ³	
*force	kilonewton	kN	
	newton	N	kg·m/s ²
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m ² ·K)	
*illuminance	lux	lx	lm/m ²
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m ²	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m ²
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt watt	kW W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m ²	
*pressure, stress	megapascal kilopascal pascal	MPa kPa Pa	N/m ²
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m ³ /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second kilometer per hour	m/s km/h	
viscosity, dynamic	pascal second millipascal second	Pa·s mPa·s	
viscosity, kinematic	square meter per second	m ² /s	

xvi FACTORS, ABBREVIATIONS, AND SYMBOLS

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
	square millimeter per second	mm ² /s	
volume	cubic meter	m ³	
	cubic decimeter	dm ³	L(liter) (5)
	cubic centimeter	cm ³	mL
wave number	1 per meter	m ⁻¹	
	1 per centimeter	cm ⁻¹	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication

<i>factor</i>	<i>Prefix</i>	<i>Symbol</i>	<i>Note</i>
10 ¹⁸	exa	E	
10 ¹⁵	peta	P	
10 ¹²	tera	T	
10 ⁹	giga	G	
10 ⁶	mega	M	
10 ³	kilo	k	
10 ²	hecto	h ^a	^a Although hecto, deka, deci, and centi are SI prefixes, their use should be avoided except for SI unit-multiples for area and volume and nontechnical use of centimeter, as for body and clothing measurement.
10	deka	da ^a	
10 ⁻¹	deci	d ^a	
10 ⁻²	centi	c ^a	
10 ⁻³	milli	m	
10 ⁻⁶	micro	μ	
10 ⁻⁹	nano	n	
10 ⁻¹²	pico	p	
10 ⁻¹⁵	femto	f	
10 ⁻¹⁸	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors which will appear in a later volume of the *Encyclopedia*.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-79(4) and ANSI Z210.1-1976 (6).

Conversion Factors to SI Units

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
acre	square meter (m ²)	4.047 × 10 ³
angstrom	meter (m)	1.0 × 10 ^{-10†}
are	square meter (m ²)	1.0 × 10 ^{2†}
astronomical unit	meter (m)	1.496 × 10 ¹¹
atmosphere	pascal (Pa)	1.013 × 10 ⁵
bar	pascal (Pa)	1.0 × 10 ^{5†}
barn	square meter (m ²)	1.0 × 10 ^{-28†}

† Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
barrel (42 U.S. liquid gallons)	cubic meter (m ³)	0.1590
Bohr magneton (μ_B)	J/T	9.274×10^{-24}
Btu (International Table)	joule (J)	1.055×10^3
Btu (mean)	joule (J)	1.056×10^3
Btu (thermochemical)	joule (J)	1.054×10^3
bushel	cubic meter (m ³)	3.524×10^{-2}
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184 [†]
centipoise	pascal second (Pa·s)	1.0×10^{-3}
centistoke	square millimeter per second (mm ² /s)	1.0 [†]
cfm (cubic foot per minute)	cubic meter per second (m ³ /s)	4.72×10^{-4}
cubic inch	cubic meter (m ³)	1.639×10^{-5}
cubic foot	cubic meter (m ³)	2.832×10^{-2}
cubic yard	cubic meter (m ³)	0.7646
curie	becquerel (Bq)	3.70×10^{10}
debye	coulomb-meter (C·m)	3.336×10^{-30}
degree (angle)	radian (rad)	1.745×10^{-2}
denier (international)	kilogram per meter (kg/m)	1.111×10^{-7}
	tex [‡]	0.1111
dram (apothecaries')	kilogram (kg)	3.888×10^{-3}
dram (avoirdupois)	kilogram (kg)	1.772×10^{-3}
dram (U.S. fluid)	cubic meter (m ³)	3.697×10^{-6}
dyne	newton (N)	1.0×10^{-5}
dyne/cm	newton per meter (N/m)	1.0×10^{-3}
electron volt	joule (J)	1.602×10^{-19}
erg	joule (J)	1.0×10^{-7}
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m ³)	2.957×10^{-5}
foot	meter (m)	0.3048 [†]
footcandle	lux (lx)	10.76
furlong	meter (m)	2.012×10^{-2}
gal	meter per second squared (m/s ²)	1.0×10^{-2}
gallon (U.S. dry)	cubic meter (m ³)	4.405×10^{-3}
gallon (U.S. liquid)	cubic meter (m ³)	3.785×10^{-3}
gallon per minute (gpm)	cubic meter per second (m ³ /s)	6.308×10^{-5}
	cubic meter per hour (m ³ /h)	0.2271
gauss	tesla (T)	1.0×10^{-4}
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m ³)	1.183×10^{-4}
grad	radian	1.571×10^{-2}
grain	kilogram (kg)	6.480×10^{-5}
gram force per denier	newton per tex (N/tex)	8.826×10^{-2}

[†] Exact.

[‡] See footnote on p. xiv.

xviii FACTORS, ABBREVIATIONS, AND SYMBOLS

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
hectare	square meter (m ²)	1.0 × 10 ^{4†}
horsepower (550 ft·lbf/s)	watt (W)	7.457 × 10 ²
horsepower (boiler)	watt (W)	9.810 × 10 ³
horsepower (electric)	watt (W)	7.46 × 10 ^{2†}
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	2.54 × 10 ^{-2†}
inch of mercury (32°F)	pascal (Pa)	3.386 × 10 ³
inch of water (39.2°F)	pascal (Pa)	2.491 × 10 ²
kilogram force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6†
kip	newton (N)	4.48 × 10 ³
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter (cd/m ²)	3.183 × 10 ³
league (British nautical)	meter (m)	5.559 × 10 ³
league (statute)	meter (m)	4.828 × 10 ³
light year	meter (m)	9.461 × 10 ¹⁵
liter (for fluids only)	cubic meter (m ³)	1.0 × 10 ^{-3†}
maxwell	weber (Wb)	1.0 × 10 ^{-8†}
micron	meter (m)	1.0 × 10 ^{-6†}
mil	meter (m)	2.54 × 10 ^{-5†}
mile (statute)	meter (m)	1.609 × 10 ³
mile (U.S. nautical)	meter (m)	1.852 × 10 ^{3†}
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	1.0 × 10 ²
millimeter of mercury (0°C)	pascal (Pa)	1.333 × 10 ^{2†}
minute (angular)	radian	2.909 × 10 ⁻⁴
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	2.835 × 10 ⁻²
ounce (troy)	kilogram (kg)	3.110 × 10 ⁻²
ounce (U.S. fluid)	cubic meter (m ³)	2.957 × 10 ⁻⁵
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m ³)	8.810 × 10 ⁻³
pennyweight	kilogram (kg)	1.555 × 10 ⁻³
pint (U.S. dry)	cubic meter (m ³)	5.506 × 10 ⁻⁴
pint (U.S. liquid)	cubic meter (m ³)	4.732 × 10 ⁻⁴
poise (absolute viscosity)	pascal second (Pa·s)	0.10†
pound (avoirdupois)	kilogram (kg)	0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	newton (N)	4.448
pound per square inch (psi)	pascal (Pa)	6.895 × 10 ³
quart (U.S. dry)	cubic meter (m ³)	1.101 × 10 ⁻³

† Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
quart (U.S. liquid)	cubic meter (m ³)	9.464×10^{-4}
quintal	kilogram (kg)	$1.0 \times 10^{2\dagger}$
rad	gray (Gy)	$1.0 \times 10^{-2\dagger}$
rod	meter (m)	5.029
roentgen	coulomb per kilogram (C/kg)	2.58×10^{-4}
second (angle)	radian (rad)	4.848×10^{-6}
section	square meter (m ²)	2.590×10^6
slug	kilogram (kg)	14.59
spherical candle power	lumen (lm)	12.57
square inch	square meter (m ²)	6.452×10^{-4}
square foot	square meter (m ²)	9.290×10^{-2}
square mile	square meter (m ²)	2.590×10^6
square yard	square meter (m ²)	0.8361
stere	cubic meter (m ³)	1.0^\dagger
stokes (kinematic viscosity)	square meter per second (m ² /s)	$1.0 \times 10^{-4\dagger}$
tex	kilogram per meter (kg/m)	$1.0 \times 10^{-6\dagger}$
ton (long, 2240 pounds)	kilogram (kg)	1.016×10^3
ton (metric)	kilogram (kg)	$1.0 \times 10^{3\dagger}$
ton (short, 2000 pounds)	kilogram (kg)	9.072×10^2
torr	pascal (Pa)	1.333×10^2
unit pole	weber (Wb)	1.257×10^{-7}
yard	meter (m)	0.9144 [†]

Abbreviations and Unit Symbols

Following is a list of commonly used abbreviations and unit symbols appropriate for use in the *Encyclopedia*. In general they agree with those listed in *American National Standard Abbreviations for Use on Drawings and in Text (ANSI Y1.1)* (6) and *American National Standard Letter Symbols for Units in Science and Technology (ANSI Y10)* (6). Also included is a list of acronyms for a number of private and government organizations as well as common industrial solvents, polymers, and other chemicals.

Rules for Writing Unit Symbols (4):

1. Unit symbols should be printed in upright letters (roman) regardless of the type style used in the surrounding text.
2. Unit symbols are unaltered in the plural.
3. Unit symbols are not followed by a period except when used as the end of a sentence.
4. Letter unit symbols are generally written in lower-case (eg, cd for candela) unless the unit name has been derived from a proper name, in which case the first letter of the symbol is capitalized (W,Pa). Prefix and unit symbols retain their prescribed form regardless of the surrounding typography.
5. In the complete expression for a quantity, a space should be left between the numerical value and the unit symbol. For example, write 2.37 lm, *not* 2.37lm, and 35 mm, *not* 35mm. When the quantity is used in an adjectival sense, a hyphen is often used, for example, 35-mm film. *Exception:* No space is left between the numerical value and the symbols for degree, minute, and second of plane angle, and degree Celsius.

xx FACTORS, ABBREVIATIONS, AND SYMBOLS

6. No space is used between the prefix and unit symbols (eg, kg).
7. Symbols, not abbreviations, should be used for units. For example, use “A,” not “amp,” for ampere.
8. When multiplying unit symbols, use a raised dot:

N·m for newton meter

In the case of W·h, the dot may be omitted, thus:

Wh

An exception to this practice is made for computer printouts, automatic typewriter work, etc, where the raised dot is not possible, and a dot on the line may be used.

9. When dividing unit symbols use one of the following forms:

m/s or $m \cdot s^{-1}$ or $\frac{m}{s}$

In no case should more than one slash be used in the same expression unless parentheses are inserted to avoid ambiguity. For example, write:

$J/(\text{mol} \cdot \text{K})$ or $J \cdot \text{mol}^{-1} \cdot \text{K}^{-1}$ or $(J/\text{mol})/\text{K}$

but *not*

$J/\text{mol}/\text{K}$

10. Do not mix symbols and unit names in the same expression. Write:

joules per kilogram or J/kg or $J \cdot \text{kg}^{-1}$

but *not*

joules/kilogram *nor* joules/kg *nor* joules·kg⁻¹

ABBREVIATIONS AND UNITS

A	ampere	AIME	American Institute of
A	anion (eg, HA); mass number		Mining, Metallurgical,
a	atto (prefix for 10 ⁻¹⁸)		and Petroleum Engineers
AATCC	American Association of	AIP	American Institute of
	Textile Chemists and		Physics
	Colorists	AISI	American Iron and
ABS	acrylonitrile-butadiene-		Steel Institute
	styrene	alc	alcohol(ic)
abs	absolute	Alk	alkyl
ac	alternating current, <i>n.</i>	alk	alkaline (not alkali)
a-c	alternating current, <i>adj.</i>	amt	amount
ac-	alicyclic	amu	atomic mass unit
acac	acetylacetonate	ANSI	American National
ACGIH	American Conference of		Standards Institute
	Governmental Industrial	AO	atomic orbital
	Hygienists	AOAC	Association of Official
ACS	American Chemical Society		Analytical Chemists
AGA	American Gas Association	AOCS	American Oil Chemist's
Ah	ampere hour		Society
AIChE	American Institute of	APHA	American Public Health
	Chemical Engineers		Association