


ENCYCLOPEDIA OF **CHROMATOGRAPHY**

Third Edition

VOLUME III



EDITED BY
JACK CAZES




CRC Press
Taylor & Francis Group

ENCYCLOPEDIA OF CHROMATOGRAPHY

Third Edition

VOLUME III

EDITED BY
JACK CAZES



科技阅览室



CRC Press

Taylor & Francis Group

Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group, an informa business



CRC Press
Taylor & Francis Group
6000 Broken Sound Parkway NW, Suite 300
Boca Raton, FL 33487-2742

© 2010 by Taylor and Francis Group, LLC
CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works

Printed in the United States of America on acid-free paper
10 9 8 7 6 5 4 3 2 1

International Standard Book Number: 978-1-4200-8459-7 (Hardback)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access www.copyright.com (<http://www.copyright.com/>) or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Library of Congress Cataloging-in-Publication Data

Encyclopedia of chromatography / editor, Jack Cazes. -- 3rd ed.
p. cm.

Includes bibliographical references and index.

ISBN 978-1-4200-8459-7 (hardcover : alk. paper)

1. Chromatographic analysis--Encyclopedias. I. Cazes, Jack, 1934- II. Title.

QD79.C4E63 2010

543'.803--dc22

2009031443

Visit the Taylor & Francis Web site at
<http://www.taylorandfrancis.com>

and the CRC Press Web site at
<http://www.crcpress.com>

¥ 1767. —

ENCYCLOPEDIA OF CHROMATOGRAPHY

Third Edition

VOLUME III

© 1997 by John Wiley & Sons, Inc.

Printed in the United States of America

Telephone: 1-800-354-2727

Web site: www.interscience.wiley.com

This book is available both in print and online. To order, visit

Encyclopedias from Taylor & Francis Group

Agriculture Titles

Dekker Agropedia Collection (Eight Volume Set)

ISBN: 978-0-8247-2194-7 Cat. No.: DK803X

Encyclopedia of Agricultural, Food, and Biological Engineering

Edited by Dennis R. Heldman
ISBN: 978-0-8247-0938-9 Cat. No.: DK9381

Encyclopedia of Animal Science

Edited by Wilson G. Pond and Alan Bell
ISBN: 978-0-8247-5496-9 Cat. No.: DK2206

Encyclopedia of Pest Management

Edited by David Pimentel
ISBN: 978-0-8247-0632-6 Cat. No.: DK6323

Encyclopedia of Pest Management, Volume II

Edited by David Pimentel
ISBN: 978-1-4200-5361-6 Cat. No.: 53612

Encyclopedia of Plant and Crop Science

Edited by Robert M. Goodman
ISBN: 978-0-8247-0944-0 Cat. No.: DK1190

Encyclopedia of Soil Science, Second Edition (Two Volume Set)

Edited by Rattan Lal
ISBN: 978-0-8493-3830-4 Cat. No.: DK830X

Encyclopedia of Water Science, Second Edition (Two Volume Set)

Edited by Stanley W. Trimble
ISBN: 978-0-8493-9627-4 Cat. No.: DK9627

Chemistry Titles

Encyclopedia of Chromatography, Third Edition (Three Volume Set)

Edited by Jack Cazes
ISBN: 978-1-4200-8459-7 Cat. No.: 84593

Encyclopedia of Supramolecular Chemistry (Two Volume Set)

Edited by Jerry L. Atwood and Jonathan W. Steed
ISBN: 978-0-8247-5056-5 Cat. No.: DK056X

Encyclopedia of Surface and Colloid Science, Second Edition (Eight Volume Set)

Edited by P. Somasundaran
ISBN: 978-0-8493-9615-1 Cat. No.: DK9615

Engineering Titles

Encyclopedia of Chemical Processing (Five Volume Set)

Edited by Sunggyu Lee
ISBN: 978-0-8247-5563-8 Cat. No.: DK2243

Encyclopedia of Corrosion Technology, Second Edition

Edited by Philip A. Schweitzer, P.E.
ISBN: 978-0-8247-4878-4 Cat. No.: DK1295

Encyclopedia of Energy Engineering and Technology (Three Volume Set)

Edited by Barney L. Capehart
ISBN: 978-0-8493-3653-9 Cat. No.: DK653X

Dekker Encyclopedia of Nanoscience and Nanotechnology, Second Edition (Six Volume Set)

Edited by Cristian I. Contescu and Karol Putyera
ISBN: 978-0-8493-9639-7 Cat. No.: DK9639

Encyclopedia of Optical Engineering (Three Volume Set)

Edited by Ronald G. Driggers
ISBN: 978-0-8247-0940-2 Cat. No.: DK9403

Business Titles

Encyclopedia of Library and Information Science, Third Edition (Seven Volume Set)

Edited by Marcia J. Bates and Mary Niles Maack
ISBN: 978-0-8493-9712-7 Cat. No.: DK9712

Encyclopedia of Public Administration and Public Policy, Second Edition (Three Volume Set)

Edited by Evan M. Berman
ISBN: 978-0-4200-5275-6 Cat. No.: AU5275

Encyclopedia of Wireless and Mobile Communications (Three Volume Set)

Edited by Borko Furht
ISBN: 978-0-4200-4326-6 Cat. No.: AU4326

These titles are available both in print and online. To order, visit:

www.crcpress.com

Telephone: 1-800-272-7737

Fax: 1-800-374-3401

E-Mail: orders@taylorandfrancis.com

*This work is dedicated to my lovely grandchildren,
Matthew, Monica, Brett, and Evan,
the shining lights of my life,
and to my wife, Eleanor,
who has stood by my side
and made this ambitious project possible*

Contributors

- Concepción Abad** / *Department of Biochemistry and Molecular Biology, University of Valencia, Valencia, Spain*
- Maged S. Abdel-Kader** / *Department of Pharmacognosy, King Saud University, Riyadh, Saudi Arabia*
- Mohamed Abdel-Rehim** / *Research and Development, AstraZeneca, Södertälje, and Department of Chemistry, Karlstad University, Karlstad, Sweden*
- Hassan Y. Aboul-Enein** / *Pharmaceutical and Medicinal Chemistry Department, Pharmaceutical and Drug Industries Research Division, National Research Center, Dokki, Cairo, Egypt*
- Manuel Acosta** / *Department of Plant Biology (Plant Physiology), University of Murcia, Murcia, Spain*
- Ibrahim A. Al-Duraibi** / *Pharmaceutical Analysis Laboratory, King Faisal Specialist Hospital and Research Center, Riyadh, Saudi Arabia*
- Serge Alex** / *Center for Chemical Process Studies of Quebec (CEPROCQ), Montreal, Quebec, Canada*
- Imran Ali** / *Department of Chemistry, Jamia Millia Islamia (A Central University), New Delhi, India*
- Abdul-Rahman A. Al-Majed** / *Department of Pharmaceutical Chemistry, King Saud University, Riyadh, Saudi Arabia*
- Maria de Fatima Alpendurada** / *Faculty of Pharmacy, University of Porto, Porto, Portugal*
- Juan G. Alvarez** / *Department of Obstetrics and Gynecology, Beth Israel Deaconess Medical Center, Boston, Massachusetts, U.S.A.*
- P.B. Andrade** / *Requimte, Department of Pharmacognosy, Faculty of Pharmacy, University of Porto, Porto, Portugal*
- Victor P. Andreev** / *Institute for Analytical Instrumentation, Russian Academy of Sciences, St. Petersburg, Russia*
- M.J. Arín** / *Analytical Chemistry, Department of Applied Chemistry and Physics, University of León, León, Spain*
- Marino B. Arnao** / *Department of Plant Biology (Plant Physiology), University of Murcia, Murcia, Spain*
- Christine M. Aurigemma** / *Pfizer Global Research and Development, Pfizer Inc., La Jolla, California, U.S.A.*
- Yoshinobu Baba** / *Department of Medicinal Chemistry, University of Tokushima, Tokushima, Japan*
- M.A. Bagool** / *Wockhardt Research Centre, Aurangabad, India*
- Eunmi Ban** / *Research Institute of Pharmaceutical Sciences, Seoul National University, Seoul, South Korea*
- James J. Bao** / *Advanced Medicine Inc., San Francisco, California, U.S.A.*
- M.A. Barbirato** / *Chromatography Laboratory, University of São Paulo, São Carlos, Brazil*
- Csaba Barta** / *Novartis Agricultural Discovery Institute, Inc., San Diego, California, U.S.A.*
- M. Barut** / *BIA Separations d.o.o., Ljubljana, Slovenia*

- I. Bataille** / *Galilee Institute, University of North Paris, Villetaneuse, France*
- Maria Bathori** / *Department of Pharmacognosy, University of Szeged, Szeged, Hungary*
- S. Battu** / *Analytical Chemistry and Bromatology Laboratory, University of Limoges, Limoges, France*
- Ronald Beckett** / *Water Studies Centre, Monash University, Melbourne, Victoria, Australia*
- Eva Benicka** / *Institute of Analytical Chemistry, Slovak University of Technology, Bratislava, Slovakia*
- A. Berecka** / *Department of Medicinal Chemistry, Medical University of Lublin, Lublin, Poland*
- Philippe J. Berny** / *Toxicology Unit, National Veterinary School of Lyon, Marcy L'Etoile, France*
- Alain Berthod** / *Laboratory of Analytical Sciences, University of Lyon I, Villeurbanne, France*
- Clayton B'Hymer** / *National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services, Cincinnati, Ohio, U.S.A.*
- Peng-Yu Bi** / *College of Science, Beijing University of Chemical Technology, Beijing, China*
- Jacques Bodennec** / *Department of Biological Chemistry, Weizmann Institute of Science, Rehovot, Israel*
- Pierina Sueli Bonato** / *Faculty of Pharmaceutical Sciences of Ribeirão Preto, University of São Paulo, Ribeirão Preto, Brazil*
- Frederic Bonfils** / *French Agricultural Research Center for International Development (CIRAD-CP), Montpellier, France*
- Evropi Botsoglou** / *Laboratory of Hygiene of Foods of Animal Origin, Department of Veterinary Medicine, University of Thessaly, Karditsa, Greece*
- Nikolas A. Botsoglou** / *Laboratories of Nutrition, Faculty of Veterinary Medicine, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- Natasa Brajenovic** / *Institute for Medical Research and Occupational Health, Zagreb, Croatia*
- E. Brandsteterova** / *Department of Analytical Chemistry, Slovak Technical University, Bratislava, Slovakia*
- Michael Breslav** / *Johnson & Johnson Pharmaceutical Research and Development, LLC, Spring House, Pennsylvania, U.S.A.*
- Silvia H.G. Brondi** / *Embrapa Livestock Southeast, São Carlos, Brazil*
- Yefim Brun** / *Waters Corporation, Milford, Massachusetts, U.S.A.*
- Christopher E. Bunker** / *Propulsion Directorate, Air Force Research Laboratory, Wright-Patterson Air Force Base, Ohio, U.S.A.*
- Jean-Pierre Busnel** / *Physical Chemistry of Material Polymers, University of Main, Le Mans, France*
- S. Bilal Butt** / *Central Analytical Facility Division, Pakistan Institute of Nuclear Science and Technology, Islamabad, Pakistan*
- Yong Cai** / *Department of Chemistry, Florida International University, Miami, Florida, U.S.A.*
- Agustín Campos** / *Institute of Materials Science, University of Valencia, Valencia, Spain*
- Antonio Cano** / *Department of Plant Biology (Plant Physiology), University of Murcia, Murcia, Spain*
- Ping Cao** / *Biology Department, Tularik, Inc., South San Francisco, California, U.S.A.*
- Wenjie Cao** / *Huntsman Polymers Corp., Odessa, Texas, U.S.A.*
- Philippe Cardot** / *Analytical Chemistry and Bromatology Laboratory, University of Limoges, Limoges, France*
- Susana Casal** / *Requimte, Bromatology Service, Faculty of Pharmacy, University of Porto, Porto, Portugal*

- M. Caude** / *Analytical Chemistry Department, City of Paris Industrial Physics and Chemistry Higher Educational Institution (ESPCI), Paris, France*
- Teresa Cecchi** / *Department of Chemical Science, University of Camerino (UNICAM), Camerino, Italy*
- Zhikuan Chai** / *Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, Beijing, China*
- Jeffrey J. Chalmers** / *Department of Chemical and Biomolecular Engineering, Ohio State University, Columbus, Ohio, U.S.A.*
- Huan-Tsung Chang** / *Department of Chemistry, National Taiwan University, Taipei, Taiwan*
- Bezhan Chankvetadze** / *Department of Physical and Analytical Chemistry and Molecular Recognition and Separation Science Laboratory, School of Exact and Natural Sciences, Tbilisi State University, Tbilisi, Georgia*
- C. Char** / *French Agricultural Research Center for International Development (CIRAD-CP), Montpellier, France*
- Kenneth L. Cheever** / *National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services, Cincinnati, Ohio, U.S.A.*
- Bailin Chen** / *Department of Chemistry, University of Kentucky, Lexington, Kentucky, U.S.A.*
- Sarah S. Chen** / *Analytical Science, GlaxoSmithKline, King of Prussia, Pennsylvania, U.S.A.*
- Oscar Chiantore** / *Department of Inorganic, Physical, and Material Chemistry, University of Torino, Torino, Italy*
- Tai-Chia Chiu** / *Department of Chemistry, National Taiwan University, Taipei, Taiwan*
- Josef Chmelík** / *Institute of Analytical Chemistry, Academy of Sciences of the Czech Republic, Prague, Czech Republic*
- Du Young Choi** / *Center for Advanced Bioseparation Technology and Department of Chemical Engineering, Inha University, Incheon, South Korea*
- Irena Choma** / *Department of Chemical Physics, Marie Curie-Sklodowska University, Lublin, Poland*
- Christodoulos Christodoulis** / *Department of Chemical and Physical Examinations, Forensic Science Division, Hellenic Police Headquarter, Athens, Greece*
- Witold Ciesielski** / *Department of Instrumental Analysis, University of Łódź, Łódź, Poland*
- Gabriela Cimpan** / *Sirius Analytical Instruments Ltd., East Sussex, U.K.*
- Alessandra Cincinelli** / *Department of Chemistry, University of Florence (UNIFI), Florence, Italy*
- Christa L. Colyer** / *Department of Chemistry, Wake Forest University, Winston-Salem, North Carolina, U.S.A.*
- Danilo Corradini** / *Institute of Chromatography, Rome, Italy*
- Tibor Cserhádi** / *Institute of Chemistry, Chemical Research Center, Hungarian Academy of Sciences, Budapest, Hungary*
- James Curry** / *Senior Scientist, Research and Development, R.P. Scherer North America, St. Petersburg, Florida, U.S.A.*
- S.-L. Da** / *Department of Chemistry, Wuhan University, Wuhan, China*
- José Almiro da Paixão** / *Department of Nutrition, Center of Health Sciences, Federal University of Pernambuco, Recife, Brazil*
- Victor David** / *Department of Analytical Chemistry, University of Bucharest, Bucharest, Romania*
- Cristiane Masetto de Gaitani** / *Faculty of Pharmaceutical Sciences of Ribeirão Preto, University of São Paulo, Ribeirão Preto, Brazil*
- M. de Moraes** / *Chromatography Laboratory, University of São Paulo, São Carlos, Brazil*

- Melgardt M. de Villiers** / School of Pharmacy, University of Wisconsin, Madison, Wisconsin, U.S.A.
- Yulin Deng** / Neuropsychiatry Research Unit, University of Saskatchewan, Saskatoon, Saskatchewan, Canada
- Yves Denizot** / Immunology Laboratory, University of Limoges, Limoges, France
- A.A. Deo** / Wockhardt Research Centre, Aurangabad, India
- M.T. Diez** / Analytical Chemistry, Department of Applied Chemistry and Physics, University of León, León, Spain
- N. Dimov** / Chemical Pharmaceutical Research Institute (NIHFI), Bulgarian Pharmaceutical Group Ltd., Sofia, Bulgaria
- Hui-Ru Dong** / College of Science, Beijing University of Chemical Technology, Beijing, China
- Vasile I. Dorneanu** / Analytical Chemistry Department, Grigore T. Popa University of Medicine and Pharmacy, Iasi, Romania
- Qizhen Du** / Institute of Food and Biological Engineering, Zhejiang Gongshang University, Hangzhou, China
- N.M. Edwards** / Grain Research Laboratory, Canadian Grain Commission, Winnipeg, Manitoba, Canada
- Jahangir Emrani** / Department of Civil and Environmental Engineering, North Carolina A & T State University, Greensboro, North Carolina, U.S.A.
- William P. Farrell** / Pfizer Global Research and Development, Pfizer Inc., La Jolla, California, U.S.A.
- Petr S. Fedotov** / Vernadsky Institute of Geochemistry and Analytical Chemistry, Russian Academy of Sciences, Moscow, Russia
- Y.-Q. Feng** / Department of Chemistry, Wuhan University, Wuhan, China
- I.M.P.L.V.O. Ferreira** / Service of Bromatologia, Pharmacy College, University of Porto, Porto, Portugal
- Sam J. Ferrito** / Analytical Services Department, Cooper Power Systems, Franksville, Wisconsin, U.S.A.
- John C. Ford** / Department of Chemistry, Indiana University of Pennsylvania, Indiana, Pennsylvania, U.S.A.
- Esther Forgács** / Institute of Chemistry, Chemical Research Center, Hungarian Academy of Sciences, Budapest, Hungary
- George M. Frame II** / Wadsworth Laboratory, New York State Department of Health, Albany, New York, U.S.A.
- Kenneth G. Furton** / Department of Chemistry, International Forensic Research Institute (IFRI), Miami, Florida, U.S.A.
- M.C. García-Alvarez-Coque** / Department of Analytical Chemistry, University of Valencia, Valencia, Spain
- J.C. Garcia-Glez** / Physical Chemistry Department, University of León, León, Spain
- Rosa Garcia-Lopera** / Institute of Materials Science, University of Valencia, Valencia, Spain
- Dimitrios Gavrill** / Physical Chemistry Laboratory, Department of Chemistry, University of Patras, Patras, Greece
- Barbara Gawdzik** / Faculty of Chemistry, MCS University, Lublin, Poland
- Kalliopi A. Georga** / Laboratory of Analytical Chemistry, Chemistry Department, Aristotle University of Thessaloniki, Thessaloniki, Greece
- Árpád Gerstner** / Novartis Agricultural Discovery Institute, Inc., San Diego, California, U.S.A.
- H.G. Gika** / Laboratory of Analytical Chemistry, Chemistry Department, Aristotle University of Thessaloniki, Thessaloniki, Greece

- Michel Girard** / Bureau of Biologics and Radiopharmaceuticals, Health Canada, Ottawa, Ontario, Canada
- Ivan Gitsov** / College of Environmental Science and Forestry, State University of New York, Syracuse, New York, U.S.A.
- Kazimierz Glowinski** / Department of Pharmacognosy, Medical University of Lublin, Lublin, Poland
- Simion Gocan** / Department of Analytical Chemistry, Babes-Bolyai University, Cluj-Napoca, Romania
- Karen M. Gooding** / Eli Lilly and Company, Indianapolis, Indiana, U.S.A.
- Tomomi Goto** / Aichi Prefectural Institute of Public Health, Nagoya, Japan
- Mohan Gownder** / Huntsman Polymers Corp., Odessa, Texas, U.S.A.
- Henryk Grajek** / Institute of Chemistry, Military University of Technology, Warsaw, Poland
- Susan V. Greene** / Ethyl Petroleum Additives Corp., Richmond, Virginia, U.S.A.
- Nelu Grinberg** / Analytical Research Department, Merck Research Laboratories, Rahway, New Jersey, U.S.A.
- A. Gumieniczek** / Department of Medicinal Chemistry, Medical University of Lublin, Lublin, Poland
- András Guttman** / Diversa Company, San Diego, California, U.S.A.
- David S. Hage** / Department of Chemistry, University of Nebraska-Lincoln, Lincoln, Nebraska, U.S.A.
- J.E. Haky** / Department of Chemistry and Biochemistry, Florida Atlantic University, Boca Raton, Florida, U.S.A.
- Susana Maria Halpine** / STArt! teaching Science Through Art, Playa del Rey, California, U.S.A.
- Jamel S. Hamada** / Southern Regional Research Center, Agricultural Research Service, U.S. Department of Agriculture (USDA-ARS), New Orleans, Louisiana, U.S.A.
- Toshihiko Hanai** / Health Research Foundation, Pasteur Institut, Kyoto, Japan
- Martin Hassellöv** / Department of Chemistry, Analytical and Marine Chemistry, Göteborg University, Göteborg, Sweden
- Mohamed M. Hefnawy** / Department of Pharmaceutical Chemistry, King Saud University, Riyadh, Saudi Arabia
- Michael P. Henry** / Advanced Technology Center, Beckman Coulter, Inc., Fullerton, California, U.S.A.
- Tatsuya Higashi** / Division of Pharmaceutical Sciences, Graduate School of Natural Science and Technology, Kanazawa University, Kanazawa, Japan
- Chuichi Hirayama** / Department of Applied Chemistry and Biochemistry, Kumamoto University, Kumamoto, Japan
- H. Hopkala** / Department of Medicinal Chemistry, Medical University of Lublin, Lublin, Poland
- Y.-L. Hu** / Department of Chemistry, Wuhan University, Wuhan, China
- Chih-Ching Huang** / Department of Chemistry, National Taiwan University, Taipei, Taiwan
- W. Jeffrey Hurst** / Hershey Foods Technical Center, Hershey, Pennsylvania, U.S.A.
- Robert J. Hurtubise** / Department of Chemistry, University of Wyoming, Laramie, Wyoming, U.S.A.
- Christine Hürzeler** / Postnova Analytics, Munich, Germany
- Radovan Hynek** / Department of Biochemistry and Microbiology, Institute of Chemical Technology, Prague, Czech Republic
- Hiroataka Ihara** / Department of Applied Chemistry and Biochemistry, Kumamoto University, Kumamoto, Japan

- Gunawan Indrayanto** / Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia
- Haleem J. Issaq** / National Cancer Institute at Frederick (NCI-Frederick), National Institutes of Health (NIH), Frederick, Maryland, U.S.A.
- Rie Ito** / Department of Analytical Chemistry, Faculty of Pharmaceutical Sciences, Hoshi University, Tokyo, Japan
- Yoichiro Ito** / National Heart, Lung, and Blood Institute (NHLBI), National Institutes of Health (NIH), Bethesda, Maryland, U.S.A.
- Yuko Ito** / Aichi Prefectural Institute of Public Health, Nagoya, Japan
- Yusuke Iwasaki** / Department of Analytical Chemistry, Faculty of Pharmaceutical Sciences, Hoshi University, Tokyo, Japan
- Eshwar Jagerdeo** / Federal Bureau of Investigation Laboratory, Quantico, Virginia, U.S.A.
- Josef Janca** / Department of Chemistry, University of La Rochelle, La Rochelle, France
- J. Jancar** / BIA Separations d.o.o., Ljubljana, Slovenia
- Pavel Jandera** / Department of Analytical Chemistry, University of Pardubice, Pardubice, Czech Republic
- A. Jardy** / Analytical Chemistry Department, City of Paris Industrial Physics and Chemistry Higher Educational Institution (ESPCI), Paris, France
- Dennis R. Jenke** / Technology Resources Division, Baxter Healthcare Corporation, Round Lake, Illinois, U.S.A.
- Alfonso Jiménez** / Department of Analytical Chemistry, Nutrition and Food Sciences, University of Alicante, Alicante, Spain
- Kiyokatsu Jinno** / Department of Materials Science, Toyohashi University, Toyohashi, Japan
- Harald John** / Bundeswehr Institute of Pharmacology and Toxicology, Munich, Germany
- Brian Jones** / Selerity Technologies, Inc., Salt Lake City, Utah, U.S.A.
- Krzysztof Kaczmarski** / Faculty of Chemistry, Technical University of Rzeszów, Rzeszów, Poland
- Adnan A. Kadi** / Department of Pharmaceutical Chemistry, King Saud University, Riyadh, Saudi Arabia
- Huba Kalász** / Department of Pharmacology and Pharmacotherapy, Semmelweis University of Medicine, Budapest, Hungary
- John Kapolos** / Department of Agricultural Products Technology, Technological Educational Institute of Kalamata, Kalamata, Greece
- George Karaiskakis** / Physical Chemistry Laboratory, Department of Chemistry, University of Patras, Patras, Greece
- Jan Kás** / Department of Biochemistry and Microbiology, Institute of Chemical Technology, Prague, Czech Republic
- Galina Kassalainen** / Department of Chemistry and Geochemistry, Colorado School of Mines, Golden, Colorado, U.S.A.
- Sindy Kayillo** / Center for Biostructural and Biomolecular Research, University of Western Sydney, Sydney, New South Wales, Australia
- Sarah Kazmi** / Department of Chemistry, Northeastern University, Boston, Massachusetts, U.S.A.
- Ernst Kenndler** / Institute for Analytical Chemistry, University of Vienna, Vienna, Austria
- Eileen Kennedy** / Novartis Crop Protection, Inc., Greensboro, North Carolina, U.S.A.
- Tabrez A. Khan** / Department of Chemistry, Jamia Millia Islamia (A Central University), New Delhi, India
- Yuriko Kiba** / Department of Medicinal Chemistry, University of Tokushima, Tokushima, Japan
- Peter Kilz** / Polymer Standards Service GmbH, Mainz, Germany

- Chong-Kook Kim** / *Research Institute of Pharmaceutical Sciences, Seoul National University, Seoul, and Department of Pharmaceutical Engineering, Inje University, Gyeongnam, Korea*
- Peter T. Kissinger** / *Chairman and CEO, Bioanalytical Systems, Inc., West Lafayette, Indiana, U.S.A.*
- Eiichi Kitazume** / *Faculty of Humanities and Social Sciences, Iwate University, Iwate, Japan*
- Thorsten Klein** / *Postnova Analytics, Munich, Germany*
- Oliver Klett** / *Institute of Chemistry, Uppsala University, Uppsala, Sweden*
- Athanasia Koliadima** / *Physical Chemistry Laboratory, Department of Chemistry, University of Patras, Patras, Greece*
- B.L. Kolte** / *Department of Chemical Technology, Dr. Babasaheb Ambedkar Marathwada University, Aurangabad, India*
- Fumio Kondo** / *Aichi Prefectural Institute of Public Health, Nagoya, Japan*
- Vadim L. Kononenko** / *Institute of Biochemical Physics, Russian Academy of Sciences, Moscow, Russia*
- Teresa Kowalska** / *Institute of Chemistry, Silesian University, Katowice, Poland*
- Anna Kozak** / *Department of Biochemistry and Microbiology, Institute of Chemical Technology, Prague, Czech Republic*
- Ira S. Krull** / *Department of Chemistry, Northeastern University, Boston, Massachusetts, U.S.A.*
- Ján Krupčík** / *Institute of Analytical Chemistry, Slovak University of Technology, Bratislava, Slovakia*
- Svetlana Kulevanova** / *Institute of Pharmacognosy, Faculty of Pharmacy, Sts. Cyril and Methodius University, Skopje, Republic of Macedonia*
- Silvia Lacorte** / *Department of Environmental Chemistry, Chemical and Environmental Research Institute of Barcelona (IIQAB), Barcelona, Spain*
- Vaishali Soneji Lafita** / *Abbott Laboratories, Inc., Abbott Park, Illinois, U.S.A.*
- Fernando M. Lanças** / *Institute of Chemistry of São Carlos (USP), University of São Paulo, São Carlos, Brazil*
- James P. Landers** / *Department of Chemistry, University of Virginia, Charlottesville, Virginia, U.S.A.*
- David Y.W. Lee** / *McLean Hospital, Harvard Medical School, Belmont, Massachusetts, U.S.A.*
- Seungho Lee** / *Department of Chemistry, Hannam University, Taejeon, Korea*
- Jozef Lehotay** / *Institute of Analytical Chemistry, Slovak University of Technology, Bratislava, Slovakia*
- Luciano Lepri** / *Department of Chemistry, University of Florence (UNIFI), Florence, Italy*
- James Lesec** / *National Center for Scientific Research (CNRS), City of Paris Industrial Physics and Chemistry Higher Educational Institution (ESPCI), Paris, France*
- Vera Leshchinskaya** / *Bristol-Myers Squibb Co., Princeton, New Jersey, U.S.A.*
- Chenchen Li** / *College of Chemistry and Molecular Engineering, Peking University, Beijing, China*
- Wilna Liebenberg** / *Research Institute for Industrial Pharmacy, North-West University, Potchefstroom, South Africa*
- Xiuli Lin** / *Department of Chemistry, Wake Forest University, Winston-Salem, North Carolina, U.S.A.*
- Cheng-Ming Liu** / *Department of Medical Technology, Institute of Biomedical Technology, Taipei Medical University, Taipei, Taiwan*
- Huwei Liu** / *Institute of Analytical Chemistry, Peking University, Beijing, China*
- Rosario LoBrutto** / *Merck Research Laboratories, Rahway, New Jersey, U.S.A.*

- E.S.M. Lutz** / *Bioanalytical Chemistry Department, AstraZeneca R&D Mölndal, Mölndal, Sweden*
- Ying Ma** / *National Heart, Lung, and Blood Institute (NHLBI), National Institutes of Health (NIH), Bethesda, Maryland, U.S.A.*
- Mohamed E. Mahmoud** / *Medical Chemistry Department, King Abdullaziz University, Jeddah, Saudi Arabia*
- Edward Malawer** / *International Specialty Products, Wayne, New Jersey, U.S.A.*
- Abul K. Mallik** / *Department of Applied Chemistry and Biochemistry, Kumamoto University, Kumamoto, Japan*
- P. Manesiotis** / *Department of Materials Science, University of Patras, Patras, Greece*
- M.L. Marín** / *Department of Analytical Chemistry, University of Alicante, Alicante, Spain*
- Wojciech Markowski** / *Department of Inorganic and Analytical Chemistry, Medical University of Lublin, Lublin, Poland*
- J. Martin-Villacorta** / *Physical Chemistry Department, University of León, León, Spain*
- C. Marutoiu** / *Department of Chemistry, Lucian Blaga University of Sibiu, Sibiu, Romania*
- T. Maryutina** / *Vernadsky Institute of Geochemistry and Analytical Chemistry, Russian Academy of Sciences, Moscow, Russia*
- Kazuhiro Matsuda** / *Pharmacology Division, National Cancer Center Research Institute, Tokyo, Japan*
- Sachie Matsuda** / *Department of Dermatology, Horikiri Central Hospital, Tokyo, Japan*
- Kiichi Matsuhisa** / *Asahikawa National College of Technology, Asahikawa, Japan*
- Maria T. Matyska** / *Department of Chemistry, San Jose State University, San Jose, California, U.S.A.*
- Andrei Medvedovici** / *Department of Analytical Chemistry, University of Bucharest, Bucharest, Romania*
- Gregorio R. Meira** / *National Scientific and Technical Research Council (CONICET), Santa Fe, Argentina*
- R. Mendez** / *Physical Chemistry Department, University of León, León, Spain*
- Raniero Mendichi** / *Institute of Macromolecular Chemistry, National Research Council (CNR), Milan, Italy*
- Jean-Michel Menet** / *Aventis Pharma, Vitry-sur-Seine, France*
- Damián Mericko** / *Institute of Analytical Chemistry, Slovak University of Technology, Bratislava, Slovakia*
- Rajmund Michalski** / *Institute of Environmental Engineering, Polish Academy of Science, Zabrze, Poland*
- Ivan Miksík** / *Institute of Physiology, Academy of Sciences of the Czech Republic, Prague, Czech Republic*
- Toshiaki Miura** / *College of Medical Technology, Hokkaido University, Sapporo, Japan*
- Emi Miyamoto** / *Department of Health Science, Kochi Women's University, Kochi, Japan*
- N. Montes** / *Physical Chemistry Department, University of León, León, Spain*
- Myeong Hee Moon** / *Department of Chemistry, Kangnung National University, Kangnung, South Korea*
- J.J.S. Moreira** / *Chromatography Laboratory, University of São Paulo, São Carlos, Brazil*
- Sadao Mori** / *PAC Research Institute, Mie University, Nagoya, Japan*
- Mark Moskovitz** / *Dynamic Adsorbents, Inc., Atlanta, Georgia, U.S.A.*
- Tomasz Mroczek** / *Department of Pharmacognosy, Medical University of Lublin, Lublin, Poland*
- Muhammad Mulja** / *Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia*

- D. Muller** / *Galilee Institute, University of North Paris, Villetaneuse, France*
- Subra Muralidharan** / *Chemistry Department, Western Michigan University, Kalamazoo, Michigan, U.S.A.*
- Roy A. Musil** / *Althea Technologies, Inc., San Diego, California, U.S.A.*
- Ron Myers** / *Wyatt Technology Corp., Santa Barbara, California, U.S.A.*
- Noh-Hong Myoung** / *Seoul Metropolitan Government, Institute of Health and Environment, Seoul, South Korea*
- Monica J.S. Nadler** / *Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, Massachusetts, U.S.A.*
- Tim Nadler** / *Applied Biosystems, Inc., Framingham, Massachusetts, U.S.A.*
- Shoji Nagaoka** / *Kumamoto Industrial Research Institute, Kumamoto, Japan*
- Hiroyuki Nakazawa** / *Department of Analytical Chemistry, Faculty of Pharmaceutical Sciences, Hoshi University, Tokyo, Japan*
- A. Negro** / *Analytical Chemistry Section, Faculty of Biological and Environmental Sciences, University of León, León, Spain*
- Tuan Q. Nguyen** / *Department of Materials Science, Polymer Laboratory, Swiss Federal Institute of Technology, Lanne, Switzerland*
- Boryana Nikolova-Damyanova** / *Institute of Organic Chemistry, Bulgarian Academy of Sciences, Sofia, Bulgaria*
- Tadashi Nishio** / *Division of Pharmaceutical Sciences, Graduate School of Natural Science and Technology, Kanazawa University, Kanazawa, Japan*
- Hisao Oka** / *Food-Related Chemistry, Laboratory of Chemistry, Aichi Prefectural Institute of Public Health, Nagoya, Japan*
- Beatriz Oliveira** / *Requimte, Bromatology Service, Faculty of Pharmacy, University of Porto, Porto, Portugal*
- Jerzy Oszczudlowski** / *Institute of Chemistry, Jan Kochanowski University, Kielce, Poland*
- Koji Otsuka** / *Department of Material Science, Himeji Institute of Technology, Hyogo, Japan*
- Anders Palm** / *Cell and Molecular Biology, Astra Zeneca, Lund, Sweden*
- Irene Panderi** / *School of Pharmacy, Division of Pharmaceutical Chemistry, University of Athens, Athens, Greece*
- Ioannis N. Papadoyannis** / *Laboratory of Analytical Chemistry, Chemistry Department, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- Elias Papapanagiotou** / *Laboratories of Food Hygiene, Faculty of Veterinary Medicine, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- D.M. Pereira** / *Requimte, Department of Pharmacognosy, Faculty of Pharmacy, University of Porto, Porto, Portugal*
- Joseph J. Pesek** / *Department of Chemistry, San Jose State University, San Jose, California, U.S.A.*
- Terry M. Phillips** / *Ultramicro Analytical Immunochemistry Resource (UAIR), DBEPS, ORS, OD, National Institutes of Health, Bethesda, Maryland, U.S.A.*
- Aleš Podgornik** / *BIA Separations d.o.o., Ljubljana, Slovenia*
- Valquíria Aparecida Polisel Jabor** / *Faculty of Pharmaceutical Sciences of Ribeirão Preto, University of São Paulo, Ribeirão Preto, Brazil*
- Stanisław Popiel** / *Institute of Chemistry, Military University of Technology, Warsaw, Poland*
- Iolanda Porcar** / *Institute of Materials Science, University of Valencia, Valencia, Spain*
- Jacques Portoukalian** / *Laboratory of Tumor Glycobiology, University Claude Bernard Lyon I, Oullins, France*

- M. Soledad Prats Moya** / *Department of Analytical Chemistry, Nutrition and Food Sciences, University of Alicante, Alicante, Spain*
- K.R. Preston** / *Grain Research Laboratory, Canadian Grain Commission, Winnipeg, Manitoba, Canada*
- Wojciech Prus** / *School of Technology and the Arts in Bielsko-Biała, Bielsko-Biała, Poland*
- Waraporn Putalun** / *Graduate School of Pharmaceutical Sciences, Kyushu University, Fukuoka, Japan*
- Alina Pyka** / *Department of Analytical Chemistry, Medical University of Silesia, Sosnowiec, Poland*
- Javier Quagliano** / *Organic Synthesis Division, Argentine R&D Institute for the Defense (CITEFA), Buenos Aires, Argentina*
- Rashid Nazir Qureshi** / *Central Analytical Facility Division, Pakistan Institute of Nuclear Science and Technology, Islamabad, Pakistan*
- B. Rabanal** / *Analytical Chemistry Section, Faculty of Biological and Environmental Sciences, University of León, León, Spain*
- Fred M. Rabel** / *EMD Chemicals, Inc., Gibbstown, New Jersey, U.S.A.*
- Abdul Rahman** / *Assessment Service Unit, Airlangga University, Surabaya, Indonesia*
- M. Mizanur Rahman** / *Department of Applied Chemistry and Biochemistry, Kumamoto University, Kumamoto, Japan*
- P.R. Vasudeva Rao** / *Chemistry Group, Indira Gandhi Center for Atomic Research (IGCAR), Kalpakkam, India*
- Chitra K. Ratnayake** / *Advanced Technology Center, Beckman Coulter, Inc., Fullerton, California, U.S.A.*
- B.B. Raut** / *Department of Chemical Technology, Dr. Babasaheb Ambedkar Marathwada University, Aurangabad, India*
- Jetse C. Reijenga** / *Department of Chemical Engineering and Chemistry, Eindhoven University of Technology, Eindhoven, The Netherlands*
- Pierluigi Reschiglian** / *Department of Chemistry "G. Ciamician", University of Bologna, Bologna, Italy*
- J.A. Resines** / *Department of Teaching General, Specific and Theory of Education, University of León, León, Spain*
- Mark P. Richards** / *Livestock and Poultry Sciences Institute (LPSI), Agricultural Research Service, U.S. Department of Agriculture (USDA-ARS), Beltsville, Maryland, U.S.A.*
- Anna Rigol** / *Department of Analytical Chemistry, University of Barcelona, Barcelona, Spain*
- M.-C. Rolet-Menet** / *Analytical Chemistry Laboratory, Unit of Formation and Research (UFR) of Pharmaceutical and Biological Sciences, Paris, France*
- Kyung Ho Row** / *Center for Advanced Bioseparation Technology and Department of Chemical Engineering, Inha University, Incheon, South Korea*
- Jan K. Rozylo** / *Department of Adsorption Chromatography and Planar Chromatography, Marie Curie-Sklodowska University, Lublin, Poland*
- M.J. Ruiz-Angel** / *Department of Analytical Chemistry, University of Valencia, Valencia, Spain*
- Roxana A. Ruseckaite** / *Research Institute of Material Science and Technology (INTEMA), University of Mar del Plata, Mar del Plata, Argentina*
- Koichi Saito** / *Department of Analytical Chemistry, Faculty of Pharmaceutical Sciences, Hoshi University, Tokyo, Japan*
- Jirí Sajdok** / *Department of Biochemistry and Microbiology, Institute of Chemical Technology, Prague, Czech Republic*
- Mieczysław Sajewicz** / *Institute of Chemistry, Silesian University, Katowice, Poland*

- Peter Sajonz** / Merck Research Laboratories, Rahway, New Jersey, U.S.A.
- Masayo Sakata** / Department of Applied Chemistry and Biochemistry, Kumamoto University, Kumamoto, Japan
- Victoria F. Samanidou** / Laboratory of Analytical Chemistry, Chemistry Department, Aristotle University of Thessaloniki, Thessaloniki, Greece
- Mária Sasvári-Székely** / Department of Pharmacology and Pharmacotherapy, Semmelweis University of Medicine, Budapest, Hungary
- Wes Schafer** / Merck Research Laboratories, Rahway, New Jersey, U.S.A.
- John E. Schiel** / Department of Chemistry, University of Nebraska-Lincoln, Lincoln, Nebraska, U.S.A.
- Martin E. Schimpf** / Chemistry Department, Boise State University, Boise, Idaho, U.S.A.
- Oliver Schmitz** / Division of Molecular Toxicology, German Cancer Research Center, Heidelberg, Germany
- Raymond P.W. Scott** / Scientific Detectors Ltd., Banbury, Oxfordshire, U.K.
- Stephen L. Secreast** / Pharmaceutical Sciences, Pharmacia Corporation, Kalamazoo, Michigan, U.S.A.
- H. Seegulum** / Department of Chemistry and Biochemistry, Florida Atlantic University, Boca Raton, Florida, U.S.A.
- Adriana Segall** / Pharmacy and Biochemistry Faculty, University of Buenos Aires, Buenos Aires, Argentina
- Larry Senak** / International Specialty Products, Wayne, New Jersey, U.S.A.
- Vince Serignese** / Pharmaceutical Analysis Laboratory, King Faisal Specialist Hospital and Research Center, Riyadh, Saudi Arabia
- Joanne Severs** / Bayer Pharmaceuticals, Berkeley, California, U.S.A.
- R. Andrew Shalliker** / Center for Biostructural and Biomolecular Research, University of Western Sydney, Sydney, New South Wales, Australia
- Joseph Sherma** / Department of Chemistry, Lafayette College, Easton, Pennsylvania, U.S.A.
- Yoichi Shibusawa** / Division of Pharmaceutical and Biomedical Analysis, School of Pharmacy, Tokyo University of Pharmacy and Life Science, Tokyo, Japan
- Zak K. Shihabi** / Department of Pathology, Wake Forest University, Winston-Salem, North Carolina, U.S.A.
- Kazutake Shimada** / Division of Pharmaceutical Sciences, Graduate School of Natural Science and Technology, Kanazawa University, Kanazawa, Japan
- D.B. Shinde** / Department of Chemical Technology, Dr. Babasaheb Ambedkar Marathwada University, Aurangabad, India
- Kazufusa Shinomiya** / College of Pharmacy, Nihon University, Chiba, Japan
- Yukihiro Shoyama** / Graduate School of Pharmaceutical Sciences, Kyushu University, Fukuoka, Japan
- Atsuomi Shundo** / Department of Applied Chemistry and Biochemistry, Kumamoto University, Kumamoto, Japan
- Maria Victoria Silva Elipe** / Analytical Research and Development Department, AMGEN, Thousand Oaks, California, U.S.A.
- N. Sivaraman** / Chemistry Group, Indira Gandhi Center for Atomic Research (IGCAR), Kalpakkam, India
- Piotr Słomkiewicz** / Institute of Chemistry, Jan Kochanowski University, Kielce, Poland
- Edward Soczewinski** / Department of Inorganic and Analytical Chemistry, Medical University of Lublin, Lublin, Poland