

Graduate Texts in
Mathematics

78

A Course in Universal
Algebra

Springer-Verlag

Stanley Burris
H. P. Sankappanavar

A Course in Universal Algebra

With 36 Illustrations



Springer-Verlag
New York Heidelberg Berlin

Stanley Burris

Department of Pure Mathematics
Faculty of Mathematics
University of Waterloo
Waterloo, Ontario N2L 3G1
CANADA

H. P. Sankappanavar

Instituto de Matemática
Universidade Federal da Bahia
Salvador, Bahia 40000
BRAZIL

Editorial Board

P. R. Halmos

Managing Editor
Department of Mathematics
Indiana University
Bloomington, Indiana 47401
USA

F. W. Gehring

Department of Mathematics
University of Michigan
Ann Arbor, Michigan 48104
USA

C. C. Moore

Department of Mathematics
University of California
Berkeley, CA 94720
USA

AMS Subject Classification (1980): 08-01, 08AXX, 03C05

Library of Congress Cataloging in Publication Data

Burris, S.

A course in universal algebra.

(Graduate texts in mathematics; 78)

Bibliography: p.

Includes index.

1. Algebra, Universal. I. Sankappanavar, H. P.

II. Title. III. Series.

QA251.B87

512

81-1619

AACR2

© 1981 by Springer-Verlag New York Inc.

All rights reserved. No part of this book may be translated or reproduced in any form without permission from Springer-Verlag, 175 Fifth Avenue, New York, New York 10010, U.S.A.

Printed in the United States of America.

9 8 7 6 5 4 3 2 1

ISBN 0-387-90578-2 Springer-Verlag New York Heidelberg Berlin

ISBN 3-540-90578-2 Springer-Verlag Berlin Heidelberg New York

**Stanley Burris
H.P. Sankappanavar**

**A Course
in Universal
Algebra**



**Springer-Verlag
New York Heidelberg Berlin**

Graduate Texts in Mathematics 78

Editorial Board

F. W. Gehring P. R. Halmos (Managing Editor)
C. C. Moore

This book is dedicated to our children

*Kurosh Phillip Burris
Veena and Geeta Sankappanavar*

Acknowledgments

First we would like to express gratitude to our colleagues who have added so much vitality to the subject of Universal Algebra during the past twenty years. One of the original reasons for writing this book was to make readily available the beautiful work on sheaves and discriminator varieties which we had learned from, and later developed with H. Werner. Recent work of, and with, R. McKenzie on structure and decidability theory has added to our excitement, and conviction, concerning the directions emphasized in this book.

In the late stages of polishing the manuscript we received valuable suggestions from M. Valeriote, W. Taylor, and the reviewer for Springer-Verlag. For help in proof-reading we also thank A. Adamson, M. Albert, D. Higgs, H. Kommel, G. Krishnan, and H. Riedel. A great deal of credit for the existence of the final product goes to Sandy Tamowski whose enthusiastic typing has been a constant inspiration. The Natural Sciences and Engineering Research Council of Canada has generously funded both the research which has provided much of the impetus for writing this book as well as the preparation of the manuscript through NSERC Grant No. A7256. Also thanks go to the Pure Mathematics Department of the University of Waterloo for their kind hospitality during the several visits of the second author, and to the Institute of Mathematics, Federal University of Bahia, for their generous cooperation in this venture.

The second author would most of all like to express his affectionate gratitude and appreciation to his wife—Nalinaxi—who, over the past four years has patiently endured the many trips between South and North America which were necessary for this project. For her understanding and encouragement he will always be indebted.

And finally we are delighted that Springer-Verlag agreed to our request to have this book appear in their GTM series.

Preface

Universal algebra has enjoyed a particularly explosive growth in the last twenty years, and a student entering the subject now will find a bewildering amount of material to digest.

This text is not intended to be encyclopedic; rather, a few themes central to universal algebra have been developed sufficiently to bring the reader to the brink of current research. The choice of topics most certainly reflects the authors' interests.

Chapter I contains a brief but substantial introduction to lattices, and to the close connection between complete lattices and closure operators. In particular, everything necessary for the subsequent study of congruence lattices is included.

Chapter II develops the most general and fundamental notions of universal algebra—these include the results that apply to all types of algebras, such as the homomorphism and isomorphism theorems. Free algebras are discussed in great detail—we use them to derive the existence of simple algebras, the rules of equational logic, and the important Mal'cev conditions. We introduce the notion of classifying a variety by properties of (the lattices of) congruences on members of the variety. Also, the center of an algebra is defined and used to characterize modules (up to polynomial equivalence).

In Chapter III we show how neatly two famous results—the refutation of Euler's conjecture on orthogonal Latin squares and Kleene's characterization of languages accepted by finite automata—can be presented using universal algebra. We predict that such “applied universal algebra” will become much more prominent.

Chapter IV starts with a careful development of Boolean algebras, including Stone duality, which is subsequently used in our study of Boolean sheaf representations; however, the cumbersome formulation of general

sheaf theory has been replaced by the considerably simpler definition of a Boolean product. First we look at Boolean powers, a beautiful tool for transferring results about Boolean algebras to other varieties as well as for providing a structure theory for certain varieties. The highlight of the chapter is the study of discriminator varieties. These varieties have played a remarkable role in the study of spectra, model companions, decidability, and Boolean product representations. Probably no other class of varieties is so well-behaved yet so fascinating.


The final chapter gives the reader a leisurely introduction to some basic concepts, tools, and results of model theory. In particular, we use the ultraproduct construction to derive the compactness theorem and to prove fundamental preservation theorems. Principal congruence formulas are a favorite model-theoretic tool of universal algebraists, and we use them in the study of the sizes of subdirectly irreducible algebras. Next we prove three general results on the existence of a finite basis for an equational theory. The last topic is semantic embeddings, a popular technique for proving undecidability results. This technique is essentially algebraic in nature, requiring no familiarity whatsoever with the theory of algorithms. (The study of decidability has given surprisingly deep insight into the limitations of Boolean product representations.)

At the end of several sections the reader will find selected references to source material plus state of the art texts or papers relevant to that section, and at the end of the book one finds a brief survey of recent developments and several outstanding problems.

The material in this book divides naturally into two parts. One part can be described as “what every mathematician (or at least every algebraist) should know about universal algebra.” It would form a short introductory course to universal algebra, and would consist of Chapter I; Chapter II except for §4, §12, §13, and the last parts of §11, §14; Chapter IV §1–4; and Chapter V §1 and the part of §2 leading to the compactness theorem. The remaining material is more specialized and more intimately connected with current research in universal algebra.

Chapters are numbered by Roman numerals I through V, the sections in a chapter are given by Arabic numerals, §1, §2, etc. Thus II§6.18 refers to item 18, which happens to be a theorem, in Section 6 of Chapter II. A citation within Chapter II would simply refer to this item as 6.18. For the exercises we use numbering such as II§5 Ex. 4, meaning the fourth exercise in §5 of Chapter II. The bibliography is divided into two parts, the first containing books and survey articles, and the second research papers. The books and survey articles are referred to by number, e.g., G. Birkhoff [3], and the research papers by year, e.g., R. McKenzie [1978].

Diagram of Prerequisites



Special Notation

	Page		Page
$(A_i)_{i \in I}$	1	$E(X)$	30
$A - B$	1	$\text{Sub}(\mathbf{A})$	31
r^\vee	1	$\mathbf{Sub}(\mathbf{A})$	31
$ A $	2	$C_n(X)$	32
\approx	2	IrB	33
\vee, \wedge	4	\mathbf{A}/θ	36
\leq	4, 28	$\text{Con } \mathbf{A}$	36
l.u.b., sup	5	$\mathbf{Con } \mathbf{A}$	37
g.l.b., inf	5	Θ	37
$<$	5	$\Theta(a_1, a_2)$	38
Q^P (as a poset)	9	$\Theta(X)$	38
$L(P)$	10	CEP	42
$I(L)$	10	$\alpha(\mathbf{A})$	43
$\mathbf{M}_5, \mathbf{N}_5$	11	$\alpha^{-1}(\mathbf{A})$	43
$J(L)$	14	$\ker(\alpha)$	44
\vee, \wedge	14	ϕ/θ	47
$r_1 \circ r_2$	15	\mathbf{B}^θ	48
Δ, ∇	15	$\theta _B$	48
$\text{Eq}(A)$	15	$[a, b]$	49
$a/\theta, A/\theta$	16	$\mathbf{A}_1 \times \mathbf{A}_2$	51
$\Pi(A)$	16	π_i	51, 53
$\theta(\pi)$	16	$\prod_{i \in I} \mathbf{A}_i$	53
L_C	18	\mathbf{A}^I	53
\mathcal{F}	23, 191	$\theta_{a,b}$	59
$\mathbf{A} = \langle A, F \rangle$	23	I, S, H, P, P_S	60, 61
$f^\mathbf{A}$	23	V	61
$\text{Sg}(X)$	30		

	Page		Page
$T(X)$	62	θ_U	145
$p^\mathbf{A}$	63	$\prod_{i \in I} \mathbf{A}_i/U$	146, 210
$\mathbf{T}(X)$	64	$P_U(K)$	147, 210
$\theta_K(X)$	66	$\text{Spec } \mathbf{A}$	162
$\Phi_K(X)$	66	$\text{Spec}(V)$	168
$\mathbf{F}_K(\bar{X})$	67	$\mathbf{2}_L$	176
$\bar{p} = p(\bar{x}_1, \dots, \bar{x}_n)$	67	$\theta_1 \times \dots \times \theta_n$	176
$p \approx q$	71	\mathcal{L}, \mathcal{R}	191
\models	71, 195	$\mathbf{A} = \langle A, L \rangle$	192
$\text{Id}_K(X)$	71	$f^\mathbf{A}, r^\mathbf{A}$	192
\nprec	71	$\mathcal{L}(X)$	192
$M(\Sigma)$	75	$\&, \vee, \neg, \rightarrow, \leftrightarrow, \forall, \exists$	192
$Z(\mathbf{A})$	83	\mathcal{L}_A	194
\mathbf{A}_A	84	$\mathbf{A} < \mathbf{B}, S^{(<)}$	200
$\text{Con}_{\text{FI}}(\mathbf{A})$	90	$\text{Spec } \phi$	205
$\Theta_{\text{FI}}(S)$	90	θ_F	205
$D(\Sigma)$	94	a/F	206
\vdash	94	$\prod_{i \in I} \mathbf{A}_i/F$	206
$\mathcal{L}(\mathbf{A})$	108	$P_R(K)$	206
\equiv_L	114	$\text{Th}(K)$	213
$\text{Su}(X)$	118	Th_\forall	215
$\mathbf{1}, \mathbf{2}$	118	$\text{Th}_{\forall H}$	218
$\mathbf{B}[a]$	118	$\mathbf{A}[\mathcal{L}]$	220
\mathbf{B}^\otimes	123	D^+	221
\mathbf{R}^\otimes	123	V_{FSI}	233
$I(X), F(X)$	131	$\xrightarrow{\text{sem}}$	238
\mathbf{B}^*	135	$K(c_1, c_n)$	238
$X_1 \cup X_2, X_1 \dot{\cup} X_2$	138, 139	$\xrightarrow{\text{sem}}$	244
$A[\mathbf{B}]^*$	141		
$\mathbf{A}[\mathbf{B}]^*$	142		
$\llbracket \quad \rrbracket$	143, 207		

Contents

Special Notation	xv
Preliminaries	1
Chapter I	
Lattices	
§1. Definitions of Lattices	3
§2. Isomorphic Lattices, and Sublattices	8
§3. Distributive and Modular Lattices	10
§4. Complete Lattices, Equivalence Relations, and Algebraic Lattices	14
§5. Closure Operators	18
Chapter II	
The Elements of Universal Algebra	
§1. Definition and Examples of Algebras	22
§2. Isomorphic Algebras, and Subalgebras	28
§3. Algebraic Lattices and Subuniverses	30
§4. The Irredundant Basis Theorem	32
§5. Congruences and Quotient Algebras	35
§6. Homomorphisms and the Homomorphism and Isomorphism Theorems	42
§7. Direct Products, Factor Congruences, and Directly Indecomposable Algebras	51
§8. Subdirect Products, Subdirectly Irreducible Algebras, and Simple Algebras	56
§9. Class Operators and Varieties	60
	xiii

§10. Terms, Term Algebras, and Free Algebras	62
§11. Identities, Free Algebras, and Birkhoff's Theorem	71
§12. Mal'cev Conditions	77
§13. The Center of an Algebra	82
§14. Equational Logic and Fully Invariant Congruences	89

Chapter III

Selected Topics

§1. Steiner Triple Systems, Squags, and Sloops	99
§2. Quasigroups, Loops, and Latin Squares	102
§3. Orthogonal Latin Squares	103
§4. Finite State Acceptors	107

Chapter IV

Starting from Boolean Algebras

§1. Boolean Algebras	116
§2. Boolean Rings	122
§3. Filters and Ideals	127
§4. Stone Duality	135
§5. Boolean Powers	141
§6. Ultraproducts and Congruence-distributive Varieties	145
§7. Primal Algebras	150
§8. Boolean Products	154
§9. Discriminator Varieties	164
§10. Quasiprimal Algebras	169
§11. Functionally Complete Algebras and Skew-free Algebras	176
§12. Semisimple Varieties	183
§13. Directly Representable Varieties	187

Chapter V

Connections with Model Theory

§1. First-order Languages, First-order Structures, and Satisfaction	191
§2. Reduced Products and Ultraproducts	205
§3. Principal Congruence Formulas	221
§4. Three Finite Basis Theorems	227
§5. Semantic Embeddings and Undecidability	237

Recent Developments and Open Problems	249
---------------------------------------	-----

Bibliography	257
--------------	-----

Author Index	267
--------------	-----

Subject Index	269
---------------	-----

Preliminaries

We have attempted to keep our notation and conventions in agreement with those of the closely related subject of model theory, especially as presented in Chang and Keisler's *Model Theory* [8]. The reader needs only a modest exposure to classical algebra; for example he should know what groups and rings are.

We will assume a familiarity with the most basic notions of *set theory*. Actually, we use *classes* as well as *sets*. A class of sets is frequently called a *family* of sets. The notations A_i , $i \in I$, and $(A_i)_{i \in I}$ refer to a *family of sets indexed by a set I* . A naive theory of sets and classes is sufficient for our purposes. We assume the reader is familiar with *membership* (\in), *set-builder notation* ($\{ _ : _ \}$), *subset* (\subseteq), *union* (\cup), *intersection* (\cap), *difference* ($-$), *ordered n -tuples* ($\langle x_1, \dots, x_n \rangle$), *(direct) products* of sets ($A \times B$, $\prod_{i \in I} A_i$), and *(direct) powers* of sets (A^I). Also, it is most useful to know that

(a) concerning relations:

- (i) an *n -ary relation* on a set A is a subset of A^n ;
- (ii) if $n = 2$ it is called a *binary relation* on A ;
- (iii) the *inverse* r^\sim of a binary relation r on A is specified by $\langle a, b \rangle \in r^\sim$ iff $\langle b, a \rangle \in r$;
- (iv) the *relational product* $r \circ s$ of two binary relations r, s on A is given by: $\langle a, b \rangle \in r \circ s$ iff for some c , $\langle a, c \rangle \in r$, $\langle c, b \rangle \in s$;

(b) concerning functions:

- (i) a *function* f from a set A to a set B , written $f: A \rightarrow B$, is a subset of $A \times B$ such that for each $a \in A$ there is exactly one $b \in B$ with $\langle a, b \rangle \in f$; in this case we write $f(a) = b$ or $f: a \mapsto b$;
- (ii) the set of all functions from A to B is denoted by B^A ;
- (iii) the function $f \in B^A$ is *injective* (or *one-to-one*) if $f(a_1) = f(a_2) \Rightarrow a_1 = a_2$;
- (iv) the function $f \in B^A$ is *surjective* (or *onto*) if for every $b \in B$ there is an $a \in A$ with $f(a) = b$;

- (v) the function $f \in B^A$ is *bijective* if it is both injective and surjective;
- (vi) for $f \in B^A$ and $X \subseteq A$, $f(X) = \{b \in B: f(a) = b \text{ for some } a \in X\}$;
- (vii) for $f \in B^A$ and $Y \subseteq B$, $f^{-1}(Y) = \{a \in A: f(a) \in Y\}$;
- (viii) for $f: A \rightarrow B$ and $g: B \rightarrow C$, let $g \circ f: A \rightarrow C$ be the function defined by $(g \circ f)(a) = g(f(a))$. [This does not agree with the relational product defined above—but the ambiguity causes no problem in practice.];
- (c) given a family F of sets, the *union* of F , $\bigcup F$, is defined by $a \in \bigcup F$ iff $a \in A$ for some $A \in F$ (define the *intersection* of F , $\bigcap F$, dually);
- (d) a *chain* of sets C is a family of sets such that for each $A, B \in C$ either $A \subseteq B$ or $B \subseteq A$;
- (e) *Zorn's lemma* says that if F is a nonempty family of sets such that for each chain C of members of F there is a member of F containing $\bigcup C$ (i.e., C has an *upper bound* in F) then F has a *maximal* member M (i.e., $M \in F$ and $M \subseteq A \in F$ implies $M = A$);
- (f) concerning ordinals:
 - (i) the *ordinals* are generated from the empty set \emptyset using the operations of *successor* ($x^+ = x \cup \{x\}$) and *union*;
 - (ii) $0 = \emptyset$, $1 = 0^+$, $2 = 1^+$, etc.; the *finite ordinals* are $0, 1, \dots$; and $n = \{0, 1, \dots, n-1\}$; the *natural numbers* are $1, 2, 3, \dots$, the nonzero finite ordinals;
 - (iii) the first *infinite ordinal* is $\omega = \{0, 1, 2, \dots\}$;
 - (iv) the ordinals are *well-ordered* by the relation \in , also called $<$;
- (g) concerning cardinality:
 - (i) two sets A and B have the *same cardinality* if there is a bijection from A to B ;
 - (ii) the *cardinals* are those ordinals κ such that no earlier ordinal has the same cardinality as κ . The *finite cardinals* are $0, 1, 2, \dots$; and ω is the smallest *infinite cardinal*;
 - (iii) the *cardinality* of a set A , written $|A|$, is that (unique) cardinal κ such that A and κ have the same cardinality;
 - (iv) $|A| \cdot |B| = |A \times B| [= \max(|A|, |B|)]$ if either is infinite and $A, B \neq \emptyset$.
 $A \cap B = \emptyset \Rightarrow |A| + |B| = |A \cup B| [= \max(|A|, |B|)]$ if either is infinite];
- (h) one usually recognizes that a *class* is not a set by noting that it is *too big* to be put in one-to-one-correspondence with a cardinal (for example, the class of all groups).

In Chapter IV the reader needs to know the basic definitions from point set topology, namely what a *topological space*, a *closed (open) set*, a *subbasis (basis)* for a topological space, a *closed (open) neighborhood* of a point, a *Hausdorff space*, a *continuous function*, etc., are.

The symbol “=” is used to express the fact that both sides name the same object, whereas “ \approx ” is used to build equations which may or may not be true of particular elements. (A careful study of \approx is given in Chapter II.)

CHAPTER I

Lattices

In the study of the properties common to all algebraic structures (such as groups, rings, etc.) and even some of the properties that distinguish one class of algebras from another, lattices enter in an essential and natural way. In particular, congruence lattices play an important role. Furthermore, lattices, like groups or rings, are an important class of algebras in their own right, and in fact one of the most beautiful theorems in universal algebra, Baker's finite basis theorem, was inspired by McKenzie's finite basis theorem for lattices. In view of this dual role of lattices in relation to universal algebra, it is appropriate that we start with a brief study of them. In this chapter the reader is acquainted with those concepts and results from lattice theory which are important in later chapters. Our notation in this chapter is less formal than that used in subsequent chapters. We would like the reader to have a casual introduction to the subject of lattice theory.

The origin of the lattice concept can be traced back to Boole's analysis of thought and Dedekind's study of divisibility. Schroeder and Peirce were also pioneers at the end of the last century. The subject started to gain momentum in the 1930's, and was greatly promoted by Birkhoff's book *Lattice Theory* in the 1940's.

§1. Definitions of Lattices

There are two standard ways of defining lattices—one puts them on the same (algebraic) footing as groups or rings, and the other, based on the notion of order, offers geometric insight.